

DAFTAR PUSTAKA

- Aggarwal, N. N.; Gathphoh, B. F. D.; Kumar, M. V.; Ghetia, S.; Revanasiddappa, B. C., 2021, Synthesis, *in silico* analysis and antidepressant activity of pyrazoline analogs, *Thai J. Pharm. Sci.*, 45(1), 24–31.
- Agrawal, P.K., 2023, Methoxy ¹³C-NMR chemical shift as a molecular descriptor in the structural analysis of flavonoids and other phenolic compounds, *J. Spectrosc.*, 2023, 1–12.
- Alam, M.S., Rahman, S.M.M., and Lee, D.U., 2015, Synthesis, biological evaluation, quantitative-SAR and docking studies of novel chalcone derivatives as antibacterial and antioxidant agents, *Chem. Pap.*, 69(8), 1118–1129.
- Amin, K.M., Eissa, A.A.M., Seri, S.M.A., Awadallah, F.M., and Hassan, G.S., 2013, Synthesis and biological evaluation of novel coumarin–pyrazoline hybrids endowed with phenylsulfonyl moiety as antitumor agents, *Eur. J. Med. Chem.*, 60, 187–198.
- Amir, M., Javed, S.A., Kumar, H., and Javed, S., 2008, Recent advances in the development of heterocyclic compounds as anticancer agents, *Arkivoc*, 2008, 57–121.
- Anonim, 2020, *World cancer report*, World Health Organization, Geneva.
- Arora, V., Arora, P., and Lamba, H.S., 2012, Synthesis and biological activities of some 3,5-disubstituted pyrazoline derivatives of 2-acetyl naphthalene, *Int. J. Pharm. Pharm. Sci.*, 4(4), 303–306.
- Arslan, F.N., Geyik, G.A., Koran, K., Aydin, D., Elmas, Ş.N.K., and Yilmaz, İ., 2020, Fluorescence “turn on–off” sensing of copper(II) ions utilizing coumarin-based chemosensor: Experimental study, theoretical calculation, mineral and drinking water analysis, *J. Fluoresc.*, 30, 317–327.
- Asad, M., Khan, S.A., Arshad, M.N., Asiri, A.M., and Rehan, M., 2021, Design and synthesis of novel pyrazoline derivatives for their spectroscopic, single crystal X-ray and biological studies, *J. Mol. Struct.*, 1234, 130131.
- Asirvatham, S., and Mahajan, S., 2015, Synthesis, Biological Evaluation and QSAR Studies of Newer Isoxazole Derivatives, *Antiinflamm. Antiallergy Agents Med. Chem.*, 14(2), 128–137.
- Barakat, A., Al-Majid, A.M., Al-Othman, Z.A., El-Gogary, S.R., Al-Saeed, F.A., El-Deeb, M.M., and Badria, F.A., 2015, Structural and spectral investigations of the recently synthesized chalcone (*E*)-3-mesityl-1-(naphthalen-2-yl)prop-2-en-1-one, a potential chemotherapeutic agent, *BMC Chem.*, 9(1), 16.

- Batovska, D.I., and Parushev, S.P., 2011, Pyrazoline as biologically active compounds (mini-review), *Eur. J. Med. Chem.*, 46(9), 4141–4151.
- Bhale, P.S., Chavan, H.V., Dongare, S.B., Shringare, S.N., Mule, Y.B., Nagane, S.S., and Bandkar, B.P., 2017, Synthesis of extended conjugated indolyl chalcones as potent anti-breast cancer, anti-inflammatory and antioxidant agents, *Bioorg. Med. Chem. Lett.*, 27, 1502–1507.
- Bukhari, S.N.A., 2022, Synthesis and evaluation of new chalcone and oxime as anticancer agents, *RSC Adv.*, 12, 10307–10315.
- Bukhari, S.N.A., Jasmani, M., Jantan, I., and Ahmad, W., 2013, Review of methods and various catalysts used for chalcone synthesis, *Mini-Rev. Org. Chem.*, 10, 73–83.
- Bray, F., Ferlay, J., Soerjomataram, I., Siegel, R.L., Torre, L.A., and Jemal, A., 2018, Global cancer statistics 2018: GLOBOCAN estimates of incidence and mortality worldwide for 36 cancers in 185 countries, *CA Cancer J. Clin.*, 68(6), 394–424.
- Calderon, M.G., Delgado, C.M.P., Balang, P.P., Betti, M., and Marquez, A.J., 2020, Flavonoids and isoflavonoids biosynthesis in the model legume *Lotus japonicus*: Connections to nitrogen metabolism and photorespiration, *Plants*, 9, 774.
- Carter, K.P., Young, A.M., and Palmer, A.E., 2014. Fluorescent sensors for measuring metal ions in living systems. *Chem. Rev.*, 114(8), 4564–4601.
- Chen, X., Pradhan, T., Wang, F., Kim, J. S., and Yoon, J., 2012, Fluorescent chemosensors based on spiroring-opening of xanthenes and related derivatives, *Chem. Rev.*, 112(3), 1910–1956.
- Cheng, A.X., Han, X.J., Wu, Y.F., and Lou, H.X., 2014, The function and catalysis of 2-oxoglutarate-dependent oxygenases involved in plant flavonoid biosynthesis, *Int. J. Mol. Sci.*, 15, 1080–1095.
- Ediriweera, M.K., Tennekoon, K.H., and Samarakoon, S.R., 2019, *In vitro* assays and techniques utilized in anticancer drug discovery, *J. Appl. Toxicol.*, 39, 38–71.
- Fernandes, R.S., Shetty, N.S., Mahesha, P., and Gaonkar, S.L., 2022, A comprehensive review on thiophene-based chemosensors, *J. Fluoresc.*, 32(1), 19–56.
- George, G., Koyiparambath, V.P., Sukumaran, S., Nair, A.S., Pappachan, L.K., Al-Sehemi, A.G., Kim, H., and Mathew, B., 2022, Structural modifications on chalcone framework for developing new class of cholinesterase inhibitors, *Int. J. Mol. Sci.*, 23(6), 3121.

- George, R.F., Samir, E.M., Abdelhamed, M.N., Abdel-Aziz, H.A., and Abbas, S.E., 2019, Synthesis and anti-proliferative activity of some new quinoline based 4,5-dihydropyrazoles and their thiazole hybrids as EGFR inhibitors, *Bioorg. Chem.*, 83, 186–197
- Gui, S., Huang, Y., Hu, F., Jin, Y., Zhang, G., Yan, L., and Zhang, D., 2015, Fluorescence turn-on chemosensor for highly selective and sensitive detection and bioimaging of Al³⁺ in living cells based on ion-induced aggregation, *Anal. Chem.*, 87(3), 1470–1474.
- Gunmlaugsson, T.; Veale, E. B.; Pfeffer, F.; Kruger, P. E.; de Silva, A. P., 2017, Fluorescent chemosensors: the past, present and future, *Chem. Soc. Rev.*, 46, 1525–1538.
- Havrylyuk, D., Roman, O., and Lesyk, R., 2016, Synthetic approaches, structure–activity relationship and biological applications for pharmacologically attractive pyrazole/pyrazoline–thiazolidine-based hybrids, *Eur. J. Med. Chem.*, 113, 145–166.
- Isaad, J., and El Achari, A., 2023, Colorimetric probe for sequential chemosensing of mercury(II) and cyanide ions in aqueous media based on a benzoxadiazole–pyrazolin-5-one glycoconjugate with INHIBIT logic gate response, *J. Mol. Struct.*, 1271, 134036.
- Islam, M.K., Ha, S., Baek, A.R., Yang, B.W., Kim, Y.H., Park, H.J., Kim, M., Nam, S.W., Lee, G.H., and Chang, Y., 2022, The synthesis, characterization, molecular docking and *in vitro* antitumor activity of benzothiazole aniline (BTA) conjugated metal–salen complexes as non-platinum chemotherapeutic agents, *Pharmaceuticals*, 15(6), 751.
- Jaishankar, M., Tseten, T., Anbalagan, N., Mathew, B.B., and Beeregowda, K.N., 2014, Toxicity, mechanism and health effects of some heavy metals, *Interdiscip. Toxicol.*, 7(2), 60–72.
- Jasril, J., Teruna, H.Y., Aisyah, A., Nurlaili, N., and Rudi, H., 2019, Microwave-assisted synthesis and evaluation of toxicity and antioxidant activity of pyrazoline derivatives, *Indones. J. Chem.*, 19(3), 583–591.
- Jung, J.-C., Lee, Y., Min, D., Jung, M., and Oh, S. (2017). Practical synthesis of chalcone derivatives and their biological activities. *Molecules*, 22(11), 1872.
- Karabacak, M., Altıntop, M.D., Çiftçi, H.İ., Koga, R., Otsuka, M., Fujita, M., and Özdemir, A., 2015, Synthesis and evaluation of new pyrazoline derivatives as potential anticancer agents, *Molecules*, 20(10), 19066–19084.

- Karrouchi, K., Radi, S., Ramli, Y., Taoufik, J., Mabkhot, Y.N., Al-Aizari, F.A., and Ansar, M., 2018, Synthesis and pharmacological activities of pyrazole derivatives: A review, *Molecules*, 23(1), 134.
- Khan, S.A., Asiri, A.M., Al-Ghamdi, N.S.M., Asad, M., Zayed, M.E.M., Elroby, S.A.K., Aqlan, F.M., Wani, M.Y., and Sharma, K., 2019, Microwave-assisted synthesis of chalcone and its polycyclic heterocyclic analogues as promising antibacterial agents: *In vitro*, in silico and DFT studies, *J. Mol. Struct.*, 1190, 77–85.
- Kucukoglu, K., Oral, F., Aydin, T., Yamali, C., Algul, Ö., Ozdemir, A., and Supuran, C.T., 2016, Synthesis, cytotoxicity and carbonic anhydrase inhibitory activities of new pyrazolines, *J. Enzyme Inhib. Med. Chem.*, 31(6), 1624–1629.
- Kumar, C.K. Tanwar, O. Kumar, J. Akhter, M. Sharma, S. Pillai, C.R., and Zama, M.S., 2015, Ferrocenyl pyrazoline based multichannel receptors for a benzothiazole derivative: Cation recognition properties (Hg^{2+} sensor), *J. Mol. Struct.*, 1099, 120–129.
- Lakowicz, J.R., 2006, *Principles of Fluorescence Spectroscopy*, 3rd ed., Springer, New York.
- Li, Y., Zhang, J., Ma, H., and Zhang, Z., 2012, Synthesis and biological evaluation of some novel pyrazoline derivatives as potential anticancer agents, *Eur. J. Med. Chem.*, 47, 502–510.
- Lin, Z., Wang, Z., Zhou, X., Zhang, M., Gao, D., Zhang, L., Wang, P., Chen, Y., Lin, Y., Zhao, B., Miao, J., and Kong, F., 2020, Novel compound 2-(1,5-diphenyl-4,5-dihydro-1H-pyrazol-3-yl)phenyl acrylate (probe L) as a highly sensitive and selective fluorescent probe for recognizing glutathione in living cells, *Cell Death Dis.*, 11(7), 551.
- Liu, Y., Chen, C., and Wu, A.T., 2018, A turn-on and reversible fluorescence sensor for Al^{3+} ion, *Analyst*, 137(22), 5201–5203.
- Liu, L., Sun, B., Mao, Y., and Ding, R., 2019, Electron transfer and intersystem crossing triggered fluorescence quenching detection of mercury ions, *Phys. Chem. Chem. Phys.*, 21(30), 16676–16685.
- McCauley, J., Smith, P., and Jones, R., 2013, The MTT assay as a rapid method to assess cell viability and proliferation, *Biotechniques*, 54(4), 234–239.
- Mehmood, R., Khan, F., Khan, M.Z., Iqbal, J., and Husain, R., 2022, Synthesis and evaluation of 1,3,5-triaryl-2-pyrazoline derivatives, *ACS Omega*, 7(51), 52750–52761.

- Monga, V., Goyal, K., Steindel, M., Malhotra, M., Rajani, D.P., and Rajani, S., 2014, Synthesis and evaluation of new chalcones, derived pyrazoline and cyclohexenone derivatives as potent antimicrobial, antitubercular and antileishmanial agents, *Med. Chem. Res.*, 23(4), 2019–2032.
- Mothana, R.A., Arbab, A.H., ElGamal, A.A., Parvez, M.K., and Al-Dosari, M.S., 2022, Isolation and characterization of two chalcone derivatives with anti-hepatitis B virus activity from the endemic Socotraen *Dracaena cinnabari* (Dragon's Blood Tree), *Molecules*, 27(3), 952.
- Nakagawa, T., Yamaji, M., Maki, S., Niwa, H., and Hirano, T., 2014, Substituent effects on fluorescence properties of thiazolo[4,5-b]pyrazine derivatives, *Photochem. Photobiol. Sci.*, 13(12), 1765–1772.
- Nawaz, T., Tajammal, A., Qurashi, A.W., Nisa, M.-un, Binjawhar, D.N., and Iqbal, M., 2024, Synthesis, antibacterial, antibiofilm, and docking studies of chalcones against multidrug resistance pathogens, *Heliyon*, 10(13), e30618.
- Nehra, B., Rulhania, S., Jaswal, S., Kumar, B., Singh, G., and Monga, V., 2020, Recent advancements in the development of bioactive pyrazoline derivatives, *Eur. J. Med. Chem.*, 205, 112666.
- Nowakowska, Z., 2007, A review of anti-infective and anti-inflammatory chalcones, *Eur. J. Med. Chem.*, 42(2), 125–137.
- Ouyang, Y., Li, J., Chen, X., Fu, X., Sun, S., and Wu, Q., 2021, Chalcone derivatives: Role in anticancer therapy, *Biomolecules*, 11(6), 894.
- Pareek, V., Paliwal, P.K., and Jain, S., 2017, Synthesis and characterization of some benzothiazolopyrazoline derivatives, *Int. J. Eng. Technol. Manag. Res.*, 4(12: SE), 94–97.
- Pathania, S., Narang, R., and Rawal, R., 2020, Thiophene-based derivatives as anticancer agents: An overview on decade's work, *Eur. J. Med. Chem.*, 208, 112772.
- Pavia, D. L., Lampman, G. M., Kriz, G. S., and Vyvyan, J. R., 2015, *Introduction to Spectroscopy: A Guide for Students of Organic Chemistry*, 5th ed., Cengage Learning, Stamford.
- Pérez, H., Gil, D.M., Frontera, A., and Escudero, D., 2024, Revisiting metal dihalide complexes with phosphine ligands: Isostructurality, steric effects, anagostic interactions, crystal voids, and energetic calculations, *Chem. Select*, 9(45), e202404665.
- Pise, A.S., Kumbhar, S.P., Hiwarkar, S.M., and Devineni, P.S., 2018, Ultrasound-assisted synthesis of 1,5-diaryl and 1,3,5-triaryl-2-pyrazolines by using KOH/EtOH system with Cu(I) catalyst, *Asian J. Chem.*, 30(4), 894–896.

- Priyanga, K.T.A., Kurniawan, Y.S., Yuliati, L., Purwono, B., and Wahyuningsih, T.D., 2021, Novel luminescent Schiff's base derivative with an azo moiety for ultrasensitive and sensitive chemosensor of Fe³⁺ ions, *Luminescence*, 36(5), 1239–1248.
- Ramiz, M.M.M., El-Sayed, W.A., El-Tantawy, A.I., and Abdel-Rahman, A.A.H., 2010, Antimicrobial activity of new 4,6-disubstituted pyrimidine, pyrazoline, and pyran derivatives, *Arch. Pharm. Res.*, 33(5), 647–654.
- Rammohan, A., Julakanti, S.R., Gundala, S., Chittluri, N.R., and Zyryanov, G.V., 2020, Chalcone synthesis, properties and medicinal applications: a review, *Environ. Chem. Lett.*, 18(2), 433–458.
- Rani, B.K., and John, S.A., 2018, Fluorogenic mercury ion sensor based on pyrene-amino mercapto thiadiazole unit (PYAMT) probe, *J. Hazard. Mater.*, 343, 98–106.
- Ratnawati, D., Kartini, I., Pranowo, H.D., Kurniawan, Y.S., and Wahyuningsih, T.D., 2024, Novel benzothiazole–pyrazoline–styrene hybrid for ultrasensitive detection of Hg(II) ions: synthesis and chemosensor evaluation, *Luminescence*, 39(6), e4811.
- Salim, A.S., Girgis, A.S., Basta, A.H., El-Saied, H., Mohamed, M.A., and Bedair, A.H., 2018, Comparative DFT computational studies with experimental investigations for novel synthesized fluorescent pyrazoline derivatives, *J. Fluoresc.*, 28(4), 913–931.
- Salum, K.A., Alidmat, M.M., Khairuldean, M., Nik Mohammad Kamal, N.N.S., and Muhammad, M., 2020, Design, synthesis, characterization, and cytotoxicity activity evaluation of mono-chalcones and new pyrazolines derivatives, *J. Appl. Pharm. Sci.*, 10(8), 20–36.
- Shaffer, C.V., Cai, S., Peng, J., Robles, A.J., Hartley, R.M., Powell, D.R., Du, L., Cichewicz, R.H., and Mooberry, S.L., 2016, Texas native plants yield compounds with cytotoxic activities against prostate cancer cells, *J. Nat. Prod.*, 79(2), 374–382.
- Sharma, D., Narasimhan, B., and Kumar, P., 2022, A review on biological activities of pyrazoline derivatives, *Mini-Rev. Med. Chem.*, 22(2), 202–221.
- Silverstein, R.M., Webster, F.X., Kiemle, D.J., and Bryce, D.L., 2014, *Spectrometric Identification of Organic Compounds*, 8th ed., Wiley, Hoboken.
- Suma, A.A.T., Wahyuningsih, T.D., and Astuti, E., 2019^a, Synthesis, anticancer activity, and docking study of *N*-acetyl pyrazolines from veratraldehyde, *J. Appl. Pharm. Sci.*, 9(3), 14–20.

- Suma, S., Rao, V., and Krishna, P., 2019^b, Methoxy-substituted pyrazoline derivatives as potent anticancer agents: synthesis, biological evaluation and SAR studies, *J. Mol. Struct.*, 1181, 112–123.
- Tanamatayarat, P., Limtrakul, P., Chunsakaow, S., and Duangrat, C., 2003, Screening of some rubiaceae plants for cytotoxic activity against cervix carcinoma (KB-3-1) cell line, *Thai J. Pharm. Sci.*, 27(3–4), 167–172.
- Tchounwou, P.B., Yedjou, C.G., Patlolla, A.K., and Sutton, D.J., 2012, Heavy metal toxicity and the environment, in: molecular, clinical and environmental toxicology, Vol. 101, *Springer*, 133–164.
- Tigreros, A., and Portilla, J., 2020, Recent advances in chemosensors based on pyrazole derivatives, *Molecules*, 25(16), 3683.
- Tugrak, M., Gül, H.İ., and Gülçin, İ., 2020, Acetylcholinesterase inhibitory potencies of new pyrazoline derivatives, *J. Res. Pharm.*, 24(4), 464–471.
- Valeur, B., and Berberan-Santos, M.N., 2012, *Molecular fluorescence: principles and applications*, 2nd ed., Wiley-VCH, Weinheim.
- Viveka, S., Kumar, S., and Rajendran, K., 2015, Pyrazoline derivatives: a review of their diverse biological activities, *Int. J. Pharm. Pharm. Sci.*, 7(4), 21–25.
- Wahyuningsih, T.D., Setiawati, Suma, A.A.T., Stansyah, Y.M., and Astuti, E., 2022, Synthesis biological evaluation and molecular docking of methoxy *N*-phenylpyrazoline derivatives as anticancer agents, *Pak. J. Pharm. Sci.*, 35(4), 965–972. -
- Wang, S.-Q., Liu, S.-Y., Wang, H.-Y., Zheng, X.-X., and Zhao, B.-X., 2014, Novel pyrazoline-based selective fluorescent sensor for Hg²⁺, *J. Fluoresc.*, 24, 657–663.
- Wulan, F.F., Astuti, E., Prasetyo, N., Kumar, N., and Wahyuningsih, T.D., 2025, Investigating chlorothiophene-based chalcones as anticancer agents: synthesis, biological evaluation, and computational insight via the p53-targeted pathway, *Arab. J. Chem.*, 18(3), 105678.
- Yadav, C.S., Azad, I., Khan, A.R., Nasibullah, M., Ahmad, N., Hansda, D., Ali, S.N., Shrivastav, K., Akil, M., and Lohani, M.B., 2024, Recent advances in the synthesis of pyrazoline derivatives from chalcones as potent pharmacological agents: a comprehensive review, *Results Chem.*, 7(5), 101326.
- Yang, B., Zhang, B., Zhao, Q., Li, J., and Shi, Y., 2022, Development of new thiophene-containing triaryl pyrazoline derivatives as PI3K γ inhibitors, *Bioorg. Chem.*, 119, 105553.

- Zhao, B.-X., Wang, S.-Q., Zhang, H., and Liu, W.-Y., 2018, Benzothiazole-based fluorescent chemosensors for selective detection of metal ions: design, synthesis, and sensing properties, *J. Photochem. Photobiol. A Chem.*, 364, 140–150.
- Zhou, X., Chen, Y., Li, T., Wang, Y., Zhang, Y., and Liu, J., 2017, A new series of cytotoxic pyrazoline derivatives as potential anticancer agents that induce cell cycle arrest and apoptosis, *Eur. J. Med. Chem.*, 128, 227–238.
- Zhuang, C., Zhang, W., Sheng, C., Zhang, W., Xing, C., and Miao, Z., 2017, Chalcone: a privileged structure in medicinal chemistry, *Chem. Rev.*, 117(12), 7762–7810.