

DAFTAR PUSTAKA

- Agustina, R. D., Putra, R. P., & Susanti, S. (2023). Mapping Greater Bandung flood susceptibility based on multi-criteria decision analysis (MCDA) using AHP method. *Environmental Earth Sciences*, 82(15). <https://doi.org/10.1007/s12665-023-11062-3>
- Al-Juaidi, A. E. M. (2023). The interaction of topographic slope with various geo-environmental flood-causing factors on flood prediction and susceptibility mapping. *Environmental Science and Pollution Research*, 30(21), 59327–59348. <https://doi.org/10.1007/s11356-023-26616-y>
- Al-Umar, M., Fall, M., & Daneshfar, B. (2022). GIS based assessment of rainfall-induced landslide susceptibility of sensitive marine clays: a case study. *Geomechanics and Geoengineering*, 17(5), 1458–1484. <https://doi.org/10.1080/17486025.2021.1955152>
- Asiri, M. M., Aldehim, G., Alruwais, N., Allafi, R., Alzahrani, I., Nouri, A. M., Assiri, M., & Ahmed, N. A. (2024). Coastal Flood risk assessment using ensemble multi-criteria decision-making with machine learning approaches. *Environmental Research*, 245, 118042. <https://doi.org/10.1016/j.envres.2023.118042>
- Badan Geologi. (2025). *Pengenalan Gerakan Tanah*. Kementerian Energi Dan Sumber Daya Alam. https://www.esdm.go.id/assets/media/content/Pengenalan_Gerakan_Tanah.pdf
- Bahrani, Y., Hassani, H., & Maghsoudi, A. (2021). Landslide susceptibility mapping using AHP and fuzzy methods in the Gilan province, Iran. *GeoJournal*, 86(4), 1797–1816. <https://doi.org/10.1007/s10708-020-10162-y>
- Bangalore, M., Hallegatte, S., Vogt-Schilb, A., & Rozenberg, J. (2017). *Unbreakable: Building the Resilience of the Poor in the Face of Natural Disasters*. Washington, DC: World Bank. <https://doi.org/10.1596/978-1-4648-1003-9>
- Bate, D. V., Karyanto, P., & Rindarjono, Moh. G. (2018). LEVEL OF LANDSLIDE SUSCEPTIBILITY IN CIBAL DISTRICT OF MANGGARAI EAST NUSA TENGGARA. *Geosfera Indonesia*, 3(2), 67. <https://doi.org/10.19184/geosi.v3i2.7992>
- Bhatia, K., Baker, A., Yang, W., Vecchi, G., Knutson, T., Murakami, H., Kossin, J., Hodges, K., Dixon, K., Bronselaer, B., & Whitlock, C. (2022). A potential explanation for the global increase in tropical cyclone rapid intensification. *Nature Communications*, 13(1). <https://doi.org/10.1038/s41467-022-34321-6>
- Biagio, V. Di. (2020). *Interactive comment on “Characterisation of extreme events waves in marine ecosystems: the case of Mediterranean Sea” by Valeria Di Biagio et al.* <https://api.semanticscholar.org/CorpusID:232768459>

- Blaikie, P., Cannon, T., Davis, I., & Wisner, B. (2014). *At Risk*. Routledge. <https://doi.org/10.4324/9780203714775>
- BMKG. (2010). *PERATURAN KEPALA BADAN METEOROLOGI, KLIMATOLOGI, DAN GEOFISIKA NOMOR : KEP. 009 TAHUN 2010 TENTANG PROSEDUR STANDAR OPERASIONAL PELAKSANAAN PERINGATAN DINI, PELAPORAN, DAN DISEMINASI INFORMASI CUACA EKSTRIM*.
- BMKG. (2024a). *Glossaries BMKG Maritim*. <https://maritim.bmkg.go.id/>
- BMKG. (2024b). *Informasi Siklon Tropis*. <https://web-meteo.bmkg.go.id/en/component/content/article/37-siklon-tropis/274-dampak-siklon-tropis?Itemid=294>
- BNPB. (2012). *Peraturan Kepala BNPB Nomor 2 Tahun 2012*. Badan Nasional Penanggulangan Bencana.
- BNPB. (2023). *Indeks Risiko Bencana Indonesia (IRBI)* (R. Yunus, Ed.; 1st ed., Vol. 1). Badan Nasional Penanggulangan Bencana.
- Bunmi Mudashiru, R., Sabtu, N., Abdullah, R., Saleh, A., & Abustan, I. (2022). Optimality of flood influencing factors for flood hazard mapping: An evaluation of two multi-criteria decision-making methods. *Journal of Hydrology*, *612*. <https://doi.org/10.1016/j.jhydrol.2022.128055>
- Burayu, D. G., Karuppannan, S., & Shuniye, G. (2023). Identifying flood vulnerable and risk areas using the integration of analytical hierarchy process (AHP), GIS, and remote sensing: A case study of southern Oromia region. *Urban Climate*, *51*. <https://doi.org/10.1016/j.uclim.2023.101640>
- Cai, L., Li, Y., Chen, M., & Zou, Z. (2020). Tropical cyclone risk assessment for China at the provincial level based on clustering analysis. *Geomatics, Natural Hazards and Risk*, *11*(1), 869–886. <https://doi.org/10.1080/19475705.2020.1753823>
- Chakraborty, S., & Mukhopadhyay, S. (2019). Assessing flood risk using analytical hierarchy process (AHP) and geographical information system (GIS): application in Coochbehar district of West Bengal, India. *Natural Hazards*, *99*(1), 247–274. <https://doi.org/10.1007/s11069-019-03737-7>
- Chen, W., Song, L., Zhi, S., Huang, H., & Qin, P. (2011). Analysis on gust factor of tropical cyclone strong wind over different underlying surfaces. *Science China Technological Sciences*, *54*(10), 2576–2586. <https://doi.org/10.1007/s11431-011-4511-0>
- Chen, Y. (2022). Flood hazard zone mapping incorporating geographic information system (GIS) and multi-criteria analysis (MCA) techniques. *Journal of Hydrology*, *612*. <https://doi.org/10.1016/j.jhydrol.2022.128268>

- Choudhury, S., Basak, A., Biswas, S., & Das, J. (2022). Flash Flood Susceptibility Mapping Using GIS-Based AHP Method. In B. Pradhan, P. K. Shit, G. S. Bhunia, P. P. Adhikary, & H. R. Pourghasemi (Eds.), *Spatial Modelling of Flood Risk and Flood Hazards: Societal Implications* (pp. 119–142). Springer International Publishing. https://doi.org/10.1007/978-3-030-94544-2_8
- Cutter, S. L., Boruff, B. J., & Shirley, W. L. (2003). Social Vulnerability to Environmental Hazards *. *Social Science Quarterly*, 84(2), 242–261. <https://doi.org/10.1111/1540-6237.8402002>
- Dai, F. C., Lee, C. F., & Ngai, Y. Y. (2002). Landslide risk assessment and management: An overview. *Engineering Geology*, 64(1), 65. [https://doi.org/10.1016/S0013-7952\(01\)00093-X](https://doi.org/10.1016/S0013-7952(01)00093-X)
- Darmawan, K., Hani'ah, H., & Suprayogi, A. (2017). ANALISIS TINGKAT KERAWANAN BANJIR DI KABUPATEN SAMPANG MENGGUNAKAN METODE OVERLAY DENGAN SCORING BERBASIS SISTEM INFORMASI GEOGRAFIS. *Jurnal Geodesi Undip*, 6(1), 31–40.
- Darmawan, M., & Theml, S. (2008). *Katalog metodologi penyusunan peta geo hazard dengan GIS*. Badan Rehabilitasi dan Rekonstruksi (BRR) NAD-Nias.
- Das, T., Talukdar, S., Shahfahad, Baig, M. R. I., Hang, H. T., Siddiqui, A. M., & Rahman, A. (2024). Assessing vulnerability to cyclones in coastal Odisha using fuzzy logic integrated AHP: towards effective risk management. *Spatial Information Research*, 32(3), 277–295. <https://doi.org/10.1007/s41324-023-00556-8>
- Dasgupta, S., Islam, Md. S., Huq, M., Huque Khan, Z., & Hasib, Md. R. (2019). Quantifying the protective capacity of mangroves from storm surges in coastal Bangladesh. *PLOS ONE*, 14(3), e0214079. <https://doi.org/10.1371/journal.pone.0214079>
- Demirel, B., Yildirim, E., & Can, E. (2025). GIS-based landslide susceptibility mapping using AHP, FMEA, and Pareto systematic analysis in central Yalova, Türkiye. *Engineering Science and Technology, an International Journal*, 64, 102013. <https://doi.org/10.1016/j.jestch.2025.102013>
- Dilley, M., Agwe, J. N., Arnold, M., Buys, P., Chen, R. S., & Deichmann, U. (2005). *Natural disaster hotspots: A global risk analysis (English)*.
- Dube, S., Jain, I., Rao, A. D., & Murty, T. (2009). Storm surge modelling for the Bay of Bengal and Arabian Sea. *Natural Hazards*, 51, 3–27. <https://doi.org/10.1007/s11069-009-9397-9>
- Eadie, P., Atienza, M. E., & Tan-Mullins, M. (2020). Livelihood and vulnerability in the wake of Typhoon Yolanda: lessons of community and resilience. *Natural Hazards*, 103(1), 211–230. <https://doi.org/10.1007/s11069-020-03984-z>

- Elliott, R. J. R., Liu, Y., Strobl, E., & Tong, M. (2019). Estimating the direct and indirect impact of typhoons on plant performance: Evidence from Chinese manufacturers. *Journal of Environmental Economics and Management*, 98, 102252. <https://doi.org/https://doi.org/10.1016/j.jeem.2019.102252>
- Emanuel, K. (2003). Tropical Cyclones. *Annual Review of Earth and Planetary Sciences*, 31(1), 75–104. <https://doi.org/10.1146/annurev.earth.31.100901.141259>
- Emanuel, K. (2017). Assessing the present and future probability of Hurricane Harvey's rainfall. *Proceedings of the National Academy of Sciences*, 114(48), 12681–12684. <https://doi.org/10.1073/pnas.1716222114>
- Erener, A., Mutlu, A., & Sebnem Düzgün, H. (2016). A comparative study for landslide susceptibility mapping using GIS-based multi-criteria decision analysis (MCDA), logistic regression (LR) and association rule mining (ARM). *Engineering Geology*, 203, 45–55. <https://doi.org/10.1016/j.enggeo.2015.09.007>
- Fathani, T. F., Karnawati, D., Wilopo, W., & Setiawan, H. (2023). *Strengthening the Resilience by Implementing a Standard for Landslide Early Warning System* (pp. 277–284). https://doi.org/10.1007/978-3-031-16898-7_20
- Fathani, T. F., & Legono, D. (2013). The Application of Monitoring and Early Warning System of Rainfall-Triggered Debris Flow at Merapi Volcano, Central Java, Indonesia. In F. Wang, M. Miyajima, T. Li, W. Shan, & T. F. Fathani (Eds.), *Progress of Geo-Disaster Mitigation Technology in Asia* (pp. 263–275). Springer Berlin Heidelberg. https://doi.org/10.1007/978-3-642-29107-4_13
- Fawcett, T. (2006). An introduction to ROC analysis. *Pattern Recognition Letters*, 27(8), 861–874. <https://doi.org/10.1016/j.patrec.2005.10.010>
- Hadipour, V., Vafaie, F., & Deilami, K. (2020). Coastal Flooding Risk Assessment Using a GIS-Based Spatial Multi-Criteria Decision Analysis Approach. *Water*, 12(9). <https://doi.org/10.3390/w12092379>
- Han, B., Ming, Z., Zhao, Y., Wen, T., & Xie, M. (2021). Comprehensive risk assessment of transmission lines affected by multi-meteorological disasters based on fuzzy analytic hierarchy process. *International Journal of Electrical Power and Energy Systems*, 133. <https://doi.org/10.1016/j.ijepes.2021.107190>
- Harris, R. (2011). *The Nature of the Banda Arc–Continent Collision in the Timor Region* (pp. 163–211). https://doi.org/10.1007/978-3-540-88558-0_7
- Hoque, M. A. A., Pradhan, B., Ahmed, N., & Roy, S. (2019). Tropical cyclone risk assessment using geospatial techniques for the eastern coastal region of Bangladesh. *Science of the Total Environment*, 692, 10–22. <https://doi.org/10.1016/j.scitotenv.2019.07.132>

- Hossain, M. N., & Mumu, U. H. (2024). Flood susceptibility modelling of the Teesta River Basin through the AHP-MCDA process using GIS and remote sensing. *Natural Hazards*. <https://doi.org/10.1007/s11069-024-06677-z>
- Hungr, O., Leroueil, S., & Picarelli, L. (2014). The Varnes classification of landslide types, an update. In *Landslides* (Vol. 11, Issue 2, pp. 167–194). Springer Verlag. <https://doi.org/10.1007/s10346-013-0436-y>
- Irawan, L. Y., Prasetyo, W. E., Wahyu, H. Z. P., Devy, M. M. R., Yusuf, A. M., Hartono, R., & Purwanto. (2023). Mapping the Semeru lahar-flood hazard of Supiturang Village using the analytical hierarchy process (AHP) method. *IOP Conference Series: Earth and Environmental Science*, 1180(1). <https://doi.org/10.1088/1755-1315/1180/1/012012>
- Jung, K., Kam, J., & Lee, S. (2024). Tropical cyclone risk assessment reflecting the climate change trend: the case of South Korea. *Natural Hazards*. <https://doi.org/10.1007/s11069-024-06428-0>
- Karnawati, D., Ibriam, I., Anderson, M. G., Holcomb, E. A., Mummery, G. T., Renaud, J. P., & Wang, Y. (2005). An Initial Approach to Identifying Slope Stability Controls in Southern Java and to Providing Community-Based Landslide Warning Information. *Landslide Hazard and Risk*, 733–765. <https://doi.org/10.1002/9780470012659.ch25>
- Kayastha, P., Dhital, M. R., & De Smedt, F. (2013). Application of the analytical hierarchy process (AHP) for landslide susceptibility mapping: A case study from the Tinau watershed, west Nepal. *Computers and Geosciences*, 52, 398–408. <https://doi.org/10.1016/j.cageo.2012.11.003>
- Knapp, K. R., Kruk, M. C., Levinson, D. H., Diamond, H. J., & Neumann, C. J. (2010). The International Best Track Archive for Climate Stewardship (IBTrACS): Unifying Tropical Cyclone Data. *Bulletin of the American Meteorological Society*, 91(3), 363–376. <https://doi.org/https://doi.org/10.1175/2009BAMS2755.1>
- Kopecký, M., Macek, M., & Wild, J. (2021). Topographic Wetness Index calculation guidelines based on measured soil moisture and plant species composition. *Science of The Total Environment*, 757, 143785. <https://doi.org/https://doi.org/10.1016/j.scitotenv.2020.143785>
- Kurniawan, R., Harsa, H., Nurrahmat, M. H., Sasmito, A., Florida, N., Makmur, E. E. S., Swarinoto, Y. S., Habibie, M. N., Hutapea, T. F., Hendri, Sudewi, R. S., Fitria, W., Praja, A. S., & Adrianita, F. (2021). The Impact of Tropical Cyclone Seroja to the Rainfall and Sea Wave Height in East Nusa Tenggara. *IOP Conference Series: Earth and Environmental Science*, 925(1). <https://doi.org/10.1088/1755-1315/925/1/012049>
- Lin, L., Wu, Z., & Liang, Q. (2019). Urban flood susceptibility analysis using a GIS-based multi-criteria analysis framework. *Natural Hazards*, 97(2), 455–475. <https://doi.org/10.1007/s11069-019-03615-2>

- Lina, W. (2012). *Study on criterion and definition of flood*. <https://api.semanticscholar.org/CorpusID:130781640>
- Liu, X., Shao, S., & Shao, S. (2024). Landslide susceptibility zonation using the analytical hierarchy process (AHP) in the Great Xi'an Region, China. *Scientific Reports*, 14(1). <https://doi.org/10.1038/s41598-024-53630-y>
- Lyu, H. M., Yin, Z. Y., Zhou, A., & Shen, S. L. (2024). Sensitivity analysis of typhoon-induced floods in coastal cities using improved ANP-GIS. *International Journal of Disaster Risk Reduction*, 104. <https://doi.org/10.1016/j.ijdr.2024.104344>
- Mallick, J., Singh, R. K., AlAwadh, M. A., Islam, S., Khan, R. A., & Qureshi, M. N. (2018). GIS-based landslide susceptibility evaluation using fuzzy-AHP multi-criteria decision-making techniques in the Abha Watershed, Saudi Arabia. *Environmental Earth Sciences*, 77(7), 276. <https://doi.org/10.1007/s12665-018-7451-1>
- Mamun, M. M. A. Al, Li, Z., Bowei, C., Zahid Ur, R., Tarana, M., Jian, Z., Qinglan, Z., & and Reza, S. A. (2024). Assessment of spatial cyclone surge susceptibility through GIS-based AHP multi-criteria analysis and frequency ratio: a case study from the Bangladesh coast. *Geomatics, Natural Hazards and Risk*, 15(1), 2368071. <https://doi.org/10.1080/19475705.2024.2368071>
- Mamun, M. M. A. Al, Zhang, L., Chen, B., Rahman, Z. U., Mahzabin, T., Zuo, J., Zhang, Q., & Reza, S. A. (2024). Assessment of spatial cyclone surge susceptibility through GIS-based AHP multi-criteria analysis and frequency ratio: a case study from the Bangladesh coast. *Geomatics, Natural Hazards and Risk*, 15(1). <https://doi.org/10.1080/19475705.2024.2368071>
- Mansour, S., Darby, S., Leyland, J., & Atkinson, P. M. (2021). Geospatial modelling of tropical cyclone risk along the northeast coast of Oman: Marine hazard mitigation and management policies. *Marine Policy*, 129. <https://doi.org/10.1016/j.marpol.2021.104544>
- Mansouri Daneshvar, M. R. (2014). Landslide susceptibility zonation using analytical hierarchy process and GIS for the Bojnurd region, northeast of Iran. *Landslides*, 11(6), 1079–1091. <https://doi.org/10.1007/s10346-013-0458-5>
- Maria Luan, F. O., Kelen, Y. P., Informasi, T., Sains dan Kesehatan, P., & Timor, U. (2024). Sistem Informasi Geografis Pemetaan Daerah Rawan Banjir Berbasis Web di Kabupaten Malaka. *Jurnal Nasional Komputasi Dan Teknologi Informasi (JNKTI)*, 7(3).
- Merdjanoff, A. A., Abramson, D. M., Park, Y. S., & Piltch-Loeb, R. (2022). Disasters, Displacement, and Housing Instability: Estimating Time to Stable Housing 13 Years after Hurricane Katrina. *Weather, Climate, and Society*, 14(2), 535–550. <https://doi.org/10.1175/WCAS-D-21-0057.1>

- Mondal, M., Haldar, S., Biswas, A., Mandal, S., Bhattacharya, S., & Paul, S. (2021). Modeling cyclone-induced multi-hazard risk assessment using analytical hierarchical processing and GIS for coastal West Bengal, India. *Regional Studies in Marine Science*, 44. <https://doi.org/10.1016/j.rsma.2021.101779>
- Moreiras, S. (2004). Landslide Incidence Zonation in the Rio Mendoza Valley, Mendoza Province, Argentina. *Earth Surface Processes and Landforms*, 29, 255–266. <https://doi.org/10.1002/esp.1056>
- Mulyana, E., Prayoga, M. B. R., Yananto, A., Wirahma, S., Aldrian, E., Harsoyo, B., Seto, T. H., & Sunarya, Y. (2018). Tropical cyclones characteristic in southern Indonesia and the impact on extreme rainfall event. *MATEC Web Conf.*, 229. <https://doi.org/10.1051/mateconf/201822902007>
- Needham, H. F., Keim, B. D., & Sathiaraj, D. (2015). A review of tropical cyclone-generated storm surges: Global data sources, observations, and impacts. *Reviews of Geophysics*, 53(2), 545–591. <https://doi.org/10.1002/2014RG000477>
- Nissen, K. M., Leckebusch, G. C., Pinto, J. G., Renggli, D., Ulbrich, S., & Ulbrich, U. (2010). Cyclones causing wind storms in the Mediterranean: characteristics, trends and links to large-scale patterns. *Natural Hazards and Earth System Sciences*, 10(7), 1379–1391. <https://doi.org/10.5194/nhess-10-1379-2010>
- North, M. A. (2009). A Method for Implementing a Statistically Significant Number of Data Classes in the Jenks Algorithm. *2009 Sixth International Conference on Fuzzy Systems and Knowledge Discovery*, 1, 35–38. <https://doi.org/10.1109/FSKD.2009.319>
- Olii, M. R., Olii, A., Pakaya, R., & Olii, M. Y. U. P. (2023). GIS-based analytic hierarchy process (AHP) for soil erosion-prone areas mapping in the Bone Watershed, Gorontalo, Indonesia. *Environmental Earth Sciences*, 82(9). <https://doi.org/10.1007/s12665-023-10913-3>
- Pourghasemi, H. R., Moradi, H. R., & Fatemi Aghda, S. M. (2013). Landslide susceptibility mapping by binary logistic regression, analytical hierarchy process, and statistical index models and assessment of their performances. *Natural Hazards*, 69(1), 749–779. <https://doi.org/10.1007/s11069-013-0728-5>
- Pourghasemi, H. R., Pradhan, B., & Gokceoglu, C. (2012). Application of fuzzy logic and analytical hierarchy process (AHP) to landslide susceptibility mapping at Haraz watershed, Iran. *Natural Hazards*, 63(2), 965–996. <https://doi.org/10.1007/s11069-012-0217-2>
- Presiden Republik Indonesia. (2007). *Undang-Undang Republik Indonesia Nomor 24 Tahun 2007 Tentang Penanggulangan Bencana*. Menteri Hukum Dan Hak Asasi Manusia Republik Indonesia.

- Putriani, E., Wu, Y. M., Chen, C. W., Ismulhadi, A., & Fadli, D. I. (2023). Development of landslide susceptibility mapping with a multi-variance statistical method approach in Kepahiang Indonesia. *Terrestrial, Atmospheric and Oceanic Sciences*, *34*(1). <https://doi.org/10.1007/s44195-023-00050-6>
- Qi, P., & Du, M. (2018). Multi-factor evaluation indicator method for the risk assessment of atmospheric and oceanic hazard group due to the attack of tropical cyclones. *International Journal of Applied Earth Observation and Geoinformation*, *68*, 1–7. <https://doi.org/10.1016/j.jag.2018.01.015>
- Rizalihadi, M., Yulianur, A., Away, Y., & Meilianda, E. (2024). Flood Susceptibility Mapping using GIS Based on Fuzzy AHP Method in Keureuto River Basin, Aceh. *ICSINTESA 2024 - 2024 4th International Conference of Science and Information Technology in Smart Administration: The Collaboration of Smart Technology and Good Governance for Sustainable Development Goals*, 760–765. <https://doi.org/10.1109/ICSINTESA62455.2024.10747983>
- Rizzi, J., Torresan, S., Zabeo, A., Critto, A., Tosoni, A., Tomasin, A., & Marcomini, A. (2017). Assessing storm surge risk under future sea-level rise scenarios: a case study in the North Adriatic coast. *Journal of Coastal Conservation*, *21*(4), 453–471. <https://doi.org/10.1007/s11852-017-0517-5>
- S, S., Alshahrani, H. M., Tamizhselvi, A., & Sujaatha, A. (2024). Assessment of coastal vulnerability using AHP and machine learning techniques. *Journal of South American Earth Sciences*, *147*, 105107. <https://doi.org/10.1016/j.jsames.2024.105107>
- Saaty, R. W. (1987). The analytic hierarchy process—what it is and how it is used. *Mathematical Modelling*, *9*(3), 161–176. [https://doi.org/https://doi.org/10.1016/0270-0255\(87\)90473-8](https://doi.org/https://doi.org/10.1016/0270-0255(87)90473-8)
- Sahana, M., Rehman, S., Paul, A. K., & Sajjad, H. (2021). Assessing socio-economic vulnerability to climate change-induced disasters: evidence from Sundarban Biosphere Reserve, India. *Geology, Ecology, and Landscapes*, *5*(1), 40–52. <https://doi.org/10.1080/24749508.2019.1700670>
- Sammonds, P., Alam, A., Day, S., Stavrianaki, K., & Kelman, I. (2023). Hurricane risk assessment in a multi-hazard context for Dominica in the Caribbean. *Scientific Reports*, *13*(1). <https://doi.org/10.1038/s41598-023-47527-5>
- Samodra, G., Ngadisih, N., Malawani, M. N., Mardiatno, D., Cahyadi, A., & Nugroho, F. S. (2020). Frequency–magnitude of landslides affected by the 27–29 November 2017 Tropical Cyclone Cempaka in Pacitan, East Java. *Journal of Mountain Science*, *17*(4), 773–786. <https://doi.org/10.1007/s11629-019-5734-y>
- Sarker, S., & Adnan, M. S. G. (2024). Evaluating multi-hazard risk associated with tropical cyclones using the fuzzy analytic hierarchy process model. *Natural Hazards Research*, *4*(1), 97–109. <https://doi.org/10.1016/j.nhres.2023.11.007>

- Seetharam, I. (2018). *The Indirect Effects of Hurricanes: Evidence from Firm Internal Networks*. <https://web.stanford.edu/~ishuwar/JMP.pdf>
- Sekaranom, A. B., Putri, N. H., & Puspaningrani, F. C. (2021). The impacts of Seroja Tropical Cyclone towards extreme weather in East Nusa Tenggara. *E3S Web of Conferences*, 325. <https://doi.org/10.1051/e3sconf/202132501020>
- Sibarani, R. (2014). ANALISIS PENGARUH SIKLON TROPIS GILLIAN TERHADAP CURAH HUJAN DI WILAYAH RIAU DAN SEKITARNYA. *Jurnal Sains & Teknologi Modifikasi Cuaca*, 15, 75. <https://doi.org/10.29122/jstmc.v15i2.2673>
- Soenardi. (2017). *ANALISIS SIKLON TROPIS BERDASARKAN KARAKTERISTIK CURAH HUJAN, ANGIN DAN GELOMBANG LAUT DI WILAYAH PESISIR SELATAN JAWA*. UNIVERSITAS GADJAH MADA.
- Sugiyono. (2013). *METODE PENELITIAN KUANTITATIF, KUALITATIF, DAN RND* (1st ed.). Alfabeta.
- Tjasyono, B. HK. (2009). *Meteorologi Indonesia I: Karakteristik dan Sirkulasi Atmosfer* (Suratno & F. Welly, Eds.; 4th ed., Vol. 1). Badan Meteorologi Klimatologi dan Geofisika.
- UNDRR. (2015). *Sendai Framework for Disaster Risk Reduction 2015-2030*. <https://www.undrr.org/publication/sendai-framework-disaster-risk-reduction-2015-2030>. <https://www.undrr.org/media/16176/download?startDownload=20240610>
- University of Illinois. (1999). *Storm Surge—A Concern to Coastal Residents*. Department of Atmospheric Sciences. [http://ww2010.atmos.uiuc.edu/\(Gh\)/guides/home.rxml](http://ww2010.atmos.uiuc.edu/(Gh)/guides/home.rxml)
- Valcin, R., Uchiyama, T., Terano, R., Celestin, D. S., & Paul, B. (2024). Agricultural Mutual Insurance in Asia, Latin America, and the Caribbean: An Integrative Review of the Micro-Level Schemes. *Études Caribéennes*, 59. <https://doi.org/10.4000/132zb>
- Valle, A., Elliott, R., Strobl, E., & Tong, M. (2018). The Short-Term Economic Impact of Tropical Cyclones: Satellite Evidence from Guangdong Province. *Economics of Disasters and Climate Change*, 2, 1–11. <https://doi.org/10.1007/s41885-018-0028-3>
- Vilasan, R. T., & Kapse, V. S. (2022). Evaluation of the prediction capability of AHP and F-AHP methods in flood susceptibility mapping of Ernakulam district (India). *Natural Hazards*, 112(2), 1767–1793. <https://doi.org/10.1007/s11069-022-05248-4>
- Wadadar, S., & Mukhopadhyay, B. P. (2022). GIS-based landslide susceptibility zonation and comparative analysis using analytical hierarchy process and conventional weighting-based multivariate statistical methods in the Lachung

- River Basin, North Sikkim. *Natural Hazards*, 113(2), 1199–1236. <https://doi.org/10.1007/s11069-022-05344-5>
- Walsh, K. J. E., McBride, J. L., Klotzbach, P. J., Balachandran, S., Camargo, S. J., Holland, G., Knutson, T. R., Kossin, J. P., Lee, T., Sobel, A., & Sugi, M. (2016). Tropical cyclones and climate change. *WIREs Climate Change*, 7(1), 65–89. <https://doi.org/https://doi.org/10.1002/wcc.371>
- Wang, Y., Liu, W., Chen, C., Li, X., Liu, B., Du, P., & Sheng, S. (2025). GIS-based risk assessment of typhoon disasters in coastal provinces of China. *Frontiers in Marine Science*, 12. <https://doi.org/10.3389/fmars.2025.1548763>
- Wang, Z., Xia, N., Zhao, X., Ji, X. K., & Wang, J. (2024). Comprehensive risk assessment of typhoon disasters in China’s coastal areas based on multi-source geographic big data. *Science of the Total Environment*, 926. <https://doi.org/10.1016/j.scitotenv.2024.171815>
- Wei, W., Huang, S., Qin, H., Yu, L., & Mu, L. (2024). Storm surge risk assessment and sensitivity analysis based on multiple criteria decision-making methods: a case study of Huizhou City. *Frontiers in Marine Science*, 11. <https://doi.org/10.3389/fmars.2024.1364929>
- WMO. (2017). *Manual on Codes*. Manual on Codes, International Codes, Volume I.2, WMO-No. 306. World Meteorological Organization (WMO). https://library.wmo.int/viewer/35625?medianame=306_i2_2018_en_
- WMO. (2024a). *Atlas of Mortality and Economic Losses from Weather, Climate and Water Extremes*. https://Library.Wmo.Int/Doc_num.Php?Explnum_id=10989. https://library.wmo.int/doc_num.php?explnum_id=10989
- WMO. (2024b). *Tropical cyclone*. <https://wmo.int/topics/tropical-cyclone>
- Wu, L., Zhao, H., Wang, C., Cao, J., & Liang, J. (2022). Understanding of the Effect of Climate Change on Tropical Cyclone Intensity: A Review. *Advances in Atmospheric Sciences*, 39, 205–221. <https://api.semanticscholar.org/CorpusID:246066101>
- Wu, Y., Li, W., Liu, P., Bai, H., Wang, Q., He, J., Liu, Y., & Sun, S. (2016). Application of analytic hierarchy process model for landslide susceptibility mapping in the Gangu County, Gansu Province, China. *Environmental Earth Sciences*, 75(5), 1–11. <https://doi.org/10.1007/s12665-015-5194-9>
- Yin, J., Yin, Z., & Xu, S. (2013). Composite risk assessment of typhoon-induced disaster for China’s coastal area. *Natural Hazards*, 69(3), 1423–1434. <https://doi.org/10.1007/s11069-013-0755-2>
- Zadeh, L. A. (1965). Fuzzy sets. *Information and Control*, 8(3), 338–353. [https://doi.org/https://doi.org/10.1016/S0019-9958\(65\)90241-X](https://doi.org/https://doi.org/10.1016/S0019-9958(65)90241-X)

- Zhang, C., Yin, K., Shi, X., & Yan, X. (2021). Risk assessment for typhoon storm surges using geospatial techniques for the coastal areas of Guangdong, China. *Ocean & Coastal Management*, 213, 105880. <https://doi.org/10.1016/j.ocecoaman.2021.105880>
- Zhang, J. (2009). A Vulnerability Assessment of Storm Surge in Guangdong Province, China. *Human and Ecological Risk Assessment: An International Journal*, 15(4), 671–688. <https://doi.org/10.1080/10807030903050749>
- Zhang, Q., Wu, L., & Liu, Q. (2009). Tropical Cyclone Damages in China 1983–2006. *Bulletin of the American Meteorological Society*, 90(4), 489–496. <https://doi.org/https://doi.org/10.1175/2008BAMS2631.1>
- Zhran, M., Ghanem, K., Tariq, A., Alshehri, F., Jin, S., Das, J., Pande, C. B., Pramanik, M., Hasher, F. F. Ben, & Mousa, A. (2024). Exploring a GIS-based analytic hierarchy process for spatial flood risk assessment in Egypt: a case study of the Damietta branch. *Environmental Sciences Europe*, 36(1), 184. <https://doi.org/10.1186/s12302-024-01001-9>