

DAFTAR PUSTAKA

- Ahn, C., Park, Y., Oh, Y., 2024. Early bronchoscopy in severe pneumonia patients in intensive care unit: insights from the Medical Information Mart for Intensive Care-IV database analysis. *Acute and Critical Care*, Vol .39, pp.179-185. <https://doi.org/10.4266/ACC.2023.01165>
- Altas, O.F., Kizilkaya, M., n.d. The Effects of Neutrophil-Lymphocyte Ratio, Platelet-Lymphocyte Ratio and Prognostic Markers in Determining the Mortality in Patients Diagnosed With Pneumonia in Intensive Care. 2021, Vol. 36, pp.130-7
- Alzoubi O, Khanfar A. 2021.Association between neutrophil to lymphocyte ratio and mortality among community acquired pneumonia patients: a meta-analysis. *Monaldi Arch Chest Dis.*, Vol 92. doi: 10.4081/monaldi.2021.2050. PMID: 34911288.
- Bender, R.G., Sirota, S.B., Swetschinski, L.R., Dominguez, R.M.V., Novotney, A., Wool, E.E., *et al.* 2024. Global, regional, and national incidence and mortality burden of non-COVID-19 lower respiratory infections and aetiologies, 1990–2021: a systematic analysis from the Global Burden of Disease Study 2021. *Lancet Infect Dis*, Vol. 24, pp. 974–1002. [https://doi.org/10.1016/S1473-3099\(24\)00176-2](https://doi.org/10.1016/S1473-3099(24)00176-2)
- Calis, A.G., Karaboga, B., Uzer, F., Kaplan, N., Karaca, M., Gedik, R.B., *et al.* 2025. Correlation of Pneumonia Severity Index and CURB-65 Score with Neutrophil/Lymphocyte Ratio, Platelet/Lymphocyte Ratio, and Monocyte/Lymphocyte Ratio in Predicting In-Hospital Mortality for Community-Acquired Pneumonia: Observational Study. *J Clin Med*, Vol .14, pp. 1-10. <https://doi.org/10.3390/jcm14030728>
- Chandel A, Patolia S, Brown AW, 2021 . High-Flow Nasal Cannula Therapy in COVID-19: Using the ROX Index to Predict Success. *Respir Care*, Vol. 66, pp 909-919. doi: 10.4187/respcare.08631. Epub 2020 Dec 16. PMID: 33328179.
- Chen, alex, Kollef, marrian, 2012. Bronchoscopy in the Intensive Care Unit, in: *Flexible Bronchoscopy*. Vol.24, pp. 317–323.
- Cheng, Y., Li, L., Zhang, M., Wei, Y., Tu, X., Lu, Z., 2022. Clinical significance of procalcitonin in critically ill patients with pneumonia receiving bronchoalveolar lavage, Vol. 3, pp. 1-7. <https://doi.org/10.36141/svdlld.v39i3.12164>

- Chou, C.Y., Wang, S.M., Liang, C.C., Chang, C.T., Liu, J.H., Wang, I.K., *et al*, 2014. Risk of pneumonia among patients with chronic kidney disease in outpatient and inpatient settings. *Medicine (United States)*, Vol.93, pp. 1-4. <https://doi.org/10.1097/MD.0000000000000174>
- Cilloniz, C., Martin-Loeches, I., Garcia-Vidal, C., Jose, A.S., Torres, A., 2016. Microbial etiology of pneumonia: Epidemiology, diagnosis and resistance patterns. *Int J Mol Sci*, Vol.17, pp. 1-28. <https://doi.org/10.3390/ijms17122120>
- Corica, B., Tartaglia, F., D'Amico, T., Romiti, G.F., Cangemi, R., 2022. Sex and gender differences in community-acquired pneumonia. *Intern Emerg Med*, Vol. 17, pp.1575-1588 <https://doi.org/10.1007/s11739-022-02999-7>
- Davidson, K.R., Ha, D.M., Schwarz, M.I., Chan, E.D., 2020. Bronchoalveolar lavage as a diagnostic procedure: a review of known cellular and molecular findings in various lung diseases. *J Thorac Dis*, Vol.12, pp. 4991–5019. <https://doi.org/10.21037/jtd-20-651>
- Desai, A., Aliberti, S., Amati, F., Stainer, A., Voza, A., 2022. Cardiovascular Complications in Community-Acquired Pneumonia. *Microorganisms*, pp.1-4 <https://doi.org/10.3390/microorganisms10112177>
- Domagala-Kulawik, J., 2020. The relevance of bronchoalveolar lavage fluid analysis for lung cancer patients. *Expert Rev Respir Med*, Vol 14, pp. 329–337. <https://doi.org/10.1080/17476348.2020.1708720>
- Falguera M, Pifarre R, Martin A. 2005. Etiology and outcome of community-acquired pneumonia in patients with diabetes mellitus. *Chest*, Vol .128, pp. 3233-9. doi: 10.1378/chest.128.5.3233. PMID: 16304267.
- Grant, L.R., Meche, A., McGrath, L., Miles, A., Alfred, T., Yan, Q., *et al*. 2023. Risk of Pneumococcal Disease in US Adults by Age and Risk Profile. *Open Forum Infect Dis*, Vol. 10, pp 1-9. <https://doi.org/10.1093/ofid/ofad192>
- Hogea, S.-P., Tudorache, E., Pescaru, C., Marc, M., Oancea, C., 2020. Bronchoalveolar lavage: role in the evaluation of pulmonary interstitial disease. *Expert Rev Respir Med*, Vol 14, pp. 1117–1130. <https://doi.org/10.1080/17476348.2020.1806063>
- Janssens JP, Krause KH.2024. Pneumonia in the very old. *Lancet Infect Dis*, Vol. 4, Pp.12-24. doi: 10.1016/S1473-3099(04)00931-4. PMID: 14871636.
- Kamel, T., Helms, J., Janssen-Langenstein, R., Kouatchet, A., Guillon, A., Bourenne, J., *et al*, 2020. Benefit-to-risk balance of bronchoalveolar lavage in the critically ill. A prospective, multicenter cohort study. *Intensive Care Med.*, Vol.46, pp.463–474. <https://doi.org/10.1007/s00134-019-05896-4>

- Kumar, V., 2022. Prognostic Scoring System In ICU, Vol.5,pp. 10-28.
- Kuikel S, Pathak N, Poudel S. 2022. Neutrophil-lymphocyte ratio as a predictor of adverse outcome in patients with community-acquired pneumonia: A systematic review. *Health Sci Rep*, Vol .5, pp.1-10. doi: 10.1002/hsr2.630. PMID: 35509390; PMCID: PMC9060320.
- Knaus WA, Draper EA, Wagner DP, Zimmerman JE.1985.APACHE II: a severity of disease classification system. *Crit Care Med*. Vol.13, pp. 818-29. PMID: 3928249.
- Li, B., Li, Z., Cheng, W., Zhang, B., Zhu, W., Lin, Z., 2021. Application of sputum suction by fiberoptic bronchoscope in patients with severe pneumonia and its effect on inflammatory factors, *Am J Transl Res*, Vol.13, pp.8409–8414.
- Mackenzie, G., 2016. The definition and classification of pneumonia. *Pneumonia*, Vol.8, pp 1-5. <https://doi.org/10.1186/s41479-016-0012-z>
- Mizgerd, J.P., 2017. Pathogenesis of severe pneumonia: Advances and knowledge gaps. *Curr Opin Pulm Med*, Vol.23, pp. 193-197 <https://doi.org/10.1097/MCP.0000000000000365>
- Morris A, 2018. Management of pneumonia in intensive c. *Journal of Emergency and Critical Care Medicin*, Vol.2,pp.1-17.
- Mumtaz, H., Ejaz, M.K., Tayyab, M., Vohra, L.I., Sapkota, S., Hasan, M., *et al.*, 2023. APACHE scoring as an indicator of mortality rate in ICU patients: a cohort study. *Annals of Medicine and Surgery*, Vol. 85, pp. 416–421. <https://doi.org/10.1097/MS9.0000000000000264>
- Nair, G.B., Niederman, M.S., 2021. Updates on community acquired pneumonia management in the ICU. *Pharmacol Ther*. Vol.217, pp.1-5. <https://doi.org/10.1016/j.pharmthera.2020.107663>
- Patel PH, Antoine MH, Sankari A, Ullah S.2024. Bronchoalveolar Lavage. In: *StatPearls [Internet]*. Treasure Island (FL): StatPearls Publishing; 2025 Jan–. PMID: 28613513.
- Pedoman Nasional Pelayanan Kedokteran Tata Laksana Pneumonia Pada Dewasa, 2023. KEPUTUSAN MENTERI KESEHATAN REPUBLIK INDONESIA. Jakarta, pp. 5-6
- Reyes, L.F., Bastidas Goyes, A., Tuta Quintero, E.A., Pedreros, K.D., Mantilla, Y.F., Herrera, M.,*et al*, 2022. Validity of the ROX index in predicting invasive

mechanical ventilation requirement in pneumonia. *BMJ Open Respir Res*, Vol. 9, pp.1-5 <https://doi.org/10.1136/bmjresp-2022-001320>

Richards G, Levy H, Laterre PF, Feldman C, Woodward B, Bates BM, *et al.* 2011. CURB-65, PSI, and APACHE II to assess mortality risk in patients with severe sepsis and community acquired pneumonia in PROWESS. *J Intensive Care Med*, Vol .26, pp. 34-40. doi: 10.1177/0885066610383949. PMID: 21341394.

Riskesdas 2018,2019 . Badan Penelitian Dan Pengembangan Kesehatan. pp, 73-76.

Roca O, Caralt B, Messika J. 2019 . An Index Combining Respiratory Rate and Oxygenation to Predict Outcome of Nasal High-Flow Therapy. *Am J Respir Crit Care Med*. Vol. 199, pp.1368-1376. doi: 10.1164/rccm.201803-0589OC. PMID: 30576221.

Samsudin, I., Vasikaran, S.D., n.d. Clinical Utility and Measurement of Procalcitonin, *Clin Biochem Rev*, Vol. 38, pp.59-68.

Speiser JL, Karvellas CJ, Shumilak G.2018 . Institutional Review Boards (IRB) of the Cooperative Antimicrobial Therapy of Septic Shock (CATSS) Database Research Group. Predicting in-hospital mortality in pneumonia-associated septic shock patients using a classification and regression tree: a nested cohort study. *J Intensive Care*. Vol.6, pp.1-10. doi: 10.1186/s40560-018-0335-3..

Schuetz, P., Müller, B., Christ-Crain, M., Stolz, D., Tamm, M., Bouadma, L.,*et al*, 2012. Procalcitonin to initiate or discontinue antibiotics in acute respiratory tract infections, in: *Cochrane Database of Systematic Reviews*. John Wiley & Sons, Ltd. pp.2-6. <https://doi.org/10.1002/14651858.cd007498.pub2>

Stanzel, F., 2013. Bronchoalveolar lavage, in: *Principles and Practice of Interventional Pulmonology*. Springer New York, pp. 165. https://doi.org/10.1007/978-1-4614-4292-9_16

Strange, C., Barbarash, R.A., Heffner, J.E., 1988. Lidocaine Concentrations in Bronchoscopic Specimens. *Chest*, vol.93, pp. 547–549. <https://doi.org/10.1378/chest.93.3.547>

Tan, R., Liu, B., Zhao, C., Yan, J., Pan, T., Zhou, M., Qu, H., 2022. Nomogram for prediction of severe community-acquired pneumonia development in diabetic patients: a multicenter study. *BMC Pulm Med*, Vol. 22, pp. 1-10 <https://doi.org/10.1186/s12890-022-02183-9>

Tekin A, Wireko FW, Gajic O. 2024. The Neutrophil/Lymphocyte Ratio and Outcomes in Hospitalized Patients with Community-Acquired Pneumonia: A

Retrospective Cohort Study. *Biomedicines*, Vol.12, pp.1-12 doi: 10.3390/biomedicines12020260. PMID: 38397862; PMCID: PMC10886607.

Torres, A., Cilloniz, C., Niederman, M.S., Menéndez, R., Chalmers, J.D., Wunderink, R.G., *et al*, 2021. Pneumonia. *Nat Rev Dis Primers*, Vol 7, pp.1-28. <https://doi.org/10.1038/s41572-021-00259-0>

Wong, J.L., Evans, S.E., 2017. Bacterial Pneumonia in Patients with Cancer: Novel Risk Factors and Management. *Clin Chest Med*, Vol.38, pp.263-277 <https://doi.org/10.1016/j.ccm.2016.12.005>

Wu, L., Ge, Q., Zhang, H., Gu, B., Wu, Y., 2020. Effect of bronchofibroscope bronchoalveolar lavage on respiratory mechanics, hemodynamics and inflammatory mediators in patients with severe pneumonia and mechanical ventilation in intensive care unit, *Int J Clin Exp Med*, Vol. 13, pp. 8535-8543.

Xie, K., Guan, S., Kong, X., Ji, W., Du, C., Jia, M., *et al*, 2024. Predictors of mortality in severe pneumonia patients: a systematic review and meta-analysis. *Syst Rev*, pp1-16 <https://doi.org/10.1186/s13643-024-02621-1>

Xu, L., Ying, S., Hu, J., Wang, Y., Yang, M., Ge, T., 2018. Pneumonia in patients with cirrhosis: Risk factors associated with mortality and predictive value of prognostic models. *Respir Res*, Vol.19, pp. 1-11 <https://doi.org/10.1186/s12931-018-0934-5>

Yao, A., Liu, Z., He, W., Rao, H., Wang, C., Xie, S., 2023. Brochosopic Airway Clearance Therapy vs. Conventional Sputum Aspiration: The Future of Flexible Brochoscopes in Intensive Care Units? *Diagnostics*, Vol 13, pp.1-14. <https://doi.org/10.3390/diagnostics13203276>

Yeh, J.J., Lin, C.L., Kao, C.H., 2019. Relationship between pneumonia and cardiovascular diseases: A retrospective cohort study of the general population. *Eur J Intern Med*. Vol 59, pp.39-45. <https://doi.org/10.1016/j.ejim.2018.08.003>

Zahorec, R., 2021. Neutrophil-to-lymphocyte ratio, past, present and future perspectives. *Bratislava Medical Journal*, Vol.122, pp. 474-488. https://doi.org/10.4149/BLL_2021_078

Zhao, H., Gu, H., Liu, T., Ge, J., Shi, G., 2018. Analysis of curative effect of adjuvant therapy with bronchoalveolar lavage on COPD patients complicated with pneumonia. *Exp Ther Med*, Vol 16, pp 3799-3804. <https://doi.org/10.3892/etm.2018.6662>

Zhao, Y., Dai, X., Ji, J., Cheng, P., 2020. Bronchial Lavage under Fiberoptic bronchoscopy in the treatment of severe pulmonary infection. *Pak J Med Sci*, Vol. 36, pp. 396-401. <https://doi.org/10.12669/pjms.36.3.1539>