

DAFTAR PUSTAKA

- [1] X. Cai and S. Ko, "Development of Parametric Filter Banks for Sound Feature Extraction," *IEEE Access*, vol. 11, no. September, pp. 109856–109867, 2023, doi: 10.1109/ACCESS.2023.3321798.
- [2] S. Helmiyah, A. Fadlil, and A. Yudhana, "Ekstraksi Ciri Emosi Manusia Berdasarkan Ucapan Menggunakan Mel-Frequency Cepstral Coefficients (Mfcc)," *Pros. Sains Nas. dan Teknol.*, vol. 1, no. 1, pp. 93–98, 2018, doi: 10.36499/psnst.v1i1.2380.
- [3] B. Soewito, F. L. Gaol, E. Simanjuntak, and F. E. Gunawan, "Smart mobile attendance system using voice recognition and fingerprint on smartphone," *Proceeding - 2016 Int. Semin. Intell. Technol. Its Appl. ISITIA 2016 Recent Trends Intell. Comput. Technol. Sustain. Energy*, pp. 175–180, 2017, doi: 10.1109/ISITIA.2016.7828654.
- [4] A. E. Bondre, M. Ananth, N. Nandita, S. Karat, and S. V Chakrasali, "Comparative Analysis of Different Windowing Techniques in MFCC Speaker Recognition," *Int. J. Innov. Technol. Explor. Eng.*, no. 4, pp. 2278–3075, 2014.
- [5] S. M. Al Sasongko, S. Tsauray, S. Ariessaputra, and S. Ch, "Mel Frequency Cepstral Coefficients (MFCC) Method and Multiple Adaline Neural Network Model for Speaker Identification," *Int. J. Informatics Vis.*, vol. 7, no. 4, pp. 2306–2312, 2023, doi: 10.30630/joiv.7.4.1376.
- [6] S. Vishwakarma and P. Mishra, "a Research Paper on the Voice Command Recognition With Iot Implementation Using Matlab," *Int. Res. J. Mod. Eng. Technol. Sci.*, vol. 05, no. 12, pp. 1482–1488, 2023, [Online]. Available: www.irjmets.com
- [7] B. G. Nagaraja and H. S. Jayanna, "Efficient window for monolingual and crosslingual speaker identification using MFCC," *ICACCS 2013 - Proc. 2013 Int. Conf. Adv. Comput. Commun. Syst. Bringing to Table, Futur. Technol. from Around Globe*, pp. 1–4, 2014, doi: 10.1109/ICACCS.2013.6938702.
- [8] A. A. Sasilo, R. A. Saputra, and I. P. Ningrum, "Sistem Pengenalan Suara Dengan Metode Mel Frequency Cepstral Coefficients Dan Gaussian Mixture Model," *Komputika J. Sist. Komput.*, vol. 11, no. 2, pp. 203–210, 2022, doi: 10.34010/komputika.v11i2.6655.
- [9] Y. R. Prayogi, "Modifikasi Metode MFCC untuk Identifikasi Pembicara di Lingkungan Ber-Noise," *JOINTECS (Journal Inf. Technol. Comput. Sci.)*, vol. 4, no. 1, p. 13, 2019, doi: 10.31328/jointecs.v4i1.999.



- [10] Y. Afrillia, H. Mawengkang, M. Ramli, F. Fadlisayah, and R. P. Fhonna, "Performance Measurement of Mel Frequency Cepstral Coefficient (MFCC) Method in Learning System of Al-Qur'an Based in Nagham Pattern Recognition," *J. Phys. Conf. Ser.*, vol. 930, no. 1, 2017, doi: 10.1088/1742-6596/930/1/012036.
- [11] T. Chamidy, "Metode Mel Frequency Cepstral Coeffisients (MFCC) Pada klasifikasi Hidden Markov Model (HMM) Untuk Kata Arabic pada Penutur Indonesia," *Matics*, vol. 8, no. 1, p. 36, 2016, doi: 10.18860/mat.v8i1.3482.
- [12] W. Han, C. F. Chan, C. S. Choy, and K. P. Pun, "An efficient MFCC extraction method in speech recognition," *Proc. - IEEE Int. Symp. Circuits Syst.*, pp. 145–148, 2006, doi: 10.1109/iscas.2006.1692543.
- [13] S. Sahoo and A. Routray, "MFCC feature with optimized frequency range: An essential step for emotion recognition," *2016 Int. Conf. Syst. Med. Biol. ICSMB 2016*, no. January, pp. 162–165, 2017, doi: 10.1109/ICSMB.2016.7915112.
- [14] S. Ali, S. Tanweer, S. Khalid, and N. Rao, "Mel Frequency Cepstral Coefficient: A Review," no. January, 2021, doi: 10.4108/eai.27-2-2020.2303173.
- [15] A. Sithara, A. Thomas, and D. Mathew, "Study of MFCC and IHC feature extraction methods with probabilistic acoustic models for speaker biometric applications," *Procedia Comput. Sci.*, vol. 143, pp. 267–276, 2018, doi: 10.1016/j.procs.2018.10.395.
- [16] Q. Yan, Z. Zhou, and S. Li, "Chinese accents identification with modified MFCC," *Adv. Intell. Soft Comput.*, vol. 127 AISC, pp. 659–666, 2012, doi: 10.1007/978-3-642-27334-6_77.
- [17] D. Sharma and I. Ali, "A modified MFCC feature extraction technique for robust speaker recognition," *2015 Int. Conf. Adv. Comput. Commun. Informatics, ICACCI 2015*, pp. 1052–1057, 2015, doi: 10.1109/ICACCI.2015.7275749.
- [18] H. M. S. Naing, Y. Miyanaga, R. Hidayat, and B. Winduratna, "Filterbank Analysis of MFCC Feature Extraction in Robust Children Speech Recognition," *2019 Int. Symp. Multimed. Commun. Technol. ISMAC 2019*, 2019, doi: 10.1109/ISMAC.2019.8836181.
- [19] L. Gong, S. Xie, Y. Zhang, Y. Xiong, X. Wang, and J. Li, "A Robust Feature Extraction Method for Sound Signals Based on Gabor and MFCC," *2022 6th Int. Conf. Commun. Inf. Syst. ICCIS 2022*, pp. 49–55, 2022, doi: 10.1109/ICCIS56375.2022.9998146.
- [20] R. Muralishankar, D. Ghosh, and S. Gurugopinath, "A Novel Modified Mel-DCT



- Filter Bank Structure with Application to Voice Activity Detection,” *IEEE Signal Process. Lett.*, vol. 27, pp. 1240–1244, 2020, doi: 10.1109/LSP.2020.3006447.
- [21] H. Heriyanto, S. Hartati, and A. E. Putra, “Ekstraksi Ciri Mel Frequency Cepstral Coefficient (Mfcc) Dan Rerata Coefficient Untuk Pengecekan Bacaan Al-Qur’an,” *Telematika*, vol. 15, no. 2, p. 99, 2018, doi: 10.31315/telematika.v15i2.3123.
- [22] J. Martinez, H. Perez, E. Escamilla, and M. M. Suzuki, “Speaker recognition using Mel Frequency Cepstral Coefficients (MFCC) and Vector quantization (VQ) techniques,” *CONIELECOMP 2012 - 22nd Int. Conf. Electron. Commun. Comput.*, pp. 248–251, 2012, doi: 10.1109/CONIELECOMP.2012.6189918.
- [23] M. Seminar, T. Akhir, A. Setiawan, A. Hidayatno, and R. Rizal Isnanto, “Mel-Frequency Cepstrum Coefficients (Mfcc) Melalui Jaringan Syaraf Tiruan (Jst) Learning Vector Quantization (Lvq) Untuk Mengoperasikan Kursor Komputer,” vol. 13, no. 3, pp. 82–86, 2012.
- [24] Suman K Saksamudre and R. R. Deshmukh, “Comparative Study of Isolated Word Recognition System for Hindi Language,” *Int. J. Eng. Res.*, vol. V4, no. 07, 2015, doi: 10.17577/ijertv4is070443.
- [25] Z. K. Abdul and A. K. Al-Talabani, “Mel Frequency Cepstral Coefficient and its Applications: A Review,” *IEEE Access*, vol. 10, no. November, pp. 122136–122158, 2022, doi: 10.1109/ACCESS.2022.3223444.
- [26] R. Hidayat, A. Bejo, S. Sumaryono, and A. Winursito, “Denoising speech for MFCC feature extraction using wavelet transformation in speech recognition system,” *Proc. 2018 10th Int. Conf. Inf. Technol. Electr. Eng. Smart Technol. Better Soc. ICITEE 2018*, pp. 280–284, 2018, doi: 10.1109/ICITEED.2018.8534807.
- [27] V. S. N. Varma and A. M. K.K, “Advancements in Speaker Recognition: Exploring Mel Frequency Cepstral Coefficients (MFCC) for Enhanced Performance in Speaker Recognition,” *Int. J. Res. Appl. Sci. Eng. Technol.*, vol. 11, no. 8, pp. 88–98, 2023, doi: 10.22214/ijraset.2023.55124.
- [28] A. Muhammad *et al.*, “Distance measurements method for the demite pronunciation assessment,” *ICSET 2018 - 2018 IEEE 8th Int. Conf. Syst. Eng. Technol. Proc.*, no. October, pp. 189–194, 2018, doi: 10.1109/ICSEngT.2018.8606375.
- [29] A. Kumar, S. Gupta, S. K. Singh, and K. K. Shukla, “Comparison of various metrics used in collaborative filtering for recommendation system,” *2015 8th Int. Conf. Contemp. Comput. IC3 2015*, pp. 150–154, 2015, doi: 10.1109/IC3.2015.7346670.
- [30] S. Visa, B. Ramsay, A. Ralescu, and E. Van Der Knaap, “Confusion matrix-based



- feature selection,” *CEUR Workshop Proc.*, vol. 710, pp. 120–127, 2011.
- [31] A. Bimo *et al.*, “Kombinasi Fitur Multispektrum Hilbert dan Cochleagram untuk Identifikasi Emosi Wicara (Spectrum Features Combination of Hilbert and Cochleagram for Speech Emotions Identification),” *J. Nas. Tek. Elektro dan Teknol. Inf.* |, vol. 9, no. 2, pp. 180–189, 2020.