UNIVERSITAS
GADJAH MADA
Optimasi Saluran Pengumpul Ladang Surya dan Angin dengan Metode Algoritma Prim yang Dimodifikasi
Indra Dwi Suryanto, Dr. Ir. M. Isnaeni Bambang Setyonegoro, M.T.;Ir. Lesnanto Multa Putranto, S.T., M.Eng., Ph.D.,
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

[1] Tim Koin Kanwil DJKN Lamkulu, "Optimalisasi BMN: Lahan ITERA sebagai PLTS," https://www.djkn.kemenkeu.go.id/, 2021, [Online]. Available: https://www.djkn.kemenkeu.go.id/Artikel/Baca/14396/OptimalisasiBmnLahan-Itera-Sebagai-Plts.Html. [Accessed: Jan. 25, 2025].

[2] ESDM (2021 November 03), "COP Ke-26, Menteri ESDM Sampaikan Komitmen Indonesia Capai Net Zero Emission" [Online]. Available: https://migas.esdm.go.id/post/read/cop-ke-26-menteri-esdm-sampaikankomitmen-indonesia-capai-net-zero-emission

[3] H. Wu, and S. R. West, "Co-optimisation of wind and solar energy and intermittency for renewable generator site selection", *Heliyon*, vol. 10, no. e26891, pp. 1-11, 2024. https://doi.org/10.1016/j.heliyon.2024.e26891. [Online]. Available: https://www.sciencedirect.com/science/article/pii/S2405844024029220.

[4] Suharyati, S. H. Pambudi, J. L. Wibowo, N. I. Pratiwi, Outlook Energi Indonesia 2019, Dewan Energi Nasional. Jakarta, Indonesia, 2019.

[5] D. R. Maulana, R. Irnawan, and M. I. B. Setyonegoro, "*Optimation of Design Cable Routing in Onshore Wind Farms Using K-Means Clustering Considering Restricted Area*," in Proc. 2023 *International Conference on Technology and Policy in Energy and Electric Power (ICT-PEP),* 2023, pp. 271- 275. http://dx.doi.org/10.1109/ICT-PEP60152.2023.10351162

[6] M. Fiscetti, and D. Pisinger, "*Optimal wind farm cable routing: modeling branches and offshore transformer modules*", Technical University of Denmark, DTU Management Engineering, Operations Research, 2018, DOI: 10.1002/net.21804,[Online]. Available: https://www.researchgate.net/publication/322587459

[7] A. Wędzik, M. Szypowski, and T. Siewierski, "*An integrated method to simultaneously optimize a wind farm's internal network layout, cable crosssections, and substation location*," *Applied Energy*, vol. 377, no. 124361, p 118, 2025. https://doi.org/10.1016/j.apenergy.2024.124361.[Online]. Available: https://www.sciencedirect.com/science/article/pii/S0306261924017446

[8] Hou P, Hu W, Chen Z. *Offshore substation locating in wind farms based on Prim algorithm*. In: 2015 IEEE Power & Energy Society General meeting. Denver, Colorado, USA: IEEE; 2015, p. 1–5. http://dx.doi.org/10.1109/PESGM.2015.7286206.

UNIVERSITAS
GADJAH MADA
Optimasi Saluran Pengumpul Ladang Surya dan Angin dengan Metode Algoritma Prim yang Dimodifikasi
Indra Dwi Suryanto, Dr. Ir. M. Isnaeni Bambang Setyonegoro, M.T.;Ir. Lesnanto Multa Putranto, S.T., M.Eng., Ph.D.,
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

http://www.scopus.com/inward/record.url?partnerID=HzOxMe3b&scp=84956855297&origin=inward

[9] B. C. Neagu and G. Georgescu, "*Wind farm cable route optimization using a simple approach*," 2014 *International Conference and Exposition on Electrical and Power Engineering* (EPE), 2014, pp. 1004-1009, doi: 10.1109/ICEPE.2014.6970060.

[10] J. Li, W. Hu, X. Wu, Q. Huang, Z. Liu, C. Chen, & Z. Chen, *"Cable Connection Optimization for Onshore Wind Farms Considering Restricted Area and Topography*," in IEEE Systems Journal, vol. 14, no. 3, p. 3082-3092, Sept. 2020, doi: 10.1109/JSYST.2020.2982843

[14]. S. Jung and G. Jang, "*A Loss Minimization Method on a Reactive Power Supply Process for Wind Farm*," in IEEE Transactions on Power Systems, vol. 32, no. 4, pp. 3060-3068, July 2017, doi: 10.1109/TPWRS.2016.2621162.

[15] B. Gustavsen and O. Mo, "*Variable Transmission Voltage for Loss Minimization in Long Offshore Wind Farm AC Export Cables*," in IEEE Transactions on Power Delivery, vol. 32, no. 3, pp. 1422-1431, June 2017, doi: 10.1109/TPWRD.2016.2581879.

[16] M. Moazzami, R. Hemmati, F.H.Fesharaki and S.R.Rad, "*Reliability evaluation for different power plant busbar layouts by using sequential Monte Carlo simulation*, International Journal of Electrical Power & Energy Systems, vol.53 pages 987-993, 2013, doi: 10.1016/j.ijepes.2013.06.019

[17] A. A. Mazi, B. F. Wollenberg, and M. H. Hesse, "*Corrective Control of Power System Flows by Line and Bus-Bar Switching*," in IEEE Transactions on Power Systems, vol. 1, no. 3, pp. 258-264, Aug. 1986, doi: 10.1109/TPWRS.1986.4334990.

[18] C.N. Nwagu, C. O. Ujah, D. V. Kallon, and V. S. Aigbodion. "*Integrating Solar and Wind Energy into the Electricity Grid for Improved Power Accessibility.*" *Unconventional Resources 5*, (2024), pp. 1-24, Accessed February 7, 2025. https://doi.org/10.1016/j.uncres.2024.100129. [Online] Available: https://www.sciencedirect.com/science/article/pii/S2666519024000578. [Accessed: Feb. 7, 2025]. A

[19] M. Alanazi, *Solar Power Deployment: Forecasting and Planning*, M.S. thesis, Daniel Felix Ritchie School of Engineering and Computer Science, University of Denver, Denver, CO, Nov. 2014. [Online] Available: https://digitalcommons.du.edu/etd/8/.

UNIVERSITAS
GADJAH MADA
Optimasi Saluran Pengumpul Ladang Surya dan Angin dengan Metode Algoritma Prim yang Dimodifikasi
Indra Dwi Suryanto, Dr. Ir. M. Isnaeni Bambang Setyonegoro, M.T.;Ir. Lesnanto Multa Putranto, S.T., M.Eng., Ph.D.,
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

[20] C.Y.R Huang, C.Y. Lai, and K.T. Cheng. "CHAPTER 4 - Fundamentals of Algorithms." *Electronic Design Automation*, (2009): 173-234. Accessed February 5, 2025. https://doi.org/10.1016/B978-0-12-374364-0.50011-4. [Online] Available:https://www.sciencedirect.com/science/article/abs/pii/B9780123743640 50011 4

[21] K. Kusnadi, W. Gata, dan F. N. Arviantino, "Aplikasi Algoritma Kruskal dan Sollin pada Jaringan Transmisi Nasional Provinsi Sulawesi Selatan," METIK Jurnal, vol. 6, no. 1, pp. 8–17, 2022, DOI: 10.47002/metik.v6i1.260. [Online]. Available: https://www.researchgate.net/publication/363380561_Aplikasi_Algoritma_Kr uskal_dan_Sollin_Pada_Jaringan_Transmisi_Nasional_Provinsi_Sulawesi_Sel atan

[22] D. Medhi, and K. Ramasamy. "*Routing Algorithms: Shortest Path, Widest Path, and Spanning Tree*." *Network Routing (Second Edition)*, (2017): 30-63. Accessed February 5, 2025. https://doi.org/10.1016/B978-0-12-8007372.00003-X. https://www.sciencedirect.com/topics/computer-science/primalgorithm

[23] J. Réveillac, Prim Algorithm - an overview: Chapter 7 - Trees, Tours and Transport, Editor(s): Jean-Michel Réveillac, Optimization Tools for Logistics, Elsevier, 2015, Pages 169-208, ISBN 9781785480492, https://doi.org/10.1016/B978-1-78548-049-2.50007-4. [Online]. Available: https://www.sciencedirect.com/topics/computer-science/prim-algorithm

[24] M. Venkatasubramanian and K. Tomsovic. "*Power System Analysis*." *The Electrical Engineering Handbook*, 2004, pp. 761-778, https://doi.org/10.1016/B978-012170960-0/50056-6. Accessed 5 Feb. 2025. [Online]. Available: https://www.sciencedirect.com/topics/engineering/powerflow-study.

[25] A. T. Akindadelo, F. A. Shodiya, A. O. Salau, O. J. Olaluyi, J. O. Bandele, and S. L. Braide, "*Power Flow Analysis Using Numerical Computational Methods on a Standard IEEE 9-Bus Test System*," *Math. Model. Eng. Probl.*, vol. 11, no. 1, pp. 18–26, Jan. 2024, doi: 10.18280/mmep.110102.

[26] C.J. Chen, C.L. Su, J.H. Teng, and M. Elsisi, "*Feeder losses analysis of marine vessel power systems: A case study of container ship power loss analysis using Newton–Raphson method*," Energies, vol. 15, no. 23, p. 9175, 2022, doi: 10.3390/en15239175. [Online].Available: https://www.mdpi.com/19961073/15/23/9175#:~:text=The%20Newton%E2%80%93Raphson%20Method%20is%20used%20for%20computation%2C,power%2C%20line%20voltage %20drop%2C%20and%20line%20loss.&text=According%20to%20the%20test%20results%2C%20due%20to,low%20voltage%20feeder%20loss%20is%20relatively%20high

UNIVERSITAS GADJAH MADA
Optimasi Saluran Pengumpul Ladang Surya dan Angin dengan Metode Algoritma Prim yang Dimodifikasi
Indra Dwi Suryanto, Dr. Ir. M. Isnaeni Bambang Setyonegoro, M.T.;Ir. Lesnanto Multa Putranto, S.T., M.Eng., Ph.D.,
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

[27] O. D. Montoya, A. Molina-Cabrera, and J. C. Hernández, "*A Comparative Study on Power Flow Methods Applied to AC Distribution Networks with Single-Phase Representation*," Electronics, vol. 10, no. 21, p. 2573, 2021, doi: 10.3390/electronics10212573. [Online]. Available: https://www.mdpi.com/2079-9292/10/21/2573#:~:text=The%20mathematical%20representation%20and%20the,solution%20are%20recommended%20%5B5%5D.

[28] K. Sadovskaia, D. Bogdanov, S. Honkapuro, and C. Breyer, "*Power transmission and distribution losses – A model based on available empirical data and future trends for all countries globally*. International Journal of Electrical Power & Energy Systems, Volume 107, May 2019, Pages 98-109, https://doi.org/10.1016/j.ijepes.2018.11.012. [Online] Available: https://www.sciencedirect.com/science/article/abs/pii/S0142061518335075.

[29] S. S. S. R. Depuru, L. Wang, and V. Devabhaktuni, "*Electricity theft: Overview, issues, prevention and a smart meter based approach to control theft*," *Energy Policy*, vol. 39, no. 2, pp. 1007–1015, 2011. [Online]. Available: https://doi.org/10.1016/j.enpol.2010.11.037

[30] N. Amemiya *et al.*, "*Lateral critical current density distributions degraded near edges of coated conductors through cutting processes and their influence on AC loss characteristics of power transmission cables*," *Physica C: Superconductivity and Its Applications*, vol. 471, no. 21–22, pp. 990–994, 2011. [Online]. Available: https://doi.org/10.1016/j.physc.2011.05.107

[31] A. K. Vishwakarma, A. K. Nema, and S. Sangle, "*Study of determinants of proactive environmental strategies in India's power sector*," *Journal of Cleaner Production*, vol. 194, pp. 43–53, 2018. [Online]. Available: https://doi.org/10.1016/j.jclepro.2018.05.135

[32] D. Bogdanov and C. Breyer, "*North-East Asian Super Grid for 100% renewable energy supply: Optimal mix of energy technologies for electricity, gas, and heat supply options*," *Energy Conversion and Management*, vol. 112, pp. 176–190, 2016. [Online]. Available: https://doi.org/10.1016/j.enconman.2016.01.019.

[33] P. Balachennaiah, M. Suryakalavathi, and P. Nagendra, "*Firefly algorithmbased solution to minimize the real power loss in a power system*," *Ain Shams Engineering Journal*, vol. 9, no. 1, pp. 89–100, 2018. [Online]. Available: https://doi.org/10.1016/j.asej.2015.10.005.

[34] Z. Yang, H. Zhong, Q. Xia, and C. Kang, "*A novel network model for optimal power flow with reactive power and network losses*," *Electric Power Systems Research*, vol. 144, pp. 63–71, 2017. [Online]. Available: https://doi.org/10.1016/j.epsr.2016.11.009.

UNIVERSITAS
GADJAH MADA
Optimasi Saluran Pengumpul Ladang Surya dan Angin dengan Metode Algoritma Prim yang Dimodifikasi
Indra Dwi Suryanto, Dr. Ir. M. Isnaeni Bambang Setyonegoro, M.T.;Ir. Lesnanto Multa Putranto, S.T., M.Eng., Ph.D.,
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

[35] The University of Cambridge, "*MATLAB and Simulink Campus-Wide License*," University of Cambridge Website. [Online]. Available: https://help.eng.cam.ac.uk/software/matlab/. [Accessed: Feb. 6, 2025].

[36] A. Goeritno and T. Hendrawan, "Perubahan Daya Beban di Setiap Bus Disimulasikan dengan Aplikasi MATLAB untuk Analogi Fenomena Steady State Stability," *Jurnal Ilmiah Setrum*, vol. 8, no. 1, pp. 35-54, Jun. 2019.