

DAFTAR PUSTAKA

- Abd-El-Haleem, D. A. M., Zaki, S. A., Abuelhamd, A. T., Amara, A., & Aboelreesh, G. M. S. (2010). Biosynthesis of polyhydroxyalkanotes in wildtype yeasts. *Journal of Applied Sciences and Environmental Management*, 11 (3). <https://doi.org/10.4314/jasem.v11i3.55066>
- Abd-El-Haleem, D. A. M., Elkatory, M. R., & Abu-Elreesh, G.M. (2024). Uncovering novel polyhydroxyalkanoate biosynthesis genes and unique pathway in yeast *hanseniaspora valbyensis* for sustainable bioplastic production. *Scientific Reports*, 14 (1). <https://doi.org/10.1038/s41598-024-77382-x>
- Acharjee, S. A., Bharali, P., Gogoi, B., Sorhie, V., Walling, B., & Alemtoshi. (2022). PHA-based bioplastic: A potential alternative to address microplastic pollution. *Water, Air, & Soil Pollution*, 234 (1). <https://doi.org/10.1007/s11270-022-06029-2>
- Adhithya, S. S., & Mridul, U. (2021). A strategic review on use of polyhydroxyalkanoates as an immunostimulant in aquaculture. *Applied Food Biotechnology*, 8 (1), p.1–18. <https://doi.org/10.22037/afb.v8i1.31255>
- Akinmulewo, A. B., Nwinyi, O. C. (2019). Polyhydroxyalkanoate: A biodegradable polymer (a mini review). *Journal of Physics: Conference Series*, 1378 (4). <https://doi.org/10.1088/1742-6596/1378/4/042007>
- Alves, L. P. S., Almeida, A. T., Cruz, L. M., Pedrosa, F. O., de Souza, E. M., Chubatsu, L. S., Müller-Santos, M., & Valdameri, G. (2017). A simple and efficient method for poly-3-hydroxybutyrate quantification in diazotrophic bacteria within 5 minutes using flow cytometry. *Brazilian Journal of Medical and Biological Research*, 50 (1). <https://doi.org/10.1590/1414-431x20165492>
- Amin, M., Pramujisunu, Y., Lamid, M., Cahyoko, Y., Odeyemi, O. A., Ali, M., & Nurhayati, A. P. D. (2023). The fate of probiotic species applied in intensive grow-out ponds in rearing water and intestinal tracts of white shrimp, *Litopenaeus vannamei*. *Open Agriculture*, 8 (1). <https://doi.org/10.1515/opag-2022-0152>
- Amiri, S., Masoud, M. Z., & Amiri, N. (2021). *Bacillus cereus* saba.zh, a novel bacterial strain for the production of bioplastic (polyhydroxybutyrate). *Brazilian Journal of Microbiology*, 52 (4), p.2117–2128. <https://doi.org/10.1007/s42770-021-00599-9>
- Arikawa, H., Sato, S., Fujiki, T., & Matsumoto, K. (2017). Simple and rapid method for isolation and quantitation of polyhydroxyalkanoate by SDS-sonication treatment. *Journal of Bioscience and Bioengineering*, 124 (2), p.250–254. <https://doi.org/10.1016/j.jbiosc.2017.03.003>
- Asranudin, A., Putra, S. R., Purnomo, A. S., Allouss, D., Holilah, H., Suryanegara, L., Hidayat, A. R. P., Widiyanto, A. R., & Tamyiz, M. (2022). Polyhydroxyalkanoates production from *Ralstonia pickettii* bacteria: Structural and mechanical studies. *Journal of Fibers and Polymer Composites*, 1 (2), p.131–147. <https://doi.org/10.55043/jfpc.v1i2.53>

- Badan Informasi Geospasial. (2024). *Gazeter Republik Indonesia Unsur Rupabumi Pulau*. Jakarta : Badan Informasi Geospasial.
- Badan Pusat Statistik. (2024). *Statistik Sumber Daya Laut dan Pesisir*. Jakarta: Badan Pusat Statistik.
- Booth, J. M., Fusi, M., Marasco, R., & Daffonchio, D. (2023). The microbial landscape in bioturbated mangrove sediment: A resource for promoting nature-based solutions for mangroves. *Microbial Biotechnology*, 16 (8), p.1579-1702, <https://doi.org/10.1111/1751-7915.14273>
- Celik, P. A., Barut, D., Enuh, B. M., Gover, K. E., Yaman, B. N., Mutlu, M. B., & Cabuk, A. (2023). A novel higher polyhydroxybutyrate producer *Halomonas halmophila* 18H with unique cell factory attributes. *Bioresource Technology*, 372, p.128669–128669. <https://doi.org/10.1016/j.biortech.2023.128669>
- Cha, J. H., Rahimnejad, S., Yang, S. Y., Kim, K. W., & Lee, K. J. (2013). Evaluations of *Bacillus* spp. as dietary additives on growth performance, innate immunity and disease resistance of olive flounder (*Paralichthys olivaceus*) against *Streptococcus iniae* and as water additives. *Aquaculture*, 402-403, p50–57. <https://doi.org/10.1016/j.aquaculture.2013.03.030>
- Chen, M., Chen, X-Q., Tian, L-X., Liu, Y-J., & Niu, J. (2020). Improvement of growth, intestinal short-chain fatty acids, non-specific immunity and ammonia resistance in Pacific white shrimp (*Litopenaeus vannamei*) fed dietary water-soluble chitosan and mixed probiotics. *Comparative Biochemistry and Physiology Part C: Toxicology & Pharmacology*, 236. <https://doi.org/10.1016/j.cbpc.2020.108791>
- Codjoe, F. S., Brown, C. A., Smith, T. J., Miller, K., & Donkor, E. S. (2019). Genetic relatedness in carbapenem-resistant isolates from clinical specimens in Ghana using ERIC-PCR technique. *PLOS ONE*, 14 (9). <https://doi.org/10.1371/journal.pone.0222168>
- De Schryver, P., Defoirdt, T., & Sorgeloos, P. (2014). Early mortality syndrome outbreaks: A microbial management issue in shrimp farming?. *PLoS Pathogens*, 10 (4). <https://doi.org/10.1371/journal.ppat.1003919>
- Defoirdt, T., Boon, N., Sorgeloos, P., Verstraete, W., & Bossier, P. (2007). Alternatives to antibiotics to control bacterial infections: Luminescent vibriosis in aquaculture as an example. *Trends in Biotechnology*, 25 (10), p.472–479. <https://doi.org/10.1016/j.tibtech.2007.08.001>
- Destoumieux-Garzón, D., Rosa, R. D., Schmitt, P., Barreto, C., Vidal-Dupiol, J., Mitta, G., Gueguen, Y., & Bachère, E. (2016). Antimicrobial peptides in marine invertebrate health and disease. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 371 (1695). <https://doi.org/10.1098/rstb.2015.0300>
- Diankristanti, P. A., Lin, Y-C., Yi, Y-C., & Ng, I-Son. (2024). Polyhydroxyalkanoates bioproduction from bench to industry: Thirty years of development towards sustainability. *Bioresource Technology*, 393, p.130149–130149. <https://doi.org/10.1016/j.biortech.2023.130149>
- Direkbusarakom, S., Kinoshita, H., Pooljun, C., Saeng-ngern, S., & Wuthisuthimethavee, S. (2021). 5-aminolevulinic Acid's Effects on

Immune-related Gene Expression and Acute Hepatopancreatic Necrosis Disease (AHPND) Protection in Pacific White Shrimp *Litopenaeus vannamei*. *Fish Pathology*, 55 (4), p.125–131.

<https://doi.org/10.3147/jsfp.55.125>

dos Santos, H. R. M., Argolo, C. S., Argôlo-Filho, R. C., & Loguercio, L. L. (2019). A 16S rDNA PCR-based theoretical to actual delta approach on culturable mock communities revealed severe losses of diversity information. *BMC Microbiology*, 19 (1). <https://doi.org/10.1186/s12866-019-1446-2>

Duarte-Restrepo, E., Jaramillo-Colorado, B. E., & Duarte-Jaramillo, L. (2020). Effects of chlorpyrifos on the crustacean *Litopenaeus vannamei*. *PLOS ONE*, 15 (4). <https://doi.org/10.1371/journal.pone.0231310>

El-Saadony, M. T., Alagawany, M., Patra, A. K., Kar, I., Tiwari, R., Dawood, M. A. O., Dhama, K., & Abdel-Latif, H. M. R. (2021). The functionality of probiotics in aquaculture: An overview. *Fish & Shellfish Immunology*, 117, p.36–52. <https://doi.org/10.1016/j.fsi.2021.07.007>

Gao, M., Du, D., Zhenxing, B., & Sui, L. (2019). Poly- β -hydroxybutyrate (PHB)-accumulating *Halomonas* improves the survival, growth, robustness and modifies the gut microbial composition of *Litopenaeus vannamei* postlarvae. *Aquaculture*, 500, p.607–612. <https://doi.org/10.1016/j.aquaculture.2018.10.032>

Gao, Q., Yang, H., Wang, C., Xie, X-Y., Liu, K-X., Lin, Y., Han, S-Y., Zhu, M., Neureiter, M., Lin, Y., & Ye, J-W. (2022). Advances and trends in microbial production of polyhydroxyalkanoates and their building blocks. *Frontiers in Bioengineering and Biotechnology*, 10. <https://doi.org/10.3389/fbioe.2022.966598>

Goh, J. X. H., Tan, L. T., Law, J. W., Ser, H., Khaw, K., Letchumanan, V., Lee, L., & Goh, B. (2022). Harnessing the potentialities of probiotics, prebiotics, synbiotics, paraprobiotics, and postbiotics for shrimp farming. *Reviews in Aquaculture*, 14 (3), p.1089-1740. <https://doi.org/10.1111/raq.12659>

Guan, W., Wei, X., Nong, W., Shao, Y., & Mao, L. (2020). Heat shock protein 70 (HSP70) promotes air exposure tolerance of *Litopenaeus vannamei* by preventing hemocyte apoptosis. *Developmental & Comparative Immunology*, 114, p.103844–103844. <https://doi.org/10.1016/j.dci.2020.103844>

Guimarães, T. C., Araújo, E. S., Ramos, L. C., Jesus, A. A., Leite, S. P., Bjerck, T. R., López, J. A., & Hernández-Macedo, M. L. (2025). Optimized bioconversion of cheese whey to poly(hydroxybutyrate) (PHB) by mangrove-isolated *Bacillus cereus*. *Journal of Polymers and the Environment*, 33, p.1881-1896. <https://doi.org/10.1007/s10924-025-03518-3>

Fajardo, C., Martinez-Rodriguez, G., Costas, B., Mancera, J. M., Fernandez-Boo, S., Rodulfo, H., & Donato, M. D. (2021). Shrimp immune response: A transcriptomic perspective. *Reviews in Aquaculture*, 14 (3), p.1136–1149. <https://doi.org/10.1111/raq.12642>

Haifa-Haryani, W. O., Azzam-Sayuti, M., Amatul-Samahah, M. A., Chin, Y. K., Zamri-Saad, M., Annas, S., Natrah, I., Amal, M. N. A., & Ina-Salwany, M.

- Y. (2023). Characterization of the virulency of *Vibrio* spp. in giant tiger shrimp (*Penaeus monodon*) from peninsular Malaysia. *Aquaculture Research*, 2023 (1), p.1–14. <https://doi.org/10.1155/2023/7259748>
- Hanif, N., Murni, A., Tanaka, C., & Tanaka, J. (2019). Marine natural products from Indonesian waters. *Marine Drugs*, 17 (6). <https://doi.org/10.3390/md17060364>
- Hassan, M. S. A., Elias, N. A., Hassan, M., Mocktar, N. A., & Harun, N. A. (2024). Integrated overview on status, diagnosis and disease management of acute hepatopancreatic necrosis disease (AHPND) in shrimp aquaculture through metallic nanoparticles (MNPs) application – A review. *Aquaculture*, 595. <https://doi.org/10.1016/j.aquaculture.2024.741649>
- Hong, K., Sun, S. S., Tian, W., Chen, G. M., & Huang, W. (1999). A rapid method for detecting bacterial polyhydroxyalkanoates in intact cells by fourier transform infrared spectroscopy. *Applied Microbiology and Biotechnology*, 51 (4), p.523–526. <https://doi.org/10.1007/s002530051427>
- Interaminense, J. A., Vogeley, J. L., Gouveia, C. K., Portela, R. W. S., Oliveira, J. L., Andrade, H. A., Peixoto, S. M., Soares, R. B., Buarque, D. S., Bezerra, R. S. (2018). In vitro and in vivo potential probiotic activity of *Bacillus subtilis* and *Shewanella* algae for use in *Litopenaeus vannamei* rearing. *Aquaculture*, 488, p.114–122. <https://doi.org/10.1016/j.aquaculture.2018.01.027>
- Kalia, V. C., Patel, S. K. S., Shanmugam, R., & Lee, J-K. (2021). Polyhydroxyalkanoates: Trends and advances toward biotechnological applications. *Bioresource Technology*, 326. <https://doi.org/10.1016/j.biortech.2021.124737>
- Khanjani, M. H., Mozanzadeh, M. T., Gisbert, E., & Hoseinifar, S. H. (2024). Probiotics, prebiotics, and synbiotics in shrimp aquaculture: Their effects on growth performance, immune responses, and gut microbiome. *Aquaculture Reports*, 38, p.102362–102362. <https://doi.org/10.1016/j.aqrep.2024.102362>
- Khanna, S., & Srivastava, A.K. (2005). Statistical media optimization studies for growth and PHB production by *Ralstonia eutropha*. *Process Biochemistry*, 40 (6), p.2173–2182. <https://doi.org/10.1016/j.procbio.2004.08.011>
- Kim, S., Shin, J., Lim, H., Ko, D., Eom, G., Lim, J., Lee, Y., Choi, S., Park, S. Y., Park, J. Y., & Lee, K. J. (2024). Effects of feeding poly- β -hydroxybutyrate enriched *Artemia* nauplii on the growth, digestibility and immunity of Pacific white shrimp (*Penaeus vannamei*) post-larvae. *Fisheries and Aquatic Sciences*, 27 (7), p.447–455. <https://doi.org/10.47853/fas.2024.e42>
- KKP. (2024). Produksi Perikanan [online]. <https://portaldata.kkp.go.id/portals/data-statistik/prod-ikan/summary> [diakses 20 Agustus 2025]
- Kuhn, D. D., Smith, S. A., Williams, R. C., Galagarza, Ó. A., Thompson, M., Drahos, D. J., & Stevens, A. M. (2024). Use of direct-fed microbes to enhance shrimp resistance to a *Vibrio parahaemolyticus* strain causing early morality syndrome (EMS). *Aquaculture, Fish and Fisheries*, 4 (5). <https://doi.org/10.1002/aff2.70002>

- Kumar, R., Ng, T. H., & Wang, H. (2020). Acute hepatopancreatic necrosis disease in penaeid shrimp. *Reviews in Aquaculture*, 12 (3), p.1867–1880. <https://doi.org/10.1111/raq.12414>
- Kumar, V., Roy, S., Behera, B. K., Bossier, P., & Das, B. K. (2021). Acute hepatopancreatic necrosis disease (AHPND): Virulence, pathogenesis and mitigation strategies in shrimp aquaculture. *Toxins*, 13 (8). <https://doi.org/10.3390/toxins13080524>
- Lai, J., Cheah, W., Palaniveloo, K., Suwa, R., & Sharma, S. (2022). A systematic review of the physicochemical and microbial diversity of well-preserved, restored, and disturbed mangrove forests: What is known and what is the way forward?. *Forests*, 13 (12). <https://doi.org/10.3390/f13122160>
- Laranja, J. L. Q., Ludevese-Pascual, G. L., Amar, E. C., Sorgeloos, P., Bossier, P., & Schryver, P. D. (2014). Poly- β -hydroxybutyrate (PHB) accumulating *Bacillus* spp. improve the survival, growth and robustness of *Penaeus monodon* (Fabricius, 1798) postlarvae. *Veterinary Microbiology*, 173 (3-4), p.310–317. <https://doi.org/10.1016/j.vetmic.2014.08.011>
- Laranja, J. L. Q., Amar, E. C., Ludevese-Pascual, G. L., Niu, Y., Geaga, M. J., Schryver, P. D., & Bossier, P. (2017). A probiotic *Bacillus* strain containing amorphous poly-beta-hydroxybutyrate (PHB) stimulates the innate immune response of *Penaeus monodon* postlarvae. *Fish & Shellfish Immunology*, 68, p.202–210. <https://doi.org/10.1016/j.fsi.2017.07.023>
- Lin, S. J., Hsu, K. C., & Wang, H. C. (2017). Structural Insights into the Cytotoxic Mechanism of *Vibrio parahaemolyticus* PirAvp and PirBvp Toxins. *Marine Drugs*, 15 (12). <https://doi.org/10.3390/md15120373>
- Liu, X., Su, S., Yao, J., Zhang, X., Wu, Z., Jia, L., Liu, L., Hou, R., Farag, M. A., & Liu, L. (2024). Research advance about plant polysaccharide prebiotics, benefit for probiotics on gut homeostasis modulation. *Food Bioscience*, 59. <https://doi.org/10.1016/j.fbio.2024.103831>
- Loc, N. H., MacRae, T. H., Musa, N., Bin, D., Wahid, A., & Sung, Y. Y. (2013). Non-lethal heat shock increased HSP70 and immune protein transcripts but not *Vibrio* tolerance in the white-leg shrimp. *PLoS ONE*, 8 (9). <https://doi.org/10.1371/journal.pone.0073199>
- Manchanayake, T., Salleh, A., Amal, M. N. A., Yasin, I. S. M., & Zamri-Saad, M. (2023). Pathology and pathogenesis of *Vibrio* infection in fish: A review. *Aquaculture Reports*, 28. <https://doi.org/10.1016/j.aqrep.2022.101459>
- Mandragutti, T., Jarso, T. S., Godi, S., Begum, S. S., & Beulah, K. (2024). Physicochemical characterization of polyhydroxybutyrate (PHB) produced by the rare halophile *Brachybacterium paraconglomeratum* MTCC 13074. *Microbial Cell Factories*, 23 (1). <https://doi.org/10.1186/s12934-024-02324-1>
- Mansour, A. T., Ashour, M., Abbas, E. M., Alsaqufi, A. S., Kelany, M. S., El-Sawy, M., & Sharawy, Z. Z. (2022). Growth performance, immune-related and antioxidant genes expression, and gut bacterial abundance of Pacific white leg shrimp, *Litopenaeus vannamei*, dietary supplemented with natural astaxanthin. *Frontiers in Physiology*, 13. <https://doi.org/10.3389/fphys.2022.874172>

- Martinez-Urtaza, J., & Baker-Austin, C. (2020). *Vibrio parahaemolyticus*. *Trends in Microbiology*, 28 (10), p867-868. <https://doi.org/10.1016/j.tim.2020.02.008>
- Matos, G. M., Garcia-Teodoro, B., Martins, C. P., Schmitt, P., Guzmán, F., de Freitas, A. C. O., Stoco, P. H., Ferreira, F. A., Stadnik, M. J., Robl, D., Perazzolo, L. M., & Rosa, R. D. (2023). Antimicrobial spectrum of activity and mechanism of action of linear alpha-helical peptides inspired by shrimp anti-lipopolysaccharide factors. *Biomolecules*, 13 (1). <https://doi.org/10.3390/biom13010150>
- Meenakshisundaram, M., Mboya, J., & Sugantham, F. (2024). Polyhydroxybutyrate (PHB) from biofloc systems enhances the growth and immune performance of genetically improved farmed tilapia (Gift). Available at: <https://doi.org/10.2139/ssrn.4783728>
- Mohamad, N., Amal, M. N. A., Yasin, I. S. M., Saad, M. Z., Nasruddin, N. S., Alsaari, N., Mino, S., & Sawabe, T. (2019). Vibriosis in cultured marine fishes: a review. *Aquaculture*, 512. <https://doi.org/10.1016/j.aquaculture.2019.734289>
- Monier, M. N., Kabary, H., Elfeky, A., Saadony, S., El-Hamed, N. N. B. A., Eissa, M. E. H., & Eissa, E-S. H. (2023). The effects of *Bacillus* species probiotics (*Bacillus subtilis* and *B. licheniformis*) on the water quality, immune responses, and resistance of whiteleg shrimp (*Litopenaeus vannamei*) against *Fusarium solani* infection. *Aquaculture International*, 31 (6), p.3437–3455. <https://doi.org/10.1007/s10499-023-01136-1>
- Najar, I. N., Sharma, P., Das, R., Mondal, K., Singh, A. K., Tamang, S., Hazra, P., Thakur, N., Bhanwaria, R., Gandhi, S. G., & Kumar, V. (2024). In search of poly-3-hydroxybutyrate (PHB): A comprehensive review unveiling applications and progress in fostering a sustainable bio-circular economy. *Food and Bioproducts Processing*, 148, p.11–30. <https://doi.org/10.1016/j.fbp.2024.08.011>
- Nhan, D. T., Wille, M., Schryver, P. D., Defoirdt, T., Bossier, P., & Sorgeloos, P. (2010). The effect of poly β -hydroxybutyrate on larviculture of the giant freshwater prawn *Macrobrachium rosenbergii*. *Aquaculture*, 302 (1-2), p.76–81. <https://doi.org/10.1016/j.aquaculture.2010.02.011>
- Nuraeni, E., & Kusum, Y. W. C. (2023). The role of community-based tourism for mangroves conservation in Banten, Indonesia. *Jurnal Pengelolaan Sumberdaya Alam Dan Lingkungan*, 13 (4), p.606–612. <https://doi.org/10.29244/jpsl.13.4.606-612>
- Olmos, J., Acosta, M., Mendoza, G., & Pitones, V. (2019). *Bacillus subtilis*, an ideal probiotic bacterium to shrimp and fish aquaculture that increase feed digestibility, prevent microbial diseases, and avoid water pollution. *Archives of Microbiology*, 202 (3), p.427–435. <https://doi.org/10.1007/s00203-019-01757-2>
- Pakalapati, H., Chang, C-K., Show, P. L., Arumugasamy, S. K., & Lan, J. C-W. (2018). Development of polyhydroxyalkanoates production from waste feedstocks and applications. *Journal of Bioscience and Bioengineering*, 126 (3), p.282–292. <https://doi.org/10.1016/j.jbiosc.2018.03.016>

- Patkaew, S., Direkbusarakom, S., Hirono, I., Wuthisuthimethavee, S., Powtongsook, S., & Pooljun, C. (2024). Effect of supersaturated dissolved oxygen on growth-, survival-, and immune-related gene expression of Pacific white shrimp (*Litopenaeus vannamei*). *Veterinary World*, 17 (1), p.50–58. <https://doi.org/10.14202/vetworld.2024.50-58>
- Qu, W., Lin, D., Zhang, Z., Di, W., Gao, B., & Zeng, R. (2018). Metagenomics investigation of agarlytic genes and genomes in mangrove sediments in China: A potential repertory for carbohydrate-active enzymes. *Frontiers in Microbiology*, 9. <https://doi.org/10.3389/fmicb.2018.01864>
- Quach, N. T., Vu, T. H. N., Bui, T. L., Le, T. T. X., Nguyen, T. T. A., Ngo, C. C., & Phi, Q. T. (2022). Genomic and physiological traits provide insights into ecological niche adaptations of mangrove endophytic *Streptomyces parvulus* VCCM 22513. *Annals of Microbiology*, 72 (1). <https://doi.org/10.1186/s13213-022-01684-6>
- Quach, N. T., Loan, T. T., Thu, T., Hanh, T., Pham, Q. A., Chu, H. H., Phi, Q. T., & Thuoc, D. V. (2023). Phenotypic and genomic characterization provide new insights into adaptation to environmental stressors and biotechnological relevance of mangrove *Alcaligenes faecalis* D334. *Research in Microbiology*, 174 (1-2). <https://doi.org/10.1016/j.resmic.2022.103994>
- Ramena, Y., & Sharma, A. (2025). Artemia, probiotics, and immunostimulant: Essential elements for optimal *Litopenaeus vannamei* shrimp production. *The Open Microbiology Journal*, 19 (1). <https://doi.org/10.2174/0118742858416239250822063901>
- Raza, Z. A., Abid, S., & Banat, I. M. (2018). Polyhydroxyalkanoates: Characteristics, production, recent developments and applications. *International Biodeterioration & Biodegradation*, 126, p.45–56. <https://doi.org/10.1016/j.ibiod.2017.10.001>
- Salgaonkar, B. B., Mani, K., & Bragança, J. M. (2018). Sustainable bioconversion of cassava waste to poly(3-hydroxybutyrate-co-3-hydroxyvalerate) by *Halogeometricum borinquense* strain E3. *Journal of Polymers and the Environment*, 27 (2), p.299–308. <https://doi.org/10.1007/s10924-018-1346-9>
- Santos, H. M., Tsai, C. Y., Maquiling, K. R. A., Tayo, L. L., Mariatulqabtiah, A. R., Lee, C. W., & Chuang, K. P. (2019). Diagnosis and potential treatments for acute hepatopancreatic necrosis disease (AHPND): a review. *Aquaculture International*, 28 (1), p.169–185. <https://doi.org/10.1007/s10499-019-00451-w>
- Seabkongseng, T., Limkul, S., Sriphuttha, C., Phiwthong, T., Aunkam, P., Suwannathit, R., Jaree, P., Somboonwivat, K., Tittabutr, P., Teaumroong, N., & Boonchuen, P. (2025). Supplementation of *Bacillus velezensis* S141 in feed as a probiotic enhances growth performance, pathogenic tolerances, and immune system in shrimp. *Aquaculture*, 604. <https://doi.org/10.1016/j.aquaculture.2025.742448>
- Setyawan, P., Imron, I., Gunadi, B., Burg, S. V. D., Komen, H., & Camara, M. (2022). Current status, trends, and future prospects for combining salinity

- tolerant tilapia and shrimp farming in Indonesia. *Aquaculture*, 561. <https://doi.org/10.1016/j.aquaculture.2022.738658>
- Singh, P., Singh, A., Tyagi, A., & Benjakul, S. (2025). *Shrimp culture technology farming, health management and Quality Assurance*. Springer.
- Soltani, M., Ghosh, K., Hoseinifar, S. H., Kumar, V., Lymbery, A. J., Roy, S., & Ringo, E. (2019). Genusbacillus, promising probiotics in aquaculture: Aquatic animal origin, bio-active components, bioremediation and efficacy in fish and shellfish. *Reviews in Fisheries Science & Aquaculture*, 27 (3), p.331–379. <https://doi.org/10.1080/23308249.2019.1597010>
- Stef, L., Pet, I., Popescu, C. A., Dumitrescu, G., Ciochina, L. P., Iancu, T., Cretescu, I., Corcionivoschi, N., & Balta, I. (2025). The role of natural antimicrobials in reducing the virulence of *Vibrio parahaemolyticus* TPD in shrimp gut and hepatopancreas primary cells and in a post-larvae challenge trial. *International Journal of Molecular Sciences*, 26 (14). <https://doi.org/10.3390/ijms26146557>
- Suguna, P., Binuramesh, C., Abirami, P., Saranya, V., Poornima, K., Rajeswari, V., & Shenbagarathai, R. (2014). Immunostimulation by poly- β hydroxybutyrate–hydroxyvalerate (PHB–HV) from *Bacillus thuringiensis* in *Oreochromis mossambicus*. *Fish & Shellfish Immunology*, 36 (1), p.90–97. <https://doi.org/10.1016/j.fsi.2013.10.012>
- Sui, L., Cai, J., Sun, H., Wille, M., & Bossier, P. (2012). Effect of poly- β -hydroxybutyrate on Chinese mitten crab, *Eriocheir sinensis*, larvae challenged with pathogenic *Vibrio anguillarum*. *Journal of Fish Disease*, 35 (5), p359–364. <https://doi.org/10.1111/j.1365-2761.2012.01351.x>
- Sun, X., Liu, J., Deng, S., Li, R., Wenhua, L., Zhou, S., Tang, X., Sun, Y., Ke, M., & Wang, K. (2022). Quorum quenching bacteria *Bacillus velezensis* DH82 on biological control of *Vibrio parahaemolyticus* for sustainable aquaculture of *Litopenaeus vannamei*. *Frontiers in Marine Science*, 9. <https://doi.org/10.3389/fmars.2022.780055>
- Supono & Rivaie, A. R. (2025). A review of the development Pacific white shrimp (*Litopenaeus vannamei*) farming in Indonesia. *Indonesian Aquaculture Journal*, 20 (1), p.87–87. <https://doi.org/10.15578/iaj.20.1.2025.87-95>
- Susianingsih, E., Kadriah, I. A. K., & Nurhidayah. (2020). Screening and isolation of PHB (Poly- β -hydroxybutyrate) producing bacteria as an alternative material for disease prevention on the shrimp culture. *IOP Conference Series: Earth and Environmental Science*, 564 (1). <https://doi.org/10.1088/1755-1315/564/1/012053>
- Tamilselvan, M., & Raja, S. (2024). Exploring the role and mechanism of potential probiotics in mitigating the shrimp pathogens. *Saudi Journal of Biological Sciences*, 31 (3). <https://doi.org/10.1016/j.sjbs.2024.103938>
- Tennakoon, P., Chandika, P., Yi, M., & Jung, W-K. (2023). Marine-derived biopolymers as potential bioplastics, an eco-friendly alternative. *IScience*, 26 (4). <https://doi.org/10.1016/j.isci.2023.106404>
- Tepaamorndech, S., Chantarasakha, K., Kingcha, Y., Chaiyapechara, S., Phromson, M., Sriariyanun, M., Kirschke, C. P., Huang, L., & Visessanguan, W. (2019). Effects of *Bacillus aryabhattai* TBRC8450 on vibriosis resistance

- and immune enhancement in Pacific white shrimp, *Litopenaeus vannamei*. *Fish & Shellfish Immunology*, 86, p.4–13. <https://doi.org/10.1016/j.fsi.2018.11.010>
- Thadtapong, N., Salinas, M. B. S., Charoensawan, V., Saksmerprome, V., & Chaturongakul, S. (2020). Genome characterization and comparison of early mortality syndrome causing *Vibrio parahaemolyticus* pirABvp⁻ mutant from Thailand with *V. parahaemolyticus* pirABvp⁺ AHPND Isolates. *Frontiers in Marine Science*, 7. <https://doi.org/10.3389/fmars.2020.00290>
- Thatoi, H., Behera, B. C., Mishra, R. R., & Dutta, S. K. (2012). Biodiversity and biotechnological potential of microorganisms from mangrove ecosystems: a review. *Annals of Microbiology*, 63 (1), p.1–19. <https://doi.org/10.1007/s13213-012-0442-7>
- Thomas, T., Elain, A., Bazire, A., & Bruzard, S. (2019). Complete genome sequence of the halophilic PHA-producing bacterium *Halomonas* sp. SF2003: insights into its biotechnological potential. *World Journal of Microbiology & Biotechnology*, 35 (3). <https://doi.org/10.1007/s11274-019-2627-8>
- Thu, N. T. T., Hoang, L. H., Cuong, P. K., Viet-Linh, N., Nga, T. T. H., Kim, D. D., Leong, Y. K., & Nhi-Cong, L.T. (2023). Evaluation of polyhydroxyalkanoate (PHA) synthesis by *Pichia* sp. TSL24 yeast isolated in Vietnam. *Scientific Reports*, 13 (1). <https://doi.org/10.1038/s41598-023-28220-z>
- Toto, F., Scanu, M., Gramegna, M., Putignani, L., Chierico, F. D. (2025). Impact of DNA extraction and 16S rRNA gene amplification strategy on microbiota profiling of faecal samples. *International Journal of Molecular Sciences*, 26. <https://doi.org/10.3390/ijms26115226>
- Utsunomia, C., Ren, Q., & Zinn, M. (2020). Poly(4-hydroxybutyrate): Current state and perspectives. *Frontiers in Bioengineering and Biotechnology*, 8. <https://doi.org/10.3389/fbioe.2020.00257>
- Vincent, S. A., Mathew, P., & Antony, S. P. (2022). Shrimp antimicrobial peptides: A multitude of possibilities. *International Journal of Peptide Research and Therapeutics*, 28 (5). <https://doi.org/10.1007/s10989-022-10459-1>
- Wang, F., Li, S., & Li, F. (2021). Different immune responses of the lymphoid organ in shrimp at early challenge stage of *Vibrio parahaemolyticus* and WSSV. *Animals*, 11 (8). <https://doi.org/10.3390/ani11082160>
- Wang, L., Zhong, X., Li, S., Liu, X., Wang, K., Cai, R., Yue, T., Yuan, Y., & Wang, Z. (2024). Probiotics encapsulated by gelatin and hyaluronic acid via layer-by-layer assembly technology for enhanced viability. *Food Hydrocolloids*, 153, p109967–109967. <https://doi.org/10.1016/j.foodhyd.2024.109967>
- WoRMS - World Register of Marine Species. (2025). *Penaeus* (*Litopenaeus*) *vannamei* Boone, 1931. [online]. <https://www.marinespecies.org/aphia.php?p=taxdetails&id=1809212> [diakses 20 Agustus 2025]
- Xiao, B., Fu, Q., Niu, S., Zhu, P., He, J., & Li, C. (2020). Penaeidins restrict white spot syndrome virus infection by antagonizing the envelope proteins to

block viral entry. *Emerging Microbes & Infections*, 9 (1), p.390–412.

<https://doi.org/10.1080/22221751.2020.1729068>

Xiao, B., Hou, D., Pan, J., Kang, F., Wang, Y., He, J., & Li, C. (2024). Heat shock protein 70 (HSP70) regulates innate immunity and intestinal microbial homeostasis against *Vibrio parahaemolyticus* in shrimp. *Aquaculture*, 596.

<https://doi.org/10.1016/j.aquaculture.2024.741814>

Xiao, Y., Huang, Z., Yu, K., Wang, M., Gao, H., Bai, X., Jiang, M., & Wang, D. (2022). Distribution and molecular characteristics of *Vibrio* species isolated from aquatic environments in China, 2020. *Microorganisms*, 10 (10).

<https://doi.org/10.3390/microorganisms10102007>

Yi, D., Reardon, T., & Stringer, R. (2018). Shrimp aquaculture technology change in Indonesia: Are small farmers included?. *Aquaculture*, 493, p.436–445.

<https://doi.org/10.1016/j.aquaculture.2016.11.003>

Zaky, A. S., Greetham, D., Louis, E. J., Tucker, G. A., & Du, C. (2016). A New isolation and evaluation method for marine-derived yeast spp. with potential applications in industrial biotechnology. *Journal of Microbiology and Biotechnology*, 26 (11), p1891–1907.

<https://doi.org/10.4014/jmb.1605.05074>