

REFERENSI

- Ackery, A., Tator, C. and Krassioukov, A. (2004) 'A global perspective on spinal cord injury epidemiology', *Journal of Neurotrauma*, 21(10), pp. 1355–1370. Available at: <https://doi.org/10.1089/neu.2004.21.1355>.
- Aleissa, S. *et al.* (2019) 'Neurological disability among adults following traumatic spinal fractures in Saudi Arabia: A retrospective single-center medical record review', *Annals of Saudi Medicine*. King Faisal Specialist Hospital and Research Centre, pp. 8–12. Available at: <https://doi.org/10.5144/0256-4947.2019.8>.
- Baker, B.O.H.L. (1974) 'THE INJURY SEVERITY SCORE- A METHOD FOR DESCRIBING PATIENTS WITH MULTIPLE INJURIES AND EVALUATING EMERGENCY CARE'.
- Blex, C. *et al.* (2022) 'Baseline predictors of in-hospital mortality after acute traumatic spinal cord injury: data from a level I trauma center', *Scientific Reports*, 12(1), pp. 1–12. Available at: <https://doi.org/10.1038/s41598-022-15469-z>.
- Bransford, R.J. *et al.* (2014) 'Upper cervical spine trauma', *Journal of the American Academy of Orthopaedic Surgeons*, 22(11), pp. 718–729. Available at: <https://doi.org/10.5435/JAAOS-22-11-718>.
- Cartagena-Reyes, M.A. *et al.* (2024) 'Development of a Novel Risk Stratification Score to Predict 30-Day Mortality in Cervical Trauma Patients CLAAD Score', *Clinical Spine Surgery*, 37(6), pp. 275–281. Available at: <https://doi.org/10.1097/BSD.0000000000001596>.
- Cervical spinal column injuries in adults: Evaluation and initial management* (2025). Available at: www.uptodate.com.
- Chhabra, H.S., Sharawat, R. and Vishwakarma, G. (2022) 'In-hospital mortality in people with complete acute traumatic spinal cord injury at a tertiary care center in India—a retrospective analysis', *Spinal Cord*, 60(3), pp. 210–215. Available at: <https://doi.org/10.1038/s41393-021-00657-x>.
- Emergency Medical Teams Minimum technical standards and recommendations for spinal cord injury management in emergencies* (no date).
- Farzaneh, M., Anbiyaiee, A. and Khoshnam, S.E. (2019) 'Human Pluripotent Stem Cells for Spinal Cord Injury', *Current Stem Cell Research & Therapy*, 15(2), pp. 135–143. Available at: <https://doi.org/10.2174/1574362414666191018121658>.
- Fiedler, N. *et al.* (2020) 'Epidemiology and management of atlas fractures', *European Spine Journal*, 29(10), pp. 2477–2483. Available at: <https://doi.org/10.1007/s00586-020-06317-7>.
- Furlan, J.C., Kattail, D. and Fehlings, M.G. (2009) 'The impact of co-morbidities on age-related differences in mortality after acute traumatic spinal cord injury', *Journal of Neurotrauma*, 26(8), pp. 1361–1367. Available at: <https://doi.org/10.1089/neu.2008.0764>.
- Gong, Y. *et al.* (2022) 'A New Scale for Predicting the Risk of In-hospital Mortality in Patients With Traumatic Spinal Cord Injury', *Frontiers in Neurology*, 13(June), pp. 1–8. Available at: <https://doi.org/10.3389/fneur.2022.894273>.

- Hansen (2018) *Netter's Clinical Anatomy*.
- Jackson, A.B. *et al.* (2004) 'A demographic profile of new traumatic spinal cord injuries: Change and stability over 30 years', *Archives of Physical Medicine and Rehabilitation*, 85(11), pp. 1740–1748. Available at: <https://doi.org/10.1016/j.apmr.2004.04.035>.
- Jon C. Thompson (2002) 'Netter's Concise Atlas of Orthopaedic Anatomy'.
- Lu, Y. *et al.* (2024) 'Global incidence and characteristics of spinal cord injury since 2000–2021: a systematic review and meta-analysis', *BMC Medicine*, 22(1), p. 285. Available at: <https://doi.org/10.1186/s12916-024-03514-9>.
- Morelli, N. *et al.* (2023) 'Spinal Cord Injury without Radiographic Abnormality (SCIWORA): a case report and literature review', *Emergency Care Journal*, 19(2). Available at: <https://doi.org/10.4081/ecj.2023.11233>.
- Pape, H.C. *et al.* (2014) 'The definition of polytrauma revisited: An international consensus process and proposal of the new "Berlin definition"', *Journal of Trauma and Acute Care Surgery*, 77(5), pp. 780–786. Available at: <https://doi.org/10.1097/TA.0000000000000453>.
- Picetti, E. *et al.* (2024) 'Early management of adult traumatic spinal cord injury in patients with polytrauma: a consensus and clinical recommendations jointly developed by the World Society of Emergency Surgery (WSES) & the European Association of Neurosurgical Societies (EANS)', *World Journal of Emergency Surgery*, 19(1), pp. 1–10. Available at: <https://doi.org/10.1186/s13017-023-00525-4>.
- Ranjbar Hameghavandi, M.H. *et al.* (2024) 'Challenges in traumatic spinal cord injury care in developing countries – a scoping review', *Frontiers in Public Health*, 12(August), pp. 1–17. Available at: <https://doi.org/10.3389/fpubh.2024.1377513>.
- Reid, W.D. *et al.* (2010) *Physiotherapy Secretion Removal Techniques in People With Spinal Cord Injury: A Systematic Review*, *J Spinal Cord Med*.
- Roberts, T.T., Leonard, G.R. and Cepela, D.J. (2017) 'Classifications In Brief: American Spinal Injury Association (ASIA) Impairment Scale', *Clinical Orthopaedics and Related Research*, 475(5), pp. 1499–1504. Available at: <https://doi.org/10.1007/s11999-016-5133-4>.
- Sadeghi-Naini, M. *et al.* (2023) 'In-hospital mortality rate in subaxial cervical spinal cord injury patients: a systematic review and meta-analysis', *Acta Neurochirurgica*, 165(9), pp. 2675–2688. Available at: <https://doi.org/10.1007/s00701-023-05720-5>.
- Schuenke, S.S. (2010) 'Thieme atlas of anatomy'.
- Sengupta, D. *et al.* (2021) 'Respiratory morbidity and mortality of traumatic cervical spinal cord injury at a level I trauma center in India', *Spinal Cord Series and Cases*, 7(1), p. 36. Available at: <https://doi.org/10.1038/s41394-020-00371-5>.
- Sugiarto, A. *et al.* (2023) 'Charlson comorbidity index to predict 28-day mortality in critically ill COVID-19 patients', *Medical Journal of Indonesia*, 32(1), pp. 19–24. Available at: <https://doi.org/10.13181/mji.oa.236070>.

- Vaccaro, A.R. *et al.* (2016) ‘AOSpine subaxial cervical spine injury classification system’, *European Spine Journal*, 25(7), pp. 2173–2184. Available at: <https://doi.org/10.1007/s00586-015-3831-3>.
- WHO (2024) *Spinal cord injury*. Available at: <https://www.who.int/news-room/fact-sheets/detail/spinal-cord-injury> (Accessed: 2 September 2025).
- Wilson, J.R., Cadotte, D.W. and Fehlings, M.G. (2012) ‘Clinical predictors of neurological outcome, functional status, and survival after traumatic spinal cord injury: a systematic review.’, *Journal of neurosurgery. Spine*, 17(1 Suppl), pp. 11–26. Available at: <https://doi.org/10.3171/2012.4.aospine1245>.
- Xing, Z. *et al.* (2024) ‘Development and validation of a nomogram for predicting in-hospital mortality of patients with cervical spine fractures without spinal cord injury’, *European Journal of Medical Research*, 29(1), p. 80. Available at: <https://doi.org/10.1186/s40001-024-01655-4>.