

- Abdel-rahman, E. N., Landmann, T. , Kyalo, R., Ong, G., Mwalusepo, S., Sulieman, S., & Le, B. (2017). Predicting Stem Borer Density in Maize Using Rapideye Data and Generalized Linear Models. *International Journal of Applied Earth Observations and Geoinformtion*, 57, 61—74.
- Afafi, S. N., K. I. Supartha, H. Fatmawati, N. H. E. Sari, F. Y. Al-Husna, F. D. Himawan, M. Aulia, M. B. Ardiansyah, & B. Mulyana. (2022). Carbon Storage of Superior Clonal Teak Stand in Special Purpose Forest Area of Wanagama, Special Region of Yogyakarta. *Jurnal Galam* 2(2), 66–76.
- Ahmad, A., & Quegan, S.. (2012). Analysis of Maximum Likelihood Classification on Multispectral Data. *Applied Mathematical Sciences*. 6. 6425-6436.
- Allred, B. W., McCord, S. E., & Morford, S. L. (2025). Canopy height model and NAIP imagery pairs across CONUS. *Scientific Data*, 12(1), 322. <https://doi.org/10.1038/s41597-025-04655-z>
- Aminudin, S. (2008). Kajian Potensi Cadangan Karbon pada Pengusahaan Hutan Rakyat: (studi kasus Hutan Rakyat Desa Dengok, Kecamatan Playen, Kabupaten Gunung Kidul). *Thesis Sekolah Pascasarjana*, Institut Pertanian Bogor, Bogor.
- Anees, S. A., Mehmood, K., Khan, W. R., Sajjad, M., Alahmadi, T. A., Alharbi, S. A., & Luo, M. (2024). Integration of Machine Learning and Remote Sensing For Above Ground Biomass Estimation Through Landsat-9 and Field Data in Temperate Forests of The Himalayan Region. *Ecological Informatics*, 82. <https://doi.org/10.1016/j.ecoinf.2024.102732>.
- Biro Perencanaan Kementerian Lingkungan Hidup dan Kehutanan. (2023). *Rencana Kerja Tahun 2023*. Jakarta: Kementerian Lingkungan Hidup dan Kehutanan. 240 hal.
- Birth, G.S., & G. McVey, 1968. Measuring The Color of Growing Turf With A Reflectance Spectroradiometer. *Agronomy Journal*, 60:640-643.
- Breiman, L. (2001). *Random Forests* (Vol. 45). Netherlands : Kluwer Academic Publishers. 28 hal. <https://doi.org/10.1023/A:1010933404324>.



Campbell, J. B., & Whyne, R. H. (2011). *Introduction to Remote Sensing* (5th ed.). New York : Guilford Press.

Cao, Q., Miao, Y., Shen, J., Yu, W., Yuan, F. , Cheng, S., Huang, S., Wang, H., Yang, W., & Liu, F. (2015). Improving In-Season Estimation of Rice Yield Potential and Responsiveness to Topdressing Nitrogen Application With Crop Circle Active Crop Canopy Sensor. *Precision Agric.* doi.org/10.1007/s1119-015-9412-y.

Chave, J., Andalo, C., Brown, S., Cairns, M. A., Chambers, J. Q., Eamus, D., Fölster, H., Fromard, F., Higuchi, N., Kira, T., Lescure, J.-P., Nelson, B. W., Ogawa, H., Puig, H., Riéra, B., & Yamakura, T. (2005). Ecosystem Ecology Tree Allometry and Improved Estimation of Carbon Stocks and Balance in Tropical Forests. *Oecologia*. <https://doi.org/10.1007/s00442-005>.

Chen, J., Xu, H., & Tang, F. (2025). Coupling Spectral Indices and Machine Learning to Compare GF-6 and Sentinel2A Data in Forest Health Monitoring. *Chinese Geographical Science*, 35(3): 581–599.

Chen, J., Yang, C., Wu, S., Chung, Y., Linton, A., & Chen, C. (2007). Leaf Chlorophyll Content and Surface Spektral Reflectance of Tree Species Along A Terrain Gradient in Taiwan Renting National Park. *Botanica/ Studies*, 48, 71—77.

Chen, Q., Gao, T., Zhu, J., Wu, F., Li, X., Lu, D., & Yu, F. (2022). Individual Tree Segmentation and Tree Height Estimation Using Leaf-Off and Leaf-On UAV-LiDAR Data in Dense Deciduous Forests. *Remote Sens.*, 14, 2787. <https://doi.org/10.3390/rs14122787>.

Chen, W., Li, S., Wang, Y., Chen, G., & S. Liu. (2014). Forested Landslide Detection using LiDAR data and the Random Forest Algorithm: A Case Study of the Three Gorges, China. *Remote Sensing of Environment* 152:291–301.

Congalton, R. G. (2001). Accuracy Assessment and Validation of Remotely Sensed and Other Spatial Information. *International Journal of Wildland Fire*, 10(3–4), 321–328. <https://doi.org/10.1071/wf01031>.



Airborne Laser Scanning And Hyperspektral Data. *Methods Ecol Evol*, 7: 1236-1245. <https://doi.org/10.1111/2041-210X.12575>.

Danoedoro, P. (2012). *Pengantar Penginderaan Jauh Digital*. Yogyakarta: Penerbit Andi.

Digital Observatory for Protected Areas. (2023). *Factsheet J2 EN above-ground carbon stock*. European Commission, Joint Research Centre. <https://dopa.jrc.ec.europa.eu/dopa/documentation/en>

Du, L., Pang, Y., Wang, Q., Huang, C., Bai, Y., Chen, D., Lu, W., & Kong, D. (2023). A Lidar Biomass Index-Based Approach For Tree- and Plot-Level Biomass Mapping Over Forest Farms Using 3d Point Clouds. *Remote Sensing of Environment*, 290. <https://doi.org/10.1016/j.rse.2023.113543>.

Fadil, S., Sebari, I., Moulay, M. A., & El Kadi, K. A. (2024). Modeling and Spatialization of Biomass and Carbon Stock Using Unmanned Aerial Vehicle Lidar (Lidar-Uav) Metrics and Forest Inventory in Cork Oak Forest of Maamora. *Regional Science Policy and Practice*, 16(11). <https://doi.org/10.1016/j.rspp.2024.100127>.

Frazier, A. E., & Hemingway, B. L. (2021). A Technical Review of Planet Smallsat Data: Practical Considerations For Processing and Using Planetscope Imagery. *Remote Sensing*, 13(19). <https://doi.org/10.3390/rs13193930>

Giacalone, M., Panarello, D., & Mattera, R. (2017). Multicollinearity in Regression: an Efficiency Comparison Between Lp-norm and Least Squares Estimators. *Quality & Quantity*, 52(4), 1831–1859. doi:10.1007/s11135-017-0571-y.

Gibbs, H. K., Brown, S., O Niles, J., & Foley, J. A. (2007). Monitoring and Estimating Tropical Forest Carbon Stocks: Making REDD a Reality. *Environmental Research Letters*, doi: 10.1088/1748-9326/2/4/045023.

Gitelson, A., & Merzlyak, M. N. (1994). Quantitative Estimation of Chlorophyll-A Using Reflectance Spectra: Experiments With Autumn Chestnut and Maple Leaves. *Journal of Photochemistry and Photobiology B: Biology*, 22(3), 247–252. doi:10.1016/1011-1344(93)06963-4.



for Small-Area Applications. *GIScience and Remote Sensing* (Vol. 48, Issue 2, pp. 141–170). <https://doi.org/10.2747/1548-1603.48.2.141>.

Gong, Z., Ge, W., Guo, J., & Liu, J. (2024). Satellite Remote Sensing of Vegetation Phenology: Progress, Challenges, and Opportunities. in *ISPRS Journal of Photogrammetry and Remote Sensing* (Vol. 217, pp. 149–164). Elsevier B.V. <https://doi.org/10.1016/j.isprsjprs.2024.08.011>.

Harding, D.J., Blair, J.B., Garvin, J.B., & Lawrence, W.T. (1994). Laser Altimetry Waveform Measurement of Vegetation Canopy Structure. *Proceedings of the International Remote Sensing Symposium 1994*. Pasadena (CA): California Institute of Technology.

Horning, N., Robinson, J. A., Sterling, E. J., Turner, W., & Spector, S. (2010). *Remote Sensing for Ecology and Conservation: A Handbook of Techniques (Techniques in Ecology and Conservation)*. New York: Oxford University Press

Hu, X. J., Xu, H. Q., Guo, Y. B., & Zhang, B. B. (2017). Remote Sensing Detection of Vegetation Health Status After Ecological Restoration in Soil and Water Loss Region. *The journal of applied ecology*, 28(1), 250–256. <https://doi.org/10.13287/j.1001-9332.201701.020>.

Huang, H., Liu, C., Wang, X., Zhou, X., & Gong, P. (2019). Integration of Multi-resource Remotely Sensed Data and Allometric Models for Forest Aboveground Biomass Estimation in China. *Remote Sensing of Environment*, 221, 225–234. <https://doi.org/10.1016/j.rse.2018.11.017>.

Huete, A. R. (1988). A Soil-adjusted Vegetation Index (SAVI). *Remote Sens. Environ.* 25:295—309.

Hummel, S., Hudak, A. T., Uebler, E. H., Falkowski, M. J., & Megown, K. A. (2011). A Comparison of Accuracy and Cost of Lidar Versus Stand Exam Data for Landscape Management on The Malheur National Forest. *Journal of Forestry*, 109(5), 267–273. <https://doi.org/10.1093/jof/109.5.267>.

Illarionova, S., Shadrin, D., Ignatiev, V., Shayakhmetov, S., Trekin, A., & Oseledets, I. (2022). Estimation of the canopy height model from multispectral satellite imagery with convolutional neural networks. *IEEE Access*, 10, 34116–34132. <https://doi.org/10.1109/ACCESS.2022.3161568>

IPCC. (2013). *Summary for policymakers*. In T. F. Stocker, D. Qin, G.-K. Plattner, M. Tignor, S. K. Allen, J. Boschung, A. Nauels, Y. Xia, V. Bex, & P. M. Midgley (Eds.), *Climate change*

Report of the Intergovernmental Panel on Climate Change (pp. 1–30). Cambridge University Press.

- IPCC. (2018). *Summary for policymakers*. In V. Masson-Delmotte, P. Zhai, H.-O. Pörtner, D. Roberts, J. Skea, P. R. Shukla, A. Pirani, W. Moufouma-Okia, C. Péan, R. Pidcock, S. Connors, J. B. R. Matthews, Y. Chen, X. Zhou, M. I. Gomis, E. Lonnoy, T. Maycock, M. Tignor, & T. Waterfield (Eds.), *Global warming of 1.5°C. An IPCC Special Report on the impacts of global warming of 1.5°C above pre-industrial levels and related global greenhouse gas emission pathways, in the context of strengthening the global response to the threat of climate change, sustainable development, and efforts to eradicate poverty* (pp. 3–24). Cambridge University Press. <https://doi.org/10.1017/9781009157940.001>
- IPCC. (2023). *Summary for policymakers*. In H. Lee & J. Romero (Eds.), *Climate change 2023: Synthesis report. Contribution of Working Groups I, II and III to the Sixth Assessment Report of the Intergovernmental Panel on Climate Change* (pp. 1–34). IPCC. <https://doi.org/10.59327/IPCC/AR6-9789291691647.001>
- Jensen, J. R. (2014). *Remote Sensing of the Environment: An Earth Resource Perspective* (2nd ed.). Harlow: Pearson Education Limited.
- Jensen, J. R. (2015). *Introductory Digital Image Processing: A Remote Sensing Perspective* (4th ed.). USA: Pearson Education, Inc.
- Jha, A., Pal, S., & Misra, A. K. (2024). Impact of Anthropogenic Emissions of Carbon Dioxide and Related Temperature Rise on Wildlife Population: A Modeling Study. *Mathematics and Computers in Simulation*, 223, 229–252. <https://doi.org/10.1016/j.matcom.2024.04.009>.
- Jiang, F., Deng, M., Tang, J., Fu, L., & Sun, H. (2022). Integrating Spaceborne Lidar and Sentinel-2 Images to Estimate Forest Aboveground Biomass in Northern China. *Carbon Balance and Management*, 17(1). <https://doi.org/10.1186/s13021-022-00212-y>.
- Jiang, Z., Huete, A. R., Didan, K., & Miura, T. (2008). Development of Two-Band Enhanced Vegetation Index without a Blue Band. *Remote Sensing of Environment*, 112(10), 3833–3845. doi.org/10.1016/j.rse.2008.06.006.
- Kington, J., & Collinson, A. (2022). *Scene Level Normalization and Harmonization of Planet Dove Imagery*. Planet Labs Inc, 1–29.



- Kjeldsberg, F., Munim, Z.H., Bustgaard, M., Bhagat, S., Lindroos, E., & Haavardtun, P. (2025). Sensitivity of Predictive Performance Assessment Accuracy in Varying k-fold Cross Validation. In: Kim, T.E., Milrad, M., Remolar, I. (eds) Integrating Emerging Technologies into Education and Training: Proceedings of the 2nd ETELT 2024 Workshop. MIS4TEL 2024. Lecture Notes in Networks and Systems, vol 1274. Springer, Cham. https://doi.org/10.1007/978-3-031-84170-5_7.
- Kuhn, M. (2008). Building Predictive Models in R Using the caret Package. *Journal of Statistical Software*, 28(5), 1–26. <https://doi.org/10.18637/jss.v028.i05>.
- Le Toan, T., Quegan, S., Davidson, M. W. J., Balzter, H., Paillou, P., Papathanassiou, K., Plummer, S., Rocca, F., Saatchi, S., Shugart, H., & Ulander, L. (2011). The Biomass Mission: Mapping Global Forest Biomass to Better Understand The Terrestrial Carbon Cycle. *Remote Sensing of Environment*, 115(11), 2850–2860. <https://doi.org/10.1016/j.rse.2011.03.020>.
- Lee, Y., Son, B., Im, J., Zhen, Z., & Quackenbush, L. J. (2024). Two-Step Carbon Storage Estimation in Urban Human Settlements Using Airborne Lidar and Sentinel-2 Data Based on Machine Learning. *Urban Forestry and Urban Greening*, 94. <https://doi.org/10.1016/j.ufug.2024.128239>.
- Lefsky, M. A., Cohen, W. B., Parker, G. G., & Harding, D. J. (2002). Lidar Remote Sensing For Ecosystem Studies. *BioScience* (Vol. 52, Issue 1, pp. 19–30).
- Li, Q., Yin, J., Zhang, X., Hao, D., Ferreira, M. P., Yan, W., Tian, Y., Zhang, D., Tan, S., Nie, S., An, T., Li, X., Huang, J., Su, W., & Zeng, Y. (2025). Tree-level carbon stock estimations across diverse species using multi-source remote sensing integration. *Computers and Electronics in Agriculture*, 231. <https://doi.org/10.1016/j.compag.2025.109904>.
- Liaw, A., & Wiener, M. (2002). Classification and Regression by RandomForest. *R News*, 2, 18-22. <http://CRAN.R-project.org/doc/Rnews/>.
- Lillesand, T.M. and Kieffer, R.W. (2004). *Remote Sensing and Image Interpretation* (5th ed.). New York: John Wiley & Sons, Inc.



- Matiza, C., Mutanga, O., Odindi, J., & Mngadi, M. (2024). The utility of Planetscope spektral data in quantifying above-ground carbon stock in an urban reforested landscape. *Ecological Informatics*, 80. <https://doi.org/10.1016/j.ecoinf.2024.102472>.
- Maune, D. F., (2001). *Digital Elevation Model Technologies and Applications: The DEM Users Manual*. Bethesda: ASPRS, 540 p.
- McCoy, R. M. (2005). *Field Methods in Remote Sensing*. New York: The Guilford Press.
- McHale, M. R., Burke, I. C., Lefsky, M. A., Peper, P. J., & McPherson, E. G. (2009). Urban Forest Biomass Estimates: Is it Important to Use Allometric Relationships Developed Specifically for Urban Trees?. *Urban Ecosystems*, 12(1), 95–113. <https://doi.org/10.1007/s11252-009-0081-3>.
- McPherson, E. G., van Doorn, N. S., & Peper, P. J. (2016). Urban Tree Database. *Forest Service Research Data Archive*. Forest Service Research Data Archive. <https://doi.org/10.2737/RDS-2016-0005>.
- Montoya-Sánchez, V., Camarretta, N., Ehbrecht, M., Schlund, M., Paterno, G. B., Seidel, D., Guerrero-Ramírez, N., Brambach, F., Hölscher, D., Kreft, H., Irawan, B., Sundawati, L., & Zemp, D.C. (2024). Comparing Airborne and Terrestrial Lidar with Ground-Based Inventory Metrics of Vegetation Structural Complexity in Oil Palm Agroforests. *Ecological Indicators*, 166. <https://doi.org/10.1016/j.ecolind.2024.112306>.
- Mutanga, O., & Skidmore, A. K. (2004). Narrow Band Vegetation Indices Overcome the Saturation Problem in Biomass Estimation. *International Journal of Remote Sensing*, 25(19), 3999–4014. <https://doi.org/10.1080/01431160310001654923>.
- Nanni, A. S., Gasparri, N. I., Grau, H, R. (2015). Redistribution of Forest Biomass in an Heterogeneous Environment of Subtropical Andes Undergoing Agriculture Adjustment. *Applied Geography* 62:107-4. <https://doi.org/10.1016/j.apgeog.2015.04.012>.



- Properties and Above-Ground Biomass in Nepal's Mid-Hill Forests. *Resources*, 12(11), 136. <https://doi.org/10.3390/resources12110136>.
- Niklas, K.J. (1994). *Plant Allometry: The Scaling of Form and Process*. Chicago: University of Chicago Press.
- Oh, S., Jung, J., Shao, G., Shao, G., Gallion, J., & Fei, S. (2022). High-Resolution Canopy Height Model Generation and Validation Using USGS 3DEP LiDAR Data in Indiana, USA. *Remote Sensing*, 14(4), 935. <https://doi.org/10.3390/rs14040935>.
- Pan, Y., Richard A., Fang, J., Houghton, R., Kauppi, P. E., Kurz, W. A., Phillips, O. L., Shvidenko, A., Lewis, S. L., Canadell, J. G., Ciais, P., Jackson, R. B., Pacala, S. W., McGuire, A. D., Piao, S., Rautiainen, A., Sitch, S., & Hayes, D. (2011). A Large and Persistent Carbon Sink in The World's Forests. *Science*, 333(6045), 988–993. <https://doi.org/10.1126/science.1201609>.
- Parresol, B. R. (1999). Assessing Tree and Stand Biomass: A Review with Examples and Critical Comparisons. *Forest Science*.
- Phua, M. H., Johari, S. A., Wong, O. C., Ioki, K., Mahali, M., Nilus, R., Coomes, D. A., Maycock, C. R., & Hashim, M. (2017). Synergistic Use of Landsat 8 Oli Image and Airborne Lidar Data for Above-Ground Biomass Estimation in Tropical Lowland Rainforests. *Forest Ecology and Management*, 406, 163–171. <https://doi.org/10.1016/j.foreco.2017.10.007>.
- Purnamasari, E., Kamal, M., & Wicaksono, P. (2021). Comparison of Vegetation Indices For Estimating Above-Ground Mangrove Carbon Stocks Using Planetscope Image. *Regional Studies in Marine Science*, 44. <https://doi.org/10.1016/j.rsma.2021.101730>.
- Qi, J., Chehbouni, A., Huete, A. R., Kerr, Y. H., & Sorooshian, S. (1994). A Modified Soil Adjusted Vegetation Index. *Remote Sensing of Environment*, 48(2), 119–126. doi:10.1016/0034-4257(94)90134-1.
- Ravindranath, N. H., & Ostwald, M. (2008). Carbon Inventory Methods: Handbook for Greenhouse Gas Inventory, Carbon Mitigation and Roundwood Production Projects. *Advances in Global Change Research* (Vol. 29, pp. 1–304). Springer International Publishing. <https://doi.org/10.1007/978-1-4020-6547-7>.



An Assessment of the Effectiveness of A Random Forest Classifier for Land Cover Classification. *ISPRS Journal of Photogrammetry and Remote Sensing* 67:93–10s4.

Rouse, J.W., Haas, R.H., Schell, J.A., & Deering, D.W. (1974). Monitoring Vegetation Systems in The Great Plains with ERTS. *Proc Third Earth Resources Technology Satellite-1 Symp*, December 10–15 1974, Greenbelt, MD, 3:301–317, NASA, Washington, D.C.

Sanderson, R. (2003). *Introduction to Remote Sensing*. New Mexico Space Grant Consortium.

Schick, M., Griffin, R., Cherrington, E., & Sever, T. (2023). Utilizing Lidar to Quantify Aboveground Tree Biomass Within an Urban University. *Urban Forestry and Urban Greening*, 89. <https://doi.org/10.1016/j.ufug.2023.128098>.

Silleos, G., Alexandridis, T., Gitas, I., & Perakis, K. (2006). Vegetation Indices: Advances Made in Biomass Estimation and Vegetation Monitoring in The Last 30 Years. *Geocarto International* (Vol. 21, Issue 4).

Soraya, E., Umarhadi, D. A., Wardhana, W., Senawi, S., & Ardiansyah, F. (2025). Aerial Imagery and UAV-LiDAR Data Fusion for Quantifying Aboveground Carbon Stock of Teak Plantation. *Ecological Engineering & Environmental Technology*, 26(2), pp.178-192. <https://doi.org/10.12912/27197050/197151>.

Sutaryo, D. (2009). *Penghitungan Biomassa: Sebuah Pengantar Untuk Studi Karbon dan Perdagangan Karbon*. Bogor: Wetlands International Indonesia Programme.

Thinley, J., Pickering, C., & Ndehedehe, C. (2025). Modelling Above Ground Biomass for A Mixed-Tree Urban Arboretum Forest Based on A Lidar-Derived Canopy Height Model and Field-Sampled Data. *Geomatica*, 77(1). <https://doi.org/10.1016/j.geomat.2025.100047>.

Tian, L., Wu, X., Tao, Y., Li, M., Qian, C., Liao, L., & Fu, W. (2023). Review of Remote Sensing-Based Methods for Forest Aboveground Biomass Estimation: Progress, Challenges, and Prospects. *Forests* (Vol. 14, Issue 6). <https://doi.org/10.3390/f14061086>.

Torre-Tojal, L., Bastarrika, A., Boyano, A., Lopez-Guede, J. M., & Graña, M. (2022). Above-ground Biomass Estimation from LiDAR Data using Random Forest Algorithms. *Journal of Computational Science*, 58. <https://doi.org/10.1016/j.jocs.2021.101517>.



<https://www.epa.gov/green-power-markets/glossary>.

- Wang, F.M., Huang, J.F., Tang, Y.L., & Wang, X.Z. (2007). New Vegetation Index and its Application in Estimating Leaf Area Index of Rice. *Rice Science* 14(3):195-203. DOI: 10.1016/S1672-6308(07)60027-4.
- Wang, G., Li, S., Huang, C., He, G., Li, Y., Feng, J., Tang, F., Yan, P., & Qiu, L. (2023). Mapping the Spatial Distribution of Aboveground Biomass in China's Subtropical Forests Based on UAV LiDAR Data. *Forests*, 14(8), 1560. <https://doi.org/10.3390/f14081560>
- Wang, H., Wang, C., Lv, B., & Pan, X. (2015). Improved Variable Importance Measure of Random Forest via Combining of Proximity Measure and Support Vector Machine for Stable Feature Selection. *J Inform Comput Sci*.12(8): 3241–52. doi:10.12733/jics20105854.
- Wehr, A., & Lohr, U. (1999). Airborne Laser Scanning: an Introduction and Overview. *ISPRS Journal of Photogrammetry and Remote Sensing* 54:68-82.
- Wirabuana, P. Y. A. P., Hendrati, R. L., Baskorowati, L., Susanto, M., Mashudi, M., Budi Santoso Sulistiadi, H., Setiadi, D., Sumardi, D. & Alam, S. (2022). Growth Performance, Biomass Accumulation, and Energy Production in Age Series of Clonal Teak Plantation. *Forest Science Technology*, 18 (2): 67-75.
- Xu, J., Su, M., Sun, Y., Pan, W., Cui, H., Jin, S., Zhang, L., & Wang, P. (2024). Tree Crown Segmentation and Diameter at Breast Height Prediction Based on BlendMask in Unmanned Aerial Vehicle Imagery. *Remote Sensing*, 16(2), 368. <https://doi.org/10.3390/rs16020368>.
- Yang, Q., Su, Y., Hu, T., Jin, S., Liu, X., Niu, C., Liu, Z., Kelly, M., Wei, J., & Guo, Q. (2022). Allometry-based Estimation of Forest Aboveground Biomass Combining LiDAR canopy Height Attributes and Optical Spektral Indexes. *Forest Ecosystems*, 9. <https://doi.org/10.1016/j.fecs.2022.100059>.
- Zhao, P., Lu, D., Wang, G., Wu, C., Huang, Y., & Yu, S. (2016). Examining Spektral Reflectance Saturation in Landsat Imagery and Corresponding Solutions to Improve Forest Aboveground Biomass Estimation. *Remote Sensing*, 8(6). <https://doi.org/10.3390/rs8060469>.