

DAFTAR PUSTAKA

- [1] A. Kandemir and M. Kavraz, “Acoustic Evaluation of Trabzon Beşirli Central Tennis Court Multi-Purpose Hall,” *Firat Üniversitesi Mühendislik Bilim. Derg.*, vol. 36, no. 1, pp. 357–367, 2024, doi: 10.35234/fumbd.1382851.
- [2] A. Supriyanto *et al.*, “Analisis Standarisasi Fasilitas Olahraga Di Kompleks Gor Stadion Wilis Kota Madiun,” *MAJORA Maj. Ilm. Olahraga*, vol. 29, no. 2, pp. 36–45, 2023, doi: 10.21831/majora.v29i2.66693.
- [3] E. Nowicka, “The index method of acoustic design of sports enclosures,” *Euronoise 2015*, pp. 727–732, 2015.
- [4] M. Kobayashi, Y. Hamada, and M. Akagi, “Acoustic features correlated to perceived urgency in evacuation announcements,” *Speech Commun.*, vol. 139, no. March, pp. 22–34, 2022, doi: 10.1016/j.specom.2022.03.001.
- [5] GIK UGM, “No Title Apa itu GIK UGM dan apa Tujuannya?,” <https://gik.ugm.ac.id>. Accessed: Sep. 02, 2025. [Online]. Available: <https://gik.ugm.ac.id/tentang-gik/>
- [6] G. Lüthi and V. Desarnaulds, “Reverberation time in sports halls: Analysis of a large database of in-situ measurements and simulations according to absorption positions,” *Proc. Forum Acust.*, no. September, pp. 115–122, 2023, doi: 10.61782/fa.2023.0571.
- [7] K. Packer and C. Faszer, “Reverberation measurement and prediction in gymnasia with non-uniformly distributed absorption; The importance of diffusion,” *Can. Acoust. - Acoust. Can.*, vol. 39, no. 4, pp. 47–53, 2011.
- [8] H. Z. Alibaba and M. B. Ozdeniz, “Acoustical renovation of University Multipurpose Halls: The case of Lala Mustafa Paşa Hall,” *Sustain.*, vol. 11, no. 5, pp. 1–13, 2019, doi: 10.3390/su11051397.
- [9] L. S. Jácome, P. Simbaña, and G. Cadena, “Virtual Acoustic Characterization of a Multipurpose Sports Facility: A Case Study of the Coliseum at ‘unidad Educativa Municipal Sebastián de Benalcázar’, Quito, Ecuador,” *J. Phys. Conf. Ser.*, vol. 2796, no. 1, 2024, doi: 10.1088/1742-6596/2796/1/012010.
- [10] M. Hornikx, C. Hak, and R. Wenmaekers, “Acoustic modelling of sports halls, two case studies,” *J. Build. Perform. Simul.*, vol. 8, no. 1, pp. 26–38, 2015, doi: 10.1080/19401493.2014.959057.
- [11] O. A. Al-Arja, “Acoustic environment and noise exposure in fitness halls,” *Appl. Sci.*, vol. 10, no. 18, 2020, doi: 10.3390/APP10186349.
- [12] I. A. D. Astuti, “Pengembangan Alat Eksperimen Cepat Rambat Bunyi





- Dalam Medium Udara Dengan Menggunakan Metode Time of Flight (Tof) Dan Berbantuan Software Audacity,” *Unnes Phys. Educ. J.*, vol. 5, no. 3, pp. 18–24, 2016, [Online]. Available: <http://journal.unnes.ac.id/sju/index.php/upej>
- [13] A. Yasid, Yushardi, and R. D. Handayani, “PENGARUH FREKUENSI GELOMBANG BUNYI TERHADAP PERILAKU LALAT RUMAH (*Musca domestica*),” *J. Pembelajaran Fis.*, vol. 5, pp. 190–196, 2016.
- [14] T. S. U. SAMUEL J. LING, L. M. U. JEFF SANNY, and P. WILLIAM MOEBS, *University Physics Volume 1*, 9th ed. Texas: Rice University, 2016.
- [15] Y. Guo, P. Zhou, Z. Yao, and J. Ma, “Biophysical mechanism of signal encoding in an auditory neuron,” *Nonlinear Dyn.*, vol. 105, no. 4, pp. 3603–3614, 2021, doi: 10.1007/s11071-021-06770-z.
- [16] M. N. Kunchur, “The human auditory system and audio,” *Appl. Acoust.*, vol. 211, 2023, doi: 10.1016/j.apacoust.2023.109507.
- [17] K. Wasano, K. Kaga, and K. Ogawa, “Patterns of hearing changes in women and men from denarians to nonagenarians,” *Lancet Reg. Heal. - West. Pacific*, vol. 9, 2021, doi: 10.1016/j.lanwpc.2021.100131.
- [18] odeon, “What is ‘Room Acoustics’?,” <https://odeon.dk/>. Accessed: Sep. 02, 2025. [Online]. Available: <https://odeon.dk/learn/articles/room-acoustics/#gsc.tab=0>
- [19] M. Berzborn and M. Vorländer, “Directional sound field decay analysis in performance spaces,” *Build. Acoust.*, vol. 28, no. 3, pp. 249–263, 2021, doi: 10.1177/1351010X20984622.
- [20] L. Labia, L. Shtrepi, and A. Astolfi, “Improved Room Acoustics Quality in Meeting Rooms: Investigation on the Optimal Configurations of Sound-Absorptive and Sound-Diffusive Panels,” *Acoustics*, vol. 2, no. 3, pp. 451–473, 2020, doi: 10.3390/acoustics2030025.
- [21] Ning Xiang, Ed., *Architectural Acoustics Handbook*. J. Ross Publishing, 2017.
- [22] Yan Li and Shuxia Ren, “Building Decorative Materials-Woodhead Publishing In Materials,” 2011.
- [23] Dan Bosnyak Dan, D. N. S. A. A. Mahmoud, Dr, Tine Wagenmann, Andrew Carballeira, and Dr Luis Gomez-Agustina, “T h e b o o k o f a c o u s t i c s”, [Online]. Available: <https://book.baux.com/book-of-acoustics/1-0-the-fundamentals-of-sound-control/>
- [24] M. A. SUPRAPTO, “PERBAIKAN KUALITAS AKUSTIK RUANG PADA AUDITORIUM MULTIFUNGSI DENGAN DOME,” UNIVERSITAS GADJAH MADA, 2023. [Online]. Available: <https://etd.repository.ugm.ac.id/penelitian/detail/223149>





- [25] A. Nandanwar, M. C. Kiran, and K. C. Varadarajulu, "Influence of Density on Sound Absorption Coefficient of Fibre Board," *Open J. Acoust.*, vol. 07, no. 01, pp. 1–9, 2017, doi: 10.4236/oja.2017.71001.
- [26] A. Nowoświat, M. Olechowska, and M. Marchacz, "The effect of acoustical remedies changing the reverberation time for different frequencies in a dome used for worship: A case study," *Appl. Acoust.*, vol. 160, 2020, doi: 10.1016/j.apacoust.2019.107143.
- [27] H. Kuttruff and T. J. Schultz, *Room Acoustics*, vol. 27, no. 10. 1974. doi: 10.1063/1.3128917.
- [28] D. This, "Acoustic scattering and diffusion of an object on a background surface using the boundary element method / Department of the Built Environment Acoustic scattering and diffusion of an object on a background surface using," 2015.
- [29] L. E. Kinsler, A. R. Frey, A. B. Coppens, and J. V. Sanders, *Fundamentals of Acoustics (4th Edition)*. 1999.
- [30] G. Huang, J. Benesty, and J. Chen, "Dimensionality Reduction of Room Acoustic Impulse Responses and Applications to System Identification," *IEEE Signal Process. Lett.*, vol. 30, no. 1, pp. 1107–1111, 2023, doi: 10.1109/LSP.2023.3306619.
- [31] Llorens, *Fabric Structures in Architecture*. Woodhead Publishing, 2015. doi: <https://doi.org/10.1016/C2013-0-16495-1>.
- [32] S. M. Levy, *Construction Calculations Manual*. Butterworth-Heinemann, 2012. doi: <https://doi.org/10.1016/C2009-0-64499-8>.
- [33] IEC 60268–16, "International Standard International Standard," *61010-1 © Iec2001*, vol. 2003, p. 13, 2003.
- [34] A. P. O. Carvalho, "Relations between rapid speech transmission index (RASTI) and other acoustical and architectural measures in churches," *Appl. Acoust.*, vol. 58, no. 1, pp. 33–49, 1999, doi: 10.1016/S0003-682X(98)00071-1.
- [35] H. Autio and E. Nilsson, "A Novel Algorithm for Directional Scattering in Acoustic Ray Tracers," *Acoustics*, vol. 5, no. 4, pp. 928–947, 2023, doi: 10.3390/acoustics5040054.
- [36] A. Nowoświat and M. Olechowska, "Experimental Validation of the Model of Reverberation Time Prediction in a Room," *Buildings*, vol. 12, no. 3, 2022, doi: 10.3390/buildings12030347.
- [37] Nuryadi, T. D. Astuti, E. S. Utami, and M. Budiantara, *Buku Ajar Dasar-dasar Statistik Penelitian*. 2017.
- [38] "PMP21 Class 1 Measurement Microphone," <https://placidinstruments.com/>. Accessed: Sep. 02, 2025. [Online].





- Available: <https://placidinstruments.com/product/pmp21-class-1-measurement-microphone/>
- [39] “Nor276 Dodecahedron Loudspeaker,” <https://www.norsonic.asia/>. Accessed: Sep. 02, 2025. [Online]. Available: <https://www.norsonic.asia/product/nor276/>
- [40] “Nor145 Pengukur tingkat suara,” <https://www.norsonic.com/>. Accessed: Sep. 02, 2025. [Online]. Available: <https://www.norsonic.com/products/sound-level-meters/nor145-sound-level-meter/>
- [41] “Nor1256 Sound Calibrator,” <https://www.norsonic.com/>. Accessed: Sep. 02, 2025. [Online]. Available: <https://www.norsonic.com/products/calibrators/nor1256-sound-calibrator/>
- [42] “Nor280 Power amplifier,” <https://www.norsonic.com/>. Accessed: Sep. 02, 2025. [Online]. Available: <https://www.norsonic.com/products/noise-sources/nor280-power-amplifier/>
- [43] “What is Audacity?,” <https://www.audacityteam.org/>. Accessed: Sep. 02, 2025. [Online]. Available: <https://www.audacityteam.org/>
- [44] X. Zeng, C. L. Christensen, and J. H. Rindel, “Practical methods to define scattering coefficients in a room acoustics computer model,” *Appl. Acoust.*, vol. 67, no. 8, pp. 771–786, 2006, doi: 10.1016/j.apacoust.2005.12.001.
- [45] E. O. Do Nascimento and P. H. T. Zannin, “Combined Evaluation of Room Acoustic Descriptors in Different Structural Configurations via ODEON Simulations and Artificial Neural Networks,” *Arch. Acoust.*, vol. 49, no. 4, pp. 543–556, 2024, doi: 10.24425/aoa.2024.148811.
- [46] L. Shi and J. Lin, “Renovation of the reverberation room at Ocean University of China based on ODEON simulation,” *Sound Vib.*, vol. 59, no. 1, pp. 1–19, 2025, doi: 10.59400/sv1680.
- [47] R. Kerja, D. A. N. Syarat, S. Teknis, U. G. Mada, and U. G. Mada, “Rencana kerja dan syarat - syarat teknis pekerjaan arsitektur,” 2022.
- [48] International Electrotechnical Commission, “INTERNATIONAL STANDARD iTeh STANDARD PREVIEW iTeh STANDARD PREVIEW,” vol. 2022, p. 6, 2022.
- [49] International Organization for Standardization, “Acoustics - Measurement of room acoustic parameters - Part 1: Performance spaces (ISO Standard No. 3382-2,” london, 2009. [Online]. Available: <https://www.iso.org/standard/40979.html>
- [50] R. Wenmaekers, N. van Hout, E. Moerman, A. Schuurmans, and S. Tuinder, “Acoustics in 29 Sports Halls Measured,” *Proc. Int. Congr. Sound Vib.*, no. 2024, 2024.





- [51] A. Peretokin, A. Livshits, A. Orlov, and N. Shirgina, “Acoustics features of sports facilities on the example of FIFA 2018 football stadiums in Russia,” *Proc. Int. Congr. Acoust.*, vol. 2019-Septe, no. September, pp. 811–818, 2019, doi: 10.18154/RWTH-CONV-239212.

