



DAFTAR PUSTAKA

- Agarwal, S., Gupta, R., Dwivedi, D., Kala, C. & Singh, M. (2022), "Predicting risk and prognosis of preeclampsia by evaluating platelet indices", *International Journal of Reproduction, Contraception, Obstetrics and Gynecology*, Medip Academy, Vol. 11 No. 9, p. 2442.
- Akbar, M.I.A., Sari, I.M., Ernawati, E. & Aditiawarman, A. (2019), "Plasma Level of Umbilical Cord Hemeoxygenase-1 (HO-1) and Neonatal Outcome in Early Onset and Late Onset Severe Preeclampsia", *Molecular and Cellular Biomedical Sciences*, Vol. 3 No. 1, p. 54.
- An, H., Jin, M., Li, Z., Zhang, L., Li, H., Zhang, Y., Ye, R., *et al.*, (2022a), "Impact of gestational hypertension and pre-eclampsia on *preterm* birth in China: a large prospective cohort study", *BMJ Open*, BMJ Publishing Group, Vol. 12 No. 9, available at:<https://doi.org/10.1136/bmjopen-2021-058068>.
- An, H., Jin, M., Li, Z., Zhang, L., Li, H., Zhang, Y., Ye, R., *et al.*, (2022b), "Impact of gestational hypertension and pre-eclampsia on *preterm* birth in China: a large prospective cohort study", *BMJ Open*, Vol. 12 No. 9, p. e058068.
- Annisa, N., Rengganis Wardani, D.W.S. & Ramayani, F. (2023), "Faktor Risiko Bayi Berat Lahir Rendah ", *Medical Profession Journal of Lampung*, Vol. 13 No. 1, pp. 136–140.
- Aouache, R., Biquard, L., Vaiman, D. & Miralles, F. (2018a), "Oxidative stress in preeclampsia and placental diseases", *International Journal of Molecular Sciences*, Vol. 19 No. 5, available at:<https://doi.org/10.3390/ijms19051496>.
- Aouache, R., Biquard, L., Vaiman, D. & Miralles, F. (2018b), "Oxidative Stress in Preeclampsia and Placental Diseases.", *International Journal of Molecular Sciences*, Vol. 19 No. 5, available at:<https://doi.org/10.3390/ijms19051496>.
- Aracil Moreno I, Rodríguez-Benitez P, Ruiz-Minaya M, Bernal Claverol M, Ortega Abad V, Hernández Martín C, Pintado Recarte P, Yllana F, Oliver-Barrecheguren C, Álvarez-Mon M, Ortega MA, De Leon-Luis JA. Maternal Perinatal Characteristics in Patients with Severe Preeclampsia: A Case-Control Nested Cohort Study. *Int J Environ Res Public Health*. 2021 Nov 10;18(22):11783. doi: 10.3390/ijerph182211783. PMID: 34831539; PMCID: PMC8623459.
- Bainbridge, S.A. & Roberts, J.M. (2008), "Uric Acid as a Pathogenic Factor in Preeclampsia", *Placenta*, Vol. 29 No. SUPPL., pp. 67–72.
- Bayoumi, M.A.A., Ali, A.A.H., Hamad, S.G., Ali, A.A.M., Elmalik, E.E., Elkalaf, M.M.I.R., Moustafa, B.A.A., *et al.*, (2020), "Effect of Maternal Preeclampsia on Hematological Profile of Newborns in Qatar", *BioMed Research*



International, Hindawi Limited, Vol. 2020, available at:<https://doi.org/10.1155/2020/7953289>.

- Becker, D. A., Machemehl, H. C., Biggio, J. R., Siegel, A. M., Tita, A. T., & Harper, L. M. (2019). Pregnancy Outcomes of Exacerbated Chronic Hypertension Compared with *Superimposed* Preeclampsia. *American Journal of Perinatology*, 36(8), 872–878. <https://doi.org/10.1055/s-0038-1675160>
- Becker, D.A., Machemehl, H.C., Biggio, J.R., Siegel, A.M., Tita, A.T. & Harper, L.M. (2019), “Pregnancy Outcomes of Exacerbated Chronic Hypertension Compared with *Superimposed* Preeclampsia”, *American Journal of Perinatology*, Thieme Medical Publishers, Inc., Vol. 36 No. 8, pp. 872–878.
- Belay Tolu, L., Yigezu, E., Urgie, T. & Feyissa, G.T. (2020), “Maternal and perinatal outcome of preeclampsia without severe feature among pregnant women managed at a tertiary referral hospital in urban Ethiopia”, *PLOS ONE*, Vol. 15 No. 4, p. e0230638.
- Benfateh, M., Cissoko, S., Boufettal, H., Feige, J.J., Samouh, N., Aboussaouira, T., Benharouga, M., *et al.*, (2018), “Risk factors and poor prognostic factors of preeclampsia in Ibn Rochd university hospital of Casablanca: About 401 preeclamptic cases”, *Pan African Medical Journal, African Field Epidemiology Network*, Vol. 31, available at:<https://doi.org/10.11604/pamj.2018.31.225.14401>.
- Berhe, A.K., Kassa, G.M., Fekadu, G.A. & Muche, A.A. (2018), “Prevalence of hypertensive disorders of pregnancy in Ethiopia: A systemic review and meta-analysis”, *BMC Pregnancy and Childbirth*, *BMC Pregnancy and Childbirth*, Vol. 18 No. 1, pp. 1–11.
- Boghossian, N. S., Yeung, E., Mendola, P., Hinkle, S. N., Laughon, S. K., Zhang, C., & Albert, P. S. (2014). Risk factors differ between recurrent and incident preeclampsia: a hospital-based cohort study. *Annals of epidemiology*, 24(12), 871–7e3. <https://doi.org/10.1016/j.annepidem.2014.10.003>
- Boneh, H.R., Pariente, G., Baumfeld, Y., Yohay, D., Rotem, R. & Weintraub, A.Y. (2022), “*Superimposed* versus de novo pre-eclampsia: Is there a difference?”, *International Journal of Gynecology & Obstetrics*, Vol. 159 No. 2, pp. 392–397.
- Boriboonhirunsarn, D., Pradyachaipimol, A., & Viriyapak, B. (2017). Incidence of *superimposed* preeclampsia among pregnant Asian women with chronic hypertension. *Hypertension in pregnancy*, 36(2), 226–231. <https://doi.org/10.1080/10641955.2017.1311340>
- Boriboonhirunsarn, D., Pradyachaipimol, A., & Viriyapak, B. (2017). Incidence of *superimposed* preeclampsia among pregnant Asian women with chronic hypertension. *Hypertension in Pregnancy*, 36(2), 226–231. <https://doi.org/10.1080/10641955.2017.1311340>



- Bramham K, Briley AL, Seed P, Poston L, Shennan AH, Chappell LC. Adverse maternal and perinatal outcomes in women with previous preeclampsia: a prospective study. *Am J Obstet Gynecol.* 2011 Jun;204(6):512.e1-9. doi: 10.1016/j.ajog.2011.02.014. Epub 2011 Mar 31. PMID: 21457915; PMCID: PMC3121955.
- Bromfield, S. G., Ma, Q., DeVries, A., Inglis, T., & Gordon, A. S. (2023). The association between hypertensive disorders during pregnancy and maternal and neonatal outcomes: a retrospective claims analysis. *BMC Pregnancy and Childbirth*, 23(1), 1–10. <https://doi.org/10.1186/s12884-023-05818-9>
- Bromfield, S.G., Ma, Q., DeVries, A., Inglis, T. & Gordon, A.S. (2023a), “The association between hypertensive disorders during pregnancy and maternal and neonatal outcomes: a retrospective claims analysis”, *BMC Pregnancy and Childbirth*, Vol. 23 No. 1, p. 514.
- Bromfield, S.G., Ma, Q., DeVries, A., Inglis, T. & Gordon, A.S. (2023b), “The association between hypertensive disorders during pregnancy and maternal and neonatal outcomes: a retrospective claims analysis”, *BMC Pregnancy and Childbirth*, Vol. 23 No. 1, p. 514.
- Brown, M.A., Magee, L.A., Kenny, L.C., Karumanchi, S.A., McCarthy, F.P., Saito, S., Hall, D.R., *et al.*, (2018), “Hypertensive Disorders of Pregnancy: ISSHP Classification, Diagnosis, and Management Recommendations for International Practice.”, *Hypertension (Dallas, Tex. : 1979)*, Vol. 72 No. 1, pp. 24–43.
- Chappell, L. C., Enye, S., Seed, P., Briley, A. L., Poston, L., & Shennan, A. H. (2008). Adverse perinatal outcomes and risk factors for preeclampsia in women with chronic hypertension: A prospective study. *Hypertension*, 51(4 PART 2 SUPPL.), 1002–1009. <https://doi.org/10.1161/HYPERTENSIONAHA.107.107565>
- Chiarello, D.I., Abad, C., Rojas, D., Toledo, F., Vázquez, C.M., Mate, A., Sobrevia, L., *et al.*, (2020), “Oxidative stress: Normal pregnancy versus preeclampsia”, *Biochimica et Biophysica Acta (BBA) - Molecular Basis of Disease*, Vol. 1866 No. 2, p. 165354.
- Costa, M.L. (2015), “Preeclampsia: Reflections on How to Counsel About Preventing Recurrence”, *Journal of Obstetrics and Gynaecology Canada*, Elsevier Masson SAS, Vol. 37 No. 10, pp. 887–893.
- Crilly, C.J., Haneuse, S. & Litt, J.S. (2021), “Predicting the outcomes of *preterm* neonates beyond the neonatal intensive care unit: What are we missing?”, *Pediatric Research*, Vol. 89 No. 3, pp. 426–445.
- Crump, C. (2020), “*Preterm* birth and mortality in adulthood: a systematic review”, *Journal of Perinatology*, Vol. 40 No. 6, pp. 833–843.



- Davies-Tuck M, Mockler JC, Stewart L, Knight M, Wallace EM. (2016). Obesity and pregnancy outcomes: Do the relationships differ by maternal region of birth? A retrospective cohort study. *BMC Pregnancy Childbirth*, 16(1), 288. <https://doi.org/10.1186/s12884-016-1087-5>
- Dimitriadis, E., Rolnik, D.L., Zhou, W., Estrada-Gutierrez, G., Koga, K., Francisco, R.P.V., Whitehead, C., *et al.*, (2023), “Pre-eclampsia”, *Nature Reviews Disease Primers*, Nature Research, Vol. 9 No. 1, pp. 1–15.
- Doherty TM., Hu A. & Salik I. (2023), *Physiology neonatal*. StatPearls [Internet]. Available at: <https://pubmed.ncbi.nlm.nih.gov/30969662/#:~:text=The%20neonatal%20period%20is%20the,to%20adult%20physiology%20is%20complete.>
- Ekblad, M.O., Gissler, M. & Korhonen, P.E. (2022), “New theory about the pathophysiology of preeclampsia derived from the paradox of positive effects of maternal smoking”, *Journal of Hypertension*, Lippincott Williams and Wilkins, Vol. 40 No. 6, pp. 1223–1230.
- Espinoza, J., Vidaeff, A., Pettker, C.M. & Simhan, H. (2020), “Clinical Management Guidelines for Obstetrician-Gynecologists”, *ACOG PRACTICE BULLETIN*, Vol. 202, pp. 1–24.
- Fan, X., Rai, A., Kambham, N., Sung, J.F., Singh, N., Petitt, M., Dhal, S., *et al.*, (2014), “Endometrial VEGF induces placental sFLT1 and leads to pregnancy complications”, *Journal of Clinical Investigation*, American Society for Clinical Investigation, Vol. 124 No. 11, pp. 4941–4952.
- Fasanya, H.O., Hsiao, C.J., Armstrong-Sylvester, K.R. & Beal, S.G. (2021), “A Critical Review on the Use of Race in Understanding Racial Disparities in Preeclampsia”, *Journal of Applied Laboratory Medicine*, Oxford University Press, 1 January.
- Fitriani, H., Setya R, A. & Keni, M. (2021a), “Risk Factors Of Preeclampsia Among Pregnant Women In Indonesia”, *KnE Life Sciences*, Knowledge E, pp. 836–841.
- Fitriani, H., Setya R, A. & Keni, M. (2021b), “Risk Factors Of Preeclampsia Among Pregnant Women In Indonesia”, *KnE Life Sciences*, Knowledge E, pp. 836–841.
- Fox, R., Kitt, J., Leeson, P., Aye, C.Y.L. & Lewandowski, A.J. (2019a), “Preeclampsia: Risk factors, diagnosis, management, and the cardiovascular impact on the offspring”, *Journal of Clinical Medicine*, MDPI, 1 October, available at: <https://doi.org/10.3390/jcm8101625>.
- Fox, R., Kitt, J., Leeson, P., Aye, C.Y.L. & Lewandowski, A.J. (2019b), “Preeclampsia: Risk Factors, Diagnosis, Management, and the Cardiovascular Impact on the Offspring.”, *Journal of Clinical Medicine*, Vol. 8 No. 10, available at: <https://doi.org/10.3390/jcm8101625>.



- Fox, R., Kitt, J., Leeson, P., Aye, C.Y.L. & Lewandowski, A.J. (2019c), "Preeclampsia: Risk factors, diagnosis, management, and the cardiovascular impact on the offspring", *Journal of Clinical Medicine*, MDPI, 1 October, available at: <https://doi.org/10.3390/jcm8101625>.
- Frost, A.L., Suriano, K., Aye, C.Y.L., Leeson, P. & Lewandowski, A.J. (2021), "The Immediate and Long-Term Impact of Preeclampsia on Offspring Vascular and Cardiac Physiology in the *Preterm* Infant", *Frontiers in Pediatrics*, Frontiers Media S.A., 31 May, available at: <https://doi.org/10.3389/fped.2021.625726>.
- Garcia-Manau, P., Mendoza, M., Bonacina, E., Garrido-Gimenez, C., Fernandez-Oliva, A., Zanini, J., Catalan, M., *et al.*, (2021), "Soluble fms-like tyrosine kinase to placental growth factor ratio in different stages of early-onset fetal growth restriction and small for gestational age", *Acta Obstetricia et Gynecologica Scandinavica*, Vol. 100 No. 1, pp. 119–128.
- Garovic, V.D., Dechend, R., Easterling, T., Karumanchi, S.A., Baird, S.M.M., Magee, L.A., Rana, S., *et al.*, (2022), "Hypertension in Pregnancy: Diagnosis, Blood Pressure Goals, and Pharmacotherapy: A Scientific Statement From the American Heart Association", *Hypertension*, Lippincott Williams and Wilkins, 1 February.
- Getaneh, T., Negesse, A., Dessie, G. & Desta, M. (2020), "The impact of pregnancy induced hypertension on low birth weight in Ethiopia: systematic review and meta-analysis", *Italian Journal of Pediatrics*, Vol. 46 No. 1, p. 174.
- Gillam-Krakauer, M. & Gowen Jr, C.W. (2023), *Birth Asphyxia*.
- Gu, Y., Thompson, D., Xu, J., Lewis, D.F., Morgan, J.A., Cooper, D.B., McCathran, C.E., *et al.*, (2018), "Aberrant pro-atrial natriuretic peptide/corin/natriuretic peptide receptor signaling is present in maternal vascular endothelium in preeclampsia", *Pregnancy Hypertension*, Elsevier B.V., Vol. 11, pp. 1–6.
- Guida, J. P. de S., Surita, F. G., Parpinelli, M. A., & Costa, M. L. (2017). *Preterm Preeclampsia and Timing of Delivery: A Systematic Literature Review*. *Revista Brasileira de Ginecologia e Obstetricia*, 39(11), 622–631. <https://doi.org/10.1055/s-0037-1604103>
- Harper, L. M., Renth, A., Cade, W. T., Colvin, R., Macones, G. A., & Cahill, A. G. (2014). Impact of obesity on maternal and neonatal outcomes in insulin-resistant pregnancy. *American journal of perinatology*, 31(5), 383–388. <https://doi.org/10.1055/s-0033-1350057>
- Hartati, N.N., Surinati, I.D.A.K. & Pradnyaningrum, N.N.D.V. (2018), "PREEKLAMPSIA DENGAN BERAT BADAN LAHIR RENDAH (BBLR) PADA IBU BERSALIN", *Jurnal Gema Keperawatan*, Vol. 11 No. 1.



- Hu, W. S., Feng, Y., Dong, M. Y., & He, J. (2016). Comparing maternal and perinatal outcomes in pregnancies complicated by preeclampsia
- Ikeda, U., Ikeda, M., Oohara, T., Oguchi, A., Kamitani, T., Tsuruya, Y. & Kano, S. (1991), "Interleukin 6 stimulates growth of vascular smooth muscle cells in a PDGF-dependent manner", *Am J Physiol*, Vol. 260 No. 5.
- Jensen, L. V, Mathiasen, R., Mølholm, B. & Greisen, G. (2012), "Low 5-min APGAR score in moderately *preterm* infants; association with subsequent death and cerebral palsy: a register based Danish national study", *Acta Paediatrica*, Vol. 101 No. 2, pp. e80–e82.
- Joško, O. & Kristina, K. (2019), "Clinical, Biochemical, and Biophysical Markers of Angiogenesis in Preeclampsia", Prediction of Maternal and Fetal Syndrome of Preeclampsia, IntechOpen, available at: <https://doi.org/10.5772/intechopen.85732>.
- Jung, E., Romero, R., Yeo, L., Gomez-Lopez, N., Chaemsaitong, P., Jaovisidha, A., Gotsch, F., *et al.*. (2022), "The etiology of preeclampsia", *American Journal of Obstetrics and Gynecology*, Elsevier Inc., 1 February.
- Kametas, N. A., Nzelu, D., & Nicolaides, K. H. (2022). Chronic hypertension and *superimposed* preeclampsia: screening and diagnosis. *American Journal of Obstetrics and Gynecology*, 226(2), S1182–S1195. <https://doi.org/10.1016/j.ajog.2020.11.029>
- Kametas, N.A., Nzelu, D. & Nicolaides, K.H. (2022), "Chronic hypertension and *superimposed* preeclampsia: screening and diagnosis", *American Journal of Obstetrics and Gynecology*, Elsevier Inc., 1 February.
- Karrar, S.A. & Hong, P.L. (2023a), Preeclampsia.
- Karrar, S.A. & Hong, P.L. (2023b), Preeclampsia Continuing Education Activity, available at: <https://www.ncbi.nlm.nih.gov/books/NBK570611/>.
- Kenny, L.C. & Kell, D.B. (2018), "Immunological Tolerance, Pregnancy, and Preeclampsia: The Roles of Semen Microbes and the Father†", *Frontiers in Medicine*, Vol. 4, available at: <https://doi.org/10.3389/fmed.2017.00239>.
- Kishore, B. K. (2024). Reverse epidemiology of obesity paradox: Fact or fiction? *Physiological Reports*, 12(21), 1–17. <https://doi.org/10.14814/phy2.70107>
- Kishwara, S., Tanira, S., Omar, E., Wazed, F. & Ara, S. (1970), "Effects of Preeclampsia on Perinatal Outcome- A Study Done in the Specialized Urban Hospital Set Up in Bangladesh", *Bangladesh Medical Journal*, Vol. 40 No. 1, pp. 33–36.
- Krilova, Y. (2008), "Chances of Adverse Neonatal Outcome in High-Risk and Low-Risk Obstetrical Patients", *Clinical Medicine. Women's Health*, Vol. 1, p. CMWH.S1032.



- Kusumaningrum, R.Y., Murti, B. & Prasetya, H. (2019), “Low Birth, Prematurity, and Pre-Eclampsia as Risk Factors of Neonatal Asphyxia”, *Journal of Maternal and Child Health*, Vol. 4 No. 1, pp. 49–54.
- Lamminpää R, Vehviläinen-Julkunen K, Gissler M, Heinonen S. (2012). Preeclampsia complicated by advanced maternal age: a registry-based study on primiparous women in Finland 1997-2008. *BMC Pregnancy Childbirth*, 12, 47. <https://doi.org/10.1186/1471-2393-12-47>
- Lecarpentier, E., Tsatsaris, V., Goffinet, F., Cabrol, D., Sibai, B., & Haddad, B. (2013). Risk factors of *superimposed* preeclampsia in women with essential chronic hypertension treated before pregnancy. *PloS one*, 8(5), e62140. <https://doi.org/10.1371/journal.pone.0062140>
- Lewandowska, M., Więckowska, B., Sajdak, S., & Lubiński, J. (2020). Pre-Pregnancy Obesity vs. Other Risk Factors in Probability Models of Preeclampsia and Gestational Hypertension. *Nutrients*, 12(9), 2681. <https://doi.org/10.3390/nu12092681>
- Li, Q., Wu, T., Mao, Y. *et al.*, Complications in hospitalized neonates born to mothers with HDP subtypes: a retrospective cohort study and mediation analysis. *BMC Pregnancy Childbirth* 25, 668 (2025). <https://doi.org/10.1186/s12884-025-07778-8>
- Li, X., Zhang, W., Lin, J., Liu, H. yang, Z., Teng, Y., Duan, S., Lin, X., Xie, Y., Li, Y., Xie, L., Peng, Q., & Xia, L. (2018). Risk factors for adverse maternal and perinatal outcomes in women with preeclampsia: analysis of 1396 cases. *Journal of clinical hypertension (Greenwich, Conn.)*, 20(6), 1049–1057. <https://doi.org/10.1111/jch.13302>
- Lian, R., Zhu, B.-S. & Zeng, X. (2022), “An Update Review of the Pathogenesis Hypothesis in Preeclampsia”, *Clinical and Experimental Obstetrics & Gynecology*, Vol. 49 No. 8, p. 170.
- Lopez-Jaramillo, P., Barajas, J., Rueda-Quijano, S.M., Lopez-Lopez, C. & Felix, C. (2018), “Obesity and Preeclampsia: Common Pathophysiological Mechanisms”, *Frontiers in Physiology*, Vol. 9 No. December, pp. 1–10.
- Mamo, S.A., Teshome, G.S., Tesfaye, T. & Goshu, A.T. (2022), “Perinatal asphyxia and associated factors among neonates admitted to a specialized public hospital in South Central Ethiopia: A retrospective cross-sectional study”, *PLOS ONE*, Vol. 17 No. 1, p. e0262619.
- Matin, M., Mörgelin, M., Stetefeld, J., Schermer, B., Brinkkoetter, P.T., Benzing, T., Koch, M., *et al.*, (2020), “Affinity-Enhanced Multimeric VEGF (Vascular Endothelial Growth Factor) and PlGF (Placental Growth Factor) Variants for Specific Adsorption of sFlt-1 to Restore Angiogenic Balance in Preeclampsia”, *Hypertension*, Lippincott Williams and Wilkins, Vol. 76 No. 4, pp. 1176–1184.



- Matyas, M., Hasmasanu, M., Silaghi, C.N., Samasca, G., Lupan, I., Orsolya, K. & Zaharie, G. (2022), “Early Preeclampsia Effect on *Preterm* Newborns Outcome”, *Journal of Clinical Medicine*, MDPI, Vol. 11 No. 2, available at: <https://doi.org/10.3390/jcm11020452>.
- Melese, M.F., Badi, M.B. & Aynalem, G.L. (2019), “Perinatal outcomes of severe preeclampsia/eclampsia and associated factors among mothers admitted in Amhara Region referral hospitals, North West Ethiopia, 2018”, *BMC Research Notes*, BioMed Central Ltd., Vol. 12 No. 1, available at: <https://doi.org/10.1186/s13104-019-4161-z>.
- Montgomery, K.S. (2000), “APGAR Scores: Examining the Long-term Significance”, *Journal of Perinatal Education*, Vol. 9 No. 3, pp. 5–9.
- Morgan, J. A., & Longo, S. (2023). Outcomes of *superimposed* preeclampsia compared with severe hypertension in pregnant patients with mild chronic hypertension. *American Journal of Obstetrics and Gynecology*, 228(1), S665–S666. <https://doi.org/10.1016/j.ajog.2022.11.1118>
- Morgan, J.A. & Longo, S. (2023), “Outcomes of *superimposed* preeclampsia compared with severe hypertension in pregnant patients with mild chronic hypertension”, *American Journal of Obstetrics and Gynecology*, Vol. 228 No. 1, pp. S665–S666.
- Mustofa, A., Dwi Ariningtyas, N., Prahasanti, K., Anas, M., Fakultas, A.M., Universitas, K. & Surabaya, M. (2021), “Hubungan Antara Usia Ibu Hamil Dengan Preeklamsia Tipe Lambat Di Rumah Sakit Pku Muhammadiyah Surabaya”, *Herb-Medicine Journal*, Vol. 4 No. 4, pp. 14–20.
- Nakashima, N., Sakai, A., Kamura, S., Hachisuga, N., Sugitani, M., Hara, E., ... Kato, K. (2024). Comparison of two management strategies for preeclampsia/*superimposed* preeclampsia: a single-center retrospective cohort study. *Hypertension Research in Pregnancy*, 12(2), 37–43. <https://doi.org/10.14390/jsshprp2023-013>
- National Institute for Health and Care Excellence. (2023), “Hypertension in pregnancy: pre-eclampsia - antenatal care”, NICE Guideline, available at: <https://www.nice.org.uk/guidance/ng133/resources/preeclampsia-antenatal-care-pdf-313945610006> (accessed 22 November 2023).
- Norwitz, E.R., Hsu, C.-D. & Repke, J.T. (2002), “Acute Complications of Preeclampsia”, *Clinical Obstetrics and Gynecology*, Vol. 45 No. 2, pp. 308–329.
- Opichka, M.A., Rappel, M.W., Gutterman, D.D., Grobe, J.L. & McIntosh, J.J. (2021a), “Review vascular dysfunction in preeclampsia”, *Cells*, MDPI, 1 November.



- Opichka, M.A., Rappel, M.W., Gutterman, D.D., Grobe, J.L. & McIntosh, J.J. (2021b), "Vascular Dysfunction in Preeclampsia.", *Cells*, Vol. 10 No. 11, available at: <https://doi.org/10.3390/cells10113055>.
- Opitasari, C. & Andayasari, L. (2014), "Risk factors for (pre-)eclampsia", *Health Science Indones*, Vol. 5 No. 1, pp. 35–44.
- Orabona, R., Sciatti, E., Prefumo, F., Vizzardi, E., Bonadei, I., Valcamonico, A., Metra, M., *et al.*, (2018), "Pre-eclampsia and heart failure: a close relationship", *Ultrasound in Obstetrics and Gynecology*, John Wiley and Sons Ltd, 1 September.
- Pankiewicz, K., Szczerba, E., Maciejewski, T. & Fijałkowska, A. (2019), "Non-obstetric complications in preeclampsia", *Przegląd Menopauzalny*, Termedia Publishing House Ltd.
- Persson, M., Johansson, S., Villamor, E., & Cnattingius, S. (2014). Maternal overweight and obesity and risks of severe birth-asphyxia-related complications in term infants: a population-based cohort study in Sweden. *PLoS Medicine*, 11(5), e1001648. doi:10.1371/journal.pmed.1001648
- Pragitara, C.F., Etika, R., Herawati, L. & Aditiawarman, A. (2020), "Risks of *preterm* birth and low APGAR score among preeclamptic women", *Jurnal Kedokteran Dan Kesehatan Indonesia, Universitas Islam Indonesia (Islamic University of Indonesia)*, Vol. 11 No. 1, pp. 6–17.
- Pravia, C.I. & Benny, M. (2020), "Long-term consequences of prematurity", *Cleveland Clinic Journal of Medicine*, Vol. 87 No. 12, pp. 759–767.
- Rana, S., Lemoine, E., Granger, J. & Karumanchi, S.A. (2019a), "Preeclampsia: Pathophysiology, Challenges, and Perspectives", *Circulation Research*, Lippincott Williams and Wilkins, Vol. 124 No. 7, pp. 1094–1112.
- Rana, S., Lemoine, E., Granger, J.P. & Karumanchi, S.A. (2019b), "Preeclampsia", *Circulation Research*, Vol. 124 No. 7, pp. 1094–1112.
- Rezk, M., Gamal, A., & Emara, M. (2014). Maternal and fetal outcome in de novo preeclampsia in comparison to *superimposed* preeclampsia: a two-year observational study. *Hypertension in Pregnancy*, 34(2), 137–144. <https://doi.org/10.3109/10641955.2014.982329>
- Sande, A.K., Torkildsen, E.A., Sande, R.K. & Morken, N.-H. (2018), "Maternal allergy as an isolated risk factor for early-onset preeclampsia: An epidemiological study.", *Journal of Reproductive Immunology*, Vol. 127, pp. 43–47.
- Silvana, R., Ramayanti, I., Dimar Ramadhina, A. & Muhammadiyah Palembang, U. (2023), "Hubungan Antara Usia Ibu, Status Gravida, dan Riwayat Hipertensi dengan Terjadinya Preeklamsia", *Jurnal Ilmiah Multidisiplin*, Vol. 2 No. 4.



- Sirenden, H., Sunarno, I., Arsyad, M.A. & Idris, I. (2020), "Birth weight, APGAR score, and fetal complications in mothers with severe preeclampsia", *Enfermería Clínica*, Vol. 30, pp. 533–536.
- Srinivas, S. K., Edlow, A. G., Neff, P. M., Sammel, M. D., Andrela, C. M., & Elovitz, M. A. (2009). Rethinking IUGR in preeclampsia: Dependent or independent of maternal hypertension? *Journal of Perinatology*, 29(10). <https://doi.org/10.1038/jp.2009.83>
- Tagliaferro, T., Jain, D., Vanbuskirk, S., Bancalari, E. & Claire, N. (2019), "Maternal preeclampsia and respiratory outcomes in extremely premature infants", *Pediatric Research*, Vol. 85 No. 5, pp. 693–696.
- Takahashi, M., Makino, S., Oguma, K., Imai, H., Takamizu, A., Koizumi, A. & Yoshida, K. (2021), "Fetal growth restriction as the initial finding of preeclampsia is a clinical predictor of maternal and neonatal prognoses: a single-center retrospective study", *BMC Pregnancy and Childbirth*, BioMed Central Ltd, Vol. 21 No. 1, available at:<https://doi.org/10.1186/s12884-021-04152-2>.
- Tesfahun, E., Tadesse, S., Hailu, A., Minda, A., Ekubay, M., Tariku, B. & Dagnaw, A. (2023), "Prevalence of Preeclampsia and Associated Factors among Antenatal Care Attending Mothers at Tirunesh Beijing General Hospital, Addis Ababa, Ethiopia", *Advances in Public Health*, Hindawi Limited, Vol. 2023, available at:<https://doi.org/10.1155/2023/1132497>.
- Tolcher, M.C., Mendez-Figueroa, H. & Aagaard, K.M. (2019), "Complications of Preeclampsia", *Critical Care Obstetrics*.
- Tousty, P., Fraszczyk-Tousty, M., Ksel-Hryciów, J., Łoniewska, B., Tousty, J., Dzidek, S., Michalczyk, K., *et al.*, (2022), "Adverse Neonatal Outcome of Pregnancies Complicated by Preeclampsia", *Biomedicines*, Vol. 10 No. 8, p. 2048.
- Tuuli, M. G., Rampersad, R., Stamilio, D., Macones, G., & Odibo, A. O. (2011). Perinatal outcomes in women with preeclampsia and *superimposed* preeclampsia: do they differ?. *American journal of obstetrics and gynecology*, 204(6), 508.e1–508.e5087. <https://doi.org/10.1016/j.ajog.2011.01.065>
- Tyas BD, Lestari P, Aldika Akbar MI. (2019). Maternal Perinatal Outcomes Related to Advanced Maternal Age in Preeclampsia Pregnant Women. *Journal of family & reproductive health*, 13(4), 191–200.
- Tyrmi, J.S., Kaartokallio, T., Lokki, A.I., Jääskeläinen, T., Kortelainen, E., Ruotsalainen, S., Karjalainen, J., *et al.*, (2023), "Genetic Risk Factors Associated with Preeclampsia and Hypertensive Disorders of Pregnancy", *JAMA Cardiology*, American Medical Association, Vol. 8 No. 7, pp. 674–683.



- Utama, F. D., Desyari, G., Haruman, K. R., & Perdana, R. A. (2025). Relationship Between Severe Preeclampsia, Gestational Hypertension, Impending Eclampsia, Preeclampsia, *Superimposed* Preeclampsia, and Chronic Hypertension on Fetal Outcomes at Respati Maternal and Child Hospital, Tasikmalaya. *Indonesian Journal of Obstetrics & Gynecology Science*, 8(1), 26. <https://doi.org/10.24198/obgynia.v8i1.765>
- Uzunov, A.V., Secara, D.C., Mehedințu, C. & Cîrstoiu, M.M. (2022), “Preeclampsia and neonatal outcomes in adolescent and adult patients”, *Journal of Medicine and Life*, Carol Davila University Press, Vol. 15 No. 12, pp. 1488–1492.
- Vaught, A.J., Kovell, L.C., Szymanski, L.M., Mayer, S.A., Seifert, S.M., Vaidya, D., Murphy, J.D., *et al.*, (2018), “Acute Cardiac Effects of Severe Preeclampsia”, *Journal of the American College of Cardiology*, Elsevier USA, Vol. 72 No. 1, pp. 1–11.
- Verspyck, E., Bisson, V., Roman, H. & Marret, S. (2014), “Adverse respiratory outcome after premature rupture of membranes before viability”, *Acta Paediatrica*, Vol. 103 No. 3, pp. 256–261.
- von Dadelszen, P., Syngelaki, A., Akolekar, R., Magee, L. A., & Nicolaides, K. H. (2023). *Preterm* and term pre-eclampsia: Relative burdens of maternal and perinatal complications. *BJOG : an international journal of obstetrics and gynaecology*, 130(5), 524–530. <https://doi.org/10.1111/1471-0528.17370>
- Wang, Y., Wu, N. & Shen, H. (2021), “A review of research progress of pregnancy with twins with preeclampsia”, *Risk Management and Healthcare Policy*, Dove Medical Press Ltd.
- Wen, Y. & Yang, X. (2022), “Clinical Comparison of *Preterm* Birth and Spontaneous *Preterm* Birth in Severe Preeclampsia”, *Contrast Media & Molecular Imaging*, Vol. 2022, pp. 1–14.
- Wen, Y.-H. yang, H.-I., Chou, H.-C., Chen, C.-Y., Hsieh, W.-S., Tsou, K.-I. & Tsao, P.-N. (2019b), “Association of Maternal Preeclampsia with Neonatal Respiratory Distress Syndrome in Very-Low-Birth-Weight Infants”, *Scientific Reports*, Vol. 9 No. 1, p. 13212.
- Wen, Y.H. yang, H.I., Chou, H.C., Chen, C.Y., Hsieh, W.S., Tsou, K.I. & Tsao, P.N. (2019a), “Association of Maternal Preeclampsia with Neonatal Respiratory Distress Syndrome in Very-Low-Birth-Weight Infants”, *Scientific Reports*, Nature Publishing Group, Vol. 9 No. 1, available at: <https://doi.org/10.1038/s41598-019-49561-8>.
- World Health Organization. *Newborn Health*. 2023. Available at: <https://www.who.int/westernpacific/health-topics/newborn-health>.
- Yang, Y., Le Ray, I., Zhu, J., Zhang, J., Hua, J. & Reilly, M. (2021), “Preeclampsia Prevalence, Risk Factors, and Pregnancy Outcomes in Sweden and China”,



JAMA Network Open, American Medical Association, available at:<https://doi.org/10.1001/jamanetworkopen.2021.8401>.

Yang, Y., Xie, Y., Li, M., Mu, Y., Chen, P., Liu, Z., Wang, Y., Li, Q., Li, X., Dai, L., Liang, J., & Zhu, J. (2022). Characteristics and fetal outcomes of pregnant women with hypertensive disorders in China: a 9-year national hospital-based cohort study. *BMC pregnancy and childbirth*, 22(1), 924. <https://doi.org/10.1186/s12884-022-05260-3>

Yousofzai, B. S., Walizada, K., Mehmood, R., Latoui, R. B., Subhan, M., Espiegle, E., ... Shafique Ur Rehman, M. (2024). Maternal and Neonatal Outcomes in Pregnant Women With Chronic Hypertension: A Retrospective Study of 50 Cases. *Cureus*, 16(9). <https://doi.org/10.7759/cureus.70316>

Youssef, G.S. (2019), "Hypertension in pregnancy", *E-Journal of Cardiology Practice*, Vol. 17 No. 22.

Zhang J, Yu KF. What's the Relative Risk? A Method of Correcting the Odds Ratio in Cohort Penelitanes of Common Outcomes. *JAMA*. 1998;280(19):1690–1691. doi:10.1001/jama.280.19.1690

Zhang, B., Chen, X. yang, C., Shi, H., & Xiu, W. (2024). Effects of hypertensive disorders of pregnancy on the complications in very low birth weight neonates. *Hypertension in pregnancy*, 43(1), 2314576. <https://doi.org/10.1080/10641955.2024.2314576>

Zhang, J., & Yu, K. F. (1998). What's the relative risk? A method of correcting the odds ratio in cohort studies of common outcomes. *JAMA*, 280(19), 1690–1691. <https://doi.org/10.1001/jama.280.19.1690>

Zhang, J., Landy, H.J., Ware Branch, D., Burkman, R., Haberman, S., Gregory, K.D., Hatjis, C.G., *et al.*, (2010), "Contemporary Patterns of Spontaneous Labor With Normal Neonatal Outcomes", *Obstetrics & Gynecology*, Vol. 116 No. 6, pp. 1281–1287.

Zhu, Y. C., Lin, L., Li, B. Y., Li, X. T., Chen, D. J., Zhao, X. L., ... Yang, H. X. (2020). Incidence and Clinical Features of Fetal Growth Restriction in 4 451 Women with Hypertensive Disorders of Pregnancy. *Maternal-Fetal Medicine*, 2(4). <https://doi.org/10.1097/FM9.0000000000000062>