

DAFTAR PUSTAKA

- Adham, M. *et al.* (2012) “Nasopharyngeal carcinoma in indonesia: Epidemiology, incidence, signs, and symptoms at presentation,” *Chinese Journal of Cancer*, 31(4). Available at: <https://doi.org/10.5732/cjc.011.10328>.
- Aiken, A.H. *et al.* (2016) “Implementation of a Novel Surveillance Template for Head and Neck Cancer: Neck Imaging Reporting and Data System (NI-RADS),” *Journal of the American College of Radiology*, 13(6). Available at: <https://doi.org/10.1016/j.jacr.2015.09.032>.
- Aiken, A.H. *et al.* (2018) “ACR Neck Imaging Reporting and Data Systems (NI-RADS): A White Paper of the ACR NI-RADS Committee,” *Journal of the American College of Radiology*, 15(8). Available at: <https://doi.org/10.1016/j.jacr.2018.05.006>.
- Amin, M.B. *et al.* (2017) “The Eighth Edition AJCC Cancer Staging Manual: Continuing to build a bridge from a population-based to a more ‘personalized’ approach to cancer staging,” *CA: A Cancer Journal for Clinicians*, 67(2). Available at: <https://doi.org/10.3322/caac.21388>.
- Baba, A. *et al.* (2023) “Performance of Neck Imaging Reporting and Data System (NI-RADS) for Diagnosis of Recurrence of Head and Neck Squamous Cell Carcinoma: A Systematic Review and Meta-analysis,” *American Journal of*

Neuroradiology, 44(10), pp. 1184–1190. Available at:
<https://doi.org/10.3174/AJNR.A7992>.

Biau, J. *et al.* (2019) “Selection of lymph node target volumes for definitive head and neck radiation therapy: a 2019 Update,” *Radiotherapy and Oncology*, 134. Available at: <https://doi.org/10.1016/j.radonc.2019.01.018>.

Blanchard, P. *et al.* (2018) “New developments in the management of nasopharyngeal carcinoma,” *Cancer/Radiotherapie*. Available at: <https://doi.org/10.1016/j.canrad.2018.06.003>.

Cantù, G. (2023) “Nasopharyngeal carcinoma. A ‘different’ head and neck tumour. Part B: treatment, prognostic factors, and outcomes,” *Acta Otorhinolaryngologica Italica*. Available at: <https://doi.org/10.14639/0392-100X-N2223>.

Chua, M.L.K. *et al.* (2016) “Nasopharyngeal carcinoma,” in *The Lancet*. Available at: [https://doi.org/10.1016/S0140-6736\(15\)00055-0](https://doi.org/10.1016/S0140-6736(15)00055-0).

Dahlan, M.S. (2019) *Besar sampel dalam penelitian kedokteran dan kesehatan (5th ed.)*. Jakarta: Epidemiologi Indonesia.

Elsholtz, F.H.J. *et al.* (2021) “Reliability of NI-RADS criteria in the interpretation of contrast-enhanced magnetic resonance imaging considering the potential role of diffusion-weighted imaging,” *European Radiology*, 31(8), pp. 6295–6304. Available at: <https://doi.org/10.1007/s00330-021-07693-4>.

Grégoire, V. *et al.* (2014) “Delineation of the neck node levels for head and neck tumors: A 2013 update. DAHANCA, EORTC, HKNPCSG, NCIC CTG, NCRI, RTOG, TROG consensus guidelines,” *Radiotherapy and Oncology*, 110(1). Available at: <https://doi.org/10.1016/j.radonc.2013.10.010>.

Guo, X. *et al.* (2009) “Evaluation of nonviral risk factors for nasopharyngeal carcinoma in a high-risk population of southern China,” *International Journal of Cancer*, 124(12). Available at: <https://doi.org/10.1002/ijc.24293>.

Hallgren, K.A. (2012) “Computing Inter-Rater Reliability for Observational Data: An Overview and Tutorial,” *Tutorials in Quantitative Methods for Psychology*, 8(1). Available at: <https://doi.org/10.20982/tqmp.08.1.p023>.

Henson, C.E. *et al.* (2023) “Diagnostic challenges and prognostic implications of extranodal extension in head and neck cancer: a state of the art review and gap analysis,” *Frontiers in Oncology*. Available at: <https://doi.org/10.3389/fonc.2023.1263347>.

Hsu, D. *et al.* (2019a) “Predictive Value of First Posttreatment Imaging Using Standardized Reporting in Head and Neck Cancer,” *Otolaryngology - Head and Neck Surgery (United States)*, 161(6). Available at: <https://doi.org/10.1177/0194599819865235>.

Hsu, D. *et al.* (2019b) “Predictive Value of First Posttreatment Imaging Using Standardized Reporting in Head and Neck Cancer,” *Otolaryngology - Head and Neck Surgery (United States)*, 161(6), pp. 978–985. Available at: <https://doi.org/10.1177/0194599819865235>.

Hsu, D. and Juliano, A.F. (2020) “Neck Imaging Reporting and Data System: Principles and Implementation,” *Neuroimaging Clinics of North America*. Available at: <https://doi.org/10.1016/j.nic.2020.05.001>.

Huang, W.B., Chan, J.Y.W. and Liu, D.L. (2018) “Human papillomavirus and World Health Organization type III nasopharyngeal carcinoma: Multicenter study from an endemic area in Southern China,” *Cancer*, 124(3). Available at: <https://doi.org/10.1002/cncr.31031>.

Jajodia, A. *et al.* (2022) “Adding MR Diffusion Imaging and T2 Signal Intensity to Neck Imaging Reporting and Data System Categories 2 and 3 in Primary Sites of Postsurgical Oral Cavity Carcinoma Provides Incremental Diagnostic Value,” *American Journal of Neuroradiology*, 43(7). Available at: <https://doi.org/10.3174/ajnr.A7553>.

Juarez-Vignon Whaley, J.J. *et al.* (2023) “Early Stage and Locally Advanced Nasopharyngeal Carcinoma Treatment from Present to Future: Where Are We and Where Are We Going?,” *Current Treatment Options in Oncology*. Available at: <https://doi.org/10.1007/s11864-023-01083-2>.

Krieger, D.A. *et al.* (2017) “Initial performance of NI-RADS to predict residual or recurrent head and neck squamous cell carcinoma,” *American Journal of Neuroradiology*, 38(6). Available at: <https://doi.org/10.3174/ajnr.A5157>.

Kumar, I. *et al.* (2022a) “Performance of NI-RADS on CECT Alone to Predict Recurrent Head and Neck Squamous Cell Carcinoma after Chemoradiotherapy: Added Value of RECIST 11.,” *Indian Journal of*

Radiology and Imaging, 32(2). Available at: <https://doi.org/10.1055/s-0042-1754315>.

Kumar, I. *et al.* (2022b) “Performance of NI-RADS on CECT Alone to Predict Recurrent Head and Neck Squamous Cell Carcinoma after Chemoradiotherapy: Added Value of RECIST 11.,” *Indian Journal of Radiology and Imaging*, 32(2). Available at: <https://doi.org/10.1055/s-0042-1754315>.

Lee, C.C. *et al.* (2021) “Image-based diagnosis of residual or recurrent nasopharyngeal carcinoma may be a phantom tumor phenomenon,” *Medicine (United States)*, 100(8). Available at: <https://doi.org/10.1097/MD.00000000000024555>.

Li, W. *et al.* (2021) “Salvage Endoscopic Nasopharyngectomy in Recurrent Nasopharyngeal Carcinoma: Prognostic Factors and Treatment Outcomes,” *American Journal of Rhinology and Allergy*, 35(4). Available at: <https://doi.org/10.1177/1945892420964054>.

Loh, K.S. *et al.* (2006) “Familial nasopharyngeal carcinoma in a cohort of 200 patients,” *Archives of Otolaryngology - Head and Neck Surgery*, 132(1). Available at: <https://doi.org/10.1001/archotol.132.1.82>.

Mahajan, A. *et al.* (2023) “Response assessment of post-treatment head and neck cancers to determine further management using NI-RADS (Neck Imaging Reporting and Data System): a subgroup analysis of a randomized

controlled trial,” *Frontiers in Oncology*, 13(September), pp. 1–11.

Available at: <https://doi.org/10.3389/fonc.2023.1200366>.

Mishra, A. *et al.* (2024) “NIRADS-based case assessment of post-treatment head and neck cancer and its clinical correlation: A validation study,” *Natl J Maxillofac Surg*, 15(3), pp. 392–396. Available at: https://doi.org/10.4103/njms.njms_57_24.

Miyata, T. *et al.* (2020) “Influence of field of view size on image quality: ultra-high-resolution CT vs. conventional high-resolution CT,” *European Radiology*, 30(6). Available at: <https://doi.org/10.1007/s00330-020-06704-0>.

Ng, W.T. *et al.* (2020) “Current management of stage IV nasopharyngeal carcinoma without distant metastasis,” *Cancer Treatment Reviews*. Available at: <https://doi.org/10.1016/j.ctrv.2020.101995>.

Ng, W.T. *et al.* (2021) “International Recommendations on Reirradiation by Intensity Modulated Radiation Therapy for Locally Recurrent Nasopharyngeal Carcinoma,” *International Journal of Radiation Oncology Biology Physics*. Available at: <https://doi.org/10.1016/j.ijrobp.2021.01.041>.

Pan, J.J. *et al.* (2016) “Proposal for the 8th edition of the AJCC/UICC staging system for nasopharyngeal cancer in the era of intensity-modulated radiotherapy,” *Cancer*, 122(4). Available at: <https://doi.org/10.1002/cncr.29795>.

Pang, H. *et al.* (2015) “Morphologic patterns and imaging features of intracranial hemangiopericytomas: A retrospective analysis,” *OncoTargets and Therapy*, 8. Available at: <https://doi.org/10.2147/OTT.S85971>.

Parlak, S. *et al.* (2021) “The evolution of bone marrow signal changes at the skull base in nasopharyngeal carcinoma patients treated with radiation therapy,” *Radiologia Medica*, 126(6). Available at: <https://doi.org/10.1007/s11547-021-01342-y>.

Peng, Z. *et al.* (2021) “Preliminary Efficacy Report and Prognosis Analysis of Endoscopic Endonasal Nasopharyngectomy for Recurrent Nasopharyngeal Carcinoma,” *Frontiers in Surgery*, 8. Available at: <https://doi.org/10.3389/fsurg.2021.713926>.

Pfister, D.G. *et al.* (2022) “NCCN Guidelines Version 1.2023 Head and Neck Cancers,” *National Comprehensive Cancer Network* [Preprint].

Plaxton, N.A. *et al.* (2015) “Characteristics and limitations of FDG PET/CT for imaging of squamous cell carcinoma of the head and neck: A comprehensive review of anatomy, metastatic pathways, and image findings,” *American Journal of Roentgenology*. Available at: <https://doi.org/10.2214/AJR.14.12828>.

Raghupathy, R., Hui, E.P. and Chan, A.T.C. (2014) “Epstein-Barr Virus as a Paradigm in Nasopharyngeal Cancer: From Lab to Clinic,” *American Society of Clinical Oncology Educational Book* [Preprint], (34). Available at: https://doi.org/10.14694/edbook_am.2014.34.149.

Shah, A. and Nagali, S. (2022) *Nasopharyngeal Carcinoma, StatPearls - NCBI*

Bookshelf.

Available

at:

<https://www.ncbi.nlm.nih.gov/books/NBK554588/>.

Standring, S. (2016) *Gray's anatomy 41st edition: The anatomical basis of clinical practice, Gray's Anatomy.*

Wangaryattawanich, P. *et al.* (2020) "Positive predictive value of neck imaging reporting and data system categories 3 and 4 posttreatment FDG-PET/CT in head and neck squamous cell carcinoma," *American Journal of Neuroradiology*, 41(6). Available at: <https://doi.org/10.3174/ajnr.A6589>.

Wong, K.C.W. *et al.* (2021) "Nasopharyngeal carcinoma: an evolving paradigm," *Nature Reviews Clinical Oncology*. Available at: <https://doi.org/10.1038/s41571-021-00524-x>.

Xu, F.H. *et al.* (2012) "An epidemiological and molecular study of the relationship between smoking, risk of nasopharyngeal carcinoma, and epsteinbarr virus activation," *Journal of the National Cancer Institute*, 104(18). Available at: <https://doi.org/10.1093/jnci/djs320>.