

DAFTAR PUSTAKA

1. Haulth JC, Ewell MG, Levine RJ, Esterlitz JR, Sibai BM, Curet LB, et al. Pregnancy outcomes in healthy nulliparas who developed hypertension. Calcium for preeclampsia prevention study group. *Obstet Gynecol* 2000;95:24-280.
2. Sofowean S. Preeklamsia-eklamsia di beberapa rumah sakit di Indonesia, patogenesis dan kemungkinan Pencegahannya. Pidato pengukuhan jabatan Guru Besar pada Fakultas Kedokteran UGM. 2003.
3. Suratman AI, Dasuki D, Sofowean S. Evaluasi penggunaan deksametason pada preeklamsia berat dan eklamsia, kajian terhadap morbiditas dan mortalitas maternal. Tesis/Karya Ilmiah Akhir PPDS I FK UGM/RSUP Dr Sardjito, Yogyakarta, 2000.
4. Cunningham FG. Gant NF, Levend KJ, Gilstrap III Lc, Hauth JC, Wenstrom KD. Hypertensive Disorder in Pregnancy. *Williams Obstetrics*. 21st edition. 2001. p. 567 – 618.
5. Heriyono. Kematian perinatal dan maternal pada preeklamsia: analisis faktor prognostik. Tesis/Karya Ilmiah Akhir. Bagian Obstetri dan Ginekologi Fakultas Kedokteran UGM, Yogyakarta, 1996.
6. Roberts JM. Pregnancy related Hypertension, in Creasy RK, Resnik R. *Maternal Fetal Medicine, principles and practice*. 3th ed. WB Saunders Company. 1994;p. 804-843.
7. Hastuti TT. Penetapan Nilai Batas Penurunan Tekanan Arteri Rata-rata dan Pengaruhnya terhadap Merbiditas dan Mortalitas Perinatal pada Preeklamsia berat/eklamsia. Tesis/ Karya Ilmiah Akhir PPDS I FK UGM. 2001.
8. Sofowean S, Suratman AI. Faktor-faktor yang berpengaruh terhadap kejadian janin tumbuh lambat pada preekalmsia/ekalamsia. Makalah Kongres Obstetri dan Ginekologi XI, Malang 2000.
9. Everest E. Preeklamsia : Pathophysiology and Intensive Care Management. Available from <http://www.nda.ox.ac.uk/wfsa/dl/html/papers/pap031.htm> tanggal 1-9-2003.
10. Brosens IA. Robston WB. Dixon HG. The Role of The Spiral Arteries In The Pathogenesis of Preeclapsia. Dikutip dari Everest E. Preeklamsia : Pathophysiology and Intensive Care Management. Available from <http://www.nda.ox.ac.uk/wfsa/dl/html/papers/pap031.htm> tanggal 1-9-2003.

11. Report of the National High Blood Pressure Education Program Working Group on High Blood Pressure in Pregnancy. *Am J Obstet Gynecol* 2000;183:S1-S22.
12. Brosens IA, Robertson WB, Dixon HG. The Role of Spiral Arteries In The Pathogenesis of Preeclampsia. dalam Williams. Cuningham FG. Gant NF, Levend KJ, Gilstrap III Lc, Hauth JC, Wenstrom KD. Hypertensive Disorder in Pregnancy. Williams Obstetrics. 21st edition. 2001. p. 567 – 618.
13. Gilstrap LC, Ramin SM. Diagnosis and Management of Preeclampsia and Eclampsia. *ACOG Practice Bulletin No. 33*. 2002;99. No. 1.
14. Sibai BM, Sarinoglu C, Mercer B. Eclampsia: Pregnancy outcome after eclampsia and longterm prognosis. *Am J Obstet Gynecol*. 1992;166:1757.
15. Zhou Y, Fisher SJ, Janatpour M, Genbacev O, Dejana E, Wheelock M, et al. Human cytotrofoblasts adopt a vasculare phenotype as they differentiate: a strategy for succesful endovascular invasion? *J Clint Invest*. 1997;99:2139-2151.
16. Dekker GA, Sibai BM. Etiology and Pathogenesis of Preeclampsia: Current Concepts. *Am J Obstet Gynecol*, 1998;179:1359-75.
17. Arias F,. Practical guide to hight risk pregnancy and delivery 2nd ed. Mosby Year Book, St Louis, Missori, 1993.
18. Robert JM. Prevention or early treatment of preeclampsia. *The New England Journal Of Medicine* 1997;337:124-4.
19. Mills JL, Der Simmonian R, Raymond E, Morrow JD, Robert LJ, Clemens JD, Hauth JC, Catalano P, Sibai BM Curet LB, Levine RJ. Prostacyclin and thromboxane changes predating clinical onset of preeclampsia. *JAMA* 1999;282:356-62.
20. Chang JK, Roman C, Heymonn MA. Effect of endothelium derived relaxing factor inhibition on umbilical circulation in fetal lambs in utero. *Am J. Obstet Gynaecol*. 1992 : 166; 727.
21. Simmons LA, Hennessy A, Gillin AG, Jeremy RW : Uteroplacental Blood Flow and Placental Vascular Endothelial Growth Factor in Normotensive and Preeclamptic Pregnancy. *Br J. Obstet Gynaecol*. 2000; 107:678.
22. Beek EV, Ekhart THA, Schiffers PMH, Eyck JV, Peeters LLH, Leuw PW. Persisten abnormalities in plasma volumes and rerel hemodynamics in patients with a history with preeclampsia. *Am J Obstet Gynecol* 1998; 179: 690-6.

23. Barton JR, Rieley(Isler CM, Rinehart BK, Terrone DA, Martin RW, Magann EF, Martin JN Jr. Maternal mortality associated HELLP (*Hemolysis, Elevated Liver enzymes, Low Platelete*) syndrome. *Am J Obstet Gynecol* 1999;181:924-928.
24. Adamec TA, Shanklin DR, Khoury AD, Sibai BM. Hepatic histopathologic condition does not correlate with laboratory abnormalities in HELLP syndrome. *Am J Obstet Gynecol* 1992;167:1538-43.
25. Cunningham FG, Twickler D. Cerebral odem complicating eclampsia. *Am J Obstet Gynecol* 2000;182:94-100.
26. Syamsuri M.Joewono HT, Hariadi HR. Kajian kasus Kemattian Perinatal di RSUD dr Soetomo Surabaya. 1 Januari 1991 s/d 31 Desember 1995. Surabaya Lab/SMF/ Ilmu Kebidanan dan Penyakit kandungan FK Unair / RSUD Dr.Soetomo Surabaya: 1999 hal 1-48.
27. Yudatmo U. Evaluasi Pengaruh Pemberian Obat Anti Hipertensi pada preeklamsia berat / eklamsia terhadap morbiditas dan mortalitas perinatal.Tesis/karya ilmiah Akhir Fakultas Kedokteran UGM, Yogyakarta 2000.
28. Singers DB, Macpherson TA. Fetal death and the macerrated stillborn fetus. In:Textbook of Fetal and Perinatal Patholgy, 2 nd ed. Blackwell Science,Inc. Massachusetts, 1998: p.233-50.
29. Marti JN, Blake PG, Perry KG, Mc Caul JF, Hess LW, Martin RW. The natural history of HELLP syndrome: pattern of disease progression and regression. *Am J Obstet Gynecol* 1991; 164: 1500-13.
30. Schiff E, Friedman SA, Sibai BM. Conservative management of severe preeclampsia remote from term. *Obstet Gynecol* 1994; 84: 626-30.
31. Sofoewan S. Janin Tumbuh Lambat dan Penatalaksanaannya. Yogyakarta. Senter Perinatologi Fakultas Kedokteran UGM Yogyakarta. Lab/SMF Obstetri-Ginekologi Fakultas Kedokteran UGM/RSUP DR Sardjito, Yogyakarta.
32. Van Pampus MG, Wolf H, Westernberg SM, Van der Post JA, Bonsel GJ, Treffers PE. Maternal and perinatal outcome after expectant management of the HELLP syndrome compare with preeclampsia without HELLP syndrome. Abstract.. *Eur J Obstet Gynecol Reprod Biol* 1998; 76(1): 31-36. PubMed.
33. Handin RI. Bleeding and Thrombosis, in: Harrison's Principles on Internal Medicine, IIth, Ed. Mc Graw-Hill Inc., New York, 1991; 348-53.

34. Muzayyanah. Penilaian hasil laboratorik sebagai faktor prognosis kematian maternal pada preeklamsia/eklamsia: Angka trombosit, Asparta Aminotransferase dan kreatinin. Tesis/Karya Ilmiah Akhir. FK UGM.2001
35. Knuppel RA, Drukker J. Hypertension in Pregnancy. In: High risk pregnancy. A team approach. 2nd Ed. WB Saunders Co. 1993; p. 468-517.
36. Xiong Xu, Demianczuk NN, Buekens P, Saunders LD. Association of preeclampsia with high birth weight for age. *Am J Obstet Gynecol* 2000;183: 148-55.
37. Easterling TR, Benedetti TJ, Schmucker BC, Millard SP. Maternal hemodynamics in normal and preeclamptic pregnancies: a longitudinal study. Cit: Xiong Xu, Demianczuk NN, Buekens P, Saunders LD. Association of preeclampsia with high birth weight for age. *Am J Obstet Gynecol* 2000;183: 148-55.
38. Gant NF, Hutchinson HT, Siiteri PK, MacDonald PC. Study of metabolic clearance rate of dehydroisoandrosterone sulfate in pregnancy. *Am J Obstet Gynecol* 1971; 111: 555-63.
39. Sulistyowati S. Hemoglobin, hematokrit dan gula darah sebagai faktor prognosis mortalitas maternal dan perinatal pada preeklamsia/eklamsia. Tesis/ Karya Ilmiah Akhir, Program Pendidikan Dokter Spesialis I Obstetri dan Ginekologi. Fakultas Kedokteran Universitas Gadjah Mada. 2001.
40. Sibai BM, Caritis S, Haultz J. Risk of preeclampsia and adverse neonatal outcomes among women with pregestasional diabetes mellitus. *Am J Obstet Gynecol* 2000; 182: 364-9.
41. Gary MJ, Esterlitz JR, Levine RJ, Clemens JD, Marian GE, Sibai BM, Patrick MC. The relationship between abnormal glucose tolerance and hypertensive disorder of pregnancy in healthy nulliparous women. *Am J Obstet Gynecol* 1998; 179: 1032-7.
42. Setiawati A, Bustami ZS. Antihipertensi dalam: Ganiswarna SG (editor). Farmakologi dan terapi, ed. 4. Jakarta: Bagian Farmakologi Fakultas Kedokteran Universitas Indonesia, 1995: 315-42.
43. Witlin AG, Saade GR, Mattar F, sibai BM. Predictor of neonatal Outcome in women with severe preeclampsia or eclampsia between 24-33 weeks' gestation. *Am J Obstet Gynecol* 2000; 182; 607-11.
44. Sibai BM, Ramadan MK, Chari RS, Friedman SA. Pregnancies complicated by Hellp syndrome: subsequent pregnancy outcome and long term prognosis. *Am J Obstet Gynecol* 1995; 172: 125-9.