

DAFTAR PUSTAKA

- Abdi, H., & Williams, L. J. (2010). Principal component analysis. *Wiley Interdisciplinary Reviews: Computational Statistics*, 2(4), 433–459. <https://doi.org/10.1002/WICS.101>
- Abeyesuriya, H. I., Bulugahapitiya, V. P., & Jayatissa, L. P. (2024). Variation of vitamin C content and antioxidant capacities during the post-harvest storage of fresh fruits under different temperatures. *Journal of Stored Products Research*, 109, 102426. <https://doi.org/10.1016/J.JSPR.2024.102426>
- Acedo, A. L., & Einberger, K. (2010). *Vegetables Postharvest Simple techniques for increased income and market*. www.avrdc.org
- Adams, C. A., Zimmerman, K., Fenstermacher, K., Thompson, M. G., Skyrud, W., Behie, S., & Pringle, A. (2020). Fungal seed pathogens of wild chili peppers possess multiple mechanisms to tolerate capsaicinoids. *Applied and Environmental Microbiology*, 86(3). <https://doi.org/10.1128/AEM.01697-19>
- Aglar, E. (2018). Effects of harpin and Modified Atmosphere Packaging (MAP) on quality traits and bioactive compounds of sweet cherry fruits throughout cold storage and shelf life. *Acta Scientiarum Polonorum Hortorum Cultus*, 17(4), 61–71. <https://doi.org/10.24326/ASPHC.2018.4.6>
- Aiemsard, J., Aiumlamai, S., Aromdee, C., Taweekaisupapong, S., & Khunkitti, W. (2011). The effect of lemongrass oil and its major components on clinical isolate mastitis pathogens and their mechanisms of action on *Staphylococcus aureus* DMST 4745. *Research in Veterinary Science*, 91(3), e31–e37. <https://doi.org/10.1016/j.rvsc.2011.01.012>
- Ain A. Sonin. (2021). The physical basis of dimensional analysis. In *Mathematical Engineering* (2nd ed.). Department of Mechanical Engineering MIT. https://doi.org/10.1007/978-3-030-79217-6_1
- Ait-Oubahou, a. (1999). Modified atmosphere packaging of tomato fruit. *Post-Harvest Losses of Perishable Horticultural Products in the Mediterranean Region*, 113, 103–113.
- Akomolafe, O. M., Omotosho, T. A., & Oluwasina, O. O. (2024). Effect of

- lemongrass and chili pepper oils on the quality of ripe tomato fruits stored under tropical ambient temperature. *Ceylon Journal of Science*, 53(4), 491–502. <https://doi.org/10.4038/cjs.v53i4.8173>
- Al-Dairi, M., & Pathare, P. B. (2021). Kinetic modeling of quality changes of tomato during storage. *Agricultural Engineering International: CIGR Journal*, 23(1), 183–193.
- Al-Samarrai, G., Singh, H., & Syarhabil, M. (2012). Evaluating eco-friendly botanicals (natural plant extracts) as alternatives to synthetic fungicides. *Annals of Agricultural and Environmental Medicine*, 19(4), 673–676.
- Al Fata, N., Georgé, S., André, S., & Renard, C. M. G. C. (2017). Determination of reaction orders for ascorbic acid degradation during sterilization using a new experimental device: The thermoresistometer Mastia®. *Lwt*, 85, 487–492. <https://doi.org/10.1016/j.lwt.2016.08.043>
- Alhamdan, A. M., Elkhair, D. O., & Ehmed, K. A. (2015). modeling of respiration rate of fresh date fruits (Barhi cultivar) under aerobic conditions. *Journal of Advanced Agricultural Technologies*, 2(2). <https://doi.org/10.12720/joaat.2.2.120-124>
- Ali, A., Muhammad, M. T. M., Sijam, K., & Siddiqui, Y. (2011). Effect of chitosan coatings on the physicochemical characteristics of Eksotika II papaya (*Carica papaya* L.) fruit during cold storage. *Food Chemistry*, 124(2), 620–626. <https://doi.org/10.1016/J.FOODCHEM.2010.06.085>
- Ali, A., Noh, N. M., & Mustafa, M. A. (2015). Antimicrobial activity of chitosan enriched with lemongrass oil against anthracnose of bell pepper. *Food Packaging and Shelf Life*, 3, 56–61. <https://doi.org/10.1016/j.fpsl.2014.10.003>
- Ali, A., Ong, M. K., & Forney, C. F. (2014). Effect of ozone pre-conditioning on quality and antioxidant capacity of papaya fruit during ambient storage. *Food Chemistry*, 142, 19–26. <https://doi.org/10.1016/j.foodchem.2013.07.039>
- Ali, E., El-, M., Azam, M., El-kom, S., & Sciences, F. (2023). *The kinetics of strawberry quality changes during the shelf-life*. 10(1), 11–21. <https://doi.org/10.18488/cras.v10i1.3304>
- Angane, M., Swift, S., Huang, K., Butts, C. A., & Quek, S. Y. (2022). Essential oils

and their major components: an updated review on antimicrobial activities, mechanism of action and their potential application in the food industry. *Foods* 2022, Vol. 11, Page 464, 11(3), 464.
<https://doi.org/10.3390/FOODS11030464>

Anoraga, S. B., & Bintoro, N. (2022). Kinetics of changes in the quality parameters of fresh snake fruit (*Salacca edulis* Rainw) during storage . *Proceedings of the 2nd International Conference on Smart and Innovative Agriculture (ICoSIA 2021)*, 19(ICoSIA 2021), 230–235.
<https://doi.org/10.2991/absr.k.220305.035>

Aros, D., Orellana, K., & Escalona, V. (2017). Modified Atmosphere Packaging as a method to extend postharvest life of tulip flowers. *New Zealand Journal of Crop and Horticultural Science*, 45(3), 202–215.
https://doi.org/10.1080/01140671.2017.1296872/ASSET/0CBC1EC3-C753-4AFC-81BB-50AFA0387D2C/ASSETS/IMAGES/TNZC_A_1296872_F0006_B.GIF

Asgar, A. (2017). Pengaruh suhu penyimpanan dan jumlah perforasi kemasan terhadap karakteristik fisik dan kimia brokoli (*Brassica oleracea* var. *Royal G*) Fresh-Cut. *Jurnal Hortikultura*, 27(1), 127.
<https://doi.org/10.21082/jhort.v27n1.2017.p127-136>

ASTM-E96/E96M. (2016). *Standard test methods for water vapor transmission of materials*, West Conshohocken. October, 14p.

Badillo, G. M., & Segura-Ponce, L. A. (2020). Classic and reaction-diffusion models used in Modified Atmosphere Packaging (MAP) of Fruit and Vegetables. *Food Engineering Reviews*, 12(2), 209–228.
<https://doi.org/10.1007/s12393-020-09214-3>

Bajaj, K., Kumar, A., Gill, P. P. S., Jawandha, S. K., & Kaur, N. (2024). Xanthan gum coatings augmented with lemongrass oil preserve postharvest quality and antioxidant defence system of Kinnow fruit under low-temperature storage. *International Journal of Biological Macromolecules*, 262(Pt 1).
<https://doi.org/10.1016/J.IJBIOMAC.2024.129776>

Batziakas, K. G., Singh, S., Ayub, K., Kang, Q., Brecht, J. K., Rivard, C. L., &

- Pliakoni, E. D. (2020). Reducing postharvest losses of spinach stored at nonoptimum temperatures with the implementation of Passive Modified Atmosphere Packaging. *HortScience*, 55(3), 326–335. <https://doi.org/10.21273/HORTSCI14732-19>
- Bayogan, E. R., Salvilla, R., Carmela Majomot, A. M., & Acosta, J. (2017). Shelf life of two sweet pepper (*capsicum annuum*) cultivars stored at ambient and evaporative cooling conditions. *South-Western Journal of Horticulture, Biology and Environment*, 8(1), 1–15.
- Beaudry, R. M. (2000). Responses of horticultural commodities to low oxygen: Limits to the expanded use of Modified Atmosphere Packaging. *HortTechnology*, 10(3), 491–500. <https://doi.org/10.21273/horttech.10.3.491>
- Beaulieu, J. C., & Lea, J. M. (2003). Volatile and quality changes in fresh-cut mangos prepared from firm-ripe and soft-ripe fruit, stored in clamshell containers and passive MAP. *Postharvest Biology and Technology*, 30(1), 15–28. [https://doi.org/10.1016/S0925-5214\(03\)00081-4](https://doi.org/10.1016/S0925-5214(03)00081-4)
- Bhanushree, L., Vasudeva, K., Suresha, G., Sadananda, G., H, M. T., & Halesh, G. (2018). Influence of chitosan on postharvest behavior of papaya (*Carica papaya* L.) *Journal of Pharmacognosy and Phytochemistry*, 7(January), 2010–2014.
- Bhat, R., Alias, A. K., & Paliyath, G. (2012). Progress in food preservation. <https://doi.org/10.1002/9781119962045>
- Bhat, R., Ameran, S. B., Voon, H. C., Karim, A. A., & Tze, L. M. (2011). Quality attributes of starfruit (*Averrhoa carambola* L.) juice treated with ultraviolet radiation. *Food Chemistry*, 127(2), 641–644. <https://doi.org/10.1016/J.FOODCHEM.2011.01.042>
- Bickelhaupt, F. M., & Houk, K. N. (2017). Analyzing Reaction Rates with the Distortion/Interaction-Activation Strain Model. *Angewandte Chemie - International Edition*, 56(34), 10070–10086. <https://doi.org/10.1002/anie.201701486>
- Bodbodak, S., & Moshfeghifar, M. (2016). Advances in controlled atmosphere storage of fruits and vegetables. In *Eco-Friendly Technology for Postharvest*

- Produce Quality*. Elsevier Inc. <https://doi.org/10.1016/B978-0-12-804313-4.00002-5>
- Borgnakke, C., & Sonntag, R. E. (2008). Fundamentals of classical thermodynamics. In *University of Michigan* (Seven Edit). John Wiley & Sons, Inc. <https://doi.org/10.1021/ed043pa472.1>
- BPS. (2024). *Produksi tanaman sayuran dan buah-buahan semusim menurut provinsi dan jenis tanaman , 2024 - tabel statistik - badan pusat statistik indonesia*. <https://www.bps.go.id/id/statistics-table/3/ZUhFd1JtZzJWVVpqWTJsV05XTllhVmhRSzFoNFFUMDkjMw==/produksi-tanaman-sayuran-dan-buah-buahan-semusim-menurut-provinsi-dan-jenis-tanaman----2023.html?year=2024>
- BPTP. (2015). *Panen dan pasca panen cabai rawit*. Agro Inovasi. https://www.researchgate.net/profile/Grace_Murilla/publication/10691154_Resistance_to_trypanocidal_drugs--suggestions_from_field_survey_on_drug_use_in_Kwale_district_Kenya/links/0a85e531dfcb78f928000000.pdf
- Braga, T. R., Pereira, R. C. A., Silveira, M. R. S., Silva, L. R., Silva, A. R., & Oliveira, M. M. T. (2013). Caracterização físico-química de progênies de pimentas cultivadas em Paraipaba-CE. *Scientia Plena*, 9(5), 9–14.
- Bulut, L., & Kilic, M. (2009). Kinetics of hydroxymethylfurfural accumulation and color change in honey during storage in relation to moisture content. *Journal of Food Processing and Preservation*, 33(1), 22–32. <https://doi.org/10.1111/J.1745-4549.2008.00233.X>
- Burt, S. (2004). Essential oils: their antibacterial properties and potential applications in foods—a review. *International Journal of Food Microbiology*, 94(3), 223–253. <https://doi.org/10.1016/J.IJFOODMICRO.2004.03.022>
- Caleb, O. J., Herppich, W. B., & Mahajan, P. V. (2016). The Basics of Respiration for Horticultural Products. In *Reference Module in Food Science*. Elsevier. <https://doi.org/10.1016/b978-0-08-100596-5.21003-2>
- Caleb, O. J., Mahajan, P. V., Al-Said, F. A. J., & Opara, U. L. (2013). Modified Atmosphere Packaging Technology of Fresh and Fresh-cut Produce and the

- Microbial Consequences-A Review. *Food and Bioprocess Technology*, 6(2), 303–329. <https://doi.org/10.1007/s11947-012-0932-4>
- Caleb, O. J., Mahajan, P. V., Opara, U. L., & Witthuhn, C. R. (2012). Modelling the respiration rates of pomegranate fruit and arils. *Postharvest Biology and Technology*, 64(1), 49–54. <https://doi.org/10.1016/j.postharvbio.2011.09.013>
- Caleb, O. J., Opara, U. L., Mahajan, P. V., Manley, M., Mokwena, L., & Tredoux, A. G. J. (2013). Effect of Modified Atmosphere Packaging and storage temperature on volatile composition and postharvest life of minimally-processed pomegranate arils (cvs. “Acco” and ‘Herskowitz’). *Postharvest Biology and Technology*, 79, 54–61. <https://doi.org/10.1016/j.postharvbio.2013.01.006>
- Calo, J. R., Crandall, P. G., O’Bryan, C. A., & Ricke, S. C. (2015). Essential oils as antimicrobials in food systems - A review. *Food Control*, 54, 111–119. <https://doi.org/10.1016/j.foodcont.2014.12.040>
- Caner, C., Aday, M. S., & Demir, M. (2008). Extending the quality of fresh strawberries by equilibrium modified atmosphere packaging. *European Food Research and Technology*, 227(6), 1575–1583. <https://doi.org/10.1007/s00217-008-0881-3>
- Cantwell, M. (2009). *Chile pepper, postharvest research and extension center*. UC Davis, Department of Plant Sciences Logo. University of California. <https://postharvest.ucdavis.edu/produce-facts-sheets/chile-pepper>
- Casquete, R., Velazquez, R., Hernandez, A., de Guia Cordoba, M., Aranda, E., Bartolome, T., & Martin, A. (2021). Evaluation of the quality and shelf-life of cayenne (*Capsicum* spp.). *LWT*, 145, 111338. <https://doi.org/10.1016/J.LWT.2021.111338>
- Cefola, M., Amodio, M. L., & Colelli, G. (2016). Extending postharvest life of ready-to-use zucchini flowers: Effects of the atmosphere composition. *Acta Horticulturae*, 1141, 123–130. <https://doi.org/10.17660/ACTAHORTIC.2016.1141.13>
- Celina, A., Rahmawati, D., & Permana, T. (2019). Application of Lemongrass Essential Oil as a natural preservative agent for pineapple juice. *Iconiet*

- Proceeding*, 2(2), 69–78. <https://doi.org/10.33555/iconiet.v2i2.14>
- Chaturani, D. G. D., Gunaratne, M. D. N., Somachandra, K. P., & Abeykoon, A. J. M. A. (2013). Statistical analysis of repeated measures. *Proceedings of International Forestry and Environment Symposium*, 18(0). <https://doi.org/10.31357/FESYMPO.V18I0.1988>
- Chauhan, O. P., Raju, P. S., Ravi, N., Singh, A., & Bawa, A. S. (2011). Effectiveness of ozone in combination with controlled atmosphere on quality characteristics including lignification of carrot sticks. *Journal of Food Engineering*, 102(1), 43–48. <https://doi.org/10.1016/j.jfoodeng.2010.07.033>
- Cheng, P., Yun, X., Xu, C., Yang, Y., Han, Y., & Dong, T. (2019). Use of poly(ε-caprolactone)-based films for equilibrium-Modified Atmosphere Packaging to extend the postharvest shelf life of garland chrysanthemum. *Food Science & Nutrition*, 7(6), 1946. <https://doi.org/10.1002/FSN3.909>
- Cheng, Y., Gao, C., Luo, S., Yao, Z., Ye, Q., Wan, H., Zhou, G., & Liu, C. (2023). Effects of storage temperature at the early postharvest stage on the firmness, bioactive substances, and amino acid compositions of chili pepper (*Capsicum annuum* L.). *Metabolites*, 13(7), 820. <https://doi.org/10.3390/METABO13070820/S1>
- Chien, P. J., Sheu, F., & Yang, F. H. (2007). Effects of edible chitosan coating on quality and shelf life of sliced mango fruit. *Journal of Food Engineering*, 78(1), 225–229. <https://doi.org/10.1016/J.JFOODENG.2005.09.022>
- Chitravathi, K., Chauhan, O. P., & Raju, P. S. (2015a). Influence of Modified Atmosphere Packaging on shelf-life of green chillies (*Capsicum annuum* L.). *Food Packaging and Shelf Life*, 4, 1–9. <https://doi.org/10.1016/j.fpsl.2015.02.001>
- Chitravathi, K., Chauhan, O. P., & Raju, P. S. (2015b). Influence of Modified Atmosphere Packaging on shelf-life of green chillies (*Capsicum annuum* L.). *Food Packaging and Shelf Life*, 4, 1–9. <https://doi.org/10.1016/J.FPSL.2015.02.001>
- Choosuk, N., Meesuk, P., Renumarn, P., Phungamngoen, C., & Jakkranuhwat, N. (2022). Kinetic Modeling of Quality Changes and Shelf Life Prediction of

- Dried Coconut Chips. *Processes*, 10(7), 1–11.
<https://doi.org/10.3390/pr10071392>
- Christie, G. B. Y., Macdiarmid, J. I., Schliephake, K., & Tomkins, R. B. (1995). Determination of film requirements and respiratory behaviour of fresh produce in modified atmosphere packaging. *Postharvest Biology and Technology*, 6(1–2), 41–54. [https://doi.org/10.1016/0925-5214\(94\)00053-U](https://doi.org/10.1016/0925-5214(94)00053-U)
- Cia, P., Benato, E. A., Sigrist, J. M. M., Sarantopoulos, C., Oliveira, L. M., & Padula, M. (2006). Modified atmosphere packaging for extending the storage life of “Fuyu” persimmon. *Postharvest Biology and Technology*, 42(3), 228–234. <https://doi.org/10.1016/j.postharvbio.2006.06.016>
- Corzo, O., & Álvarez, C. (2014). Color change kinetics of mango at different maturity stages during air drying. *Journal of Food Processing and Preservation*, 38(1), 508–517. <https://doi.org/10.1111/J.1745-4549.2012.00801.X>
- Costa, J., Rodríguez, R., Garcia-Cela, E., Medina, A., Magan, N., Lima, N., Battilani, P., & Santos, C. (2019). Overview of fungi and mycotoxin contamination in capsicum pepper and in its derivatives. *Toxins*, 11(1), 1–16. <https://doi.org/10.3390/toxins11010027>
- Cruz-Tirado, J. P., Oliveira, M., De, M., Filho, J., Teixeira Godoy, H., Amigo, J. M., & Fernandes Barbin, D. (2021). Shelf life estimation and kinetic degradation modeling of chia seeds (*Salvia hispanica*) using principal component analysis based on NIR-hyperspectral imaging. *Food Control*, 123, 107777. <https://doi.org/10.1016/j.foodcont.2020.107777>
- da Silva Martins, L. H., da Silva, S. B., Filho, A. F., Komesu, A., de Oliveira, J. A. R., & Moreira, D. K. T. (2024). Essential oils used to inhibit bacterial growth in food. *Essential Oils: Extraction Methods and Applications*, 31–47. <https://doi.org/10.1002/9781119829614.CH2>
- De Azevedo-Meleiro, C. H., & Rodriguez-Amaya, D. B. (2009). Qualitative and quantitative differences in the carotenoid composition of yellow and red peppers determined by HPLC-DAD-MS. *Journal of Separation Science*, 32(21), 3652–3658. <https://doi.org/10.1002/JSSC.200900311>

- de Melo, A. M., Barbi, R. C. T., Almeida, F. L. C., de Souza, W. F. C., Cavalcante, A. M. de M., de Souza, H. J. B., Botrel, D. A., Borges, S. V., Costa, R. G., Quirino, M. R., & de Sousa, S. (2022). Effect of microencapsulation on chemical composition and antimicrobial, antioxidant and cytotoxic properties of lemongrass (*Cymbopogon flexuosus*) essential oil. *Food Technology and Biotechnology*, 60(3), 386–395. <https://doi.org/10.17113/ftb.60.03.22.7470>
- Demirhan, E., & Özbek, B. (2009). Color change kinetics of microwave-dried basil. *Drying Technology*, 27(1), 156–166. <https://doi.org/10.1080/07373930802566101>
- Demirhan, E., & Özbek, B. (2011). Color change kinetics of celery leaves undergoing microwave heating. *Chemical Engineering Communications*, 198(10), 1189–1205. <https://doi.org/10.1080/00986445.2010.525106>
- Desai, A. P., & Desai, S. (2019). UV spectroscopic method for determination of vitamin c (ascorbic acid) content in different fruits in South Gujarat Region. *International Journal of Environmental Sciences & Natural Resources*, 21(2), 1–4. <https://doi.org/10.19080/IJESNR.2019.21.556056>
- Devgan, K., Kaur, P., Kumar, N., & Kaur, A. (2019). Active modified atmosphere packaging of yellow bell pepper for retention of physico-chemical quality attributes. *Journal of Food Science and Technology*, 56(2), 878–888. <https://doi.org/10.1007/s13197-018-3548-5>
- Díaz-Mula, H. M., Serrano, M., & Valero, D. (2012). Alginate coatings preserve fruit quality and bioactive compounds during storage of sweet cherry fruit. *Food Bioprocess Technol*, 5, 2990–2997. <https://doi.org/10.1007/s11947-011-0599-2>
- E Buckingham. (1914). *On Physically Similar Systems; Illustratio of The Use of Dimensional Equatios*. 4(4).
- Elansari, A. M., Yahia, E. M., & Siddiqui, W. (2019). Storage systems. In *Postharvest Technology of Perishable Horticultural Commodities* (pp. 401–437). 2019 Elsevier Inc. All rights reserved. <https://doi.org/10.1016/B978-0-12-813276-0.00012-2>
- Emine Yalçınöz, Ş. and E. (2017). *Heat-induced degradation kinetics of monomeric*

*anthocyanins and color of pomegranate (*punica granatum* L.) Concentrate. 5, 471–483. https://www.mendeley.com/catalogue/85763d7f-0da4-3ac5-b451-921798e29c38/?utm_source=desktop&utm_medium=1.19.8&utm_campaign=open_catalog&userDocumentId=%7B9ed26311-dccf-4340-9a98-eb246edbc1f3%7D*

Ernest, E., Onyeka, O., A.C., O., & R.O., O. (2017). Comparative assessment of the effect of ripening stage on the vitamin c contents of selected fruits grown within nsukka axis of enugu state. *International Journal of Environment, Agriculture and Biotechnology*, 2(2), 712–714. <https://doi.org/10.22161/ijeab/2.2.19>

Everitt, B. S. (2014). Repeated Measures Analysis of Variance. *Wiley StatsRef: Statistics Reference Online*. <https://doi.org/10.1002/9781118445112.STAT06585>

FAO. (2019). The State of Food and Agriculture 2019. Moving forward on food loss and waste reduction. In *Soil Science* (Vol. 95, Issue 4). CC BY-NC-SA 3.0 IGO. <https://doi.org/10.1097/00010694-196304000-00017>

Fatharani, A., & Bintoro, N. (2019). Kinetics analysis of the effect of storage room temperature and packaging films characteristics on the rate of change of Sugar Palm Fruit (*Arenga pinata*) quality in A Modified Atmospheric Packaging (MAP). *IOP Conference Series: Earth and Environmental Science*, 355(1). <https://doi.org/10.1088/1755-1315/355/1/012035>

Fatharani, A., Bintoro, N., Saputro, A. D., Pertanian, J. T., Pertanian, F., Bengkulu, U., Supratman, J. W. R., & Limun Bengkulu, K. (2023). Analisis matematis perubahan kualitas kolang-kaling (*Arenga pinnata*) pada penyimpanan Modified Atmosphere Packaging (MAP). *Jurnal Ilmiah Rekayasa Pertanian Dan Biosistem*, 11(1), 1–14. <https://doi.org/10.29303/JRPB.V11I1.455>

Fonseca, S. C., Oliveira, F. A. R., & Brecht, J. K. (2002). Modelling respiration rate of fresh fruits and vegetables for modified atmosphere packages: A review. In *Journal of Food Engineering*. [https://doi.org/10.1016/S0260-8774\(01\)00106-6](https://doi.org/10.1016/S0260-8774(01)00106-6)

Gambacorta, L., Magistá, D., Perrone, G., Murgolo, S., Logrieco, A. F., &

- Solfrizzo, M. (2018). Co-occurrence of toxigenic moulds, aflatoxins, ochratoxin A, Fusarium and Alternaria mycotoxins in fresh sweet peppers (*Capsicum annuum*) and their processed products. *World Mycotoxin Journal*, 11(1), 159–173. <https://doi.org/10.3920/WMJ2017.2271>
- García-García, P., López-López, A., & Garrido-Fernández, A. (2008). Study of the shelf life of ripe olives using an accelerated test approach. *Journal of Food Engineering*, 84(4), 569–575. <https://doi.org/10.1016/j.jfoodeng.2007.06.023>
- Giannakourou, M. C., Gogou, E., & Taoukis, P. S. (2021). Reaction kinetics in food-processing engineering. *Engineering Principles of Unit Operations in Food Processing: Unit Operations and Processing Equipment in the Food Industry*, 443–470. <https://doi.org/10.1016/B978-0-12-818473-8.00010-4>
- Gómez-García, M. del R., & Ochoa-Alejo, N. (2013). Biochemistry and molecular biology of carotenoid biosynthesis in chili peppers (*Capsicum* spp.). *International Journal of Molecular Sciences* 2013, Vol. 14, Pages 19025–19053, 14(9), 19025–19053. <https://doi.org/10.3390/IJMS140919025>
- Gontard, N., Guilbert, S., & Cuq, J. L. L. (1993). Water and glycerol as plasticizers affect mechanical and water vapor barrier properties of an edible wheat gluten film. *Journal of Food Science*, 58(1), 206–211. <https://doi.org/10.1111/j.1365-2621.1993.tb03246.x>
- González-Aguilar, G. A., Ayala-Zavala, J. F., Ruiz-Cruz, S., Acedo-Félix, E., & Díaz-Cinco, M. E. (2004). Effect of temperature and Modified Atmosphere Packaging on overall quality of fresh-cut bell peppers. *Lwt*, 37(8), 817–826. <https://doi.org/10.1016/j.lwt.2004.03.007>
- Govindarajan, V. S., Rajalakshmi, D., & Chand, N. (2009). Capsicum — Production, technology, chemistry, and quality. Part IV. Evaluation of quality. *Http://Dx.Doi.Org/10.1080/10408398709527453*, 25(3), 185–282. <https://doi.org/10.1080/10408398709527453>
- Grané, A., & Jach, A. (2013). Applications of principal component analysis (PCA) in food science and technology. *Mathematical and Statistical Methods in Food Science and Technology*, 55–86. <https://doi.org/10.1002/9781118434635.CH05>

- Greengrass, J. (1993). Principles and Applications of Modified Atmosphere Packaging of Foods. In *Principles and Applications of Modified Atmosphere Packaging of Foods* (pp. 63–100). <https://doi.org/10.1007/978-1-4757-6252-5>
- Grewal, P. S., Kumar, A., & Singla, M. (2018). Estimation of respiratory dynamics of fresh green chilli (*Capsicum annuum* L.). *Int. J. Pure App. Biosci*, 6(2), 920–928. <https://doi.org/10.18782/2320-7051.5480>
- Gross, K. C., Wang, C. Y., & Saltveit, M. E. (eds). (2016). The commercial storage of Fruits, Vegetables, and Florist and Nursery Stocks. *Agricultural Research Service, United States Department of Agriculture, Wahington DC*, 66(66), 68–70. www.ntis.gov.
- Gupta, A. K., Muhury, R., & Ganjewala, D. (2016). A study on antimicrobial activities of essential oils of different cultivars of lemongrass (*Cymbopogon flexuosus*). *Pharmaceutical Sciences*, 22(3), 164–169. <https://doi.org/10.15171/PS.2016.26>
- Gutiérrez, L., Batlle, R., Andújar, S., Sánchez, C., & Nerín, C. (2011). Evaluation of antimicrobial active packaging to increase shelf life of gluten-free sliced bread. *Packaging Technology and Science*, 24(May), 485–494. <https://doi.org/10.1002/pts>
- Han, Q., Gao, H., Chen, H., Fang, X., & Wu, W. (2017). Precooling and ozone treatments affects postharvest quality of black mulberry (*Morus nigra*) fruits. *Food Chemistry*, 221, 1947–1953. <https://doi.org/10.1016/j.foodchem.2016.11.152>
- Hanifah, N., Purwanto, Y. A., & Sugiarto, A. T. (2024). Efek perlakuan cold plasma terhadap umur simpan cabai rawit (*Capsicum frutescens* L .). *Jurnal Ilmiah Rekayasa Pertanian Dan Biosistem*, 12(2), 205–221. <https://doi.org/10.29303/jrpb.v12i2.657>
- Hasbullah, R., Niam, A. G., Pujantoro, L., & Mardjan, S. (2018). Pengaruh Suhu Terhadap Permeabilitas Gas Pada Plastik Film Untuk Pengemasan Secara Atmosfir Termodifikasi. *Jurnal Teknik Pertanian Lampung (Journal of Agricultural Engineering)*, 7(3), 133. <https://doi.org/10.23960/jtep-l.v7i3.133->

- Hasbullah, R., Rubbi, R. T., Pujantoro, L., & Nelwan, L. O. (2024). Modified atmosphere packaging for minimally processed papaya (*Carica papaya* L.). *ICATES-2023IOP Conf. Series: Earth and Environmental Science*, 1–10. <https://doi.org/10.1088/1755-1315/1290/1/012018>
- Hou, B. Z., Li, C. L., Han, Y. Y., & Shen, Y. Y. (2018). Characterization of the hot pepper (*Capsicum frutescens*) fruit ripening regulated by ethylene and ABA. *BMC Plant Biology*, 18(1), 1–12. <https://doi.org/10.1186/S12870-018-1377-3/FIGURES/6>
- Iqbal, Q., Amjad, M., Asi, M. R., Ariño, A., Ziaf, K., Nawaz, A., & Ahmad, T. (2015). Stability of capsaicinoids and antioxidants in dry hot peppers under different packaging and storage temperatures. *Foods 2015*, Vol. 4, Pages 51–64, 4(2), 51–64. <https://doi.org/10.3390/FOODS4020051>
- Iqbal, T., Rodrigues, F. A. S., Mahajan, P. V., & Kerry, J. P. (2009). Mathematical modelling of O₂ consumption and CO₂ production rates of whole mushrooms accounting for the effect of temperature and gas composition. *International Journal of Food Science and Technology*, 44(7), 1408–1414. <https://doi.org/10.1111/j.1365-2621.2009.01971.x>
- Irtwange, S. V. (2006). Application of modified atmosphere packaging and related technology in postharvest handling of fresh fruits and vegetables. *Agricultural Engineering International: The CIGR Ejournal*, 3(4), 319–324. <https://ecommons.cornell.edu/handle/1813/10565>
- Isharyadi, F., Kristiningrum, E., Darmayanti, N. T. E., Supono, I., Fuad, N. M., Ghozali, M., Rezqi, K., Kunharyanto, S. A., Rahmadi, I., & Wijayanti, S. P. (2023). Modified Atmosphere Packaging Technology for Indonesian food products: the latest developments and potentials. *Evergreen*, 10(3), 1616–1632. <https://doi.org/10.5109/7151710>
- Iwanami, H., Moriya-Tanaka, Y., Hanada, T., Baba, T., & Sakamoto, D. (2024). Factors explaining variations in soluble solids content of apples during ripening and storage. *Horticulture Journal*, 93(2), 135–142. <https://doi.org/10.2503/hortj.QH-105>

- Jahan, N., & Khalil-ur-Rahman. (2020). Cold pressed capia pepper (*Capsicum annum* L.) seed oil. In *Cold Pressed Oils*. Elsevier Inc. <https://doi.org/10.1016/b978-0-12-818188-1.00039-6>
- Jolliffe, I. T., & Cadima, J. (2016). Principal component analysis: A review and recent developments. *Philosophical Transactions of the Royal Society A: Mathematical, Physical and Engineering Sciences*, 374(2065). <https://doi.org/10.1098/RSTA.2015.0202/ASSET/88569AF9-873E-4D6D-B3C3-FF4B9B12DD31/ASSETS/GRAPHIC/RSTA20150202F04.JPEG>
- Kader, A. A. (2001). Biologia y tecnologia de postcosecha: una revision general. In *Postharvest Technology of Horticultural Crops Univ. California* (Vol. 3311, p. (311-324)). <http://www.ecofisiohort.com.ar/wp-content/uploads/2010/04/Biolog?a-y-Tecnolog?a-de-Postcosecha-Abel-Kader.pdf>
- Kader, A. A. (2003). A summary of CA requirements and recommendations for fruits other than apples and pears. *Acta Horticulturae*, 600, 737–740. <https://doi.org/10.17660/ActaHortic.2003.600.112>
- Kader, A. A. (2013). Postharvest technology of horticultural crops-an overview from farm to fork. *J. Appl. Sci. Technol. (Special Issue, 1)*, 1–8.
- Kader, A. A., Cook, R. L., Bruhn, C. M., Reid, M. S., & Thompson, J. F. (2002). *Postharvest technology of horticulture crops* (A. A. Kader (ed.); 3rd ed., Issue 530, p. 535). Postharvest Technology Center UC DAVIS – Department of Plant Sciences One Shields Avenue, Davis.
- Kader, A. A., Zagory, D., & Kerbel, E. L. (1989). Modified Atmosphere Packaging of fruits and vegetables. *Critical Reviews in Food Science & Nutrition*, 28(1), 1–30. <https://doi.org/10.1080/10408398909527490>
- Kandasamy, P. (2022). Respiration rate of fruits and vegetables for Modified Atmosphere Packaging: a mathematical approach. *Journal of Postharvest Technology*, 10(February), 88–102. www.jpht.in
- Kantar, M. B., Anderson, J. E., Lucht, S. A., Mercer, K., Bernau, V., Case, K. A., Le, N. C., Frederiksen, M. K., DeKeyser, H. C., Wong, Z. Z., Hastings, J. C., & Baumler, D. J. (2016). Vitamin variation in capsicum spp. provides

- opportunities to improve nutritional value of human diets. *PLOS ONE*, 11(8), e0161464. <https://doi.org/10.1371/JOURNAL.PONE.0161464>
- Kasim, R., Bintoro, N., Rahayoe, S., & Pranoto, Y. (2022). Effect of temperature and relative humidity on the respiration rate of coated banana (*Musa acuminata*). *IOP Conference Series: Earth and Environmental Science*, 1083(1). <https://doi.org/10.1088/1755-1315/1083/1/012026>
- Keshri, N., Truppel, I., Herppich, W. B., Geyer, M., Weltzien, C., & Mahajan, P. V. (2020). In-situ measurement of fresh produce respiration using a modular sensor-based system. *Sensors* 2020, Vol. 20, Page 3589, 20(12), 3589. <https://doi.org/10.3390/S20123589>
- Khater, E., & Afify, M. (2021). Quality characteristics and shelf life of pepper fruits as influenced by storage conditions and pepper varieties. *Misr Journal of Agricultural Engineering*, 0(0), 0–0. <https://doi.org/10.21608/mjae.2021.89464.1039>
- Kirtil, E., Kilercioglu, M., & Oztop, M. H. (2016). Modified Atmosphere Packaging of foods. In *Reference Module in Food Science* (pp. 1–6). Elsevier. <https://doi.org/10.1016/b978-0-08-100596-5.03218-2>
- Kolbeck, S., Reetz, L., Hilgarth, M., & Vogel, R. F. (2019). Quantitative oxygen consumption and respiratory activity of meat spoiling bacteria upon high oxygen Modified Atmosphere. *Frontiers in Microbiology*, 10, 486673. <https://doi.org/10.3389/FMICB.2019.02398/BIBTEX>
- Komalasari, W. B., Sabarella, Manurung, M., Sehusman, Supriyati, Y., Rinawati, Seran, K., Naruri, M. D., & Amara, V. D. (2024). Statistik konsumsi pangan 2024. In *Pusat Data dan Sistem Informasi Pertanian*.
- Kontominas, M. G. (2014). Packaging: Modified Atmosphere Packaging of foods. In *Encyclopedia of Food Microbiology: Second Edition* (Second Edi, Vol. 2). Elsevier. <https://doi.org/10.1016/B978-0-12-384730-0.00432-8>
- Kubík, L., & Zeman, S. (2013). Determination of oxygen permeability of polyethylene and polypropylene nonwoven fabric foils. *Research in Agricultural Engineering*, 59(3), 105–113. <https://doi.org/10.17221/31/2012-rae>

- Kumar, S., Kumar, R., & Singh, J. (2006). Cayenne/American pepper. In *Handbook of Herbs and Spices* (Vol. 3). Woodhead Publishing Limited.
<https://doi.org/10.1533/9781845691717.3.299>
- Lakakul, R., Beaudry, R. M., & Hernandez, R. J. (1999). Modeling respiration of apple slices in modified-atmosphere packages. *Journal of Food Science*, 64(1), 105–110. <https://doi.org/10.1111/j.1365-2621.1999.tb09870.x>
- Lamona, A., Purwanto, Y. A., & Sutrisno, S. (2015). Effect of different packaging and low temperature storage on the quality changes of fresh red curly chili. *Jurnal Keteknik Pertanian*, 03(2), 1–8.
<https://doi.org/10.19028/jtep.03.2.145-152>
- Lee, S. K., & Kader, A. A. (2000). Preharvest and postharvest factors influencing vitamin C content of horticultural crops. *Postharvest Biology and Technology*, 20(3), 207–220. [https://doi.org/10.1016/S0925-5214\(00\)00133-2](https://doi.org/10.1016/S0925-5214(00)00133-2)
- Li, L., Li, X., Gao, G., Yan, Y., Wang, X., Tang, Y., Jiang, Y., & Li, X. (2022). A kinetic model for predicting shelf-life of fresh extruded rice-shaped kernels (FER). *Grain and Oil Science and Technology*, 5(4), 187–193.
<https://doi.org/10.1016/j.gaost.2022.09.001>
- Li, R., Rosado-Souza, L., Sampathkumar, A., & Fernie, A. R. (2024). The relationship between cell wall and postharvest physiological deterioration of fresh produce. *Plant Physiology and Biochemistry*, 210, 108568.
<https://doi.org/10.1016/J.PLAPHY.2024.108568>
- Li, Y., Ding, S., & Wang, Y. (2022). Shelf life predictive model for postharvest shiitake mushrooms. *Journal of Food Engineering*, 330(March).
<https://doi.org/10.1016/j.jfoodeng.2022.111099>
- Li, Y., Fabiano-Tixier, A.-S., & Farid Chemat. (2015). *Essential Oil as reagents in green chemistry* (Vol. 245, Issue 8).
<http://dx.doi.org/10.1016/j.crci.2015.08.011%5>
- Li, Z., Zhao, X., Wang, D., Wang, P., Zhao, S., Chen, H., Han, Y., & Zhao, W. (2025). Different packaging films regulate textural quality of fresh-cut chili peppers by regulating reactive oxygen species and membrane lipid metabolisms. *LWT*, 220, 117596. <https://doi.org/10.1016/J.LWT.2025.117596>

- Liantoni, F., & Annisa, F. N. (2018). Fuzzy k-nearest neighbor pada klasifikasi kematangan cabai berdasarkan fitur hsv citra. *JIPi (Jurnal Ilmiah Penelitian Dan Pembelajaran Informatika)*. <https://doi.org/10.29100/jipi.v3i2.851>
- Lim, S. M., Law, H., & Lee, S. S. (2023). Consumers' quality perception and acceptance of suboptimal food: an online survey in Selangor and Kuala Lumpur, Malaysia. *Foods*, 12(15), 2824. <https://doi.org/10.3390/FOODS12152824/S1>
- Lix, L. M., & Keselman, H. J. (2018). Analysis of Variance: Repeated-Measures Designs. *The Reviewer's Guide to Quantitative Methods in the Social Sciences: Second Edition*, 15–28. <https://doi.org/10.4324/9781315755649-2>
- López Camelo, A. F., & Gómez, P. A. (2004). Comparison of color indexes for tomato ripening. *Horticultura Brasileira*, 22(3), 534–537. <https://doi.org/10.1590/s0102-05362004000300006>
- López Pacheco, M. A., Báez Rojas, J. J., Castro-Ramos, J., Villa Manríquez, J. F., & Esmonde-White, K. (2021). Optical study to identify and quantify capsaicin in optical window. *Heliyon*, 7(3), e05797. <https://doi.org/10.1016/j.heliyon.2020.e05797>
- Luang-In, V., Saengha, W., Karirat, T., Senakun, C., & Siriamornpun, S. (2024). Phytochemical profile of *Cymbopogon citratus* (DC.) Stapf Lemongrass Essential Oil from Northeastern Thailand and its antioxidant and antimicrobial attributes and cytotoxic effects on HT-29 human colorectal adenocarcinoma cells. *Foods* 2024, Vol. 13, Page 2928, 13(18), 2928. <https://doi.org/10.3390/FOODS13182928>
- Lutfi, M., Prasetyo, J., Pujiyanti, I. P., & Maharani, D. M. (2019). Pengaruh aplikasi blower dan tipe pengemasan terhadap mutu cabai rawit segar (*Capsicum frutescens* linn) selama Transportasi. *Jurnal Teknotan*. <https://doi.org/10.24198/jt.vol13n1.4>
- Mahajan, P. V., & Caleb, O. J. (2017). Modeling MAP of fruits and vegetables. In *Reference Module in Food Science*. Elsevier. <https://doi.org/10.1016/b978-0-08-100596-5.21461-3>
- Mahajan, P. V., Oliveira, F. A. R., & Macedo, I. (2008). Effect of temperature and

- humidity on the transpiration rate of the whole mushrooms. *Journal of Food Engineering*, 84(2), 281–288.
<https://doi.org/10.1016/J.JFOODENG.2007.05.021>
- Mahajan, P. V., Oliveira, F. A. R., Montanez, J. C., & Frias, J. (2007). Development of user-friendly software for design of Modified Atmosphere Packaging for fresh and fresh-cut produce. *Innovative Food Science and Emerging Technologies*, 8(1), 84–92. <https://doi.org/10.1016/j.ifset.2006.07.005>
- Majewska, E., Kozłowska, M., Gruczynska-Sekowska, E., Kowalska, D., & Tarnowska, K. (2019). Lemongrass (*Cymbopogon citratus*) essential oil: extraction, composition, bioactivity and uses for food preservation – a Review. *Polish Journal of Food and Nutrition Sciences*, 69(4), 327–341. <https://doi.org/10.31883/PJFNS/113152>
- Malakar, S., Kumar, N., Sarkar, S., & Mohan, R. J. (2020). Influence of Modified Atmosphere Packaging on the shelf life and postharvest quality attributes of King Chili (*Capsicum chinense* Jacq.) during Storage. *Journal of Biosystems Engineering*, 45(4), 213–222. <https://doi.org/10.1007/s42853-020-00057-8>
- Mangaraj, S., Goswami, T. K., & Mahajan, P. V. (2009). Applications of plastic films for Modified Atmosphere Packaging of fruits and vegetables: A Review. *Food Engineering Reviews*, 1(2), 133–158. <https://doi.org/10.1007/S12393-009-9007-3>
- Manolopoulou, E., & Varzakas, T. (2016). Effect of temperature in color changes of green vegetables. *Current Research in Nutrition and Food Science*, 4(SpecialIssue2), 10–17. <https://doi.org/10.12944/CRNFSJ.4.Special-Issue-October.02>
- Manzocco, L., & Nicoli, M. C. (2015). Surface processing: existing and potential applications of ultraviolet light. *Critical Reviews in Food Science and Nutrition*, 55(4), 469–484. <https://doi.org/10.1080/10408398.2012.658460>
- Maskey, B., Bhattarai, R., Bhattarai, G., & Shrestha, N. K. (2021). Post-harvest quality of fresh akabare chili (*Capsicum chinese*) as affected by hydrocooling, package modification and storage temperature. 24(1), 163–173. <https://doi.org/10.1080/10942912.2020.1865399>

- Matei, N., Birghila, S., Popescu, V., Dobrinas, S., Soceanu, A., Oprea, C., & Magearu, V. (2008). Kinetic study of vitamin C degradation from pharmaceutical products. *Romanian Reports of Physics*, 53(1–2), 343–351. <https://doi.org/10.5958/0973-9130.2017.00174.8>
- McGuire, R. G. (2019). Reporting of Objective Color Measurements. *HortScience*, 27(12), 1254–1255. <https://doi.org/10.21273/hortsci.27.12.1254>
- McHugh, T. H., Avena Bustillos, R., & Krochta, J. M. (1993). Hydrophilic Edible Films: Modified Procedure for Water Vapor Permeability and Explanation of Thickness Effects. *Journal of Food Science*, 58(4), 899–903. <https://doi.org/10.1111/j.1365-2621.1993.tb09387.x>
- Meneses, S. M. O., & Valenzuela, J. R. C. (2008). Modified atmosphere: an alternative for food preservation. *REVISTA LASALLISTA DE INVESTIGACIÓN*, 5(2), 112–123.
- Minh, N. P. (2019). Combination of chitosan and lemongrass (*Cymbopogon citratus*) essential oil as edible coating to cantaloupe (*Cucumis melo* L) quality and shelf life during storage. *Journal of Global Pharma Technology*, 11(4), 12–24.
- Mohd Ali, M., Hashim, N., Abd Aziz, S., & Lasekan, O. (2022). Shelf Life Prediction and Kinetics of Quality Changes in Pineapple (*Ananas comosus*) Varieties at Different Storage Temperatures. *Horticulturae*, 8(11). <https://doi.org/10.3390/horticulturae8110992>
- Moore-Neibel, K., Gerber, C., Patel, J., Friedman, M., & Ravishankar, S. (2012). Antimicrobial activity of lemongrass oil against *Salmonella enterica* on organic leafy greens. *Journal of Applied Microbiology*, 112(3), 485–492. <https://doi.org/10.1111/j.1365-2672.2011.05222.x>
- Munarso, S. J., Kailaku, S. I., bin Arif, A., Budiyo, A., Mulyawanti, I., Sasmitaloka, K. S., Setyawan, N., Dewandari, K. T., & Widayanti, S. M. (2020). Quality analysis of chili treated with aqueous ozone treatment and improved transportation and handling technology. *International Journal of Technology*, 11(1), 37–47. <https://doi.org/10.14716/ijtech.v11i1.3213>
- Munekata, P. E. S., Pateiro, M., Rodríguez-Lázaro, D., Domínguez, R., Zhong, J.,

- & Lorenzo, J. M. (2020). The Role of Essential Oils against Pathogenic *Escherichia coli* in Food Products. *Microorganisms* 2020, Vol. 8, Page 924, 8(6), 924. <https://doi.org/10.3390/MICROORGANISMS8060924>
- Murtiwulandari, M., Archery, D. T. M., Haloho, M., Kinasih, R., Tanggara, L. H. S., Hulu, Y. H., Agaperesa, K., Khristanti, N. W., Kristiyanto, Y., Pamungkas, S. S., Handoko, Y. A., & Anarki, G. D. Y. (2020). Pengaruh suhu penyimpanan terhadap kualitas hasil panen komoditas Brassicaceae. *Teknologi Pangan : Media Informasi Dan Komunikasi Ilmiah Teknologi Pertanian*, 11(2), 136–143. <https://doi.org/10.35891/tp.v11i2.2168>
- Muttalib, S., Bintoro, N., Karyadi, J. N., & Saputro, A. D. (2025). Principal Component Analysis in the animal products precooling process using compressive type plate cooler. *Jurnal Teknik Pertanian Lampung (Journal of Agricultural Engineering)*, 14(1), 182–193. <https://doi.org/10.23960/JTEP-L.V14I1.182-193>
- Ni, H., Aktaruzzaman, M., Wei, Y., Ouyang, Z., Zhang, G.-C., Yang, J., Y-x, W., Y-d, Z., D-d, W., Q-m, L., Y-z, C., G-c, Z., Wu, Y.-X., Zhang, Y.-D., Li, N., Wu, D.-D., Li, Q.-M., & Chen, Y.-Z. (2022). Inhibitory effect and mechanism of action of juniper essential oil on gray mold in cherry tomatoes. *Frontiers in Microbiology*, 13, 1000526–1000526. <https://doi.org/10.3389/FMICB.2022.1000526>
- Nugraha, R., Juliana, A. Z., Lilis, S., Nana, K., Nur, M., Nur, S., Nasution, H., Rianti, N., Suci, T., Afrilia, W., Ikhsyauti, A., Sri, I., Hilmi, H. M., Tria, A., Solehah, M., & Husyaini, B. (2017). *Filsafat ilmu*.
- Nurdjannah, R., Purwanto, Y. A., & Sutrisno, S. (2017). Pengaruh jenis kemasan dan penyimpanan dingin terhadap mutu fisik cabai merah. *Jurnal Penelitian Pascapanen Pertanian*, 11(1), 19. <https://doi.org/10.21082/jpasca.v11n1.2014.19-29>
- Nuridayat, N., Sabahannur, S., & Alimuddin, S. (2022). Pengaruh suhu dan jenis kemasan terhadap umur simpan dan mutu cabai rawit (*Capsicum frutescens* L.). *AGrotekMAS Jurnal Indonesia: Jurnal Ilmu Peranian*, 3(2), 37–46. <https://doi.org/10.33096/agrotekmas.v3i2.245>

- Ogunlade, I., Alebiosu, A. A., & Osasona, A. I. (2012). Proximate, mineral composition, antioxidant activity, and total phenolic content of some pepper varieties (*Capsicum* species). *International Journal of Biological and Chemical Sciences*, 6(5), 2221–2227. <https://doi.org/10.4314/IJBCS.V6I5.28>
- Opara, U. L., Caleb, O. J., & Belay, Z. A. (2019). Modified Atmosphere Packaging for food preservation. *Food Quality and Shelf Life*, 235–259. <https://doi.org/10.1016/B978-0-12-817190-5.00007-0>
- Owen R. Fennema. (1996). Food Chemistry. In O. R. Fennema (Ed.), *University of Wisconsin-Madison* (3rd ed.). Marcel Dekker, Inc. https://doi.org/10.1007/978-981-19-0872-9_6
- ÖZTÜRK, B., & AĞLAR, E. (2019). The Influence of Modified Atmosphere Packaging on quality properties of kiwifruits during cold storage and shelf life. *Iğdır Üniversitesi Fen Bilimleri Enstitüsü Dergisi*, 9(2), 614–625. <https://doi.org/10.21597/jist.452662>
- Pandey, A. K., Kumar, P., Singh, P., Tripathi, N. N., & Bajpai, V. K. (2017). Essential oils: sources of antimicrobials and food preservatives. *Frontiers in Microbiology*, 7(JAN), 2161. <https://doi.org/10.3389/FMICB.2016.02161>
- Parera, J., Nubatonis, L. M., & Malelak, Z. (2021). Optimasi suhu dan waktu penyimpanan terhadap kualitas cabai rawit (*Capsicum frutescens* L.) jenis cakra. *Prosiding Seminar Nasional Pengabdian Kepada Masyarakat Fakultas Bahasa Asing Universitas Mahasaraswati Denpasar (Senadiba) 2021*, 191–197. <https://e-journal.unmas.ac.id/index.php/senadiba/article/view/3240>
- Park, E. J., Jung, S. Y., Kim, S. C., Lee, D. S., & An, D. S. (2023). Modified Atmosphere Packaging of flounder fillet: Modelling of package conditions and comparison of different flushing atmospheres for quality preservation. *International Food Research Journal*, 30(6), 1519–1527. <https://doi.org/10.47836/ifrj.30.6.14>
- Parlapani, F. F., Mallouchos, A., Haroutounian, S. A., & Boziaris, I. S. (2014). Microbiological spoilage and investigation of volatile profile during storage of sea bream fillets under various conditions. *International Journal of Food Microbiology*, 189, 153–163.

<https://doi.org/10.1016/J.IJFOODMICRO.2014.08.006>

- Paulus, D., Ferreira, S. B., & Becker, D. (2021). Preservation and post-harvest quality of okra using low density polyethylene. *AIMS Agriculture and Food*, 6(1), 321–336. <https://doi.org/10.3934/agrfood.2021020>
- Perdana, M. I., Ruamcharoen, J., Panphon, S., & Leelakriangsak, M. (2021). Antimicrobial activity and physical properties of starch/chitosan film incorporated with lemongrass essential oil and its application. *Lwt*, 141(November 2020), 110934. <https://doi.org/10.1016/j.lwt.2021.110934>
- Peron, D. V., Fraga, S., & Antelo, F. (2017). Thermal degradation kinetics of anthocyanins extracted from juçara (*Euterpe edulis* Martius) and “Italia” grapes (*Vitis vinifera* L.), and the effect of heating on the antioxidant capacity. *Food Chemistry*, 232, 836–840. <https://doi.org/10.1016/J.FOODCHEM.2017.04.088>
- PIHPS. (2025). *Perkembangan harga pangan berdasarkan komoditas*. <https://www.bi.go.id/hargapangan/TabelHarga/PasarTradisionalKomoditas>
- Pinheiro, J., Alegria, C., Abreu, M., Gonçalves, E. M., & Silva, C. L. M. (2013). Kinetics of changes in the physical quality parameters of fresh tomato fruits (*Solanum lycopersicum*, cv. ‘Zinac’) during storage. *Journal of Food Engineering*, 114(3), 338–345. <https://doi.org/10.1016/J.JFOODENG.2012.08.024>
- Plasquy, E., Florido, M. C., Sola-Guirado, R. R., García Martos, J. M., & García Martín, J. F. (2021). Effect of temperature and time on oxygen consumption by olive fruit: empirical study and simulation in a non-ventilated container. *Fermentation* 2021, Vol. 7, Page 200, 7(4), 200. <https://doi.org/10.3390/FERMENTATION7040200>
- Prakash, A., Baskaran, R., Paramasivam, N., & Vadivel, V. (2018). Essential oil based nanoemulsions to improve the microbial quality of minimally processed fruits and vegetables: A review. *Food Research International*, 111(May), 509–523. <https://doi.org/10.1016/j.foodres.2018.05.066>
- Pratik, P. (2020). Chemical analysis and pharmacological activities of some important medicinal aromatic plants : A Review. *International Journal of*

Multidisciplinary Educational Research, 9(5(8)), 62–81.

- Primasari, V. S., & Syaharani, C. F. (2023). Potensi minyak esensial serai terhadap bakteri patogen periodontal. *E-GiGi*, 11(1), 86–92. <https://doi.org/10.35790/EG.V11I1.44465>
- Purbasari, D., & Sari, E. F. (2022). Physical quality of fresh cayenne pepper (*Capsicum frutescens* L.) with different types of packaging during low temperature storage. *Jurnal Teknik Pertanian Lampung (Journal of Agricultural Engineering)*, 11(3), 378. <https://doi.org/10.23960/jtep-l.v11i3.378-395>
- Rahman, M. M., Moniruzzaman, M., Ahmad, M. R., Sarker, B. C., & Khurshid Alam, M. (2016). Maturity stages affect the postharvest quality and shelf-life of fruits of strawberry genotypes growing in subtropical regions. *Journal of the Saudi Society of Agricultural Sciences*, 15(1), 28–37. <https://doi.org/10.1016/j.jssas.2014.05.002>
- Rahman, M. S., & Velez-Ruiz, J. F. (2020). Food Preservation by Freezing. *Handbook of Food Preservation*, 659–680. <https://doi.org/10.1201/9780429091483-44>
- Ranjitha, K., Sudhakar Rao, D. V., Shivashankara, K. S., & Roy, T. K. (2015). Effect of pretreatments and modified atmosphere packaging on the shelf life and quality of fresh-cut green bell pepper. *Journal of Food Science and Technology*, 52(12), 7872–7882. <https://doi.org/10.1007/s13197-015-1928-7>
- Rinaldi, M. M., Benedetti, B. C., & Moretti, C. L. (2010). Respiration rate, ethylene production and shelf life of minimally processed cabbage under controlled atmosphere. *Acta Horticulturae*, 876, 279–286. <https://doi.org/10.17660/ACTAHORTIC.2010.876.37>
- Riscahyani, N. M., Ekawati, E. R., & Ngibad, K. (2019). Identification of ascorbic acid content in *Carica papaya* L. using iodimetry and uv-vis spectrophotometry. *Indonesian Journal of Medical Laboratory Science and Technology*, 1(2), 58–64. <https://doi.org/10.33086/IJMLST.V1I2.1291>
- Roberts, J. S., Kidd, D. R., & Padilla-Zakour, O. (2008). Drying kinetics of grape seeds. *Journal of Food Engineering*, 89(4), 460–465.

<https://doi.org/10.1016/j.jfoodeng.2008.05.030>

Robertson, G. L. (2016). Food packaging: principles and practice, Third Edition., 1–688. <https://doi.org/10.1201/B21347/FOOD-PACKAGING-GORDON-ROBERTSON/RIGHTS-AND-PERMISSIONS>

Rodriguez-Aguilera, R., & Oliveira, J. C. (2009). Review of design engineering methods and applications of active and modified atmosphere packaging systems. *Food Engineering Reviews*, 1(1), 66–83. <https://doi.org/10.1007/s12393-009-9001-9>

Rojas-Graü, M. A., Avena-Bustillos, R. J., Olsen, C., Friedman, M., Henika, P. R., Martín-Belloso, O., Pan, Z., & McHugh, T. H. (2007). Effects of plant essential oils and oil compounds on mechanical, barrier and antimicrobial properties of alginate-apple puree edible films. *Journal of Food Engineering*, 81(3), 634–641. <https://doi.org/10.1016/j.jfoodeng.2007.01.007>

Sabarella, Komalasari, W. B., Manurung, M., Saida, M. D. N., Seran, K., & Supriyati, A. (2024). Buletin Konsumsi Pangan. *Pusat Data Dan Sistem Informasi Pertanian*, 15(1).

Sabır, A., Sabir, F. K., & Kara, Z. (2011). Effects of Modified Atmosphere Packing and honey dip treatments on quality maintenance of minimally processed grape cv. Razaki (*V. vinifera* L.) during cold storage. *Journal of Food Science and Technology*, 48(3), 312–318. <https://doi.org/10.1007/s13197-011-0237-z>

Saladié, M., Cañizares, J., Phillips, M. A., Rodriguez-Concepcion, M., Larrigaudière, C., Gibon, Y., Stitt, M., Lunn, J. E., & Garcia-Mas, J. (2015). Comparative transcriptional profiling analysis of developing melon (*Cucumis melo* L.) fruit from climacteric and non-climacteric varieties. *BMC Genomics*, 16(1), 1–20. <https://doi.org/10.1186/S12864-015-1649-3/FIGURES/9>

Saltelli, A., Ratto, M., Andres, T., Campolongo, F., Cariboni, J., Gatelli, D., Saisana, M., & Tarantola, S. (2008). Global Sensitivity Analysis: The Primer. In *International Statistical Review* (Vol. 76, Issue 3). John Wiley & Sons, Ltd. https://doi.org/10.1111/j.1751-5823.2008.00062_17.x

Sandhya. (2010). Modified atmosphere packaging of fresh produce: Current status and future needs. *LWT - Food Science and Technology*, 43(3), 381–392.

<https://doi.org/10.1016/j.lwt.2009.05.018>

Sapei, L., & Hwa, L. (2014). Study on the kinetics of vitamin C degradation in fresh strawberry juices. *Procedia Chemistry*, 9, 62–68.

<https://doi.org/10.1016/j.proche.2014.05.008>

Sari, S. M. E., Suparto, I. H., & Wahyuni, W. T. (2024). Application of Lemongrass Oil in chitosan as antimicrobial during storage of crystal guava fruit. *Jurnal Ilmu Pertanian Indonesia*, 30(1), 131–139.

<https://doi.org/10.18343/jipi.30.1.131>

Schober, P., & Schwarte, L. A. (2018). Correlation coefficients: appropriate use and interpretation. *Anesthesia and Analgesia*, 126(5), 1763–1768.

<https://doi.org/10.1213/ANE.0000000000002864>

Selvaraj, P., Sanjeevirayar, A., Shanmugam, A., Selvaraj, P., Sanjeevirayar, A., & Shanmugam, A. (2023). Application of Principal Component Analysis as properties and sensory assessment tool for legume milk chocolates. *American Journal of Computational Mathematics*, 13(1), 136–152.

<https://doi.org/10.4236/AJCM.2023.131006>

Serrano, M., Martínez-Romero, D., Castillo, S., Guillén, F., & Valero, D. (2005). The use of natural antifungal compounds improves the beneficial effect of MAP in sweet cherry storage. *Innovative Food Science and Emerging Technologies*, 6(1), 115–123. <https://doi.org/10.1016/j.ifset.2004.09.001>

Shamsudin, R., Ariffin, S. H., Zainol Abdullah, W. N. Z., Azmi, N. S., & Halim, A. A. A. (2021). Modelling the kinetics of color and texture changes of Dabai (*Canarium odontophyllum* Miq.) during Blanching. *Agronomy* 2021, Vol. 11, Page 2185, 11(11), 2185. <https://doi.org/10.3390/AGRONOMY11112185>

Shezi, S., Ngcobo, M. E. K., Khanyile, N., & Ncama, K. (2024). Physio-metabolic mechanisms behind postharvest quality deterioration in Broccoli (*Brassica oleracea* var. *Italica*) and Swiss Chard (*Beta vulgaris* L. var. *Cicla*): A Review. *Plants* 2024, Vol. 13, Page 3174, 13(22), 3174. <https://doi.org/10.3390/PLANTS13223174>

Shoji, K., & Shi, J. (2007). Microbial and quality evaluation of green peppers stored in biodegradable film packaging. *Food Control*, 18(9), 1121–1125.

<https://doi.org/10.1016/j.foodcont.2006.07.013>

- Singh, G., Kapoor, I. P. S., Singh, P., de Heluani, C. S., de Lampasona, M. P., & Catalan, C. A. N. (2010). Comparative study of chemical composition and antioxidant activity of fresh and dry rhizomes of turmeric (*Curcuma longa* Linn.). *Food and Chemical Toxicology*, 48(4), 1026–1031. <https://doi.org/10.1016/j.fct.2010.01.015>
- Singh, R., Giri, S. K., & Kotwaliwale, N. (2014). Shelf-life enhancement of green bell pepper (*Capsicum annuum* L.) under active modified atmosphere storage. *Food Packaging and Shelf Life*, 1(2), 101–112. <https://doi.org/10.1016/j.fpsl.2014.03.001>
- Siracusa, V., Rocculi, P., Romani, S., & Rosa, M. D. (2008). Biodegradable polymers for food packaging: a review. *Trends in Food Science & Technology*, 19(12), 634–643. <https://doi.org/10.1016/J.TIFS.2008.07.003>
- Slamet, S., Waznah, U., Fridiana, F., & Yusrilia, Y. (2022). Antioxidant activities of extracts, methanol, and n-hexane partitions of cayenne pepper (*Capsicum frutescens* L.). *Media Farmasi: Jurnal Ilmu Farmasi*, 19(1), 9–16. <https://doi.org/10.12928/MF.V19I1.19093>
- Solovchenko, A. E., Avertcheva, O. V., & Merzlyak, M. N. (2006). Elevated sunlight promotes ripening-associated pigment changes in apple fruit. *Postharvest Biology and Technology*, 40(2), 183–189. <https://doi.org/10.1016/j.postharvbio.2006.01.013>
- Song, J., Sun, B., Chen, C., Ning, Z., Zhang, S., Cai, Y., Zheng, X., Cao, B., Chen, G., Jin, D., Li, B., Bian, J., Lei, J., He, H., & Zhu, Z. (2023). An R-R-type MYB transcription factor promotes non-climacteric pepper fruit carotenoid pigment biosynthesis. *Plant Journal*, 115(3), 724–741. <https://doi.org/10.1111/TPJ.16257>
- Standart, I. (2006). *US ISO 7543-1, Chillies and chilli oleoresins capsaicinoid content*.
- Sudjatha, W., & Wisaniyasa, N. W. (2017). Fisiologi dan teknologi pascapanen. In *Udayana University Press 2017* (Vol. 1, Issue Agriculture).
- Sulistyaningrum, A., & Darudriyo. (2018). Penurunan kualitas cabai rawit selama

- penyimpanan dalam suhu ruang Decreasing of Cayenne Pepper Quality During Storage in Room Temperature. *Jurnal Agronida*, 4(2), 64–71.
- Sulistyaningrum, A., & Darudryyo, D. (2018). Decreasing of cayenne pepper quality during storage in room temperature. *JURNAL AGRONIDA*, 4(2). <https://doi.org/10.30997/JAG.V4I2.1566>
- Susmiati, Y., Purwantana, B., Bintoro, N., & Rahayoe, S. (2022). Heat transfer characteristics in vertical tubular baffle internal reboiler through dimensional analysis. *International Journal of Technology*, 13(3), 508–517. <https://doi.org/10.14716/ijtech.v13i3.5170>
- Swandari, T., Basunanda, P., & Aziz-Purwantoro. (2017). Penggunaan alat sensor warna untuk menduga derajat dominansi gen penyandi karakter warna buah cabai hasil persilangan. *AGROISTA: Jurnal Agroteknologi*, 1(1), 40–49.
- Taoukis, P. S., & Labuza, T. P. (1989). Applicability of time-temperature indicators as shelf life monitors of food products. *Journal of Food Science*, 54(4), 783–788. <https://doi.org/10.1111/J.1365-2621.1989.TB07882.X>
- Tatengkeng, M. A. (2019). Kadar vitamin c cabai rawit (*Capsicum frutescens* L) hasil ozonasi selama penyimpanan suhu ruang. *Pasundan Food Technology Journal*. <https://doi.org/10.23969/pftj.v6i2.1296>
- Thakur, N., Sharma, B., Bishnoi, S., Jain, S., Nayak, D., & Sarma, T. K. (2019). Biocompatible Fe³⁺ and Ca²⁺ Dual Cross-Linked G-Quadruplex Hydrogels as Effective Drug Delivery System for pH-Responsive Sustained Zero-Order Release of Doxorubicin [Research-article]. *ACS Applied Bio Materials*, 2(8), 3300–3311. <https://doi.org/10.1021/acsabm.9b00334>
- Thi, N., Tham, H., & Minh, N. P. (2014). *Effects of combining packaging and temperature preservation on cayenne pepper quality*. 1(3), 22–29.
- Tzortzakis, N. G. (2009). Essential Oil: Innovative tool to improve the preservation of fresh produce-A Review. *Fresh Produce*, 3(1), 87–97.
- Valero, D., & Serrano, M. (2010). *Postharvest biology and technology for preserving fruit quality*. <http://www.copyright.com/>
- Valšíková-Frey, M., Komár, P., & Rehuš, M. (2017). The effect of varieties and degree of ripeness to vitamin C content in tomato fruits. *Acta Horticulturae et*

- Regiotecturae*, 20(2), 44–48. <https://doi.org/10.1515/ahr-2017-0010>
- Van Boekel, M. A. J. S. (2008). Kinetic modeling of food quality: A critical review. *Comprehensive Reviews in Food Science and Food Safety*, 7(1), 144–158. <https://doi.org/10.1111/j.1541-4337.2007.00036.x>
- Vicent, V., Ndoye, F. T., Verboven, P., Nicolai, B. M., & Alvarez, G. (2018). Quality changes kinetics of apple tissue during frozen storage with temperature fluctuations. *International Journal of Refrigeration*, 92, 165–175. <https://doi.org/10.1016/j.ijrefrig.2018.05.023>
- Wahua, C., & Olaleye, S. M. (2013). Comparative taxonomic studies on *Solanum aethiopicum* Linn. and *Solanum nigrum* Linn. (Solanaceae). *Greener Journal of Agricultural Sciences*, 3(12), 849–855. <https://doi.org/10.15580/GJAS.2013.3.111713966>
- Wang, Y., Liu, L., & Wei, Y. (2025). The influence of consumption purpose on consumer preferences for fruit attributes: the moderating effect of color perception. *Foods*, 14(11), 1902. <https://doi.org/10.3390/FOODS14111902>
- Ward, G. (2016). Modified Atmosphere Packaging for extending storage life of fresh fruits and vegetables. In *Reference Module in Food Science*. Elsevier. <https://doi.org/10.1016/b978-0-08-100596-5.03167-x>
- Wati, R. Y. (2018). Pengaruh pemanasan media PCA berulang terhadap uji TPC di Laboratorium Mikrobiologi Teknologi Hasil Pertanian Unand. *Jurnal TEMAPELA*, 1(2), 44–47. <https://doi.org/10.25077/temapela.1.2.44-47.2018>
- Wifek, M., Saeed, A., Rehman, R., & Nisar, S. (2016). Lemongrass: a review on its botany, properties, applications and active components. *Ijcbs*, 9(January), 79–84. www.iscientific.org/Journal.html
- Wills, R. B. H., & Golding, J. (2016). Advances in postharvest fruit and vegetable technology. *Advances in Postharvest Fruit and Vegetable Technology*, 1–368. <https://doi.org/10.1201/b18489>
- Wills, R. B. H., Harris, D. R., Spohr, L. J., & Golding, J. B. (2014). Reduction of energy usage during storage and transport of bananas by management of exogenous ethylene levels. *Postharvest Biology and Technology*, 89, 7–10. <https://doi.org/10.1016/j.postharvbio.2013.11.002>

- Wills, R. B. H., WB, M., D, G., & DC, J. (2007). *Extending postharvest life of green chilli pepper fruits with Modified Atmosphere Packaging* | Semantic Scholar. University of New South Wales Press, Sydney. <https://www.semanticscholar.org/paper/Extending-Postharvest-Life-of-Green-Chilli-Pepper-Edusei-Ofosu-Anim/2b2426a18d38a810a0e4a501531e8d87f98bc4d4>
- Wulandari, S., Bey, Y., & Tindaon, K. D. (2012). Pengaruh jenis bahan pengemas dan lama penyimpanan terhadap kadar vitamin C dan susut berat cabai rawit (*Capsicum frutescens* L.). *J. Biogenesis*, 8(2), 23–30. <https://fkip.unri.ac.id/wp-content/uploads/2020/06/Pengaruh-Jenis-Bahan-Pengemas-Dan-Lama-Penyimpanan-Terhadap-Kadar-Vitamin-C-Dan-Susut-Berat-Cabai-Rawit-Capsicum-Frutescens-L-2.pdf>
- Yahia, E. M. (2018). Postharvest physiology and biochemistry of fruits and vegetables. *Postharvest Physiology and Biochemistry of Fruits and Vegetables*, 1–476. <https://doi.org/10.1016/C2016-0-04653-3>
- Yan, H., Wang, R., Ji, N., Li, J., Ma, C., Lei, J., Ba, L., Wen, G., & Long, X. (2022). Regulation of cell wall degradation and energy metabolism for maintaining shelf quality of blueberry by short-term 1-methylcyclopropene treatment. *Agronomy* 2023, Vol. 13, Page 46, 13(1), 46. <https://doi.org/10.3390/AGRONOMY13010046>
- Yuexin Yang. (2024). *The effect of temperature and packaging on the quality of fresh cucumbers during storage*. moz-extension://2a833eab-ccc6-4cec-a292-a6345df25001/enhanced-reader.html?openApp&pdf=https%3A%2F%2Fedepot.wur.nl%2F651066
- Zam, W., Ilyas, I., & Syatrawati, S. (2019). Penerapan teknologi pascapanen untuk meningkatkan nilai jual Cabai Di Tanatoraja. *Jurnal Dedikasi Masyarakat*, 2(2), 92. <https://doi.org/10.31850/jdm.v2i2.407>
- Zewdie, Y., & Bosland, P. W. (2001). Capsaicinoid profiles are not good chemotaxonomic indicators for *Capsicum* species. *Biochemical Systematics and Ecology*, 29(2), 161–169. [https://doi.org/10.1016/S0305-1978\(00\)00041-7](https://doi.org/10.1016/S0305-1978(00)00041-7)

- Zhang, W., Lin, M., Feng, X., Yao, Z., Wang, T., & Xu, C. (2022). Effect of lemon essential oil-enriched coating on the postharvest storage quality of citrus fruits. *Food Science and Technology (Brazil)*, 42, 1–9. <https://doi.org/10.1590/fst.125421>
- Zhang, W., Luo, Z., Wang, A., Gu, X., & Lv, Z. (2021). Kinetic models applied to quality change and shelf life prediction of kiwifruits. *LWT*, 138, 110610. <https://doi.org/10.1016/j.lwt.2020.110610>
- Zhang, Z., Mo, Z., Zhang, X., Wang, J., Li, J., Shi, H., Wang, P., & Lin, Z. (2022). The antifungal activity and action mechanism of lemongrass (*Cymbopogon flexuosus*) essential oil against *Fusarium avenaceum*. *Journal of Essential Oil-Bearing Plants*, 25(3), 536–547. <https://doi.org/10.1080/0972060X.2022.2090283>
- Zhao, Y., Li, L., Gao, S., Wang, S., Li, X., & Xiong, X. (2023). Postharvest storage properties and quality kinetic models of cherry tomatoes treated by high-voltage electrostatic fields. *LWT-Food Science and Technology*, 176, 114497. <https://doi.org/10.1016/j.lwt.2023.114497>