

DAFTAR PUSTAKA

- Aina, V., Bergandi, L., Lusvardi, G., Malavasi, G., Imrie, F. E., Gibson, I. R., Cerrato, G., & Ghigo, D. (2013). Sr-containing hydroxyapatite: Morphologies of HA crystals and bioactivity on osteoblast cells. *Materials Science and Engineering C*, 33(3), 1132–1142. <https://doi.org/10.1016/j.msec.2012.12.005>
- Alashkar, A. N. T., Hayashi, K., & Ishikawa, K. (2024). Lamellar septa-like structured carbonate apatite scaffolds with layer-by-layer fracture behavior for bone regeneration. *Biomimetics*, 9(2), 112. <https://doi.org/10.3390/biomimetics9020112>
- Alonso, J., Barandiarán, J. M., Fernández Barquín, L., & García-Arribas, A. (2018). Magnetic nanoparticles, synthesis, properties, and applications. In *Magnetic Nanostructured Materials* (pp. 1–40). Elsevier. <https://doi.org/10.1016/B978-0-12-813904-2.00001-2>
- Alwi, D., Muhammad, S. Hi., & Tae, I. (2020). Karakteristik morfologi dan indeks ekologi bulu babi (Echinoidea) di perairan Desa Wawama Kabupaten Pulau Morotai. *Jurnal Sumberdaya Akuatik Indo-Pasifik*, 4(1), 23. <https://doi.org/10.46252/jsai-fpik-unipa.2020.Vol.4.No.1.95>
- Ando, A., Kamikura, M., Takeoka, Y., Rikukawa, M., Nakano, K., Nagaya, M., Nagashima, H., & Aizawa, M. (2021). Bioresorbable porous β -tricalcium phosphate chelate-setting cements with poly(lactic-co-glycolic acid) particles as pore-forming agent: fabrication, material properties, cytotoxicity, and in vivo evaluation. *Science and Technology of Advanced Materials*, 22(1), 511–521. <https://doi.org/10.1080/14686996.2021.1936628>
- Baker, M. I., Walsh, S. P., Schwartz, Z., & Boyan, B. D. (2012). A review of polyvinyl alcohol and its uses in cartilage and orthopedic applications. *Journal of Biomedical Materials Research Part B: Applied Biomaterials*, 100B(5), 1451–1457. <https://doi.org/10.1002/jbm.b.32694>
- Balakrishnan, S., Padmanabhan, V. P., Kulandaivelu, R., Sankara Narayanan Nellaiappan, T. S., Sagadevan, S., Paiman, S., Mohammad, F., Al-Lohedan, H. A., Obulapuram, P. K., & Oh, W. C. (2021). Influence of iron doping towards the physicochemical and biological characteristics of hydroxyapatite. *Ceramics International*, 47(4), 5061–5070. <https://doi.org/10.1016/j.ceramint.2020.10.084>
- Balouiri, M., Sadiki, M., & Ibsouda, S. K. (2016). Methods for in vitro evaluating antimicrobial activity: A review. *Journal of Pharmaceutical Analysis*, 6(2), 71–79. <https://doi.org/10.1016/j.jpha.2015.11.005>

- Baradaran, T., Shafiei, S. S., Mohammadi, S., & Moztafzadeh, F. (2020). Poly(ϵ -caprolactone)/layered double hydroxide microspheres-aggregated nanocomposite scaffold for osteogenic differentiation of mesenchymal stem cell. *Materials Today Communications*, 23, 100913. <https://doi.org/10.1016/j.mtcomm.2020.100913>
- Bazgir, M., Zhang, W., Zhang, X., Elies, J., Saeinasab, M., Coates, P., Youseffi, M., & Sefat, F. (2021). Degradation and characterisation of electrospun polycaprolactone (PCL) and poly(lactic-co-glycolic acid) (PLGA) scaffolds for vascular tissue engineering. *Materials*, 14(17), 4773. <https://doi.org/10.3390/ma14174773>
- Bhuvaneshwari, V., & Sonia, S. (2025). High crystalline biocompatible hydroxyapatite derived from biowaste of turkey for efficient photodegradation of congo red and its cytotoxic response towards HEPG2 cell line. *Journal of the Australian Ceramic Society*. <https://doi.org/10.1007/s41779-025-01270-4>
- Bohner, M., Santoni, B. L. G., & Döbelin, N. (2020). β -tricalcium phosphate for bone substitution: Synthesis and properties. *Acta Biomaterialia*, 113, 23–41. <https://doi.org/10.1016/j.actbio.2020.06.022>
- Brindell, M., Gurgul, I., Janczy-Cempa, E., Gajda-Morszewski, P., & Mazuryk, O. (2022). Moving Ru polypyridyl complexes beyond cytotoxic activity towards metastasis inhibition. *Journal of Inorganic Biochemistry*, 226, 111652. <https://doi.org/10.1016/j.jinorgbio.2021.111652>
- Bunaciu, A. A., Udriștioiu, E. gabriela, & Aboul-Enein, H. Y. (2015). X-ray diffraction: Instrumentation and applications. *Critical Reviews in Analytical Chemistry*, 45(4), 289–299. <https://doi.org/10.1080/10408347.2014.949616>
- Cao, L., Li, X., Zhou, X., Li, Y., Vecchio, K. S., Yang, L., Cui, W., Yang, R., Zhu, Y., Guo, Z., & Zhang, X. (2017). Lightweight open-cell scaffolds from sea urchin spines with superior material properties for bone defect repair. *ACS Applied Materials and Interfaces*, 9(11), 9862–9870. <https://doi.org/10.1021/acsami.7b01645>
- Cheah, C. W., Al-Namnam, N. M., Lau, M. N., Lim, G. S., Raman, R., Fairbairn, P., & Ngeow, W. C. (2021). Synthetic material for bone, periodontal, and dental tissue regeneration: Where are we now, and where are we heading next? *Materials*, 14(20). <https://doi.org/10.3390/ma14206123>
- Chen, P., Liu, L., Pan, J., Mei, J., Li, C., & Zheng, Y. (2019). Biomimetic composite scaffold of hydroxyapatite/gelatin-chitosan core-shell nanofibers for bone tissue engineering. *Materials Science and Engineering C*, 97, 325–335. <https://doi.org/10.1016/j.msec.2018.12.027>

- Chen, W., Yu, H., Liu, Y., Chen, P., Zhang, M., & Hai, Y. (2011). Individualization of cellulose nanofibers from wood using high-intensity ultrasonication combined with chemical pretreatments. *Carbohydrate Polymers*, 83(4), 1804–1811. <https://doi.org/10.1016/j.carbpol.2010.10.040>
- Chen, X., Wang, L., Zhao, K., & Wang, H. (2018). Osteocytogenesis: Roles of physicochemical factors, collagen cleavage, and exogenous molecules. *Tissue Engineering - Part B: Reviews*, 24(3), 215–225. <https://doi.org/10.1089/ten.teb.2017.0378>
- Cichoń, E., Kosowska, K., Pańtak, P., Czechowska, J. P., Zima, A., & Ślósarczyk, A. (2024). Physicochemical properties of inorganic and hybrid hydroxyapatite-based granules modified with citric acid or polyethylene glycol. *Molecules*, 29(9), 2018. <https://doi.org/10.3390/molecules29092018>
- Cölfen, H. (2010). A crystal-clear view. *Nature Materials*, 9(12), 960–961. <https://doi.org/10.1038/nmat2911>
- da Costa Correia, V., Ardanuy, M., Claramunt, J., & Savastano, H. (2019). Assessment of chemical and mechanical behavior of bamboo pulp and nanofibrillated cellulose exposed to alkaline environments. *Cellulose*, 26(17), 9269–9285. <https://doi.org/10.1007/s10570-019-02703-7>
- Darus, F., Jaafar, M., & Ahmad, N. (2019). Preparation of carbonate apatite scaffolds using different carbonate solution and soaking time. *Processing and Application of Ceramics*, 13(2), 139–148. <https://doi.org/10.2298/PAC1902139D>
- de Oliveira Santos, R. P., Hao, J., Daniel de Mello Innocentini, M., Frollini, E., Savastano Junior, H., & Rutledge, G. C. (2023). Composite electrospun membranes based on polyacrylonitrile and cellulose nanofibrils: Relevant properties for their use as active filter layers. *Separation and Purification Technology*, 311(225), 123358. <https://doi.org/10.1016/j.seppur.2023.123358>
- De Witte, T.-M., Fratila-Apachitei, L. E., Zadpoor, A. A., & Peppas, N. A. (2018). Bone tissue engineering via growth factor delivery: from scaffolds to complex matrices. *Regenerative Biomaterials*, 5(4), 197–211. <https://doi.org/10.1093/rb/rby013>
- Deguchi, K., Nomura, S., Tsuchiya, A., Takahashi, I., & Ishikawa, K. (2022). Effects of the carbonate content in carbonate apatite on bone replacement. *Journal of Tissue Engineering and Regenerative Medicine*, 16(2), 200–206. <https://doi.org/10.1002/term.3270>
- Demontiero, O., Vidal, C., & Duque, G. (2012). Aging and bone loss: New insights for the clinician. *Therapeutic Advances in Musculoskeletal Disease*, 4(2), 61–76. <https://doi.org/10.1177/1759720X11430858>

- Denkbaş, E. B., Çelik, E., Erdal, E., Kavaz, D., Akbal, Ö., Kara, G., & Bayram, C. (2016). Magnetically based nanocarriers in drug delivery. In *Nanobiomaterials in Drug Delivery* (pp. 285–331). Elsevier. <https://doi.org/10.1016/B978-0-323-42866-8.00009-5>
- Deville, S., Saiz, E., & Tomsia, A. P. (2006). Freeze casting of hydroxyapatite scaffolds for bone tissue engineering. *Biomaterials*, 27(32), 5480–5489. <https://doi.org/10.1016/j.biomaterials.2006.06.028>
- Dorozhkin, S. V. (2016). Calcium orthophosphates (CaPO₄): Occurrence and properties. *Progress in Biomaterials*, 5(1), 9–70. <https://doi.org/10.1007/s40204-015-0045-z>
- Drozdov, A. L., Sharmankina, V. V., Zemnukhova, L. A., & Polyakova, N. V. (2016). Chemical composition of spines and tests of sea urchins. *Biology Bulletin*, 43(6), 521–531. <https://doi.org/10.1134/S1062359016060078>
- Dwivedi, R., Kumar, S., Pandey, R., Mahajan, A., Nandana, D., Katti, D. S., & Mehrotra, D. (2020). Polycaprolactone as biomaterial for bone scaffolds: Review of literature. *Journal of Oral Biology and Craniofacial Research*, 10(1), 381–388. <https://doi.org/10.1016/j.jobcr.2019.10.003>
- Ebrahimi, Z., Irani, S., Ardeshirylajimi, A., & Seyedjafari, E. (2022). Enhanced osteogenic differentiation of stem cells by 3D printed PCL scaffolds coated with collagen and hydroxyapatite. *Scientific Reports*, 12(1), 12359. <https://doi.org/10.1038/s41598-022-15602-y>
- Elango, J., Zamora-Ledezma, C., Alexis, F., Wu, W., & Maté-Sánchez de Val, J. E. (2023). Protein adsorption, calcium-binding ability, and biocompatibility of silver nanoparticle-loaded polyvinyl alcohol (PVA) hydrogels using bone marrow-derived mesenchymal stem cells. *Pharmaceutics*, 15(7), 1843. <https://doi.org/10.3390/pharmaceutics15071843>
- Elsheikh, M., Kishida, R., Hayashi, K., Tsuchiya, A., Shimabukuro, M., & Ishikawa, K. (2022). Effects of pore interconnectivity on bone regeneration in carbonate apatite blocks. *Regenerative Biomaterials*, 9. <https://doi.org/10.1093/rb/rbac010>
- Emadi, H., Karevan, M., Masoudi Rad, M., Sadeghzade, S., Pahlevanzadeh, F., Khodaei, M., Khayatzaeh, S., & Lotfian, S. (2023). Bioactive and biodegradable polycaprolactone-based nanocomposite for bone repair applications. *Polymers*, 15(17), 3617. <https://doi.org/10.3390/polym15173617>
- Ezekiel, I., Kasim, S. R., Ismail, Y. M. B., & Noor, A. F. M. (2018). Nanoemulsion synthesis of carbonated hydroxyapatite nanopowders: Effect of variant CO₃²⁻/PO₄³⁻ molar ratios on phase, morphology, and bioactivity. *Ceramics*

International, 44(11), 13082–13089.
<https://doi.org/10.1016/j.ceramint.2018.04.128>

Fan, L., Cai, Z., Zhao, J., Wang, X., & Li, J. L. (2023). Facile in situ assembly of nanofibers within three-dimensional porous matrices with arbitrary characteristics for creating biomimetic architectures. *Nano Letters*, 23(18), 8602–8609. <https://doi.org/10.1021/acs.nanolett.3c02440>

Farha, M. A., French, S., Stokes, J. M., & Brown, E. D. (2018). Bicarbonate alters bacterial susceptibility to antibiotics by targeting the proton motive force. *ACS Infectious Diseases*, 4(3), 382–390. <https://doi.org/10.1021/acsinfecdis.7b00194>

Fei, Y., Xiao, L., Doetschman, T., Coffin, D. J., & Hurley, M. M. (2011). Fibroblast growth factor 2 stimulation of osteoblast differentiation and bone formation is mediated by modulation of the Wnt signaling pathway. *Journal of Biological Chemistry*, 286(47), 40575–40583. <https://doi.org/10.1074/jbc.M111.274910>

Feng, B., Chen, J., & Zhang, X. (2002). Interaction of calcium and phosphate in apatite coating on titanium with serum albumin. *Biomaterials*, 23(12), 2499–2507. [https://doi.org/10.1016/S0142-9612\(01\)00384-2](https://doi.org/10.1016/S0142-9612(01)00384-2)

Feng, P., Zhao, R., Yang, L., Chen, S., Wang, D., Pan, H., & Shuai, C. (2022). Hydrothermal synthesis of hydroxyapatite nanorods and their use in PCL bone scaffold. *Ceramics International*, 48(22), 33682–33692. <https://doi.org/10.1016/j.ceramint.2022.07.314>

Feng, X., Dai, H., Yu, Y., Wei, Y., Tan, H., Tang, M., Ma, L., & Zhang, Y. (2022). Adjusting the interfacial property and emulsifying property of cellulose nanofibrils by ultrasonic treatment combined with gelatin addition. *Food Hydrocolloids*, 133(2), 107905. <https://doi.org/10.1016/j.foodhyd.2022.107905>

Filip, D. G., Surdu, V. A., Paduraru, A. V., & Andronescu, E. (2022). Current development in biomaterials—Hydroxyapatite and bioglass for applications in biomedical field: A review. *Journal of Functional Biomaterials*, 13(4). <https://doi.org/10.3390/jfb13040248>

Firmanda, A., Syamsu, K., Sari, Y. W., Cabral, J., Pletzer, D., Mahadik, B., Fisher, J., & Fahma, F. (2022). 3D printed cellulose based product applications. *Materials Chemistry Frontiers*, 6(3), 254–279. <https://doi.org/10.1039/D1QM00390A>

Friedl, P., & Gilmour, D. (2009). Collective cell migration in morphogenesis, regeneration and cancer. *Nature Reviews Molecular Cell Biology*, 10(7), 445–457. <https://doi.org/10.1038/nrm2720>

- Fu, Q., Rahaman, M. N., Dogan, F., & Bal, B. S. (2008). Freeze-cast hydroxyapatite scaffolds for bone tissue engineering applications. *Biomedical Materials*, 3(2), 025005. <https://doi.org/10.1088/1748-6041/3/2/025005>
- Fultz, B., & Howe, J. (2013). Diffraction and the X-ray powder diffractometer. In *Transmission Electron Microscopy and Diffractometry of Materials* (4th ed., pp. 1–57). Springer Berlin Heidelberg. <https://doi.org/10.1007/978-3-642-29761-8>
- Gehlen, D. B., Jürgens, N., Omidinia-Anarkoli, A., Haraszti, T., George, J., Walther, A., Ye, H., & De Laporte, L. (2020). Granular cellulose nanofibril hydrogel scaffolds for 3D cell cultivation. *Macromolecular Rapid Communications*, 41(18), 2000191. <https://doi.org/10.1002/marc.202000191>
- Ghanaati, S., Barbeck, M., Detsch, R., Deisinger, U., Hilbig, U., Rausch, V., Sader, R., Unger, R. E., Ziegler, G., & Kirkpatrick, C. J. (2012). The chemical composition of synthetic bone substitutes influences tissue reactions in vivo: histological and histomorphometrical analysis of the cellular inflammatory response to hydroxyapatite, beta-tricalcium phosphate and biphasic calcium phosphate ceramics. *Biomedical Materials*, 7(1), 015005. <https://doi.org/10.1088/1748-6041/7/1/015005>
- Hagbin, M., Esmailzadeh, J., & Kahrobaee, S. (2020). Freeze dried biodegradable polycaprolactone/chitosan/gelatin porous scaffolds for bone substitute applications. *Macromolecular Research*, 28(S1), 1232–1240. <https://doi.org/10.1007/s13233-020-8170-5>
- Hamidabadi, H. G., Rezvani, Z., Nazm Bojnordi, M., Shirinzadeh, H., Seifalian, A. M., Joghataei, M. T., Razaghpour, M., Alibakhshi, A., Yazdanpanah, A., Salimi, M., Mozafari, M., Urbanska, A. M., Reis, R. L., Kundu, S. C., & Gholipourmalekabadi, M. (2017). Chitosan-intercalated montmorillonite/poly(vinyl alcohol) nanofibers as a platform to guide neuronlike differentiation of human dental pulp stem cells. *ACS Applied Materials and Interfaces*, 9(13), 11392–11404. <https://doi.org/10.1021/acsami.6b14283>
- Hassanjili, S., Karami-Pour, A., Oryan, A., & Talaei-Khozani, T. (2019). Preparation and characterization of PLA/PCL/HA composite scaffolds using indirect 3D printing for bone tissue engineering. *Materials Science and Engineering: C*, 104, 109960. <https://doi.org/10.1016/j.msec.2019.109960>
- Hayashi, K., & Ishikawa, K. (2021). Honeycomb scaffolds fabricated using extrusion molding and the sphere-packing theory for bone regeneration. *ACS Applied Bio Materials*, 4(1), 721–730. <https://doi.org/10.1021/acsabm.0c01279>

- Hayashi, K., Kishida, R., Tsuchiya, A., & Ishikawa, K. (2024). Transformable carbonate apatite chains as a novel type of bone graft. *Advanced Healthcare Materials*. <https://doi.org/10.1002/adhm.202303245>
- Hayashi, K., Munar, M. L., & Ishikawa, K. (2020). Effects of macropore size in carbonate apatite honeycomb scaffolds on bone regeneration. *Materials Science and Engineering: C*, *111*, 110848. <https://doi.org/10.1016/j.msec.2020.110848>
- Hayashi, K., Yanagisawa, T., Kishida, R., & Ishikawa, K. (2022). Effects of scaffold shape on bone regeneration: Tiny shape differences affect the entire system. *ACS Nano*, *16*(8), 11755–11768. <https://doi.org/10.1021/acsnano.2c03776>
- Hayrapetyan, A., Bongio, M., Leeuwenburgh, S. C. G., Jansen, J. A., & van den Beucken, J. J. P. (2016). Effect of nano-HA/collagen composite hydrogels on osteogenic behavior of mesenchymal stromal cells. *Stem Cell Reviews and Reports*, *12*(3), 352–364. <https://doi.org/10.1007/s12015-016-9644-x>
- He, J., Sun, Y., Gao, Q., He, C., Yao, K., Wang, T., Xie, M., Yu, K., Nie, J., Chen, Y., & He, Y. (2023). Gelatin methacryloyl hydrogel, from standardization, performance, to biomedical application. *Advanced Healthcare Materials*, *12*(23), e2300395. <https://doi.org/10.1002/adhm.202300395>
- He, S., Zhu, J., Jing, Y., Long, S., Tang, L., Cheng, L., & Shi, Z. (2024). Effect of 3D-printed porous titanium alloy pore structure on bone regeneration: A review. *Coatings*, *14*(3), 253. <https://doi.org/10.3390/coatings14030253>
- Heydari, Z., Mohebbi-Kalhari, D., & Afarani, M. S. (2017). Engineered electrospun polycaprolactone (PCL)/octacalcium phosphate (OCP) scaffold for bone tissue engineering. *Materials Science and Engineering: C*, *81*(June), 127–132. <https://doi.org/10.1016/j.msec.2017.07.041>
- Hofstee, M. I., Muthukrishnan, G., Atkins, G. J., Riool, M., Thompson, K., Morgenstern, M., Stoddart, M. J., Richards, R. G., Zaat, S. A. J., & Moriarty, T. F. (2020). Current concepts of osteomyelitis: From pathologic mechanisms to advanced research methods. *The American Journal of Pathology*, *190*(6), 1151–1163. <https://doi.org/10.1016/j.ajpath.2020.02.007>
- Huang, X., Wang, L., Zhang, J., Du, X., Wu, S., Wang, H., & Wei, X. (2020). A novel ϵ -polylysine-modified microcrystalline cellulose based antibacterial hydrogel for removal of heavy metal. *International Journal of Biological Macromolecules*, *163*, 1915–1925. <https://doi.org/10.1016/j.ijbiomac.2020.09.047>
- Huerta, R. R., Silva, E. K., Ekaette, I., El-Bialy, T., & Saldaña, M. D. A. (2020). High-intensity ultrasound-assisted formation of cellulose nanofiber scaffold

with low and high lignin content and their cytocompatibility with gingival fibroblast cells. *Ultrasonics Sonochemistry*, 64(July 2019), 104759. <https://doi.org/10.1016/j.ultsonch.2019.104759>

Ielo, I., Calabrese, G., De Luca, G., & Conoci, S. (2022). Recent advances in hydroxyapatite-based biocomposites for bone tissue regeneration in orthopedics. *International Journal of Molecular Sciences*, 23(17). <https://doi.org/10.3390/ijms23179721>

Im, K., Mareninov, S., Diaz, M. F. P., & Yong, W. H. (2019). An introduction to performing immunofluorescence staining. In W. H. Yong (Ed.), *Biobanking* (1st ed., pp. 299–311). Humana New York, NY. https://doi.org/10.1007/978-1-4939-8935-5_26

International Organization for Standardization (ISO) 10993-5:2009. (2009). *Biological Evaluation of Medical Devices—Part 5: Tests for In Vitro Cytotoxicity*. <https://www.iso.org/standard/36406.html>

Ishak, N. A. M., Khalil, I., Abdullah, F. Z., & Julkapli, N. M. (2020). A correlation on ultrasonication with nanocrystalline cellulose characteristics. *Carbohydrate Polymers*, 246(January), 116553. <https://doi.org/10.1016/j.carbpol.2020.116553>

Jamilludin, M. A., Dinatha, I. K. H., Supii, A. I., Partini, J., Kusindarta, D. L., & Yusuf, Y. (2023a). Chemical and morphological analysis of calcium oxide (CaO) powder from sea urchin (*Diadema setosum*) shell. *Engineering Chemistry*, 3, 37–43. <https://doi.org/10.4028/p-497n8w>

Jamilludin, M. A., Dinatha, I. K. H., Supii, A. I., Partini, J., Kusindarta, D. L., & Yusuf, Y. (2023b). Functionalized cellulose nanofibrils in carbonate-substituted hydroxyapatite nanorod-based scaffold from long-spined sea urchin (*Diadema setosum*) shells reinforced with polyvinyl alcohol for alveolar bone tissue engineering. *RSC Advances*, 13(46), 32444–32456. <https://doi.org/10.1039/D3RA06165E>

Jamilludin, M. A., Partini, J., Kusindarta, D. L., & Yusuf, Y. (2024). Fabrication of antibacterial bone scaffold based on carbonate-substituted hydroxyapatite containing magnesium from black sea urchin (*Arbacia lixula*) shells reinforced with polyvinyl alcohol and gelatin. *Results in Materials*, 22, 100580. <https://doi.org/10.1016/j.rinma.2024.100580>

Januariyasa, I. K., Ana, I. D., & Yusuf, Y. (2020). Nanofibrous poly(vinyl alcohol)/chitosan contained carbonated hydroxyapatite nanoparticles scaffold for bone tissue engineering. *Materials Science and Engineering: C*, 107, 110347. <https://doi.org/10.1016/j.msec.2019.110347>

- Jay, E. E., Michie, E. M., Parfitt, D., Rushton, M. J. D., Fong, S. K., Mallinson, P. M., Metcalfe, B. L., & Grimes, R. W. (2010). Predicted energies and structures of β -Ca₃(PO₄)₂. *Journal of Solid State Chemistry*, 183(10), 2261–2267. <https://doi.org/10.1016/j.jssc.2010.08.008>
- Jeyachandran, D., & Cerruti, M. (2023). Glass, ceramic, polymeric, and composite scaffolds with multiscale porosity for bone tissue engineering. *Advanced Engineering Materials*, 25(17), 2201743. <https://doi.org/10.1002/adem.202201743>
- Jin, P., Liu, L., Cheng, L., Chen, X., Xi, S., & Jiang, T. (2023). Calcium-to-phosphorus releasing ratio affects osteoinductivity and osteoconductivity of calcium phosphate bioceramics in bone tissue engineering. *BioMedical Engineering OnLine*, 22(1), 12. <https://doi.org/10.1186/s12938-023-01067-1>
- Jin, X., Chen, X., Cheng, Y., Wang, L., Hu, B., & Tan, J. (2015). Effects of hydrothermal temperature and time on hydrothermal synthesis of colloidal hydroxyapatite nanorods in the presence of sodium citrate. *Journal of Colloid and Interface Science*, 450, 151–158. <https://doi.org/10.1016/j.jcis.2015.03.010>
- Kajander, K., Sirkiä, S. V., Vallittu, P. K., Heino, T. J., & Määttä, J. A. (2023). Bioactive glasses promote rapid pre-osteoblastic cell migration in contrast to hydroxyapatite, while carbonated apatite shows migration inhibiting properties. *Scientific Reports*, 13(1), 20587. <https://doi.org/10.1038/s41598-023-47883-2>
- Kalfas, I. H. (2001). Principles of bone healing. *Neurosurgical Focus*, 10(4), 1–4. <https://doi.org/10.3171/foc.2001.10.4.2>
- Kamiloglu, S., Sari, G., Ozdal, T., & Capanoglu, E. (2020). Guidelines for cell viability assays. *Food Frontiers*, 1(3), 332–349. <https://doi.org/10.1002/fft2.44>
- Karunakaran, G., Cho, E. B., Kumar, G. S., Kolesnikov, E., Janarthanan, G., Pillai, M. M., Rajendran, S., Boobalan, S., Sudha, K. G., & Rajeshkumar, M. P. (2020). Mesoporous Mg-doped hydroxyapatite nanorods prepared from bio-waste blue mussel shells for implant applications. *Ceramics International*, 46(18), 28514–28527. <https://doi.org/10.1016/j.ceramint.2020.08.009>
- Khalili, A., & Ahmad, M. (2015). A review of cell adhesion studies for biomedical and biological applications. *International Journal of Molecular Sciences*, 16(8), 18149–18184. <https://doi.org/10.3390/ijms160818149>
- Khan, S. A., Khan, S. B., Khan, L. U., Farooq, A., Akhtar, K., & Asiri, A. M. (2018). Fourier transform infrared spectroscopy: Fundamentals and application in functional groups and nanomaterials characterization. In

Handbook of Materials Characterization (pp. 317–344). Springer International Publishing. https://doi.org/10.1007/978-3-319-92955-2_9

- Kim, B.-S., Kang, H. J., Yang, S.-S., & Lee, J. (2014). Comparison of in vitro and in vivo bioactivity: cuttlefish-bone-derived hydroxyapatite and synthetic hydroxyapatite granules as a bone graft substitute. *Biomedical Materials*, *9*(2), 025004. <https://doi.org/10.1088/1748-6041/9/2/025004>
- Kim, T.-W., Park, Y. M., Kim, D. H., Jin, H. H., Shin, K. K., Jung, J. S., Park, H. C., & Yoon, S. Y. (2012). In situ formation of biphasic calcium phosphates and their biological performance in vivo. *Ceramics International*, *38*(3), 1965–1974. <https://doi.org/10.1016/j.ceramint.2011.10.029>
- Kokubo, T., & Takadama, H. (2006). How useful is SBF in predicting in vivo bone bioactivity? *Biomaterials*, *27*(15), 2907–2915. <https://doi.org/10.1016/j.biomaterials.2006.01.017>
- Kolli, A. R. (2023). Deriving protein binding-corrected chemical concentrations for in vitro testing. *Clinical and Translational Science*, *16*(11), 2123–2129. <https://doi.org/10.1111/cts.13616>
- Kołodziejska, B., Kaflak, A., & Kolmas, J. (2020). Biologically inspired collagen/apatite composite biomaterials for potential use in bone tissue regeneration-A review. *Materials*, *13*(7). <https://doi.org/10.3390/ma13071748>
- Koutsopoulos, S. (2002). Synthesis and characterization of hydroxyapatite crystals: A review study on the analytical methods. *Journal of Biomedical Materials Research Part A*, *62*(4), 600–612. <https://doi.org/10.1002/jbm.10280>
- Kushioka, J., Chow, S. K. H., Toya, M., Tsubosaka, M., Shen, H., Gao, Q., Li, X., Zhang, N., & Goodman, S. B. (2023). Bone regeneration in inflammation with aging and cell-based immunomodulatory therapy. *Inflammation and Regeneration*, *43*(1). <https://doi.org/10.1186/s41232-023-00279-1>
- Lafon, J. P., Champion, E., & Bernache-Assollant, D. (2008). Processing of AB-type carbonated hydroxyapatite $\text{Ca}_{10-x}(\text{PO}_4)_6-x(\text{CO}_3)_x(\text{OH})_{2-x-2y}(\text{CO}_3)_y$ ceramics with controlled composition. *Journal of the European Ceramic Society*, *28*(1), 139–147. <https://doi.org/10.1016/j.jeurceramsoc.2007.06.009>
- Laskus, A., & Kolmas, J. (2017). Ionic substitutions in non-apatitic calcium phosphates. *International Journal of Molecular Sciences*, *18*(12), 2542. <https://doi.org/10.3390/ijms18122542>
- Lee, J. soo, Kim, Y. S., Lee, K. soo, Kang, Y. M., Lim, Y. W., Jang, J. W., & Kim, M. S. (2023). Development of injectable demineralized-bone and hydroxyapatite-nanoparticle composites as a bone graft material for effective

healing of rat calvarial defect. *Materials Today Communications*, 37. <https://doi.org/10.1016/j.mtcomm.2023.107237>

Lett, J. A., Sagadevan, S., Fatimah, I., Hoque, M. E., Lokanathan, Y., Léonard, E., Alshahateet, S. F., Schirhagl, R., & Oh, W. C. (2021). Recent advances in natural polymer-based hydroxyapatite scaffolds: Properties and applications. *European Polymer Journal*, 148, 110360. <https://doi.org/10.1016/j.eurpolymj.2021.110360>

Li, X., Song, T., Chen, X., Wang, M., Yang, X., Xiao, Y., & Zhang, X. (2019). Osteoinductivity of porous biphasic calcium phosphate ceramic spheres with nanocrystalline and their efficacy in guiding bone regeneration. *ACS Applied Materials and Interfaces*, 11(4), 3722–3736. <https://doi.org/10.1021/acsami.8b18525>

Liu, S., Li, D., Chen, X., & Jiang, L. (2022). Biomimetic cuttlebone polyvinyl alcohol/carbon nanotubes/hydroxyapatite aerogel scaffolds enhanced bone regeneration. *Colloids and Surfaces B: Biointerfaces*, 210(June 2021), 112221. <https://doi.org/10.1016/j.colsurfb.2021.112221>

Liu, X., Rahaman, M. N., & Fu, Q. (2013). Bone regeneration in strong porous bioactive glass (13-93) scaffolds with an oriented microstructure implanted in rat calvarial defects. *Acta Biomaterialia*, 9(1), 4889–4898. <https://doi.org/10.1016/j.actbio.2012.08.029>

Liu, Z.-S., Tang, S.-L., & Ai, Z.-L. (2003). Effects of hydroxyapatite nanoparticles on proliferation and apoptosis of human hepatoma BEL-7402 cells. *World Journal of Gastroenterology*, 9(9), 1968. <https://doi.org/10.3748/wjg.v9.i9.1968>

Ma, P., Wu, W., Wei, Y., Ren, L., Lin, S., & Wu, J. (2021). Biomimetic gelatin/chitosan/polyvinyl alcohol/nano-hydroxyapatite scaffolds for bone tissue engineering. *Materials and Design*, 207, 109865. <https://doi.org/10.1016/j.matdes.2021.109865>

Maspero, F. A., Ruffieux, K., Müller, B., & Wintermantel, E. (2002). Resorbable defect analog PLGA scaffolds using CO₂ as solvent: Structural characterization. *Journal of Biomedical Materials Research*, 62(1), 89–98. <https://doi.org/10.1002/jbm.10212>

Mawuntu, V. J., & Yusuf, Y. (2019). Porous structure engineering of bioceramic hydroxyapatite-based scaffolds using PVA, PVP, and PEO as polymeric porogens. *Journal of Asian Ceramic Societies*, 7(2), 161–169. <https://doi.org/10.1080/21870764.2019.1595927>

McMahon, G. (2007). *Analytical Instrumentation: A Guide to Laboratory, Portable and Miniaturized Instruments*. Wiley. <https://doi.org/10.1002/9780470518564>

- Merivaara, A., Zini, J., Koivunotko, E., Valkonen, S., Korhonen, O., Fernandes, F. M., & Yliperttula, M. (2021). Preservation of biomaterials and cells by freeze-drying: Change of paradigm. *Journal of Controlled Release*, *336*, 480–498. <https://doi.org/10.1016/j.jconrel.2021.06.042>
- Mestres, G., Espanol, M., Xia, W., Persson, C., Ginebra, M. P., & Ott, M. K. (2015). Inflammatory response to nano- And microstructured hydroxyapatite. *PLOS ONE*, *10*(4). <https://doi.org/10.1371/journal.pone.0120381>
- Migliorini, F., Cuzzo, F., Torsiello, E., Spiezia, F., Oliva, F., & Maffulli, N. (2021). Autologous bone grafting in trauma and orthopaedic surgery: An evidence-based narrative review. *Journal of Clinical Medicine*, *10*(19). <https://doi.org/10.3390/jcm10194347>
- Mocanu, A., Furtos, G., Rapuntean, S., Horovitz, O., Flore, C., Garbo, C., Danisteanu, A., Rapuntean, G., Prejmerean, C., & Tomoaia-Cotisel, M. (2014). Synthesis; characterization and antimicrobial effects of composites based on multi-substituted hydroxyapatite and silver nanoparticles. *Applied Surface Science*, *298*, 225–235. <https://doi.org/10.1016/j.apsusc.2014.01.166>
- Mohseni, E., Zalnezhad, E., & Bushroa, A. R. (2014). Comparative investigation on the adhesion of hydroxyapatite coating on Ti-6Al-4V implant: A review paper. *International Journal of Adhesion and Adhesives*, *48*, 238–257. <https://doi.org/10.1016/j.ijadhadh.2013.09.030>
- Mujtaba, M., Negi, A., King, A. W. T., Zare, M., & Kuncova-Kallio, J. (2023). Surface modifications of nanocellulose for drug delivery applications; a critical review. *Current Opinion in Biomedical Engineering*, *28*, 100475. <https://doi.org/10.1016/j.cobme.2023.100475>
- Nga, N. K., Thanh Tam, L. T., Ha, N. T., Hung Viet, P., & Huy, T. Q. (2020). Enhanced biomineralization and protein adsorption capacity of 3D chitosan/hydroxyapatite biomimetic scaffolds applied for bone-tissue engineering. *RSC Advances*, *10*(70), 43045–43057. <https://doi.org/10.1039/D0RA09432C>
- Nisa, A., Sari, M., & Yusuf, Y. (2022). Fabrication and characterization of HA-oyster shell based on biopolymer - propolis as an agent of dental enamel remineralization material. *Materials Research Express*, *9*, 115401. <https://doi.org/10.1088/2053-1591/aca31c>
- Oesef, K., Cranston, E. D., & Abdin, Y. (2024). Current advances in processing and modification of cellulose nanofibrils for high-performance composite applications. *Materials & Design*, *247*, 113417. <https://doi.org/10.1016/j.matdes.2024.113417>

- Ogose, A., Hotta, T., Kawashima, H., Kondo, N., Gu, W., Kamura, T., & Endo, N. (2005). Comparison of hydroxyapatite and beta tricalcium phosphate as bone substitutes after excision of bone tumors. *Journal of Biomedical Materials Research Part B: Applied Biomaterials*, 72B(1), 94–101. <https://doi.org/10.1002/jbm.b.30136>
- Ojansivu, M., Rashad, A., Ahlinder, A., Massera, J., Mishra, A., Syverud, K., Finne-Wistrand, A., Miettinen, S., & Mustafa, K. (2019). Wood-based nanocellulose and bioactive glass modified gelatin–alginate bioinks for 3D bioprinting of bone cells. *Biofabrication*, 11(3), 035010. <https://doi.org/10.1088/1758-5090/ab0692>
- Pandit, A., Indurkar, A., Locs, J., Haugen, H. J., & Loca, D. (2024). Calcium phosphates: A key to next-generation in vitro bone modeling. *Advanced Healthcare Materials*, 13(29), 2401307. <https://doi.org/10.1002/adhm.202401307>
- Patil, T. V., Patel, D. K., Dutta, S. D., Ganguly, K., Santra, T. S., & Lim, K. T. (2022). Nanocellulose, a versatile platform: From the delivery of active molecules to tissue engineering applications. *Bioactive Materials*, 9, 566–589. <https://doi.org/10.1016/j.bioactmat.2021.07.006>
- Pottathara, Y. B., Vuherer, T., Maver, U., & Kokol, V. (2021). Morphological, mechanical, and in-vitro bioactivity of gelatine/collagen/hydroxyapatite based scaffolds prepared by unidirectional freeze-casting. *Polymer Testing*, 102(May), 107308. <https://doi.org/10.1016/j.polymertesting.2021.107308>
- Poursamar, S. A., Azami, M., & Mozafari, M. (2011). Controllable synthesis and characterization of porous polyvinyl alcohol/hydroxyapatite nanocomposite scaffolds via an in situ colloidal technique. *Colloids and Surfaces B: Biointerfaces*, 84(2), 310–316. <https://doi.org/10.1016/j.colsurfb.2011.01.015>
- Prakasam, M., Silvain, J.-F., & Largeteau, A. (2021). Innovative high-pressure fabrication processes for porous biomaterials—A review. *Bioengineering*, 8(11), 170. <https://doi.org/10.3390/bioengineering8110170>
- Rashad, A., Grøndahl, M., Heggset, E. B., Mustafa, K., & Syverud, K. (2023). Responses of rat mesenchymal stromal cells to nanocellulose with different functional groups. *ACS Applied Bio Materials*, 6(3), 987–998. <https://doi.org/10.1021/acsabm.2c00794>
- Ressler, A., Zakeri, S., Dias, J., Hannula, M., Hyttinen, J., Ivanković, H., Ivanković, M., Miettinen, S., Schwentenwein, M., Levänen, E., & Frankberg, E. J. (2024). Vat photopolymerization of biomimetic bone scaffolds based on Mg, Sr, Zn-substituted hydroxyapatite: Effect of sintering temperature. *Ceramics*

International, 50(15), 27403–27415.
<https://doi.org/10.1016/j.ceramint.2024.05.038>

Rial, R., González-Durruthy, M., Liu, Z., & Ruso, J. M. (2021). Advanced materials based on nanosized hydroxyapatite. *Molecules*, 26(11), 3190.
<https://doi.org/10.3390/molecules26113190>

Rodrigues, A., Sena da Fonseca, B., Ferreira Pinto, A. P., Piçarra, S., & Montemor, M. F. (2022). Synthesis and application of hydroxyapatite nanorods for improving properties of stone consolidants. *Ceramics International*, 48(10), 14606–14617. <https://doi.org/10.1016/j.ceramint.2022.02.004>

Rojbani, H., Nyan, M., Ohya, K., & Kasugai, S. (2011). Evaluation of the osteoconductivity of α -tricalcium phosphate, β -tricalcium phosphate, and hydroxyapatite combined with or without simvastatin in rat calvarial defect. *Journal of Biomedical Materials Research Part A*, 98A(4), 488–498.
<https://doi.org/10.1002/jbm.a.33117>

Sadat-Shojai, M., Atai, M., Nodehi, A., & Khanlar, L. N. (2010). Hydroxyapatite nanorods as novel fillers for improving the properties of dental adhesives: Synthesis and application. *Dental Materials*, 26(5), 471–482.
<https://doi.org/10.1016/j.dental.2010.01.005>

Saini, S., Belgacem, M. N., & Bras, J. (2017). Effect of variable aminoalkyl chains on chemical grafting of cellulose nanofiber and their antimicrobial activity. *Materials Science and Engineering: C*, 75, 760–768.
<https://doi.org/10.1016/j.msec.2017.02.062>

Sánchez-Salcedo, S., Arcos, D., & Vallet-Regí, M. (2008). Upgrading calcium phosphate scaffolds for tissue engineering applications. *Key Engineering Materials*, 377, 19–42.
<https://doi.org/10.4028/www.scientific.net/KEM.377.19>

Sari, M., Hening, P., Chotimah, Ana, I. D., & Yusuf, Y. (2021a). Bioceramic hydroxyapatite-based scaffold with a porous structure using honeycomb as a natural polymeric Porogen for bone tissue engineering. *Biomaterials Research*, 25(1), 1–13. <https://doi.org/10.1186/s40824-021-00203-z>

Sari, M., Hening, P., Chotimah, Ana, I. D., & Yusuf, Y. (2021b). Porous structure of bioceramics carbonated hydroxyapatite-based honeycomb scaffold for bone tissue engineering. *Materials Today Communications*, 26, 102135.
<https://doi.org/10.1016/j.mtcomm.2021.102135>

Sartori, S., Silvestri, M., Forni, F., Icaro Cornaglia, A., Tesesi, P., & Cattaneo, V. (2003). Ten-year follow-up in a maxillary sinus augmentation using anorganic bovine bone (Bio-Oss). A case report with histomorphometric evaluation.

Clinical Oral Implants Research, 14(3), 369–372.
<https://doi.org/10.1034/j.1600-0501.2003.140316.x>

Schmidt, A. H. (2021). Autologous bone graft: Is it still the gold standard? *Injury*, 52(S2), S18–S22. <https://doi.org/10.1016/j.injury.2021.01.043>

Schmidt, D. R., Waldeck, H., & Kao, W. J. (2009). Protein adsorption to biomaterials. In *Biological Interactions on Materials Surfaces* (pp. 1–18). Springer US. https://doi.org/10.1007/978-0-387-98161-1_1

Schwalfenberg, G. K., & Genuis, S. J. (2017). The importance of magnesium in clinical healthcare. *Scientifica*, 2017(1), 1–14. <https://doi.org/10.1155/2017/4179326>

Seo, Y.-W., Park, J. Y., Lee, D. N., Jin, X., Cha, J. K., Paik, J. W., & Choi, S. H. (2022). Three-dimensionally printed biphasic calcium phosphate blocks with different pore diameters for regeneration in rabbit calvarial defects. *Biomaterials Research*, 26(1). <https://doi.org/10.1186/s40824-022-00271-9>

Shi, R., Hayashi, K., & Ishikawa, K. (2020). Rapid osseointegration bestowed by carbonate apatite coating of rough titanium. *Advanced Materials Interfaces*, 7(18), 2000636. <https://doi.org/10.1002/admi.202000636>

Shibahara, K., Hayashi, K., Nakashima, Y., & Ishikawa, K. (2022). Effects of channels and micropores in honeycomb scaffolds on the reconstruction of segmental bone defects. *Frontiers in Bioengineering and Biotechnology*, 10. <https://doi.org/10.3389/fbioe.2022.825831>

Shimabukuro, M., Hayashi, K., Kishida, R., Tsuchiya, A., & Ishikawa, K. (2022). Effects of carbonate ions in phosphate solution on the fabrication of carbonate apatite through a dissolution–precipitation reaction. *Ceramics International*, 48(1), 1032–1037. <https://doi.org/10.1016/j.ceramint.2021.09.188>

Singh, G., Jolly, S. S., & Singh, R. P. (2020). Investigation of surfactant role in synthesis of hydroxyapatite nanorods under microwave and hydrothermal conditions. *Materials Today: Proceedings*, 26(Part 2), 2701–2710. <https://doi.org/10.1016/j.matpr.2020.02.568>

Sisson, A. L., Ekinici, D., & Lendlein, A. (2013). The contemporary role of ϵ -caprolactone chemistry to create advanced polymer architectures. *Polymer*, 54(17), 4333–4350. <https://doi.org/10.1016/j.polymer.2013.04.045>

Smith, B. C. (2011). *Fundamentals of Fourier Transform Infrared Spectroscopy* (2th ed.). CRC Press. <https://doi.org/10.1201/b10777>

Sojka, J. E. (2009). Magnesium supplementation and osteoporosis. *Nutrition Reviews*, 53(3), 71–74. <https://doi.org/10.1111/j.1753-4887.1995.tb01505.x>

- Subramanian, K. S., Janavi, G. J., Marimuthu, S., Kannan, M., Raja, K., Haripriya, S., & Sharmita, D. J. S. Moorthy, P. S. (2018a). Scanning electron microscopy: Principle, components and applications. In M. Kannan (Ed.), *Fundamentals and Applications of Nanotechnology* (pp. 81–92). Daya Publishing House® A Division of Astral International Pvt. Ltd. New Delhi.
- Subramanian, K. S., Janavi, G. J., Marimuthu, S., Kannan, M., Raja, K., Haripriya, S., & Sharmita, D. J. S. Moorthy, P. S. (2018b). Transmission electron microscope: Principle, components and applications. In M. Kannan (Ed.), *Fundamentals and Applications of Nanotechnology* (pp. 93–102). Daya Publishing House® A Division of Astral International Pvt. Ltd. New Delhi.
- Tajvar, S., Hadjizadeh, A., & Samandari, S. S. (2023). Scaffold degradation in bone tissue engineering: An overview. *International Biodeterioration & Biodegradation*, *180*, 105599. <https://doi.org/10.1016/j.ibiod.2023.105599>
- Takagi, S., & Hasegawa, N. (2024). Potential of sea urchin *Mesocentrotus nudus* as a target catch species in the Pacific Ocean off Eastern Hokkaido, Japan. *Animals*, *14*(12), 1740. <https://doi.org/10.3390/ani14121740>
- Talal, A., Hamid, S. K., Khan, M., & Khan, A. S. (2020). Structure of biological apatite: Bone and tooth. In *Handbook of Ionic Substituted Hydroxyapatites* (pp. 1–19). Elsevier. <https://doi.org/10.1016/B978-0-08-102834-6.00001-X>
- Tanaka, K., Tsuchiya, A., Ogino, Y., Ayukawa, Y., & Ishikawa, K. (2022). Comparison of calcite and vaterite as precursors for CO₃Ap artificial bone fabrication through a dissolution–precipitation reaction. *Ceramics International*, *48*(18), 26425–26431. <https://doi.org/10.1016/j.ceramint.2022.05.336>
- Tavakolian, M., Jafari, S. M., & van de Ven, T. G. M. (2020). A review on surface-functionalized cellulosic nanostructures as biocompatible antibacterial materials. *Nano-Micro Letters*, *12*(1), 73. <https://doi.org/10.1007/s40820-020-0408-4>
- Tominaga, H., Ishiyama, M., Ohseto, F., Sasamoto, K., Hamamoto, T., Suzuki, K., & Watanabe, M. (1999). A water-soluble tetrazolium salt useful for colorimetric cell viability assay. *Analytical Communications*, *36*(2), 47–50. <https://doi.org/10.1039/a809656b>
- Trzaskowska, M., Vivcharenko, V., Benko, A., Franus, W., Goryczka, T., Barylski, A., Palka, K., & Przekora, A. (2024). Biocompatible nanocomposite hydroxyapatite-based granules with increased specific surface area and bioresorbability for bone regenerative medicine applications. *Scientific Reports*, *14*(1), 28137. <https://doi.org/10.1038/s41598-024-79822-0>

- Tsafnat, N., Fitz Gerald, J. D., Le, H. N., & Stachurski, Z. H. (2012). Micromechanics of sea urchin spines. *PLoS ONE*, *7*(9), e44140. <https://doi.org/10.1371/journal.pone.0044140>
- Tsuru, K., Yoshimoto, A., Kanazawa, M., Sugiura, Y., Nakashima, Y., & Ishikawa, K. (2017). Fabrication of carbonate apatite block through a dissolution-precipitation reaction using calcium hydrogen phosphate dihydrate block as a precursor. *Materials*, *10*(4). <https://doi.org/10.3390/ma10040374>
- Vecchio, K. S., Zhang, X., Massie, J. B., Wang, M., & Kim, C. W. (2007). Conversion of sea urchin spines to Mg-substituted tricalcium phosphate for bone implants. *Acta Biomaterialia*, *3*(5), 785–793. <https://doi.org/10.1016/j.actbio.2007.03.009>
- Wang, H., Qi, L. L., Shema, C., Jiang, K. Y., Ren, P., Wang, H., & Wang, L. (2024). Advances in the role and mechanism of fibroblasts in fracture healing. In *Frontiers in Endocrinology* (Vol. 15). Frontiers Media SA. <https://doi.org/10.3389/fendo.2024.1350958>
- Wang, Z., Shimabukuro, M., Kishida, R., Yokoi, T., & Kawashita, M. (2024). Effects of pH on the microarchitecture of carbonate apatite granules fabricated through a dissolution–precipitation reaction. *Frontiers in Bioengineering and Biotechnology*, *12*. <https://doi.org/10.3389/fbioe.2024.1396275>
- Williams, D. B., & Carter, C. B. (2009). *Transmission Electron Microscopy* (2th ed.). Springer US. <https://doi.org/10.1007/978-0-387-76501-3>
- Wu, C., McClements, D. J., He, M., Zheng, L., Tian, T., Teng, F., & Li, Y. (2021). Preparation and characterization of okara nanocellulose fabricated using sonication or high-pressure homogenization treatments. *Carbohydrate Polymers*, *255*(June 2020), 117364. <https://doi.org/10.1016/j.carbpol.2020.117364>
- Wulandewi, N. L. E., Subagio, J. N., & Wiryatno, J. (2015). Jenis dan densitas bulu babi (Echinoidea) di kawasan pantai Sanur dan Serangan Denpasar-Bali. *Jurnal Simbiosis*, *3*(1), 269–280.
- Xu, X., Liu, F., Jiang, L., Zhu, J. Y., Haagenson, D., & Wiesenborn, D. P. (2013). Cellulose nanocrystals vs. Cellulose nanofibrils: A comparative study on their microstructures and effects as polymer reinforcing agents. *ACS Applied Materials and Interfaces*, *5*(8), 2999–3009. <https://doi.org/10.1021/am302624t>
- Yang, J., Zhang, L., Wang, P., & Zhou, J. (2022). Cellulose nanofibers prepared from pulp through ultrasound treatment followed semi-dry esterification and their application for transparent and anti-fingerprint coating. *Progress in*

Organic Coatings, 167(March), 106844.
<https://doi.org/10.1016/j.porgcoat.2022.106844>

Yang, Z., Si, J., Cui, Z., Ye, J., Wang, X., Wang, Q., Peng, K., Chen, W., & Chen, S. C. (2017). Biomimetic composite scaffolds based on surface modification of polydopamine on electrospun poly(lactic acid)/cellulose nanofibrils. *Carbohydrate Polymers*, 174, 750–759.
<https://doi.org/10.1016/j.carbpol.2017.07.010>

Ye, J., Si, J., Cui, Z., Wang, Q., Peng, K., Chen, W., Peng, X., & Chen, S. (2017). Surface modification of electrospun TPU nanofiber scaffold with CNF particles by ultrasound-assisted technique for tissue engineering. *Macromolecular Materials and Engineering*, 302(11).
<https://doi.org/10.1002/mame.201700277>

Yu, F., Lian, R., Liu, L., Liu, T., Bi, C., Hong, K., Zhang, S., Ren, J., Wang, H., Ouyang, N., Du, L. J., Liu, Y., Zhou, L., Liu, Y., Fang, B., Li, Y., Duan, S. Z., & Xia, L. (2022). Biomimetic hydroxyapatite nanorods promote bone regeneration via accelerating osteogenesis of BMSCs through T Cell-Derived IL-22. *ACS Nano*, 16(1), 755–770. <https://doi.org/10.1021/acsnano.1c08281>

Zamel, N., & Li, X. (2013). Effective transport properties for polymer electrolyte membrane fuel cells – With a focus on the gas diffusion layer. *Progress in Energy and Combustion Science*, 39(1), 111–146.
<https://doi.org/10.1016/j.pecs.2012.07.002>

Zhang, X., Huang, P., Jiang, G., Zhang, M., Yu, F., Dong, X., Wang, L., Chen, Y., Zhang, W., Qi, Y., Li, W., & Zeng, H. (2021). A novel magnesium ion-incorporating dual-crosslinked hydrogel to improve bone scaffold-mediated osteogenesis and angiogenesis. *Materials Science and Engineering: C*, 121, 111868. <https://doi.org/10.1016/j.msec.2021.111868>

Zhang, Y., Sun, N., Zhu, M., Qiu, Q., Zhao, P., Zheng, C., Bai, Q., Zeng, Q., & Lu, T. (2022). The contribution of pore size and porosity of 3D printed porous titanium scaffolds to osteogenesis. *Biomaterials Advances*, 133, 112651.
<https://doi.org/10.1016/j.msec.2022.112651>

Zhu, G., Zhang, T., Chen, M., Yao, K., Huang, X., Zhang, B., Li, Y., Liu, J., Wang, Y., & Zhao, Z. (2021). Bone physiological microenvironment and healing mechanism: Basis for future bone-tissue engineering scaffolds. *Bioactive Materials*, 6(11), 4110–4140. <https://doi.org/10.1016/j.bioactmat.2021.03.043>