

## DAFTAR PUSTAKA

- Aldino, N. and Adham, M. (2020) *Uji diagnostik p16 surrogate biomarker dengan imunohistokimia dibandingkan DNA HPV menggunakan PCR untuk infeksi HPV pada keganasan rongga mulut dan orofaring di Rumah Sakit Cipto Mangunkusumo*. Universitas Indonesia.
- Almangush, A. *et al.* (2022) ‘Tumour-infiltrating lymphocytes in oropharyngeal cancer: a validation study according to the criteria of the International Immuno-Oncology Biomarker Working Group’, *British Journal of Cancer*, 126(11), pp. 1589–1594. Available at: <https://doi.org/10.1038/s41416-022-01708-7>.
- Almangush, A. *et al.* (2023) ‘Clinical significance of overall assessment of tumor-infiltrating lymphocytes in oropharyngeal cancer: A meta-analysis’, *Pathology Research and Practice*, 243. Available at: <https://doi.org/10.1016/j.prp.2023.154342>.
- Almangush, A., Leivo, I. and Makitie, A.A. (2020) ‘Overall assessment of tumor-infiltrating lymphocytes in head and neck squamous cell carcinoma: time to take notice’, *Acta Oto-Laryngologica*, 140(3), pp. 246–248. Available at: <https://doi.org/10.1080/00016489.2020.1720284>.
- Amin, M.B. *et al.* (2017) ‘The Eighth Edition AJCC Cancer Staging Manual: Continuing to build a bridge from a population-based to a more “personalized” approach to cancer staging’, *CA: A Cancer Journal for Clinicians*, 67(2), pp. 93–99. Available at: <https://doi.org/10.3322/caac.21388>.
- Ang, K. K., Harris, J., Wheeler, R., Weber, R., Rosenthal, D. I., Nguyen-Tân, P. F. and Gillison, M. L. (2010) ‘Human papillomavirus and survival of patients with oropharyngeal cancer’, *New England Journal of Medicine*, 363(1), pp. 24–35. Available at: <https://doi.org/10.1056/NEJMoa0912217>
- Arista, A. *et al.* (2018) ‘Profil Ekspresi p16 ink4a dan Tipe Human papillomavirus

( HPV ) pada Pasien Kondilomata Akuminata Wanita ( p16 ink4a Expression Profile and Human papillomavirus ( HPV ) Type in Female Condyloma Akuminata Patients )’, *Periodical of Dermatology and Venereology*, 30(2), pp. 2–8. Available at: <https://e-journal.unair.ac.id/>.

Badoual, Cécile. 2022. “Update from the 5th Edition of the World Health Organization Classification of Head and Neck Tumors: Oropharynx and Nasopharynx.” *Head and Neck Pathology* 16 (1): 19–30. <https://doi.org/10.1007/s12105-022-01449-2>

Balermipas, P. (2016) ‘Tumour-infiltrating lymphocytes predict response to definitive chemoradiotherapy in head and neck cancer’, *British Journal of Cancer*, 114(4), pp. 452–460. Available at: <https://doi.org/10.1038/bjc.2015.467>.

Board, W.C. of T.E. (2023) *WHO Classification of Tumours Series*. 5th edn. Lyon: International Agency for Research on Cancer. Available at: <https://tumourclassification.iarc.who.int/chaptercontent/52/118>.

Burtness, B., Bhatia, A. and Bramley, K. (2024) ‘Oropharyngeal Cancer’. Ohio: Yale Medicine, pp. 1–3. Available at: <https://www.yalemedicine.org/conditions/oropharyngeal-cancer>.

Cai C, Chernock RD, Pittman ME, El-Mofty SK, Thorstad WL, Lewis JS Jr. Keratinizing-type squamous cell carcinoma of the oropharynx: p16 overexpression is associated with positive high-risk HPV status and improved survival. *Am J Surg Pathol*. 2014 Jun;38(6):809-15. doi: 10.1097/PAS.000000000000183. PMID: 24698966.

Castellsagué, X., Alemany, L. and Quer, M. (2016) ‘HPV involvement in head and neck cancers: Comprehensive assessment of biomarkers in 3680 patients’, *Journal of the National Cancer Institute*, 108(6), djv403. Available at: <https://doi.org/10.1093/jnci/djv403>.

Chaturvedi, A.K., Freedman, N.D. and Abnet, C.C. (2022) ‘The Evolving

Epidemiology of Oral Cavity and Oropharyngeal Cancers’, *Cancer Research*, 82(16), pp. 2821–2823. Available at: <https://doi.org/10.1158/0008-5472.CAN-22-2124>.

Clinic, C. (2023) ‘Oropharyngeal Cancer’. Cleveland: Cleveland Clinic, pp. 1–18. Available at: <https://my.clevelandclinic.org/>.

Deschler, D. G. and Richmon, J. D. (2021) ‘Epidemiology, risk factors, and prognosis of oropharyngeal squamous cell carcinoma’, UpToDate. Available at: <https://www.uptodate.com>.

Dikshit, R., Gupta, P. C., Ramasundarahettige, C. (2012) ‘Cancer mortality in India: a nationally representative survey’, *The Lancet*, 379(9828), pp. 1807–1816. Available at: [https://doi.org/10.1016/S0140-6736\(12\)60358-4](https://doi.org/10.1016/S0140-6736(12)60358-4).

El-Naggar, A. K., Chan, J. K. C., Grandis, J. R., Takata, T. and Slootweg, P. J. (2017) *WHO Classification of Head and Neck Tumours* (4th ed.). Lyon: IARC.

Fakhry, C., Cohen, E. E. and Gillison, M. L. (2022) ‘HPV-associated head and neck cancer: Molecular and clinical insights’, *Nature Reviews Clinical Oncology*, 19(5), pp. 306–317. Available at: <https://doi.org/10.1038/s41571-022-00661-2>.

Faraji, F. *et al.* (2020) ‘Tumor-infiltrating lymphocyte quantification stratifies early-stage human papilloma virus oropharynx cancer prognosis’, *The Laryngoscope*, 130(4), pp. 930–938. Available at: <https://doi.org/10.1002/lary.28044>.

Ferlay, J., *et al.* (2020) ‘Global cancer statistics 2020: GLOBOCAN estimates of incidence and mortality worldwide’, *CA: A Cancer Journal for Clinicians*, 71(3), pp. 209–249. Available at: <https://doi.org/10.3322/caac.21660>

Ferris, R.L. and Westra, W. (2023) ‘Oropharyngeal Carcinoma with a Special Focus on HPV-Related Squamous Cell Carcinoma’, *Annual Review of Pathology: Mechanisms of Disease*, 18, pp. 515–535. Available at:

<https://doi.org/10.1146/annurev-pathmechdis-031521-041424>.

Fridman, W. H., Zitvogel, L., Sautès-Fridman, C. and Kroemer, G. (2017) 'The immune contexture in cancer prognosis and treatment', *Nature Reviews Clinical Oncology*, 14(12), pp. 717–734. Available at: <https://doi.org/10.1038/nrclinonc.2017.101>.

Gillison, M. L., Chaturvedi, A. K., Anderson, W. F. and Fakhry, C. (2015) 'Epidemiology of human papillomavirus–positive head and neck squamous cell carcinoma', *Journal of Clinical Oncology*, 33(29), pp. 3235–3242. Available at: <https://doi.org/10.1200/JCO.2015.61.6995>.

Hao, Y., Xie, S., An, Y.. (2021) 'Prognostic value of tumor-infiltrating lymphocytes in HPV-positive oropharyngeal squamous cell carcinoma', *Frontiers in Oncology*, 11, 706685. Available at: <https://doi.org/10.3389/fonc.2021.706685>.

Hashibe, M., Brennan, P., Benhamou, S., Castellsague, X., Chen, C., Curado, M. P. and Boffetta, P. (2007) 'Alcohol drinking in never users of tobacco, cigarette smoking in never drinkers, and the risk of head and neck cancer: pooled analysis in the International Head and Neck Cancer Epidemiology Consortium', *Journal of the National Cancer Institute*, 99(10), pp. 777–789. Available at: <https://doi.org/10.1093/jnci/djk179>.

Hendry, S. *et al.* (2017) 'Assessing Tumor-Infiltrating Lymphocytes in Solid Tumors: A Practical Review for Pathologists and Proposal for a Standardized Method from the International Immuno-Oncology Biomarkers Working Group: Part 2: TILs in Melanoma, Gastrointestinal Tract Carcinomas, Non-Small Cell Lung Carcinoma and Mesothelioma, Endometrial and Ovarian Carcinomas, Squamous Cell Carcinoma of the Head and Neck, Genitourinary Carcinomas, and Primary Brain Tumors', *Adv Anat Pathol*, 24(6), pp. 311-335. Available at: <https://doi.org/10.1097/PAP.000000000000161>.

Hori, Y., Ohno, M., Tsuji, K., Saito, S., Saito, H. and Nakajima, Y. (2019)

‘Prognostic significance of tumor-infiltrating lymphocytes in patients with oral squamous cell carcinoma’, *International Journal of Clinical Oncology*, 24(7), pp. 780–788. Available at: <https://doi.org/10.1007/s10147-019-01420-2>.

Hosmer, D. W., Lemeshow, S. and Sturdivant, R. X. (2013) *Applied logistic regression* (3rd ed.). Wiley. Available at: <https://doi.org/10.1002/9781118548387>.

Jayasooriya, P. R. (2019) ‘Clinicopathological features of oral squamous cell carcinoma in Sri Lanka: Analysis of 1228 cases’, *Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology*, 127(5), pp. 424–432. Available at: <https://doi.org/10.1016/j.oooo.2019.01.015>.

Jouhi, L., Atula, T., Rautiainen, P., Mäkitie, A. and Haglund, C. (2021) ‘HPV-positive oropharyngeal carcinoma in males and females: Survival and recurrence by treatment modality’, *Cancers*, 13(15), 3786. Available at: <https://doi.org/10.3390/cancers13153786>.

Jun, H.T. (2018) ‘Tumor Infiltrating Lymphocytes: Conflicting Approaches in Immuno-Oncology’. California: Crown Bioscience, pp. 1–4. Available at: <https://blog.crownbio.com/conflicting-approaches-to-TILs>.

Jung, K. *et al.* (2020) ‘Squamous cell carcinoma of head and neck: What internists should know’, *Korean Journal of Internal Medicine*, 35(5), pp. 1031–1044. Available at: <https://doi.org/10.3904/kjim.2020.078>.

Kadarullah, O. and Syafie, S.H.N. (2020) ‘Overview of Head and Neck Cancer Patients at PKU Muhammadiyah Gombong Hospital 2015-2019’, *Herb-Medicine Journal*, 3(April), pp. 12–17. Available at: <https://jurnal.fk.unand.ac.id>.

Kansy, B. A., Thurnheer, M., Würdemann, N. (2022) ‘Risk factors for oropharyngeal squamous cell carcinoma in the era of HPV: Tobacco, alcohol, and beyond’, *Frontiers in Oncology*, 12, 837669. Available at:

<https://doi.org/10.3389/fonc.2022.837669>.

Kawakita, D. and Matsuo, K. (2017) 'Alcohol and head and neck cancer: Current evidence and future perspectives', *Japanese Dental Science Review*, 53(1), pp. 8–17. Available at: <https://doi.org/10.1016/j.jdsr.2016.08.001>.

Klein, S. L. and Flanagan, K. L. (2016) 'Sex differences in immune responses', *Nature Reviews Immunology*, 16(10), pp. 626–638. Available at: <https://doi.org/10.1038/nri.2016.90>.

Klussmann, J. P., Mooren, J. J., Lehnen, M., Claessen, S. M., Stenner, M., Huebbers, C. U. and Speel, E. J. (2011) 'Genetic signatures of HPV-related and unrelated oropharyngeal carcinoma and their prognostic implications', *Clinical Cancer Research*, 15(5), pp. 1779–1786. Available at: <https://doi.org/10.1158/1078-0432.CCR-08-1463>

Kowalski, L.P. *et al.* (2020) 'Survival trends of patients with oral and oropharyngeal cancer treated at a cancer center in são paulo, Brazil', *Clinics*, 75(4). Available at: <https://doi.org/10.6061/clinics/2020/e1507>.

Lau, F. *et al.* (2022) 'Prognostic factors in oropharyngeal squamous cell carcinoma in the state of São Paulo, Brazil: 10-year follow-up', *Brazilian Journal of Otorhinolaryngology*, 88, pp. S124–S132. Available at: <https://doi.org/10.1016/j.bjorl.2022.07.003>.

Lechner, M. *et al.* (2022) 'HPV-associated oropharyngeal cancer: epidemiology, molecular biology and clinical management', *Nature Reviews Clinical Oncology*, 19(5), pp. 306–327. Available at: <https://doi.org/10.1038/s41571-022-00603-7>.

Leemans, C. R., Snijders, P. J. F. and Brakenhoff, R. H. (2022) 'The molecular landscape of head and neck cancer', *Nature Reviews Cancer*, 22(7), pp. 485–502. Available at: <https://doi.org/10.1038/s41568-022-00457-y>.

Lewis, J. S., Beadle, B. and Bishop, J. A. (2012) 'Human papillomavirus testing in head and neck carcinomas: Guideline from the College of American

- Pathologists’, *Archives of Pathology & Laboratory Medicine*, 136(5), pp. 531–545. Available at: <https://doi.org/10.5858/arpa.2012-0002-CP>.
- Licitra, L., Mesia, R. and Keilholz, U. (2019) ‘Individualised quality of life in head and neck cancer patients’, *Annals of Oncology*, 30(10), pp. 1645–1652. Available at: <https://doi.org/10.1093/annonc/mdz202>.
- López, J. (2022) ‘Prognostic impact of tumor-infiltrating lymphocytes in HPV-related oropharyngeal squamous cell carcinoma’, *Cancers*, 14(13), 3112. Available at: <https://doi.org/10.3390/cancers14133112>
- Mandal, R., Şenbabaoğlu, Y., Desrichard, A., Havel, J. J., Dalin, M. G., Riaz, N. and Chan, T. A. (2016) ‘The head and neck cancer immune landscape and its immunotherapeutic implications’, *JCI Insight*, 1(17), e89829. Available at: <https://doi.org/10.1172/jci.insight.89829>.
- Marur, S. and Forastiere, A. A. (2016) ‘Head and Neck Squamous Cell Carcinoma: Update on Epidemiology, Diagnosis, and Treatment’, *Mayo Clinic Proceedings*, 91(3), pp. 386–396. Available at: <https://doi.org/10.1016/j.mayocp.2015.12.017>
- Medical Center, U.S. (2024) ‘Oropharyngeal Cancer’. Dallas: The University of Texas Southwestern Medical Center, pp. 1–8. Available at: <https://www.utsouthwestern.edu/>.
- Mehanna, H., Beech, T. and Nicholson, T. (2013) ‘Prevalence of human papillomavirus in oropharyngeal and non-oropharyngeal head and neck cancer—systematic review and meta-analysis of trends by time and region’, *Head & Neck*, 35(5), pp. 747–755. Available at: <https://doi.org/10.1002/hed.22015>.
- Mena, M., Alemany, L., Taberna, M., Tous, S. and Castellsagué, X. (2021) ‘HPV-related oropharyngeal cancer: Epidemiology, natural history and clinical management’, *International Journal of Cancer*, 148(3), pp. 617–626. Available at: <https://doi.org/10.1002/ijc.33288>.

- Mirghani, H. and Blanchard, P. (2018) 'Treatment de-escalation for HPV-driven oropharyngeal cancer: Where do we stand?', *Clinical and Translational Radiation Oncology*, 8, pp. 4–11. Available at: <https://doi.org/10.1016/j.ctro.2017.10.006>.
- Molony, P. *et al.* (2020) 'Tumour Cell Anaplasia and Multinucleation as Prognosticators in Oropharyngeal Squamous Cell Carcinoma', *Head and Neck Pathology*, 14(3), pp. 606–615. Available at: <https://doi.org/10.1007/s12105-019-01081-7>.
- Motta, Giovanni *et al.* (2024) 'Challenges and Considerations in Diagnosing and Managing p16+-Related Oropharyngeal Squamous Cell Carcinoma (OPSCC) with Neck Metastasis: Implications of p16 Positivity, Tobacco Exposure, and De-Escalation Strategies', *Journal of Clinical Medicine*, 13(22). Available at: <https://doi.org/10.3390/jcm13226773>.
- Musyarifah, Z. *et al.* (2020) 'Hubungan Ekspresi Protein 16 (p16) dengan Derajat Histopatologik dan Invasi Perineural pada Karsinoma Sel Skuamosa Kepala dan Leher', *Jurnal Kesehatan Andalas*, 9(3), p. 282. Available at: <https://doi.org/10.25077/jka.v9i3.1281>.
- Musyarifah, Z. and Yenita, Y. (2020) 'Profil Klinikopatologi Karsinoma Sel Skuamosa Kepala dan Leher di Padang', *Jurnal Kesehatan Andalas*, 9(2), p. 203. Available at: <https://doi.org/10.25077/jka.v9i2.1269>.
- Oguejiofor, K., Hall, J., Slater, C., Betts, G., Hall, G., Slevin, N. and Hunter, K. (2015) 'Stromal infiltration of CD8 T cells is associated with improved clinical outcome in HPV-positive oropharyngeal squamous carcinoma', *British Journal of Cancer*, 113(6), pp. 886–893. Available at: <https://doi.org/10.1038/bjc.2015.276>.
- Rahman, Q.B. *et al.* (2020) 'Global Burden of Head and Neck Cancer', *Oral Maxillofacial Surgery Clinic*, 32, pp. 367–375. Available at:

<https://doi.org/10.1016/j.coms.2020.04.002>.

Rietbergen, M. M., Leemans, C. R., Bloemena, E., Heideman, D. A., Braakhuis, B. J. and Brakenhoff, R. H. (2014) 'Increasing prevalence rates of HPV attributable oropharyngeal squamous cell carcinomas in the Netherlands as revealed by a novel biomarker-based method', *International Journal of Cancer*, 134(6), pp. 1389–1399. Available at: <https://doi.org/10.1002/ijc.28451>.

Rischin, D., Young, R. J., Fisher, R., Fox, S. B., Le, Q. T., Peters, L. J. and McArthur, G. A. (2010) 'Prognostic significance of p16INK4A and human papillomavirus in patients with oropharyngeal cancer treated on TROG 02.02 phase III trial', *Journal of Clinical Oncology*, 28(27), pp. 4142–4148. Available at: <https://doi.org/10.1200/JCO.2010.29.2904>.

Rivera, C. (2021) 'Global epidemiology of oral and oropharyngeal cancer', *Oral Oncology*, 116, 105211. Available at: <https://doi.org/10.1016/j.oraloncology.2021.105211>.

Saloura, V. (2014) 'Tumor infiltrating lymphocytes in HPV+ oropharyngeal cancer: Prognostic significance and therapeutic implications', *Cancer*, 120(11), pp. 1726–1737. Available at: <https://doi.org/10.1002/cncr.28611>

Santegoets, S.J. *et al.* (2023) 'The combined HPV16-E2/E6/E7 T cell response in oropharyngeal cancer predicts superior survival', *Cell Reports Medicine*, 4(11), p. 101262. Available at: <https://doi.org/10.1016/j.xcrm.2023.101262>.

Seiwert, T. Y., Burtneß, B., Mehra, R., Weiss, J., Berger, R., Eder, J. P. and Gillison, M. L. (2021) 'Safety and clinical activity of pembrolizumab for treatment of recurrent or metastatic squamous cell carcinoma of the head and neck (KEYNOTE-012): An open-label, multicentre, phase 1b trial', *The Lancet Oncology*, 22(7), pp. 929–939. Available at: [https://doi.org/10.1016/S1470-2045\(21\)00136-9](https://doi.org/10.1016/S1470-2045(21)00136-9).

Sharma, P. (2018) 'Epidemiological trends in head and neck cancer in India', *Head*

& Neck Oncology, 10(1), 20. Available at: <https://doi.org/10.1186/s13014-018-1169-1>.

Siegel, R. L., Miller, K. D., Wagle, N. S. and Jemal, A. (2024) ‘Cancer statistics, 2024’, *CA: A Cancer Journal for Clinicians*, 74(1), pp. 8–33. Available at: <https://doi.org/10.3322/caac.21820>.

Solomon, B., Young, R. J. and Rischin, D. (2020) ‘Head and neck squamous cell carcinoma: Genomics and emerging biomarkers for immunomodulatory cancer treatments’, *Seminars in Cancer Biology*, 61, pp. 11–18. Available at: <https://doi.org/10.1016/j.semcancer.2019.09.011>.

Spector, M. E. and Bell, D. (2019) ‘Prognostic value of tumor infiltrating lymphocytes in head and neck squamous cell carcinoma’, *Cancers of the Head & Neck*, 4(1), 12. Available at: <https://doi.org/10.1186/s41199-019-0046-1>.

Stein, A. P., Saha, S. and Kraninger, J. L. (2015) ‘Prevalence of human papillomavirus in oropharyngeal cancer: a systematic review’, *Cancer Journal*, 21(3), pp. 138–146. Available at: <https://doi.org/10.1097/PPO.000000000000115>.

Stephen, J. K., Chen, K. M. and Shah, V. (2017) ‘Human papillomavirus outcomes in an access-to-care laryngeal cancer cohort’, *Otolaryngology–Head and Neck Surgery*, 156(4), pp. 652–660. Available at: <https://doi.org/10.1177/0194599817691849>.

Sung, H., Ferlay, J., Siegel, R. L., Laversanne, M., Soerjomataram, I., Jemal, A. and Bray, F. (2021) ‘Global cancer statistics 2020: GLOBOCAN estimates of incidence and mortality worldwide for 36 cancers in 185 countries’, *CA: A Cancer Journal for Clinicians*, 71(3), pp. 209–249. Available at: <https://doi.org/10.3322/caac.21660>.

Surgeons, A.C. of (2018) ‘AJCC Cancer Staging Manual 8th Edition’. Chicago: American College of Surgeons, pp. 1–7. Available at:

<https://www.facs.org/>.

Taberna, M., Mena, M., Pavón, M. Á., Alemany, L., Gillison, M. L. and Mesía, R. (2017) ‘Human papillomavirus-related oropharyngeal cancer’, *Annals of Oncology*, 28(10), pp. 2386–2398. Available at: <https://doi.org/10.1093/annonc/mdx304>.

Topalian, S. L., Drake, C. G. and Pardoll, D. M. (2015) ‘Immune checkpoint blockade: a common denominator approach to cancer therapy’, *Cancer Cell*, 27(4), pp. 450–461. Available at: <https://doi.org/10.1016/j.ccell.2015.03.001>.

van der Leun, A. M., Thommen, D. S. and Schumacher, T. N. (2020) ‘CD8+ T cell states in human cancer: insights from single-cell analysis’, *Nature Reviews Cancer*, 20(4), pp. 218–232. Available at: <https://doi.org/10.1038/s41568-019-0235-4>.

Wagner, S., Wittekindt, C., Sharma, S. J., Wuerdemann, N., Reuschenbach, M., Prigge, E. S. and Klussmann, J. P. (2018) ‘Human papillomavirus association is the most important predictor for surgically treated patients with oropharyngeal cancer’, *British Journal of Cancer*, 118(12), pp. 1604–1611. Available at: <https://doi.org/10.1038/s41416-018-0107-4>.

Wahyuningsih, L. (2018) *Hubungan Antara Ekspresi Gen P16 Dan Status Merokok Pada Pasien Karsinoma Nasofaring Di Indonesia*. Available at: <http://etd.repository.ugm.ac.id/penelitian/detail/162520>.

Wang, J. *et al.* (2020) ‘The presence of tumour-infiltrating lymphocytes (TILs) and the ratios between different subsets serve as prognostic factors in advanced hypopharyngeal squamous cell carcinoma’, *BMC Cancer*, 20(1), pp. 1–12. Available at: <https://doi.org/10.1186/s12885-020-07234-0>.

Ward, M. J., Thirdborough, S. M., Mellows, T., Riley, C., Harris, S., Suchak, K. and King, E. V. (2014) ‘Tumour-infiltrating lymphocytes predict for outcome in HPV-positive oropharyngeal cancer’, *British Journal of Cancer*,

110(2), pp. 489–500. Available at: <https://doi.org/10.1038/bjc.2013.639>.

Warnakulasuriya, S. (2009) ‘Global epidemiology of oral and oropharyngeal cancer’, *Oral Oncology*, 45(4–5), pp. 309–316. Available at: <https://doi.org/10.1016/j.oraloncology.2008.06.002>.

Wichmann, G., Rosolowski, M. and Krohn, K. (2023) ‘Tumor-infiltrating lymphocytes and survival in HPV-related oropharyngeal squamous cell carcinoma’, *Oral Oncology*, 139, 106331. Available at: <https://doi.org/10.1016/j.oraloncology.2023.106331>.

Wilde, D.C. *et al.* (2023) ‘Oropharyngeal cancer outcomes correlate with p16 status, multinucleation and immune infiltration’, *Modern Pathology*, 35(8), pp. 1045–1054. Available at: <https://doi.org/10.1038/s41379-022-01024-8>.Oropharyngeal.

von Witzleben, A. *et al.* (2021) ‘Correlation of HPV16 Gene Status and Gene Expression With Antibody Seropositivity and TILs Status in OPSCC’, *Frontiers in Oncology*, 10(January), pp. 1–13. Available at: <https://doi.org/10.3389/fonc.2020.591063>.

Wuerdemann, N. *et al.* (2020) ‘PD-L1 expression and a high tumor infiltrate of CD8+ lymphocytes predict outcome in patients with oropharyngeal squamous cells carcinoma’, *International Journal of Molecular Sciences*, 21(15), pp. 1–17. Available at: <https://doi.org/10.3390/ijms21155228>.

Xu, Q. *et al.* (2017) ‘Prognostic value of tumor-infiltrating lymphocytes for patients with head and neck squamous cell carcinoma’, *Translational Oncology*, 10(1), pp. 10–16. Available at: <https://doi.org/10.1016/j.tranon.2016.10.005>.