

DAFTAR PUSTAKA

- Aldrian, E., & Dwi Susanto, R. (2003). Identification of three dominant rainfall regions within Indonesia and their relationship to sea surface temperature. *International Journal of Climatology*, 23(12), 1435–1452. <https://doi.org/10.1002/JOC.950;CTYPE:STRING:JOURNAL>
- Alana, G. Semple., Bin Tan, & Guoqing, L. (2023). Geometric Assesment of PlanetScope Imagery. NASA.
- Ali, M., Montzka, C., Stadler, A., Menz, G., Thonfeld, F., & Vereecken, H. (2015). Estimation and validation of RapidEye-based time-series of Leaf Area Index for winter wheat in the Rur catchment (Germany). *Remote Sensing*, 7(3), 2808–2831. <https://doi.org/10.3390/rs70302808>
- Alongi, D. M. (2008). Mangrove forests: Resilience, protection from tsunamis, and responses to global climate change. *Estuarine, Coastal and Shelf Science*, 76(1), 1–13. <https://doi.org/10.1016/j.ecss.2007.08.024>
- Asner, G. P. (1998). Biophysical and Biochemical Sources of Variability in Canopy Reflectance. *Remote Sensing of Environment*, 64(3), 234–253. [https://doi.org/10.1016/S0034-4257\(98\)00014-5](https://doi.org/10.1016/S0034-4257(98)00014-5)
- Asner, G. P., Scurlock, J. M. O., & A. Hicke, J. (2003). Global synthesis of leaf area index observations: implications for ecological and remote sensing studies. *Global Ecology and Biogeography*, 12(3), 191–205. <https://doi.org/10.1046/j.1466-822X.2003.00026.x>
- Baloloy, A. B., Blanco, A. C., Raymund Rhommel, R. R. C., & Nadaoka, K. (2020). Development and application of a new mangrove vegetation index (MVI) for rapid and accurate mangrove mapping. *ISPRS Journal of Photogrammetry and Remote Sensing*, 166, 95–117. <https://doi.org/10.1016/j.isprsjprs.2020.06.001>
- Baret, F., de Solan, B., Lopez-Lozano, R., Ma, K., & Weiss, M. (2010). GAI Estimates of Row Crops From Downward Looking Digital Photos Taken Perpendicular to Rows at 57.5° Zenith Angle: Theoretical Considerations Based on 3D Architecture Models and Application to Wheat Crops. *Agricultural and Forest Meteorology*, 150(11), 1393–1401. <https://doi.org/10.1016/j.agrformet.2010.04.011>
- Basyuni, M., Sasmito, S. D., Analuddin, K., Ulqodry, T. Z., Saragi-Sasmito, M. F., Eddy, S., & Milantara, N. (2022). Mangrove Biodiversity, Conservation and Roles for Livelihoods in Indonesia. In S. C. Das, P. Thamminen, & E. C. Ashton (Eds.), *Mangroves: Biodiversity, Livelihoods and Conservation* (pp. 397–445). Springer Nature Singapore. https://doi.org/10.1007/978-981-19-0519-3_16

- Behera, M. D., Krishna, J. S. R., Paramanik, S., Kumar, S., Behera, S. K., Anto, S., Singh, S. N., Verma, A. K., Barik, S. K., Mohanta, M. R., Sahu, S. C., Jeganathan, C., Srivastava, P. K., & Pradhan, B. (2024). Digital Hemispherical Photographs and Sentinel-2 Multi-Spectral Imagery For Mapping Leaf Area Index at Regional Scale Over a Tropical Deciduous Forest. *Tropical Ecology*, 65(2), 258–270. <https://doi.org/10.1007/s42965-024-00327-y>
- Benediktsson, J. A., & Wu, Z. (2021). Distributed Computing for Remotely Sensed Data Processing [Scanning the Section]. *Proceedings of the IEEE*, 109(8), 1278–1281. <https://doi.org/10.1109/JPROC.2021.3094335>
- Bimrah, K., Dasgupta, R., Hashimoto, S., Saizen, I., & Dhyani, S. (2022). Ecosystem Services of Mangroves: A Systematic Review and Synthesis of Contemporary Scientific Literature. *Sustainability*, 14(19), 12051. <https://doi.org/10.3390/su141912051>
- Blanchard, E., Catry, T., Marsal, Q., Delaître, E., Proisy, C., & Faure, J.-F. (2024). Monitoring Mangroves with Multi-Sensor Earth Observation Data Sets: From One-Shot Historical Cartography To Online and Near-Real-Time Monitoring Tools. *The International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, XLVIII-3–2024, 35–41. <https://doi.org/10.5194/isprs-archives-XLVIII-3-2024-35-2024>
- Bonan, G. B., & Doney, S. C. (2018). Climate, Ecosystems, and Planetary Futures: The Challenge to Predict Life in Earth System Models. *Science*, 359(6375). <https://doi.org/10.1126/science.aam8328>
- Breda, N. J. J. (2003). Ground-Based Measurements of Leaf Area Index: A Review Of Methods, Instruments and Current Controversies. *Journal of Experimental Botany*, 54(392), 2403–2417. <https://doi.org/10.1093/jxb/erg263>
- Bréda, N. J. J. (2008). Leaf Area Index. In *Encyclopedia of Ecology* (pp. 2148–2154). Elsevier. <https://doi.org/10.1016/B978-008045405-4.00849-1>
- BTNKJ. (2022). *Statistik Balai Taman Nasional Karimunjawa Tahun 2022*. Balai Taman Nasional Karimunjawa.
- Cai, Z., Fan, C., Chen, F., & Li, X. (2021). Pseudo-invariant feature-based linear regression model (PIF-LRM): An effective normalization method to evaluate urbanization impacts on land surface temperature changes. *Atmosphere*, 12(11), 1540. <https://doi.org/10.3390/atmos12111540>
- Cameron, C., Hutley, L. B., Friess, D. A., & Brown, B. (2019). High Greenhouse Gas Emissions Mitigation Benefits from Mangrove Rehabilitation in Sulawesi, Indonesia. *Ecosystem Services*, 40, 101035. <https://doi.org/10.1016/j.ecoser.2019.101035>
- Carlson, T. N., & Ripley, D. A. (1997). On the relation between NDVI, fractional vegetation cover, and leaf area index. *Remote Sensing of Environment*, 62(3), 241–252. [https://doi.org/10.1016/S0034-4257\(97\)00104-1](https://doi.org/10.1016/S0034-4257(97)00104-1)

- Casa, R., Upreti, D., & Pelosi, F. (2019). Measurement and Estimation of Leaf Area Index (LAI) Using Commercial Instruments And Smartphone-Based Systems. *IOP Conference Series: Earth and Environmental Science*, 275(1), 012006. <https://doi.org/10.1088/1755-1315/275/1/012006>
- Chander, G., Markham, B. L., & Helder, D. L. (2009). Summary of current radiometric calibration coefficients for Landsat MSS, TM, ETM+, and EO-1 ALI sensors. *Remote Sensing of Environment*, 113(5), 893–903.
- Chang, C.-P. (2004). *East Asian monsoon*. World Scientific Publishing.
- Chen, J. M., & Black, T. A. (1991). Measuring leaf area index of plant canopies with branch architecture. *Agricultural and Forest Meteorology*, 57(1–3), 1–12. [https://doi.org/10.1016/0168-1923\(91\)90074-Z](https://doi.org/10.1016/0168-1923(91)90074-Z)
- Chen, L., Ma, Y., Lian, Y., Zhang, H., Yu, Y., & Lin, Y. (2023). Radiometric Normalization Using a Pseudo-Invariant Polygon Features-Based Algorithm with Contemporaneous Sentinel-2A and Landsat-8 OLI Imagery. *Applied Sciences*, 13(4), 2525. <https://doi.org/10.3390/app13042525>
- Chen, X., Yang, Y., Zhang, D., Li, X., Gao, Y., Zhang, L., Wang, D., Wang, J., Wang, J., & Huang, J. (2023). Response Mechanism of Leaf Area Index and Main Nutrient Content in Mangrove Supported by Hyperspectral Data. *Forests*, 14(4). <https://doi.org/10.3390/f14040754>
- Chen, X., Yin, G., Wei, S., Teo, H. C., Liu, G., & Tang, H. (2023). Intercomparison of Multiple High-Resolution LAI Remote Sensing Products Over Neon Forest Sites. *IGARSS 2023 - 2023 IEEE International Geoscience and Remote Sensing Symposium*, 2188–2191. <https://doi.org/10.1109/IGARSS52108.2023.10282620>
- Congalton, R. G., & Green, K. (2019). *Assessing the Accuracy of Remotely Sensed Data: Principles and Practices* (3rd ed.). CRC Press.
- Cuenca-Ocay, G. (2024). Mangrove ecosystems' role in climate change mitigation. *Davao Research Journal*, 12(2). <https://doi.org/10.59120/drj.v12i2.168>
- Danoedoro, P. (2012). *Pengantar Penginderaan Jauh Digital*. ANDI.
- Dharmawan, I. W. E. (2020). *Hemispherical Photography Analisis Persentase Tutupan Kanopi Komunitas Mangrove*. Nas Media Pustaka.
- Djamaluddin, R. (2018). *Mangrove: Biologi, Ekologi, Rehabilitasi, dan Konservasi*. Unsrat Press.
- Dong, T., Liu, J., Shang, J., Qian, B., Ma, B., Kovacs, J. M., Walters, D., Jiao, X., Geng, X., & Shi, Y. (2019). Assessment of Red-edge Vegetation Indices for Crop Leaf Area Index Estimation. *Remote Sensing of Environment*, 222, 133–143. <https://doi.org/10.1016/j.rse.2018.12.032>
- Drajati, F., Soenardjo, N., & Nuraini, R. A. T. (2024). Analisis Vegetasi dan Struktur Komunitas Mangrove Di Taman Nasional Karimunjawa. *Journal of*

- Marine Research, 13(2), 389–396.
<https://doi.org/10.14710/jmr.v13i2.40705>
- Dali, G. L. A. (2023). Litter production in two mangrove forests along the coast of Ghana. *Heliyon*, 9(6), e17004.
<https://doi.org/10.1016/J.HELIYON.2023.E17004>
- Duke, N. C., Ball, M. C., & Ellison, J. C. (1998). Factors influencing biodiversity and distributional gradients in mangroves. *Global Ecology and Biogeography Letters*, 7(1), 27–47. <https://doi.org/10.2307/2997695>
- Easter, M. J., & Spies, T. A. (1994). Using Hemispherical Photography for Estimating Photosynthetic Photon Flux Density Under Canopies and in Gaps in Douglas-fir Forests of the Pacific Northwest. *Canadian Journal of Forest Research*, 24(10), 2050–2058. <https://doi.org/10.1139/x94-263>
- Eitel, J.U.H., Vierling, L.A., Litvak, M.E., Long, D.S., Schulthess, U., Ager, A.A., Krofcheck, D.J., Stoscheck, L., 2011. Broadband, red-edge information from satellites improves early stress detection in a New Mexico conifer woodland. *Remote Sens. Environ.* 115, 3640–3646.
<https://doi.org/10.1016/j.rse.2011.09.002>.
- Fang, H., Baret, F., Plummer, S., & Schaepman-Strub, G. (2019). An overview of global leaf area index (LAI): Methods, products, validation, and applications. *Reviews of Geophysics*, 57.
<https://doi.org/10.1029/2018RG000608>
- Fang, H., Wei, S., & Liang, S. (2012). Validation of MODIS and CYCLOPES LAI Products Using Global Field Measurement Data. *Remote Sensing of Environment*, 119, 43–54. <https://doi.org/10.1016/j.rse.2011.12.006>
- Farhaby, A. M., & Unigraha Utama, A. (2019). Analisis Produksi Serasah Mangrove di Pantai Mang Kalok Kabupaten Bangka. *Jurnal Enggano*, 4(1), 1–11.
- Frananda, H., Hartono, & Jatmiko, R. H. (2015). Komparasi Indeks Vegetasi untuk Estimasi Stock Karbon Hutan Mangrove Kawasan Segara Anak Pada Kawasan Taman Nasional Alas Purwo, Banyuwangi, Jawa Timur. *Majalah Ilmiah Globe*, 17(2), 113–123.
- Feller, I.C., Whigham, D.F., McKee, K.L., & Lovelock, C.E. (2003). Nitrogen limitation of growth and nutrient dynamics in a disturbed mangrove forest, Indian River Lagoon, Florida. *Oecologia*, 134(3), 405–414.
<https://doi.org/10.1007/s00442-002-1117-z>
- Galvão, L. S., Arlanche Petri, C., & Dalagnol, R. (2024). Coupled Effects of Solar Illumination and Phenology on Vegetation Index Determination: An Analysis Over the Amazonian Forests Using the SuperDove Satellite Constellation. *GIScience & Remote Sensing*, 61(1).
<https://doi.org/10.1080/15481603.2023.2290354>

- Gao, Z., Chen, Y., Zhang, Z., Duan, T., Chen, J., & Li, A. (2024). Continuous Leaf Area Index (LAI) Observation in Forests: Validation, Application, and Improvement of LAI-NOS. *Forests*, 15(5), 868. <https://doi.org/10.3390/f15050868>
- Giri, C., Pengra, B., Zhu, Z., Singh, A., & Tieszen, L. L. (2007). Monitoring Mangrove Forest Dynamics of The Sundarbans in Bangladesh and India Using Multi-Temporal Satellite Data from 1973 to 2000. *Estuarine, Coastal and Shelf Science*, 73(1–2), 91–100. <https://doi.org/10.1016/j.ecss.2006.12.019>
- Green, E. P., Mumby, P. J., Edwards, A. J., Clark, C. D., & Ellis, A. C. (1997). Estimating leaf area index of mangroves from satellite data. In *Aquatic Botany* (Vol. 58). ELSEVIER.
- Green, E. P., Mumby, P. J., Edwards, A. J., Clark, C. D., Ellis, A. C., Greent, E. P., Mumby, P. J., Edwardst, A. J., Clark\$, C. D., & Ellistt, A. C. (1998). The Assessment of Mangrove Areas Using High Resolution Multispectral Airborne Imagery. In *Source: Journal of Coastal Research* (Vol. 14, Issue 2).
- Speed, J.D.M., Evankow, A.M., Petersen, T.K., Ranke, P.S., Nilsen, N.H., Turner, G., Aagaard, K., Bakken, T., Davidsen, J.G., Dunshea, G., Finstad, A.G., Hassel, K., Husby, M., Harsaker, K., Koksvik, J.I., Presto, T., Vange, V., 2022. A regionally coherent ecological fingerprint of climate change, evidenced from natural history collections. *Ecol. Evol.* 12, e9471.
- Hamilton, S. E., & Casey, D. (2016). Creation of a high spatio-temporal resolution global database of continuous mangrove forest cover for the 21st century (CGMFC-21). *Global Ecology and Biogeography*, 25(6), 729–738. <https://doi.org/10.1111/geb.12449>
- Hati, J. P., Chaube, N. R., Hazra, S., Pramanick, N., Mitra, D., & Mukhopadhyay, A. (2024). Estimation of mangrove Leaf Area Index from AVIRIS-NG hyperspectral data: Creating a new algorithm for Landsat and Sentinel-2 datasets. <https://doi.org/10.21203/rs.3.rs-4412818/v1>
- Holguin, G., Vazquez, P., & Bashan, Y. (2001). The role of sediment microorganisms in the productivity, conservation, and rehabilitation of mangrove ecosystems: An overview. In *Biology and Fertility of Soils* (Vol. 33, Issue 4, pp. 265–278). <https://doi.org/10.1007/s003740000319>
- Huete, A., Didan, K., Miura, T., Rodriguez, E. P., Gao, X., & Ferreira, L. G. (2002). Overview of the Radiometric and Biophysical Performance of the MODIS Vegetation Indices. *Remote Sensing of Environment*, 83(1–2), 195–213. [https://doi.org/10.1016/S0034-4257\(02\)00096-2](https://doi.org/10.1016/S0034-4257(02)00096-2)
- Huete, A. R. (1988). A Soil-Adjusted Vegetation Index (SAVI). *Remote Sensing of Environment*, 25(3), 295–309. [https://doi.org/10.1016/0034-4257\(88\)90106-X](https://doi.org/10.1016/0034-4257(88)90106-X)

- Jabnabillah, F., & Margina, N. (2022). Analisis Korelasi Pearson Dalam Menentukan Hubungan Antara Motivasi Belajar Dengan Kemandirian Belajar Pada Pembelajaran Daring. In *Jurnal Sintak* (Vol. 1, Issue 1). <https://doi.org/>
- Jonckheere, I., Fleck, S., Nackaerts, K., Muys, B., Coppin, P., Weiss, M., & Baret, F. (2004). Review of Methods for in Situ Leaf Area Index Determination. *Agricultural and Forest Meteorology*, 121(1–2), 19–35. <https://doi.org/10.1016/j.agrformet.2003.08.027>
- Juniansah, A., Tama, G. C., Febriani, K. R., Baharain, M. N., Kanekaputra, T., Wulandari, Y. S., & Kamal, M. (2018). Mangrove Leaf Area Index Estimation Using Sentinel 2A Imagery in Teluk Ratai, Pesawaran Lampung. *IOP Conference Series: Earth and Environmental Science*, 165(1). <https://doi.org/10.1088/1755-1315/165/1/012004>
- Ji, L., Zhang, L., Rover, J., Wylie, B. K., & Chen, X. (2014). Geostatistical estimation of signal-to-noise ratios for spectral vegetation indices. *ISPRS Journal of Photogrammetry and Remote Sensing*, 96(March 2021), 20–27. <https://doi.org/10.1016/j.isprsjprs.2014.06.013>
- Kamal, M., Phinn, S., Johansen, K., & Adi, N. S. (2016). Estimation of mangrove leaf area index from ALOS AVNIR-2 data (A comparison of tropical and sub-tropical mangroves). 040005. <https://doi.org/10.1063/1.4958480>
- Kamal, M., Sidik, F., Prananda, A. R. A., & Mahardhika, S. A. (2021). Mapping Leaf Area Index of Restored Mangroves Using WorldView-2 Imagery in Perancak Estuary, Bali, Indonesia. *Remote Sensing Applications: Society and Environment*, 23. <https://doi.org/10.1016/j.rsase.2021.100567>
- Kamal, M., Wicaksono, P., Anggara, D. W., & Hafizt, M. (2015). Pengaruh Resolusi Spasial Citra Penginderaan Jauh Terhadap Estimasi Leaf Area Index Mangrove di Kepulauan Karimunjawa Jawa Tengah. *Symposium Nasional Sains Geoinformasi IV*, 667–674.
- Kovacs, J. M., Wang, J., & Flores-Verdugo, F. (2004). Mapping Mangrove Leaf Area Index at the Species Level Using IKONOS and LAI-2000 Sensors for the Agua Brava Lagoon, Mexican Pacific. *Estuarine, Coastal and Shelf Science*, 62(1–2), 377–384. <https://doi.org/10.1016/j.ecss.2004.09.027>
- Kuenzer, C., Bluemel, A., Gebhardt, S., Quoc, T. V., & Dech, S. (2011). Remote Sensing of Mangrove Ecosystems: A review. In *Remote Sensing* (Vol. 3, Issue 5, pp. 878–928). <https://doi.org/10.3390/rs3050878>
- Leach, N., Coops, N. C., & Obrknezev, N. (2019). Normalization method for multi-sensor high spatial and temporal resolution satellite imagery with radiometric inconsistencies. *Computers and Electronics in Agriculture*, 164, 104893. <https://doi.org/10.1016/J.COMPAG.2019.104893>

- Leal, M., & Spalding, M. D. (Eds.). (2024). *The State of the World's Mangroves 2024*. <https://doi.org/10.5479/10088/119867>
- Leblanc, S. G., Chen, J. M., Fernandes, R., Deering, D. W., & Conley, A. (2005). Methodology Comparison for Canopy Structure Parameters Extraction from Digital Hemispherical Photography in Boreal Forests. *Agricultural and Forest Meteorology*, 129(3–4), 187–207. <https://doi.org/10.1016/j.agrformet.2004.09.006>
- Lertzman, K. P., Frazer, G. W., Canham, C. D., Sallaway, P., & Marinakis, D. (1999). Gap Light Analyzer (GLA). <http://www.rem.sfu.ca/forestry/index.htm><http://www.ecostudies.org/>
- Li, W., Li, D., Liu, S., Baret, F., Ma, Z., He, C., Warner, T. A., Guo, C., Cheng, T., Zhu, Y., Cao, W., & Yao, X. (2023). RSARE: A Physically-Based Vegetation Index for Estimating Wheat Green LAI to Mitigate the Impact of Leaf Chlorophyll Content and Residue-Soil Background. *ISPRS Journal of Photogrammetry and Remote Sensing*, 200, 138–152. <https://doi.org/10.1016/j.isprsjprs.2023.05.012>
- Lillesand, T. M., Kiefer, R. W., & Chipman, J. W. (2015). *Remote Sensing and Image Interpretation* (7th ed.). John Wiley & Sons.
- Liu, J., Fan, J., Yang, C., Xu, F., Zhang, X., 2022. Novel vegetation indices for estimating photosynthetic and non-photosynthetic fractional vegetation cover from Sentinel data. *Int. J. Appl. Earth Obs. Geoinf.* 109, 102793.
- Liu, X., Li, H., Zhou, Y., Yu, Y., & Wang, X. (2024). The Impact of Seasonal Climate on Dryland Vegetation NPP: The Mediating Role of Phenology. *Sustainability*, 16(22), 9835. <https://doi.org/10.3390/su16229835>
- Ma, Y., Wang, W., Jin, S., Li, H., Liu, B., Gong, W., Fan, R., & Li, H. (2023). Spatiotemporal variation of LAI in different vegetation types and its response to climate change in China from 2001 to 2020. *Ecological Indicators*, 156, 111101. <https://doi.org/10.1016/J.ECOLI ND.2023.111101>
- Majasalmi, T., Rautiainen, M., Stenberg, P., & Lukeš, P. (2013). An Assessment of Ground Reference Methods for Estimating LAI of Boreal Forests. *Forest Ecology and Management*, 292, 10–18. <https://doi.org/10.1016/j.foreco.2012.12.017>
- Makumbura, R. K., & Rathnayake, U. (2022). Variation of Leaf Area Index (LAI) under Changing Climate: Kadolkele Mangrove Forest, Sri Lanka. *Advances in Meteorology*, 2022. <https://doi.org/10.1155/2022/9693303>
- Matsushita, B., Yang, W., Chen, J., Onda, Y., & Qiu, G. (2007). Sensitivity of the Enhanced Vegetation Index (EVI) and Normalized Difference Vegetation Index (NDVI) to Topographic Effects: A Case Study in High-density Cypress Forest. *Sensors*, 7(11), 2636–2651. <https://doi.org/10.3390/s7112636>

- Miraglio, T., Adeline, K., Huesca, M., Ustin, S., & Briottet, X. (2020). Monitoring LAI, Chlorophylls, and Carotenoids Content of a Woodland Savanna Using Hyperspectral Imagery and 3D Radiative Transfer Modeling. *Remote Sensing*, 12(1). <https://doi.org/10.3390/RS12010028>
- Moghimi, A., Celik, T., Mohammadzadeh, A., & Kusetogullari, H. (2021). Comparison of Keypoint Detectors and Descriptors for Relative Radiometric Normalization of Bitemporal Remote Sensing Images. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, 14, 4063–4073. <https://doi.org/10.1109/JSTARS.2021.3069919>
- Mutanga, O., & Skidmore, A. K. (2004). Narrow band vegetation indices overcome the saturation problem in biomass estimation. *International Journal of Remote Sensing*, 25(19), 3999–4014. <https://doi.org/10.1080/01431160310001654923>
- Naguib, N. S., & Daliman, S. (2022). Analysis of NDVI and NDRE indices using satellite images for crop identification at Kelantan. *IOP Conference Series: Earth and Environmental Science*, 1102(1), 012054. <https://doi.org/10.1088/1755-1315/1102/1/012054>
- Nery, L. M., Gomes, G., de Moura, A. T., dos Santos, A. P., Toniolo, B. P., & da Cunha e Silva, D. C. (2025). Adaptation of SAVI to estimate the leaf area index considering different land covers in a Brazilian atlantic forest area. *Modeling Earth Systems and Environment*, 11(2), 1–10. <https://doi.org/10.1007/S40808-025-02300-7/METRICS>
- Noor, Y. R., Khazali, M., & Suryadiputra, I. N. (2012). *Panduan Pengenalan Mangrove di Indonesia* (3rd ed.). DPHKA/WI-IP.
- Paolini, L., Grings, F., Sobrino, J. A., Jiménez Muñoz, J. C., & Karszenbaum, H. (2006). Radiometric correction effects in Landsat multi-date/multi-sensor change detection studies. *International Journal of Remote Sensing*, 27(4), 685–704. <https://doi.org/10.1080/01431160500183057>
- Piao, S., Fang, J., Zhou, L., Guo, Q., Henderson, M., Ji, W., Li, Y., Tao, S., 2003. Interannual variations of monthly and seasonal normalized difference vegetation index (NDVI) in China from 1982 to 1999. *J. Geophys. Res.* 108.
- Pérez, G., Coma, J., Chàfer, M., & Cabeza, L. F. (2022). Seasonal influence of leaf area index (LAI) on the energy performance of a green facade. *Building and Environment*, 207, 108497. <https://doi.org/10.1016/J.BUILDENV.2021.108497>
- Planet Labs. (2022). Planet Imagery Produk Spesifikasi. Planet Labs Inc.
- Potter, C., Li, S., Huang, S., & Crabtree, R. L. (2012). Analysis of sapling density regeneration in Yellow stone National Park with hyperspectral remote sensing data. *Remote Sensing of Environment*, 121, 61–68

- Poungparn, S., Rodtassana, C., Umnouysin, S., Kankong, P., Komiyama, A., Suchewaboripont, V., & Pravinvongvuthi, T. (2025). Periodic Mangrove Growth Induced by Water Salinity Fluctuations Under Tropical Monsoon Climate, Thailand. *Biotropica*, 57(3), e70037. <https://doi.org/10.1111/BTP.70037>
- Prenzel, B. (2004). Remote sensing-based quantification of land-cover and land-use change for planning. In *Progress in Planning* (Vol. 61, Issue 4, pp. 281–299). Elsevier Ltd. [https://doi.org/10.1016/S0305-9006\(03\)00065-5](https://doi.org/10.1016/S0305-9006(03)00065-5)
- Prihantono, J., Nakamura, T., Nadaoka, K., Wirasatriya, A., Adi, N.S. (2022). Rainfall variability and tidal inundation influences on mangrove greenness in Karimunjawa National Park, Indonesia. *Sustainability*, 14(14), 8948. <https://doi.org/10.3390/su14148948>
- Qiao, K., Zhu, W., Xie, Z., & Li, P. (2019). Estimating the Seasonal Dynamics of the Leaf Area Index Using Piecewise LAI-VI Relationships Based on Phenophases. *Remote Sensing 2019*, Vol. 11, Page 689, 11(6), 689. <https://doi.org/10.3390/RS11060689>
- Qiao, K., Zhu, W., Xie, Z., Wu, S., Li, S., 2024. New three red-edge vegetation index (VI3RE) for crop seasonal LAI prediction using Sentinel-2 data. *Int. J. Appl. Earth Obs. Geoinf.* 130, 103894. <https://doi.org/10.1016/j.jag.2024.103894>.
- Rahim, S., & Baderan, D. W. K. (2017). *Hutan Mangrove dan Pemanfaatannya*. Grup Penerbitan CV Budi Utama.
- Rahmila, Y. I., Prasetyo, L. B., Kusmana, C., Setiawan, Y., Suyadi, Efiyanti, L., Indrawan, D. A., Pranoto, B., Anwar, M. A., Yulianti, M., Yeny, I., Herningtyas, W., & Amru, K. (2023). Determination of Health Index Classification and Management Sustainable Mangrove Ecosystems Using a Combination of Fuzzy and ISM Methods. *IOP Conference Series: Earth and Environmental Science*, 1266(1). <https://doi.org/10.1088/1755-1315/1266/1/012087>
- Reddy, S., Agrawal, M., & Prasad, R. C. (2016). Automatic Extraction of Mangrove Vegetation from Optical Satellite Data. *International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives*, 41, 555–561. <https://doi.org/10.5194/isprsarchives-XLI-B8-555-2016>
- Rohmayani, V., Romadhon, N., Arimurti, A. R. R., Purnobasuki, H. H., & Ni'matuzahroh. (2023). Peran Mikroba Indegenous dalam Bioremediasi: Suatu Teknologi Alternatif Untuk Pelestarian Lingkungan di Perairan Mangrove. UM Surabaya Publishing.
- Sadeh, Y., Zhu, X., Chenu, K., & Dunkerley, D. (2019). Sowing Date Detection at the Field Scale Using CubeSats Remote Sensing. *Computers and*

- Electronics in Agriculture, 157, 568–580.
<https://doi.org/10.1016/j.compag.2019.01.042>
- Saenger, P. (2002). *Mangrove Ecology, Silviculture and Conservation*. Springer Netherlands. <https://doi.org/10.1007/978-94-015-9962-7>
- Samingan, M. T. (1980). Notes On the Vegetation Of The Tidal Areas Of South Sumatra, Indonesia, With Special Reference to Karang Agung. . . International Society of Tropical Ecology, 1107–1112.
- Seleiman, M. F., Al-Suhaibani, N., Ali, N., Akmal, M., Alotaibi, M., Refay, Y., Dindaroglu, T., Abdul-Wajid, H. H., & Battaglia, M. L. (2021). Drought Stress Impacts on Plants and Different Approaches to Alleviate Its Adverse Effects. *Plants*, 10(2), 259. <https://doi.org/10.3390/plants10020259>
- Senoaji, G., & Hidayat, M. F. (2017). Peranan Ekosistem Mangrove di Kota Pesisir Bengkulu dalam Mitigasi Pemansan Global Melalui Penyimpanan karbon (The Role of Mangrove Ecosystem in the Coastal City of Bengkulu in Mitigating Global Warming Through Carbon Sequestration). *Jurnal Manusia Dan Lingkungan*, 23(3), 327. <https://doi.org/10.22146/jml.18806>
- Sims, D. A., & Gamon, J. A. (2002). Relationships between leaf pigment content and spectral reflectance across a wide range of species, leaf structures and developmental stages. www.elsevier.com/locate/rse
- Song, C. (2013). Optical remote sensing of forest leaf area index and biomass. In *Progress in Physical Geography* (Vol. 37, Issue 1, pp. 98–113). SAGE Publications Ltd. <https://doi.org/10.1177/0309133312471367>
- Spalding, Mark., Kainuma, Mami., & Collins, Lorna. (2010). *World atlas of mangroves*. Taylor and Francis.
- Speed, J.D.M., Evankow, A.M., Petersen, T.K., Ranke, P.S., Nilsen, N.H., Turner, G., Aagaard, K., Bakken, T., Davidsen, J.G., Dunshea, G., Finstad, A.G., Hassel, K., Husby, M., Harsaker, K., Koksvik, J.I., Presto, T., Vange, V., 2022. A regionally coherent ecological fingerprint of climate change, evidenced from natural history collections. *Ecol. Evol.* 12, e9471.
- Suhardi, R. M., Rahardi, W., Shih, H. C., Mantiquilla, J. A., Wu, Y. H., Shiao, M. S., & Chiang, Y. C. (2024). A Review of the Mangrove Ecosystem in Indonesia: Biodiversity, Conservation, and Challenges in Sustainable Management. In *Ecological Genetics and Genomics* (Vol. 32). Elsevier Inc. <https://doi.org/10.1016/j.egg.2024.100282>
- Sun, Y., Qin, Q., Ren, H., Zhang, T., & Chen, S. (2020). Red-Edge Band Vegetation Indices for Leaf Area Index Estimation From Sentinel-2/MSI Imagery. *IEEE Transactions on Geoscience and Remote Sensing*, 58(2), 826–840. <https://doi.org/10.1109/TGRS.2019.2940826Rsaac>
- Tillack, A., Clasen, A., Kleinschmit, B., & Förster, M. (2014). Estimation of the seasonal leaf area index in an alluvial forest using high-resolution

- satellite-based vegetation indices. *Remote Sensing of Environment*, 141, 52–63. <https://doi.org/10.1016/j.rse.2013.10.018>
- Tomlinson, P. B. . (2016). *The Botany of Mangroves*. Cambridge University Press.
- Tucker, C. J. (1979). Red and Photographic Infrared Linear Combinations for Monitoring Vegetation. In *REMOTE SENSING OF ENVIRONMENT* (Vol. 8).
- Veettil, B. K., Pereira, S. F. R., & Quang, N. X. (2018). Rapidly Diminishing Mangrove Forests in Myanmar (Burma): a Review. In *Hydrobiologia* (Vol. 822, Issue 1, pp. 19–35). Springer International Publishing. <https://doi.org/10.1007/s10750-018-3673-1>
- Viña, A., Gitelson, A. A., Nguy-Robertson, A. L., & Peng, Y. (2011). Comparison of different vegetation indices for the remote assessment of green leaf area index of crops. *Remote Sensing of Environment*, 115(12), 3468–3478. <https://doi.org/10.1016/j.rse.2011.08.010>
- Waas, R. M. (2016). Penegakan Hukum di Kawasan Alur Laut Kepulauan Indonesia (Alki) Menurut Konsepsi Hukum Internasional dan Hukum Nasional Indonesia. *Sasi*, 22(1), 22. <https://doi.org/10.47268/sasi.v22i1.174>
- Wang, D., Wan, B., Qiu, P., Su, Y., Guo, Q., Wang, R., Sun, F., & Wu, X. (2018). Evaluating the Performance of Sentinel-2, Landsat 8 and Pléiades-1 in Mapping Mangrove Extent and Species. *Remote Sensing*, 10(9), 1468. <https://doi.org/10.3390/rs10091468>
- Wang, F., Huang, J., & Chen, L. (2010). Development of a Vegetation Index for Estimation of Leaf Area Index Based on Simulation Modelling. *Journal of Plant Nutrition*, 33(3), 328–338. <https://doi.org/10.1080/01904160903470380>
- Wang, L., Jia, M., Yin, D., & Tian, J. (2019). A Review of Remote Sensing for Mangrove Forests: 1956–2018. *Remote Sensing of Environment*, 231, 111223. <https://doi.org/10.1016/j.rse.2019.111223>
- Weiss, M., Baret, F., Smith, G. J., Jonckheere, I., & Coppin, P. (2004). Review of Methods for in Situ Leaf Area Index (LAI) determination. *Agricultural and Forest Meteorology*, 121(1–2), 37–53. <https://doi.org/10.1016/j.agrformet.2003.08.001>
- Wicaksono, P. (2017). Mangrove Above-Ground Carbon Stock Mapping of Multi-Resolution Passive Remote-Sensing Systems. *International Journal of Remote Sensing*, 38(6), 1551–1578. <https://doi.org/10.1080/01431161.2017.1283072>
- Winarso, G., Kamal, M., Rosid, M. S., & Jatna, S. (2020). Kajian Pustaka Asesmen Status Kondisi Ekosistem Mangrove. *Sriwijaya Biocientia*, 1(2).
- Woodgate, W., Jones, S. D., Suarez, L., Hill, M. J., Armston, J. D., Wilkes, P., Soto-Berelev, M., Haywood, A., & Mellor, A. (2015). Understanding The Variability in Ground-Based Methods for Retrieving Canopy Openness,

- Gap Fraction, And Leaf Area Index In Diverse Forest Systems. *Agricultural and Forest Meteorology*, 205, 83–95. <https://doi.org/10.1016/j.agrformet.2015.02.012>
- Xiao, Y., Tholen, D., & Zhu, X.-G. (2016). The Influence of Leaf Anatomy on The Internal Light Environment and Photosynthetic Electron Transport Rate: Exploration With A New Leaf Ray Tracing Model. *Journal of Experimental Botany*, 67(21), 6021–6035. <https://doi.org/10.1093/jxb/erw359>
- Xie, Q., Dash, J., Huang, W., Peng, D., Qin, Q., Mortimer, H., Casa, R., Pignatti, S., Laneve, G., Pascucci, S., Dong, Y., & Ye, H. (2018). Vegetation Indices Combining the Red and Red-Edge Spectral Information for Leaf Area Index Retrieval. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, 11(5), 1482–1493. <https://doi.org/10.1109/JSTARS.2018.2813281>
- Xie, Y., Sha, Z., & Yu, M. (2008). Remote Sensing Imagery in Vegetation Mapping: A Review. *Journal of Plant Ecology*, 1(1), 9–23. <https://doi.org/10.1093/jpe/rtm005>
- Yoshikai, M., Nakamura, T., Blanco, A., Hernandez, B., Herrera, E., Ferrera, C., Almarza, F., Dimalanta, W., Basina, R., Albano, G., Rollon, R., Suwa, R., Ray, R., Primavera-Tirol, Y., San Diego-McGlone, M. L., & Nadaoka, K. (2023). Modeling flow and sediment dynamics in an estuarine mangrove forest and adjacent areas: the impact of mangrove forest dynamics on landscape evolution. <https://doi.org/10.5194/egusphere-egu23-13835>
- Younes, N., Northfield, T. D., Joyce, K. E., Maier, S. W., Duke, N. C., & Lymburner, L. (2020). A Novel Approach to Modelling Mangrove Phenology from Satellite Images: A Case Study from Northern Australia. *Remote Sensing*, 12(24), 4008. <https://doi.org/10.3390/rs12244008>
- Yunasfi, Sihite, Y., Dalimunthe, A., Lestari, S., Samosir, P., Auri, M., Ramadhan, Y., Noer, Z., & Fadhilah, A. (2023). Species Diversity of Fungi Decomposers of *Rhizophora stylosa* Leaf Litter in Mangrove Ecosystem Pulau Sembilan Langkat Regency. *IOP Conference Series: Earth and Environmental Science*, 1277(1), 012035. <https://doi.org/10.1088/1755-1315/1277/1/012035>
- Yuniasih, B., Harahap, W. N., & Wardana, D. A. S. (2023). Anomali iklim El Nino dan La Nina di Indonesia pada 2013–2022. *AGROISTA*
- Zhang, Y., Chen, J. M., & Miller, J. R. (2005). Determining Digital Hemispherical Photograph Exposure for Leaf Area Index Estimation. *Agricultural and Forest Meteorology*, 166–181.
- Zhu, Y., Liu, K., Liu, L., Wang, S., dan Liu, H. (2015). Retrieval of Mangrove Aboveground Biomass at The Individual Species Level with



UNIVERSITAS
GADJAH MADA

Analisis Multi-temporal Leaf Area Index (LAI) Mangrove Berdasarkan Musim Menggunakan Citra PlanetScope SuperDove

Galih Perkasa, Prof. Muhammad Kamal, S.Si., M.GIS., Ph.D. ; Dr. Prima Widayani, S.Si., M.Si

Universitas Gadjah Mada, 2025 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Worldview-2 Images. Remote Sensing, 7(9), 12192–12214.
<https://doi.org/10.3390/rs70912192>.