

DAFTAR PUSTAKA

- Ahmad, N., Yanuwadi, B., Retnaningdyah, C., & Hakim, L. (2019). Diversity and Conservation Status of Fish in The Water of Rolak Songo Dam, Mojokerto District East Java Indonesia. *IOP Conference Series: Earth and Environmental Science*, 391(1) p.012077. <https://doi.org/10.1088/1755-1315/391/1/012077>
- Aini, N. K., Wardiatno, Y., Effendi, H., Mashar, A., & Madduppa, H. (2021). High genetic diversity and mixing of coastal horseshoe crabs (*Tachypleus gigas*) across major habitats in Sundaland, Indonesia. *PeerJ*, 9:e11739. <https://doi.org/10.7717/peerj.11739>
- Aji, K. W. and Arisuryanti, T. (2021). Molecular identification of mudskipper fish (*Periophthalmus* spp.) from Baros Beach, Bantul, Yogyakarta. *Journal of Tropical Biodiversity and Biotechnology*, 6(3), e66391. <https://doi.org/10.22146/jtbb.66391>
- Akbar, N., Zamani, N. P., & Madduppa, H. (2014). Keragaman genetik ikan tuna sirip kuning (*Thunnus albacares*) dari dua populasi di Laut Maluku, Indonesia. *Depik*, 3(1), 1–10. <https://doi.org/10.13170/depik.3.1.1304>
- Ali, B., Anushka, & Mishra, A. (2022). Effects of dissolved oxygen concentration on freshwater fish: A review. *International Journal of Fisheries and Aquatic Studies*, 10(4), 113–127. <https://doi.org/10.22271/fish.2022.v10.i4b.2693>
- Arifin, O. Z., Wahyulia, C., Jojo, S., & Anang, H. K. (2017b). Keragaman Fenotipe Ikan Tambakan *Helostoma temminckii*. *Media Akuakultur*, 12, 1–9. <https://doi.org/10.15578/ma.12.1.2017.1-9>
- Arisuryanti, T., Hasan, R. L., Ayu, K. L., Ratman, N., & Hakim, L. (2019). Genetic identification of freshwater fish species through DNA barcoding from Lake Lebo Taliwang, West Nusa Tenggara. *Journal of Tropical Biodiversity and Biotechnology*, 4(3), 107–112. <https://doi.org/10.22146/jtbb.46256>
- Arisuryanti, T., Pratama, G. A., Hakim, L., Koentjana, J. P., & Nazira, F. K. (2019). Genetic characterization of kissing gourami (*Helostoma temminckii* cuvier, 1829) in Ogan River, south Sumatra inferred from *16s rRNA* and *COI* mitochondrial genes. *Indonesian Fisheries Research Journal*, 25(1), 37–44. <https://doi.org/10.15578/ifrj.25.1.2019.37-44>
- Arisuryanti, T., Firdaus, N. U. N., & Hakim, L. (2020). Genetic characterization of striped snakehead (*Channa striata* Bloch, 1793) from Arut River, central Kalimantan inferred from *COI* mitochondrial gene. *AIP Conference Proceedings*, 2260(1), e020001. <https://doi.org/10.1063/5.0015905>
- Arisuryanti, T., Ulum, S., & Hakim, L. (2022). Species Identification and Molecular Analysis of Terubuk Fish from Bengkalis Strait (Riau, Indonesia) Using *COI*

- Mitochondrial Gene as A Barcoding Marker. *Genetika*, 54(2), 575–587.
<https://doi.org/10.2298/GENSR2202575A>
- Arisuryanti, T., Waskito Aji, K., Nur Shabrina, F., Febriyanti, D., Setiadi Daryono, B., & Sendi Priyono, D. (2024). Phylogenetic and genetic variation of common mudskippers (*Periophthalmus kalolo* Lesson, 1831) from the southern coast of Java, Indonesia inferred from the *COI* mitochondrial gene. *Journal of Genetic Engineering and Biotechnology*, 22(1)e100335. <https://doi.org/10.1016/j.jgeb.2023.100335>
- Azmir, I. A., Esa, Y., Amin, S. M. N., Md Yasin, I. S., & Md Yusof, F. Z. (2017). Identification of larval fish in mangrove areas of Peninsular Malaysia using morphology and DNA barcoding methods. *Journal of Applied Ichthyology*, 33(5), 998–1006. <https://doi.org/10.1111/jai.13425>
- Bandelt, H. J., Forster, P., & Röhl, A. (1999). Median-joining networks for inferring intraspecific phylogenies. *Molecular Biology and Evolution*, 16(1), 37–48. <https://doi.org/10.1093/oxfordjournals.molbev.a026036>
- Basith, A., Abinawanto, Kusri, E., & Yasman. (2021). Genetic diversity analysis and phylogenetic reconstruction of groupers *Epinephelus* spp. from Madura Island, Indonesia based on partial sequence of *COI* gene. *Biodiversitas*, 22(9), 4282–4290. <https://doi.org/10.13057/biodiv/d220940>
- Brown, R. P., Thorpe, R. S., & Day, J. J. (2023). Evolutionary genomics and mitochondrial DNA mutation dynamics in teleost fishes. *Molecular Ecology*, 32(4), 812–827. <https://doi.org/10.1111/mec.16735>
- Chakrabarti R. (2004). *PCR Technology Current Innovation*. CRC Press.
- Chen, W., Zhao, X., & Li, Y. (2024). Phylogenetic analysis of freshwater Diaphanosoma species based on mitochondrial *COI* gene sequences. *Zoological Studies*, 63(9), 63–69. <https://zoolstud.sinica.edu.tw/Journals/63/63-09>
- Corkill G, & Rapley R. (2008). *The Manipulation of Nucleic Acids: Basic Tools and Techniques in Molecular Biomethods Handbook Second Edition*. Humana Press.
- Darhuddin, H., Hutama, A., Busson, F., Sauri, S., Hanner, R., Keith, P., Hadiaty, R., & Hubert, N. (2016). Revisiting the ichthyodiversity of Java and Bali through DNA barcodes: taxonomic coverage, identification accuracy, cryptic diversity and identification of exotic species. *Molecular Ecology Resources*, 17(2), 288–299. <https://doi.org/10.1111/1755-0998.12528>
- Darriba, D., Taboada, G.L., Doallo, R., dan Posada, D. 2012. jModelTest 2: more models, new heuristics and parallel computing. *Nature methods*, 9(8): 772. <https://doi.org/10.1038/nmeth.2109>

- Dirhamsyah. (2004). Regional Policies and Regulations for Coral Reef Management: Case Studies on Riau Archipelago, Selayar and Biak Numfor Districts, Indonesia. *Maritime Studies*, 2004(136), 7–20. <https://doi.org/10.1080/07266472.2004.10878743>
- Ekasanti, A., Syakuri, H., Muslih, M., Listiowati, E., Studi Akuakultur, P., Perikanan dan Ilmu Kelautan, F., Jenderal Soedirman, U., & Studi Manajemen Sumberdaya Perairan, P. (2023). Keragaman Genetik Guppy (*Poecilia Reticulata*) Menggunakan Metode Rapd (Random Amplified Polymorphic DNA) Genetic Diversity of Guppy (*Poecilia reticulata*) using RAPD (Random Amplified Polymorphic DNA) Method. *Journal Perikanan*, 13(4), 1032–1042. <https://doi.org/10.29303/jp.v13i3.663>
- Elvyra R., 2012 Potential and development of lais fish (*Kryptopterus* and *Ompok*: Siluridae) in Riau Province. Proceeding of 7th Seminar UR-UKM - Optimization of Research, *Science and Technology in Sustainable Development*, pp. 9-12.
- Elvyra, R., Riduan, R., & Roslim, D. I. (2023). Molecular Characterization of Danau Selais Fish (*Ompok hypophthalmus*) and Kaporeh Selais Fish (*Ompok eugeneiatus*) from Riau Province of Indonesia using Mitochondrial *12S rRNA*. *Jurnal Biologi Tropis*, 23(1), 53–61. <https://doi.org/10.29303/jbt.v23i1.5709>
- Elvyra, R., Solihin, D. D., Affandi, R., Junior, M. Z., & Suhendra, M. (2020). Short communication: Molecular characteristics and phylogenetic relationships of silurid catfishes (*Kryptopterus*, *Ompok* and *Phalacronotus*) from the Kampar River, Indonesia, based on the cytochrome b gene. *Biodiversitas*, 21(8), 3539–3546. <https://doi.org/10.13057/biodiv/d210816>
- Ernawati, Y., Mukhlis Kamal, M., Ayu, N., & Pellokila, Y. (2009). Biologi Reproduksi Ikan Betok (*Anabas testudineus* Bloch, 1792) Di Rawa Banjiran Sungai Mahakam, Kalimantan Timur *Jurnal Iktiologi Indonesia*, 2, 113–127. <https://doi.org/10.32491/jii.v9i2.184>
- Felsenstein, J. (1981). Evolutionary trees from DNA sequences: A maximum likelihood approach. *Journal of Molecular Evolution*, 17(6), 368–376. <https://doi.org/10.1007/BF01734359>
- Ferry, L. A., Konow, N., & Gibb, A. C. (2012). Are kissing gourami specialized for substrate-feeding? Prey capture kinematics of *Helostoma temminckii* and other anabantoid fishes. *Journal of Experimental Zoology Part A: Ecological Genetics and Physiology*, 317(9), 571–579. <https://doi.org/10.1002/jez.1749>
- Fitriani, R., Rohman, F., & Amin, M. (2022). Community structure and genetic variation of freshwater fishes in stream and standing water in the Brantas River, Malang Regency. *Jurnal Iktiologi Indonesia*, 22(2), 109-129. <https://doi.org/10.32491/jii.v22i2.586>

- Giacomazzi S, Leroi F, & Joffraud J. (2005). Comparison of three methods of DNA extraction from cold-smoked salmon and impact of physical treatments. *Journal of Applied Microbiology*, 98(5), 1230-1238. <https://doi.org/10.1111/j.1365-2672.2005.02574>
- Gonzalez-Martinez, A., Bravo, W., Montalvo, M., & Castro, R. (2021). Usefulness of discriminant analysis in the morphometric differentiation of six native freshwater species from Ecuador. *Animals*, 11(1), 111. <https://doi.org/10.3390/ani11010111>
- Hasibuan, F. E., Mantiri, F. R., & Rumende, R. R. H. (2017). Kajian Variasi Sekunes Intraspesies Dan Filogenetik Monyet Hitam Sulawesi (*Macaca Nigra*) Dengan Menggunakan Gen *COI*. *Jurnal Ilmiah Sains*, 17, 59–67. <http://multalin.toulouse.inra.fr/multalin/>
- Hebert, P. D. N., Cywinska, A., Ball, S. L., & DeWaard, J. R. (2003a). Biological identifications through DNA barcodes. *Proceedings of the Royal Society B: Biological Sciences*, 270(1512), 313–321. <https://doi.org/10.1098/rspb.2002.2218>
- Herman, Al-Khairi, H., Wansyah, A. R., Asmania, Utami, R. I., Anzaelina, D. N., Oktaviano, Z., Lestari, W., Adiwirman, & Roslim, D. I. (2023). The Ability of *MatK* and *TrnI-TrnL-Trnf* Intergenic Spacer to Discern Certain Species Accessions of The Families Solanaceae and Fabaceae. *Sabrao Journal of Breeding and Genetics*, 55(1), 97–106. <https://doi.org/10.54910/sabrao2023.55.1.9>
- Hubert, N., Hanner, R., Holm, E., Mandrak, N. E., Taylor, E., Burrige, M., & Bernatchez, L. (2008). Identifying Canadian freshwater fishes through DNA barcodes. *PLoS ONE*, 3(6), e2490. <https://doi.org/10.1371/journal.pone.0002490>
- Huelsenbeck, J. P., & Ronquist, F. (2001). MRBAYES: Bayesian inference of phylogenetic trees. *Bioinformatics*, 17(8), 754–755. <https://doi.org/10.1093/bioinformatics/17.8.754>
- Imtiaz, A., Mohd Nor, S. A., & Md. Naim, D. (2017). Progress and potential of DNA barcoding for species identification of fish species. *Biodiversitas*. 18(4), 1394–1405. <https://doi.org/10.13057/biodiv/d180415>
- Jose, S., Prabhakaran, M. P., & Gopalakrishnan, A. (2023). Genetic analyses reveal panmixia in Indian waters and population structure of *Decapterus russelli*. *Scientific Reports*, 13, 16925. <https://doi.org/10.1038/s41598-023-49805-8>
- Kasayev, T., & Arisuryanti, T. (2022). *COI* Based DNA Barcoding of Selais Fish from Arut River, Central Kalimantan, Indonesia. *Journal of Tropical Biodiversity and Biotechnology*, 7(1), jtbb66510. <https://doi.org/10.22146/jtbb.66510>
- Kashyap, P. L., Kumar, S., Tripathi, R., Kumar, R. S., Jasrotia, P., Singh, D. P., & Singh, G. P. (2019). Phylogeography and population structure analysis reveal diversity by gene flow and mutation in *Ustilago segetum* (Pers.) Roussel tritici causing loose smut of wheat. *Frontiers in Microbiology*, 10, 1072. <https://doi.org/10.3389/fmicb.2019.01072>

- Khanuja, S. P. S., Shasany, A. K., Pawar, A., Lal, R. K., Darokar, M. P., Naqvi, A. A., Rajkumar, S., Sundaresan, V., Lal, N., & Kumar, S. (2005). Essential oil constituents and RAPD markers to establish species relationship in *Cymbopogon Spreng.* (Poaceae). *Biochemical Systematics and Ecology*, 33(2), 171–186. <https://doi.org/10.1016/j.bse.2004.06.011>
- Khosravinia H, & Ramesha KP. (2007). Influence of EDTA and magnesium on DNA extraction from blood samples and specificity of polymerase chain reaction. *African Journal of Biotechnology* 6(3), 184–187. <https://doi.org/10.4314/ajb.v6i3.56127>
- Kosugi, Y., Katsuyama, M., & Toma, T. (2021). Water chemistry and carbon dynamics in tropical peat swamp ecosystems. *Biogeosciences*, 18(8), 2951–2967. <https://doi.org/10.5194/bg-18-2951-2021>
- Lambert, V. A., & Lambert, C. E. (2012). Qualitative Descriptive Research: An Acceptable Design. *Pacific Rim International Journal of Nursing Research*, 16, 255–256.
- Lemey, P., Rambaut, A., Drummond, A. J., & Suchard, M. A. (2009). Bayesian phylogeography finds its roots. *PLoS Computational Biology*, 5(9), e1000520. <https://doi.org/10.1371/journal.pcbi.1000520>
- Li, H., Zhao, J., & Wang, Y. (2023). The effects of short-term exposure to pH reduction on fish physiology. *Frontiers in Physiology*, 14, 1180946. <https://doi.org/10.3389/fphys.2023.1180946>
- Liu, W., Chang, Q., & Xu, G. (2020). Nucleotide composition bias in mitochondrial genomes: Implications for DNA replication and evolution. *Mitochondrial DNA Part B*, 5(1), 497–504. <https://doi.org/10.1080/23802359.2019.1708120>
- Lo, P. C., Liu, S. H., Chao, N. L., & Chen, W. J. (2012). A multi-gene dataset reveals a tropical New World origin and early Miocene diversification of croakers (Perciformes: Sciaenidae). *BMC Evolutionary Biology*, 12(1), 149. <https://doi.org/10.1186/1471-2148-12-149>
- Madden, T. (2013). *The NCBI handbook, 2nd edition*. National Center for Biotechnology Information (US).
- Maddison, W. P., & Maddison, D. R. (2019). *Mesquite: a modular system for evolutionary analysis. Version 3.6.1*. <http://www.Mesquiteproject.Org>.
- Maizul, R. (2019). Analisis variasi morfometrik dan meristik ikan *Glyptothorax platypogon* di Sungai Serayu dan Sungai Ringin. In *Skripsi sarjana, Universitas Islam Negeri Walisongo*. <https://eprints.walisongo.ac.id/12273/>
- Marini, M., Pedrosa-Gerasmio, I. R., Santos, M., Shibuno, T., Daryani, A., Romana-Eguia, M. R. R., & Wibowo, A. (2021). Genetic diversity, population structure and demographic history of the tropical eel *Anguilla bicolor pacifica* in Southeast Asia

- using mitochondrial DNA control region sequences. *Global Ecology and Conservation*, 26, e01493. <https://doi.org/10.1016/j.gecco.2021.e01493>
- Marnis, H. (2024). Insights into the structural features and phylogenetic implications of the complete mitochondrial genome of Fasin rainbow fish (*Melanotaenia fasinensis*). *BMC Genomics*, 25, 1066. <https://doi.org/10.1186/s12864-024-10996-7>
- Morris, C. A., Scott, G. R., & McDonald, M. D. (2021). The physiology of fish in acidic waters rich in dissolved organic carbon (blackwaters). *Aquatic Sciences*, 83(2), 25. <https://doi.org/10.1007/s00027-021-00780-3>
- Mulyana, D. (2008). *Metodologi Penelitian Kualitatif*. Remaja Rosdakarya.
- Muryati, siti, Ridwan Manda Putra, & Deni Efizon. (2016). A Study on Morphometric and Meristic of *Helostoma temmincki* from swamp area in the Bencah Kelubi Village, Tapung Kiri Sub-Regency, Kampar Regency, Riau Province. *Jurnal Online Mahasiswa Fakultas Perikanan Dan Ilmu Kelautan Universitas Riau*, 3(1), 1–10.
- Nei, M., & Kumar, S. (2000). *Molecular Evolution and Phylogenetics*. Oxford University Press.
- Nguyen, H. T., Fotedar, R., & Partridge, G. J. (2018). Effects of elevated water temperature on tropical freshwater fish physiology. *Environmental Biology of Fishes*, 101(9), 1211–1222. <https://doi.org/10.1007/s10641-018-0785-2>
- Nuryanto, A., Komalawati, N., & Sugiharto, S. (2019). Genetic diversity assessment of *Hemibagrus nemurus* from rivers in Java Island, Indonesia using COI gene. *Biodiversitas Journal of Biological Diversity*, 20(9), 2707–2717. <https://doi.org/10.13057/biodiv/d200936>
- Oufiero, C. E., & Whitlow, K. R. (2016). The evolution of phenotypic plasticity in fish swimming. *Current Zoology*, 62(5), 475–488. <https://doi.org/10.1093/cz/zow084>
- Parvez, I., Akter Rumi, R., Rani Ray, P., Hassan, M. M., Sultana, S., Pervin, R., Suwanno, S., & Pradit, S. (2022). Invasion of African *Clarias gariepinus* drives genetic erosion of the indigenous *C. batrachus* in Bangladesh. *Biology (Basel)*, 11(2), 252. <https://doi.org/10.3390/biology11020252>
- Peakall, R., & Smouse, P. E. (2012). GenALEX 6.5: Genetic analysis in Excel. Population genetic software for teaching and research update. *Bioinformatics*, 28(19), 2537–2539. <https://doi.org/10.1093/bioinformatics/bts460>
- Posada, D. (2008). jModelTest: Phylogenetic model averaging. *Molecular Biology and Evolution*, 25(7), 1253–1256. <https://doi.org/10.1093/molbev/msn083>
- Posada, D., & Buckley, T. R. (2004). Model selection and model averaging in phylogenetics: Advantages of Akaike information criterion and Bayesian approaches over likelihood

- ratio tests. *Systematic Biology*, 53(5), 793–808.
<https://doi.org/10.1080/10635150490522304>
- Pratiwi R. (2001). Mengenal metode elektroforesis. *Jurnal Oseana* 26, 1, 25–31.
- Profant, S. W., Sutopo, A., & Lumban, T. P. (2024). Mitogenome, Poly(A) mitotranscriptome, and molecular phylogeny of *Rasbora rasbora* (Family Danionidae; Subfamily Rasborinae). *Fishes*, 9(8), 317. <https://doi.org/10.3390/fishes9080317>
- Putra, A. A., Kurniasih, D., Yolantika, H., Ikhsan, M., & Roesma, D. I. (2019). Analisis morfologi beberapa populasi ikan *Nemacheilus pfeifferae* (Bleeker, 1853) di Sumatera Barat. *Laporan penelitian, Universitas Andalas*.
<https://www.researchgate.net/publication/335834614>
- Rahayu DA, & Jannah M. (2019). *DNA barcode hewan dan tumbuhan Indonesia*. Yayasan Inspirasi Ide Berdaya.
- Rahim, Z., & Madduppa, H. (2020). Identifikasi ikan sardin komersial (*Dussumieria elopsoides*) yang didaratkan di pasar Muara Angke, Jakarta menggunakan pengamatan morfologi, morfometrik dan DNA barcoding. *Jurnal Kelautan: Indonesian Journal of Marine Science and Technology*, 13(2), 93–99. <https://doi.org/10.21107/jk.v13i2.6397>
- Rahmah, M., Hasibuan, A. R. W., Melia, T., Al Khairi, H., & Roslim, D. I. (2024). DNA Barcoding Analysis of Betok Fish (*Anabas testudineus*) from Kampar, Riau Based on *Cytochrome Oxidase Subunit I (COI)*. *Jurnal Biologi Tropis*, 24(2), 921–927. <https://doi.org/10.29303/jbt.v24i2.7121>
- Rahman, Y., Rima Setyawati, T., & Hepi Yanti, A. (2013). Karakteristik Populasi Ikan Biawan (*Helostoma temminckii* Cuvier) di Danau Kelubi Kecamatan Tayan Hilir. *Protobiont*, 2, 80–86. <https://doi.org/10.26418/protobiont.v2i2.2747>
- Rambaut, A., 2019. FigTree v 1.4.4. Available at: <http://tree.bio.ed.ac.uk/software/figtree/>
- Ratnasingham, S., & Hebert, P. D. N. (2007). BOLD: The Barcode of Life Data System: Barcoding. *Molecular Ecology Notes*, 7(3), 355–364. <https://doi.org/10.1111/j.1471-8286.2007.01678>
- Rhaifa, F. A., Audrea, D. J., Hakim, L., & Arisuryanti, T. (2021). Dna barcode of barred mudskipper (*Periophthalmus argentilineatus* valenciennes, 1837) from tekolok estuary (west nusa tenggara, indonesia) and their phylogenetic relationship with other indonesian barred mudskippers. *Journal of Tropical Biodiversity and Biotechnology*, 6(2). <https://doi.org/10.22146/JTBB.59702>
- Roslim, D. I., Nuraini, I. S., Nurhayati, S., Sianturi, C. V., At-Thahirah, A.-T., & Herman, H. (2023). Analisis Empat Sekuens Barkode DNA Pada Pandan (*Benstonea* sp.) Asal Danau Kajuik, Riau. *Al-Kaunyah: Jurnal Biologi*, 16(1), 98–114. <https://doi.org/10.15408/kaunyah.v16i1.21697>

- Roy, L., Dowling, A. P. G., Chauve, C. M., & Buronfosse, T. (2020). Molecular phylogeny of the poultry red mite *Dermanyssus gallinae* reveals cryptic species diversity. *Parasites & Vectors*, *13*(1), 481. <https://pubmed.ncbi.nlm.nih.gov/32974406>
- Rozas, J., Ferrer-Mata, A., Sanchez-DelBarrio, J. C., Guirao-Rico, S., Librado, P., Ramos-Onsins, S. E., & Sanchez-Gracia, A. (2017). DnaSP 6: DNA sequence polymorphism analysis of large data sets. *Molecular Biology and Evolution*, *34*(12), 3299–3302. <https://doi.org/10.1093/molbev/msx248>
- Saitou, N., & Nei, M. (1987). The neighbor-joining method: A new method for reconstructing phylogenetic trees. *Molecular Biology and Evolution*, *4*(4), 406–425. <https://doi.org/10.1093/oxfordjournals.molbev.a040454>
- Saleky, D., Dailami, M., Manan, J., & Manumpil, A. W. (2022). Identifikasi Molekuler Udang Penaeid dengan Pendekatan DNA Barcoding. *NEKTON: Jurnal Perikanan Dan Ilmu Kelautan*, *2*(2), 30–41. <https://doi.org/10.47767/nekton.v2i2.395>
- Shabrina, F. N., Wibowo, K., & Arisuryanti, T. (2024). Cryptic diversity of mudskipper genus *Boleophthalmus* (Gobiiformes: Oxudercidae) from the north coast of East Java, Indonesia. *Biodiversitas*, *25*(1), 412–420. <https://doi.org/10.13057/biodiv/d250148>
- Suchard, M.A., Lemey, P., Baele, G., Ayres, D.L., Drummond, A.J., Rambaut, A., 2018. Bayesian phylogenetic and phylodynamic data integration using BEAST 1.10. *Virus Evol.* *4*, 1-5. <https://doi.org/10.1093/ve/vey016>
- Sugihartono, M., & David, D. (2014). Survival and growth response of kissing gourami larvae toward stocking densities (*Helostoma temminckii*). *Jurnal Ilmiah Universitas Batanghari Jambi*, *14*(4), 103–107. <https://doi.org/10.33087/jiubj.v14i4.232>
- Sulandari SM, & Zein. (2003). *Panduan Praktis Laboratorium DNA* . Lembaga Ilmu Pengetahuan Indonesia.
- Sulistiyarto, B., Soedharma, D., Rahardjo, M. F., & Sumardjo. (2007). The effect of seasonality on fish species composition and abundance in Rungan river floodplain, Palangkaraya, Central Kalimantan. *Biodiversitas Journal of Biological Diversity*, *8*(4). <https://doi.org/10.13057/biodiv/d080405>
- Suriana., Marwansyah, & Amirullah. (2019). Karakteristik Segmen Gen *sitokrom C Oksidase Subunit I (COI)* Ngegat *Plusia chalcites* (Lepidoptera: Noctuidae). *BioWallacea Jurnal Penelitian Biologi*. *6*(2), 985–994. <https://doi.org/10.33772/biowallacea.v6i2.8824>
- Suryani, S. A. M. P., Wirawan, I. G. P., Dwiyani, R., & Sritamin, M. (2020). Morphometric variations of *Rasbora lateristriata* Bleeker population in different habitat: Based on truss character analysis. *International Journal of Life Sciences*, *4*(2), 9–18. <https://doi.org/10.29332/ijls.v4n2.428>

- Surzycki NR. (2000). *Molecular and Cellular Biology*. Wadsworth Inc.
- Swain, D. P., & Foote, C. J. (1999). Stocks and chameleons: The use of phenotypic variation in stock identification. *Fisheries Research*, 43(1–3), 113–128. [https://doi.org/10.1016/S0165-7836\(99\)00069-7](https://doi.org/10.1016/S0165-7836(99)00069-7)
- Tajima, F. (1989). Statistical method for testing the neutral mutation hypothesis by DNA polymorphism. *Genetics*, 123(3), 585–595. <https://doi.org/10.1093/genetics/123.3.585>
- Tamura, K., Stecher, G., & Kumar, S. (2021). MEGA11: Molecular Evolutionary Genetics Analysis Version 11. *Molecular Biology and Evolution*, 38(7), 3022–3027. <https://doi.org/10.1093/molbev/msab120>
- Tansuka, M., Taqwa, F. H., & Mukti, R. C. (2022). The Optimization of Kissing Gourami (*Helostoma temminckii*) Fry Density in Recirculation System Culture. *Jurnal Lahan Suboptimal: Journal of Suboptimal Lands*, 11(2), 147–153. <https://doi.org/10.36706/jlso.11.2.2022.580>
- Tao, M., You, C.-P., Zhao, R.-R., Liu, S.-J., Zhang, Z.-H., Zhang, C., & Liu, Y. (2013). Animal Mitochondria: Evolution, Function, and Disease. *Current Molecular Medicine*, 14(1), 115–124. <https://doi.org/10.2174/15665240113136660081>
- Tarigan, J. T. H., Diantari, R., & Efendi, E. (2015). Kajian biologi ikan tembakang (*Helostoma temminckii*) di Rawa Bawang Juyeuw Kabupaten Tulang Bawang Barat. *E-Jurnal Rekayasa Dan Teknologi Budidaya Perairan*, 3(2), 1–10. <https://jurnal.fp.unila.ac.id/index.php/bdpi/article/view/655>
- Ubamnata, B., Diantari, R., & Hasani, Q. (2017). Kajian pertumbuhan ikan Tembakang (*Helostoma temminckii*) di Rawa Bawang Latak Kabupaten Tulang Bawang, Lampung. *Jurnal Penelitian Pertanian Terapan*, 15(2), 90–99. <https://doi.org/10.25181/jppt.v15i2.115>
- Valen, F. S., Hafidz, A. M., Islamy, R. A., Faqih, A. R., Widodo, M. S., & Hasan, V. (2024). Molecular identification of *Nemacheilus* sp. from Bangka Island, Indonesia based on the *Cytochrome C Oxidase Subunit I (COI)* gene. *IOP Conference Series: Earth and Environmental Science*, 1392(1), 012031. <https://doi.org/10.1088/1755-1315/1392/1/012031>
- Wang, L., Zhang, C., & Li, J. (2021). Comparative analysis of mitochondrial genome composition among teleost fishes. *Genes*, 12(3), 352. <https://doi.org/10.3390/genes12030352>
- Wang, W., Zheng, Y., Zhao, J., Li, P., Zhang, Y., Zhang, H., & Pan, H. (2019). Low genetic diversity in a critically endangered primate: Shallow evolutionary history or recent population bottleneck? *BMC Ecology and Evolution*, 19(1), 1451. <https://doi.org/10.1186/s12862-019-1451-y>

- Ward, R. D., Zemlak, T. S., Innes, B. H., Last, P. R., & Hebert, P. D. N. (2005). DNA barcoding Australia's fish species. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 360(1462), 1847–1857. <https://doi.org/10.1098/rstb.2005.1716>
- Ward, R. D., Zemlak, T. S., Innes, B. H., Last, P. R., & Hebert, P. D. N. (2005). DNA barcoding Australia's fish species. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 360(1462), 1847–1857. <https://doi.org/10.1098/rstb.2005.1716>
- Warren, M., Hergoualc'h, K., Kauffman, J. B., Murdiyarto, D., & Kolka, R. K. (2017). An appraisal of Indonesia's immense peat carbon stock using national peatland maps: uncertainties and potential losses from conversion. *Carbon Balance and Management*, 12(1), 12. <https://doi.org/10.1186/s13021-017-0080-2>
- Williams A. (2007). Astonishing DNA complexity demolishes neo-darwinism. *Journal of Creation* 21, 3, 111–117.
- Wright, S. (1978). *Evolution and the Genetics of Populations. Vol. 4: Variability within and among Natural Populations*. University of Chicago Press.
- Yule, C. M., & Gomez, L. N. (2009). Leaf litter decomposition in a tropical peat swamp forest in Peninsular Malaysia. *Wetlands Ecology and Management*, 17(3), 231–241. <https://doi.org/10.1007/s11273-008-9103-9>
- Zein MSA, & Prawiradilaga DM. (2013). *DNA barcode fauna indonesia*. Prenada Media.
- Zemlak, T. S., Ward, R. D., Connell, A. D., Holmes, B. H., & Hebert, P. D. N. (2009). DNA barcoding reveals overlooked marine fishes. *Molecular Ecology Resources*, 9(Suppl s1), 237–242. <https://doi.org/10.1111/j.1755-0998.2009.02649.x>
- Zhao, Y., Li, D., & Xu, W. (2024). DNA barcoding and phylogenetic analysis of *Trachinotus* species based on mitochondrial *COI* gene. *Fishes*, 10(3), 129. <https://doi.org/10.3390/fishes10030129>
- Zou, Y. (2024). Common methods for phylogenetic tree construction and evaluation: Review and recommendations. *Frontiers in Genetics*, 11(5), 1117635. <https://doi.org/10.3389/fgene.2024.1117635>