UNIVERSITAS
GADJAH MADA
Studi Komparatif dan Optimalisasi Pelapisan Hybrid Nanocomposite Epoksi/PTFE/CNT terhadap Anti-Silica Scaling pada Aplikasi Perpipaan Panas Bumi
Yurian Ariandi Andrameda, Prof. Dr. Ir. Kusmono, S.T., M.T., IPM., ASEAN Eng. ; Dr. Ir. Khasani, ST, M.Eng, IPM., A
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Afriyanti, Y., Sasana, H., & Jalunggono, G. (2020). Analisis Faktor-faktor yang Mempengaruhi Konsumsi Energi Terbarukan di Indonesia. *Dinamic*, *2*(3), 865–884. https://doi.org/10.31002/dinamic.v2i3.1428

Ajayan, P. M., Schadler, L. S., & Braun, P. V. (2006). *Nanocomposite science and technology*. John Wiley & Sons.

Albozahid, M., & Mateab, S. (2021). Study the Effect of Adding MWCNTs on the Hardness, Impact Strength, and Structural Properties of Composite Materials based on Epoxy Polymer. *Egyptian Journal of Chemistry*, *0*(0), 0–0. https://doi.org/10.21608/ejchem.2021.88640.4262

Alhamid, M. I., Daud, Y., Surachman, A., Sugiyono, A., Aditya, H. B., & Mahlia, T. M. I. (2016). Potential of geothermal energy for electricity generation in Indonesia: A review. *Renewable and Sustainable Energy Reviews*, *53*, 733–740.

Alhussiny, H., & Albozahid, M. (2023). Study the Effect of Hybrid Nanofillers Content on the X-ray Diffraction and Thermal Conductivity Properties of Epoxy-Based Nanocomposites. *Al-Nahrain Journal for Engineering Sciences*, *26*(4), 286–291.

Allen, R. O., & Sanderson, P. (1988). Characterization of Epoxy Glues with FT-IR. *Applied Spectroscopy Reviews*, *24*(3–4), 175–187. https://doi.org/10.1080/05704928808060457

Andritsos, N., Karabelas, A. J., Karabelas, A. J., & Koutsoukos, P. G. (2002). *SCALE FORMATION IN GEOTHERMAL PLANTS INTERNATIONAL SUMMER SCHOOL on Direct Application of Geothermal Energy SCALE FORMATION IN GEOTHERMAL PLANTS*. https://www.researchgate.net/publication/248390587

Antony, A., Low, J. H., Gray, S., Childress, A. E., Le-Clech, P., & Leslie, G. (2011a). Scale formation and control in high pressure membrane water treatment systems: A review. *Journal of membrane science*, *383*(1–2), 1–16.

UNIVERSITAS
GADJAH MADA
Studi Komparatif dan Optimalisasi Pelapisan Hybrid Nanocomposite Epoksi/PTFE/CNT terhadap Anti-Silica Scaling pada Aplikasi Perpipaan Panas Bumi
Yurian Ariandi Andrameda, Prof. Dr. Ir. Kusmono, S.T., M.T., IPM., ASEAN Eng. ; Dr. Ir. Khasani, ST, M.Eng, IPM., A
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

ASTM Standard A516. (2015). *Standard Specification for Pressure Vessel Plates, Carbon Steel, for Moderate and Lower Temperature Service*.

ASTM Standard D2240. (2015). *Standard Test Method for Rubber Property—Durometer Hardness*.

ASTM Standard D4541. (2022). Standard Test Method for Pull-Off Strength of Coatings Using Portable Adhesion Testers. *ASTM International*.

ASTM Standard D5946. (2009). Standard Test Method for Corona-Treated Polymer Films Using Water Contact Angle Measurements. *ASTM International*.

ASTM Standart G59. (2003). *Standard Test Method for Conducting Potentiodynamic Polarization Resistance Measurements*.

ASTM Standart G102. (2015). *Standard Practice for Calculation of Corrosion Rates and Related Information from Electrochemical Measurements*.

Augustsson, C. (2004). *Augustsson, C. 2004. NM Epoxy Handbook Third Edition.* (3 ed.). Ytterby: Nils Malmgren AB.

Ayache, J., Beaunier, L., Boumendil, J., Ehret, G., & Laub, D. (2010). *Sample Preparation Handbook for Transmission Electron Microscopy*. Springer New York. https://doi.org/10.1007/978-1-4419-5975-1

Azimi, G., Cui, Y., Sabanska, A., & Varanasi, K. K. (2014). Scale-resistant surfaces: Fundamental studies of the effect of surface energy on reducing scale formation. *Applied surface science*, *313*, 591–599.

Badea, G. E., Caraban, A., Sebesan, M., Dzitac, S., Cret, P., & Setel, A. (2010). Polarisation measurements used for corrosion rates determination. *Journal of sustenable energy*, *1*(1), 1.

Bao, X., Wu, F., & Wang, J. (2021). Thermal degradation behavior of epoxy resin containing modified carbon nanotubes. *Polymers*, *13*(19), 3332.

Bera, S., Rout, T. K., Udayabhanu, G., & Narayan, R. (2016). Water-based & eco-friendly epoxy-silane hybrid coating for enhanced corrosion protection & adhesion

UNIVERSITAS
GADJAH MADA
Studi Komparatif dan Optimalisasi Pelapisan Hybrid Nanocomposite Epoksi/PTFE/CNT terhadap Anti-Silica Scaling pada Aplikasi Perpipaan Panas Bumi
Yurian Ariandi Andrameda, Prof. Dr. Ir. Kusmono, S.T., M.T., IPM., ASEAN Eng. ; Dr. Ir. Khasani, ST, M.Eng, IPM., A
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

on galvanized steel. *Progress in Organic Coatings*, *101*, 24–44. https://doi.org/10.1016/j.porgcoat.2016.07.010

Berean, K. J., Ou, J. Z., Nour, M., Field, M. R., Alsaif, M. M. Y. A., Wang, Y., Ramanathan, R., Bansal, V., Kentish, S., Doherty, C. M., Hill, A. J., McSweeney, C., Kaner, R. B., & Kalantar-zadeh, K. (2015). Enhanced Gas Permeation through Graphene Nanocomposites. *The Journal of Physical Chemistry C*, *119*(24), 13700–13712. https://doi.org/10.1021/acs.jpcc.5b02995

Bertani, R. (2009). Geothermal energy: an overview on resources and potential. *Proceedings of the international conference on national development of geothermal energy use, Slovakia*.

Bezkosty, P., Długoń, E., Sowa, M., Nizioł, J., Jeleń, P., Marchewka, J., Błażewicz, M., & Sitarz, M. (2022). Corrosion Resistance and Electrical Conductivity of Hybrid Coatings Obtained from Polysiloxane and Carbon Nanotubes by Electrophoretic Co-Deposition. *International Journal of Molecular Sciences*, *23*(5), 2897. https://doi.org/10.3390/ijms23052897

Bott, T. R. (1995). *Fouling of heat exchangers*. Elsevier.

Bryan S. Beckingham. (2024). *The Renewable Energy-Water-Environment Nexus*. Elsevier. https://doi.org/10.1016/C2022-0-02173-5

Burkarter, E., Saul, C. K., Thomazi, F., Cruz, N. C., Roman, L. S., & Schreiner, W. H. (2007). Superhydrophobic electrosprayed PTFE. *Surface and Coatings Technology*, *202*(1), 194–198.

Callister Jr, W. D., & Rethwisch, D. G. (2020). *Fundamentals of materials science and engineering: an integrated approach*. John Wiley & Sons.

Campo, M., Redondo, O., & Prolongo, S. G. (2020). Barrier properties of thermal and electrical conductive hydrophobic multigraphitic/epoxy coatings. *Journal of Applied Polymer Science*, *137*(42). https://doi.org/10.1002/app.49281

UNIVERSITAS
GADJAH MADA
Studi Komparatif dan Optimalisasi Pelapisan Hybrid Nanocomposite Epoksi/PTFE/CNT terhadap Anti-Silica Scaling pada Aplikasi Perpipaan Panas Bumi
Yurian Ariandi Andrameda, Prof. Dr. Ir. Kusmono, S.T., M.T., IPM., ASEAN Eng. ; Dr. Ir. Khasani, ST, M.Eng, IPM., A
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Carter, C. B., & Williams, D. B. (2016). *Transmission electron microscopy: Diffraction, imaging, and spectrometry*. Springer.

Chen, C., Li, B., Kanari, M., & Lu, D. (2019). *Epoxy Adhesives*. https://doi.org/10.5772/intechopen.86387

Cheng, K., Ricks, Z., Yang, E., Palmre, V., Lee, C. Y., & Kim, K. (2011). *Fine-Tuned Polymer Nano-composite Coatings for Use in Geothermal Plants*. http://www.asme.org/about-asme/terms-of-use

Chopra, I., Ola, S. K., Dhayal, V., & Shekhawat, D. S. (2022). Recent advances in epoxy coatings for corrosion protection of steel: Experimental and modelling approach-A review. *Materials Today: Proceedings*, *62*, 1658–1663.

Clyne, T. W., & Hull, D. (2019). *An introduction to composite materials*. Cambridge university press.

Darma, S., Imani, Y. L., Shidqi, N. A., Dwikorianto, T., & Daud, Y. (2020). Country update: The fast growth of geothermal energy development in Indonesia. *Proceedings World Geothermal Congress*, *1*, 8.

Deflorian, F., & Rossi, S. (2006). An EIS study of ion diffusion through organic coatings. *Electrochimica Acta*, *51*(8–9), 1736–1744.

Dehghanghadikolaei, A., Ansary, J., & Ghoreishi, R. (2018). Sol-gel process applications: A mini-review. *Proc. Nat. Res. Soc*, *2*(1), 2008–2029.

Dhanumalayan, E., & Joshi, G. M. (2018). Performance properties and applications of polytetrafluoroethylene (PTFE)—a review. *Advanced Composites and Hybrid Materials*, *1*(2), 247–268. https://doi.org/10.1007/s42114-018-0023-8

Du, B., Zhou, X., Li, Q., Liu, J., Liu, Y., Zeng, X., Cheng, X., & Hu, H. (2023). Surface treat method to improve the adhesion between stainless steel and resin: A review. *ACS omega*, *8*(43), 39984–40004.

Fan, L., Li, B., Wang, Y., He, J., Bai, J., Zhu, T., & Yuan, Y. (2023). Superhydrophobic Epoxy/Fluorosilicone/PTFE Coatings Prepared by One-Step Spraying for

UNIVERSITAS
GADJAH MADA
Studi Komparatif dan Optimalisasi Pelapisan Hybrid Nanocomposite Epoksi/PTFE/CNT terhadap Anti-Silica Scaling pada Aplikasi Perpipaan Panas Bumi
Yurian Ariandi Andrameda, Prof. Dr. Ir. Kusmono, S.T., M.T., IPM., ASEAN Eng. ; Dr. Ir. Khasani, ST, M.Eng, IPM., A
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Enhanced Anti-Icing Performance. *Coatings*, *13*(3). https://doi.org/10.3390/coatings13030569

Fanicchia, F., & Karlsdottir, S. N. (2023). Research and Development on Coatings and Paints for Geothermal Environments: A Review. Dalam *Advanced Materials Technologies* (Vol. 8, Nomor 18). John Wiley and Sons Inc. https://doi.org/10.1002/admt.202202031

Finster, M., Clark, C., Schroeder, J., & Martino, L. (2015). Geothermal produced fluids: Characteristics, treatment technologies, and management options. *Renewable and Sustainable Energy Reviews*, *50*, 952–966.

Forro, L., & Schoenenberger, C. (2001). Physical properties of multi-wall nanotubes. Dalam *Carbon nanotubes: synthesis, structure, properties, and applications* (hlm. 329–391). Springer.

Fotovvati, B., Namdari, N., & Dehghanghadikolaei, A. (2019). On coating techniques for surface protection: A review. *Journal of Manufacturing and Materials processing*, *3*(1), 28.

Fridleifsson, I. B. (2001). Geothermal energy for the benefit of the people. *Renewable and sustainable energy reviews*, *5*(3), 299–312.

Futas, P., & Pribulova, A. (2022). *Evaluation of Metallurgical Quality of Cast Iron Using Quality Criteria*. https://doi.org/10.5772/intechopen.107291

Goldschmidt, A., & Streitberger, H.-J. (2003). *BASF handbook on basics of coating technology*. William Andrew.

Gowariker, V. R., Viswanathan, N. V, & Sreedhar, J. (1986). *Polymer science*. New Age International.

Gu, A., & Liang, G. (2003). Thermal degradation behaviour and kinetic analysis of epoxy/montmorillonite nanocomposites. *Polymer Degradation and Stability*, *80*(2), 383–391.

UNIVERSITAS
GADJAH MADA
Studi Komparatif dan Optimalisasi Pelapisan Hybrid Nanocomposite Epoksi/PTFE/CNT terhadap Anti-Silica Scaling pada Aplikasi Perpipaan Panas Bumi
Yurian Ariandi Andrameda, Prof. Dr. Ir. Kusmono, S.T., M.T., IPM., ASEAN Eng. ; Dr. Ir. Khasani, ST, M.Eng, IPM., A
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Gu, J., Xiao, P., Chen, J., Liu, F., Huang, Y., Li, G., Zhang, J., & Chen, T. (2014). Robust preparation of superhydrophobic polymer/carbon nanotube hybrid membranes for highly effective removal of oils and separation of water-in-oil emulsions. *Journal of Materials Chemistry A*, *2*(37), 15268–15272.

Guglielmi, M. (1997). Sol-gel coatings on metals. *Journal of sol-gel science and technology*, *8*, 443–449.

Gupta, V. B., Drzal, L. T., Adams, W. W., & Omlor, R. (1985). An electron microscopic study of the morphology of cured epoxy resin. *Journal of materials science*, *20*(10), 3439–3452.

Han, Z., Tay, B., Tan, C., Shakerzadeh, M., & Ostrikov, K. (2009). Electrowetting control of Cassie-to-Wenzel transitions in superhydrophobic carbon nanotube-based nanocomposites. *ACS nano*, *3*(10), 3031–3036.

Hauksson, T., & Gudmundsson, J. S. (1986). Silica deposition during injection in Svartsengi field. *GRC Transactions*, *10*, 377–383.

Hejazi, I., Sadeghi, G. M. M., Jafari, S. H., Khonakdar, H. A., Seyfi, J., Holzschuh, M., & Simon, F. (2015). Transforming an intrinsically hydrophilic polymer to a robust self-cleaning superhydrophobic coating via carbon nanotube surface embedding. *Materials & Design*, *86*, 338–346.

Heo, K. J., Yoo, J. H., Shin, J., Huang, W., Tiwari, M. K., Jung, J. H., Parkin, I. P., Carmalt, C. J., & Hwang, G. B. (2024). Transition from the Wenzel to Cassie–Baxter state by PFOTES/TiO_2 nanoparticles leading to a mechanically robust and damage/contamination-recoverable surface. *Journal of Materials Chemistry A*, *12*(7), 3886–3895. https://doi.org/10.1039/D3TA06521A

Hernández, H. H., Reynoso, A. M. R., González, J. C. T., Morán, C. O. G., Hernández, J. G. M., Ruiz, A. M., Hernández, J. M., & Cruz, R. O. (2020). Electrochemical impedance spectroscopy (EIS): A review study of basic aspects of the corrosion mechanism applied to steels. *Electrochemical impedance spectroscopy*, 137–144.

UNIVERSITAS
GADJAH MADA
Studi Komparatif dan Optimalisasi Pelapisan Hybrid Nanocomposite Epoksi/PTFE/CNT terhadap Anti-Silica Scaling pada Aplikasi Perpipaan Panas Bumi
Yurian Ariandi Andrameda, Prof. Dr. Ir. Kusmono, S.T., M.T., IPM., ASEAN Eng. ; Dr. Ir. Khasani, ST, M.Eng, IPM., A
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Huang, X., Yang, C., Chen, J., Qiao, X., Zhang, S., & Song, D. (2024). Enhanced Protective Performance of Carbon Nanotube-Reinforced Waterborne Epoxy Zinc-Rich Coatings for Corrosion Protection of Steel Structures. *Coatings*, *14*(12), 1493. https://doi.org/10.3390/coatings14121493

Iijima, S. (1994). Carbon nanotubes. *Mrs Bulletin*, *19*(11), 43–49.

Ishmah, S. N., Permana, M. D., Firdaus, M. L., & Eddy, D. R. (2020). Extraction of silica from bengkulu beach sand using alkali fusion method. *PENDIPA Journal of Science Education*, *4*(2), 1–5.

Jeon, H., Park, J., & Shon, M. (2013). Corrosion protection by epoxy coating containing multi-walled carbon nanotubes. *Journal of Industrial and Engineering Chemistry*, *19*(3), 849–853.

Jiang, Z., Erol, O., Chatterjee, D., Xu, W., Hibino, N., Romer, L. H., Kang, S. H., & Gracias, D. H. (2019). Direct Ink Writing of Poly(tetrafluoroethylene) (PTFE) with Tunable Mechanical Properties. *ACS Applied Materials & Interfaces*, *11*(31), 28289–28295. https://doi.org/10.1021/acsami.9b07279

Jones, R., & Chiu, W. K. (1999). Composite repairs to cracks in thick metallic components. *Composite Structures*, *44*(1), 17–29.

Juhri, S., Yonezu, K., Yokoyama, T., Harijoko, A., & Nurpratama, M. I. (2020). Study on Silica Scaling at Open Canal System, Dieng Geothermal Power Plant, Indonesia. *Proceedings World Geothermal Congress*, 1.

Kelly, R. G., Scully, J. R., Shoesmith, D., & Buchheit, R. G. (2002). *Electrochemical techniques in corrosion science and engineering*. CRC Press.

Khan, S. A., Khan, S. B., Khan, L. U., Farooq, A., Akhtar, K., & Asiri, A. M. (2018). Fourier transform infrared spectroscopy: fundamentals and application in functional groups and nanomaterials characterization. *Handbook of materials characterization*, 317–344.

UNIVERSITAS
GADJAH MADA
Studi Komparatif dan Optimalisasi Pelapisan Hybrid Nanocomposite Epoksi/PTFE/CNT terhadap Anti-Silica Scaling pada Aplikasi Perpipaan Panas Bumi
Yurian Ariandi Andrameda, Prof. Dr. Ir. Kusmono, S.T., M.T., IPM., ASEAN Eng. ; Dr. Ir. Khasani, ST, M.Eng, IPM., A
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Khan, S. A., Tahir, F., Baloch, A. A. B., & Koc, M. (2019). Review of Micro–Nanoscale Surface Coatings Application for Sustaining Dropwise Condensation. *Coatings*, *9*(2), 117. https://doi.org/10.3390/coatings9020117

Khan, W. S., Hamadneh, N. N., & Khan, W. A. (2016). Polymer nanocomposites–synthesis techniques, classification and properties. *Science and applications of Tailored Nanostructures, 50*.

Khuri, A. I., & Mukhopadhyay, S. (2010). Response surface methodology. *Wiley interdisciplinary reviews: Computational statistics*, *2*(2), 128–149.

Kim, H. Bin, Lee, W. J., Choi, S. C., Lee, K. B., & Lee, M.-H. (2021). Preparation of PTFE-glass composite filter with low surface free energy by sandblasting. *Surfaces and Interfaces*, *26*, 101381. https://doi.org/10.1016/j.surfin.2021.101381

Kroto, H. W., Heath, J. R., O'Brien, S. C., Curl, R. F., & Smalley, R. E. (1985). C60: Buckminsterfullerene. *nature, 318*(6042), 162–163.

Li, J., Ling, J., Yan, L., Wang, Q., Zha, F., & Lei, Z. (2014). UV/mask irradiation and heat induced switching on–off water transportation on superhydrophobic carbon nanotube surfaces. *Surface and Coatings Technology*, *258*, 142–145.

Li, Z., Qi, X., Liu, C., Fan, B., & Yang, X. (2023). Particle size effect of PTFE on friction and wear properties of glass fiber reinforced epoxy resin composites. *Wear*, *532*, 205104.

Lim, C. S., Kueh, T. C., Soh, A. K., & Hung, Y. M. (2020). Engineered superhydrophilicity and superhydrophobicity of graphene-nanoplatelet coatings via thermal treatment. *Powder Technology*, *364*, 88–97. https://doi.org/10.1016/j.powtec.2020.01.070

Liu, W., Wang, X., Xiang, S., Lian, Y., & Tao, S. (2024). Stretchable Superhydrophobic Surfaces: From Basic Fabrication Strategies to Applications. *Processes*, *12*(1), 124. https://doi.org/10.3390/pr12010124

UNIVERSITAS
GADJAH MADA
Studi Komparatif dan Optimalisasi Pelapisan Hybrid Nanocomposite Epoksi/PTFE/CNT terhadap Anti-Silica Scaling pada Aplikasi Perpipaan Panas Bumi
Yurian Ariandi Andrameda, Prof. Dr. Ir. Kusmono, S.T., M.T., IPM., ASEAN Eng. ; Dr. Ir. Khasani, ST, M.Eng, IPM., A
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Liu, Y., Wang, J., Liu, L., Li, Y., & Wang, F. (2013). Study of the failure mechanism of an epoxy coating system under high hydrostatic pressure. *Corrosion Science*, *74*, 59–70.

Longval, R., Meirbekova, R., Fisher, J., & Maignot, A. (2024). An Overview of Silica Scaling Reduction Technologies in the Geothermal Market. *Energies*, *17*(19), 4825.

Lorensen, L. E., Walkup, C. M., & Mones, E. T. (1975). *Present status of the polymeric-materials screening program for the LLL geothermal project*. Lawrence Livermore National Lab.(LLNL), Livermore, CA (United States).

Loureiro, J. B. R., Martins, A. L., Gonçalves, A. S., Souza, B. G. B., Schluter, H. E. P., Santos, H. F. L., Castro, B. B., Pepe, I. M., Soares Junior, L. C. S., & Demetino, G. G. (2023). Large-scale pipe flow experiments for the evaluation of nonchemical solutions for calcium carbonate scaling inhibition and control. *SPE Journal*, *28*(01), 201–214.

Lund, J. W. (2003). The USA geothermal country update. *Geothermics*, *32*(4–6), 409–418.

Lyukshin, V., Shatko, D., & Strelnikov, P. (2021). Methods and approaches to the surface roughness assessment. *Materials Today: Proceedings*, *38*, 1441–1444. https://doi.org/10.1016/j.matpr.2020.08.122

Madani, S. Y., Mandel, A., & Seifalian, A. M. (2013). A concise review of carbon nanotube's toxicology. *Nano reviews*, *4*(1), 21521.

Mahadik, S. A., Mahadik, D. B., Kavale, M. S., Parale, V. G., Wagh, P. B., Barshilia, H. C., Gupta, S. C., Hegde, N. D., & Rao, A. V. (2012). Thermally stable and transparent superhydrophobic sol–gel coatings by spray method. *Journal of sol-gel science and technology*, *63*, 580–586.

Malas, A. (2017). Rubber nanocomposites with graphene as the nanofiller. Dalam *Progress in Rubber Nanocomposites* (hlm. 179–229). Elsevier. https://doi.org/10.1016/B978-0-08-100409-8.00006-1

UNIVERSITAS
GADJAH MADA
Studi Komparatif dan Optimalisasi Pelapisan Hybrid Nanocomposite Epoksi/PTFE/CNT terhadap Anti-Silica Scaling pada Aplikasi Perpipaan Panas Bumi
Yurian Ariandi Andrameda, Prof. Dr. Ir. Kusmono, S.T., M.T., IPM., ASEAN Eng. ; Dr. Ir. Khasani, ST, M.Eng, IPM., A
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Malau, V., & Luppa, N. S. (2011). Pengaruh variasi waktu dan konsentrasi larutan NaCl terhadap kekerasan dan laju korosi dari lapisan nikel elektroplating pada permukaan baja karbon sedang. *Prosiding Sains Nasional dan Teknologi*, *1*(1).

Mburu, M. (2009). Geothermal energy utilization. *Exploration for Geothermal Resources*, 1–11.

McKeen, L. W. (2015). *Fluorinated coatings and finishes handbook: The definitive user's guide*. William Andrew.

Mckeen, L. W. (2023). Chapter 1 - Introduction to plastics, polymers, and their properties. Dalam L. W. Mckeen (Ed.), *The Effect of Temperature and Other Factors on Plastics and Elastomers (Fourth Edition)* (hlm. 1–45). William Andrew Publishing. https://doi.org/https://doi.org/10.1016/B978-0-323-99555-9.00002-6

Minkatsu. (2006). Preventions and solutions for the scale problem at the geothermal power plant and CDM study in Indonesia. *Tohoku Electric Power Co , Study Report 2006*.

Obregón, S., & Glez, V. (2022). Photocatalytic TiO2 thin films and coatings prepared by sol–gel processing: a brief review. *Journal of Sol-Gel Science and Technology*, *102*. https://doi.org/10.1007/s10971-021-05628-5

Odochian, L., Moldoveanu, C., Mocanu, A. M., & Carja, G. (2011). Contributions to the thermal degradation mechanism under nitrogen atmosphere of PTFE by TG-FT-IR analysis. Influence of the additive nature. *Thermochimica acta*, *526*(1–2), 205–212.

Okpala, C. C. (2013). Nanocomposites–an overview. *International Journal of Engineering Research and Development*, *8*(11), 17–23.

Okpala, C. C., Nwankwo, C. O., & Ezeanyim, O. C. (2023). Nanocomposites: Preparation, Properties, and Applications. *International Journal of Latest Technology in Engineering, Management & Applied Science*, *12*(08), 40–50.

Orazem, M. E., & Tribollet, B. (2008). Electrochemical impedance spectroscopy. *New Jersey*, *1*(906), 383–389.

UNIVERSITAS
GADJAH MADA
Studi Komparatif dan Optimalisasi Pelapisan Hybrid Nanocomposite Epoksi/PTFE/CNT terhadap Anti-Silica Scaling pada Aplikasi Perpipaan Panas Bumi
Yurian Ariandi Andrameda, Prof. Dr. Ir. Kusmono, S.T., M.T., IPM., ASEAN Eng. ; Dr. Ir. Khasani, ST, M.Eng, IPM., A
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Pambudi, N. A., Itoi, R., Yamashiro, R., Alam, B. Y. C. S. S. S., Tusara, L., Jalilinasrabady, S., & Khasani, J. (2015). The behavior of silica in geothermal brine from Dieng geothermal power plant, Indonesia. *Geothermics*, *54*, 109–114.

Patel, P. G., Vedage, G. A., Lucas, P., & DiBiase, J. (2024). *Cycloaliphatic amines for epoxy formulations: a novel curing agent for epoxy systems*. Google Patents.

Peng, S. X., Shrestha, S., Yoo, Y., & Youngblood, J. P. (2017). Enhanced dispersion and properties of a two-component epoxy nanocomposite using surface modified cellulose nanocrystals. *Polymer*, *112*, 359–368. https://doi.org/10.1016/J.POLYMER.2017.02.016

Peters, S. T. (2013). *Handbook of composites*. Springer Science & Business Media.

Pratapa, S. (2004). Prinsip-Prinsip Difraksi Sinar-X. *Makalah Seminar XRD di sampaikan di Padang*.

Quainoo, A. K., Negash, B. M., Bavoh, C. B., Ganat, T. O., & Tackie-Otoo, B. N. (2020). A perspective on the potential application of bio-inhibitors for shale stabilization during drilling and hydraulic fracturing processes. *Journal of Natural Gas Science and Engineering*, *79*, 103380.

Raharjo, S., Bayuseno, A., Jamari, & Muryanto, S. (2016). Calcium Carbonate Scale Formation in Copper Pipes on Laminar Flow. *MATEC Web of Conferences*, *58*, 01029. https://doi.org/10.1051/matecconf/20165801029

Ren, L., Cheng, Y., Yang, J., & Wang, Q. (2020). Study on heat transfer performance and anti-fouling mechanism of ternary Ni-W-P coating. *Applied Sciences (Switzerland)*, *10*(11). https://doi.org/10.3390/app10113905

Respitawulan, A., & Rahayu, A. Y. S. (2019). The Role of Renewable Energy to Reduce Climate Change: Perspective of Policy Content and Context. *IOP Conference Series: Earth and Environmental Science*, *328*(1), 012005.

UNIVERSITAS
GADJAH MADA
Studi Komparatif dan Optimalisasi Pelapisan Hybrid Nanocomposite Epoksi/PTFE/CNT terhadap Anti-Silica Scaling pada Aplikasi Perpipaan Panas Bumi
Yurian Ariandi Andrameda, Prof. Dr. Ir. Kusmono, S.T., M.T., IPM., ASEAN Eng. ; Dr. Ir. Khasani, ST, M.Eng, IPM., A
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Rothbaum, H. P., Anderton, B. H., Harrison, R. F., Rohde, A. G., & Slatter, A. (1979). Effect of silica polymerisation and pH on geothermal scaling. *Geothermics*, *8*(1), 1–20. https://doi.org/10.1016/0375-6505(79)90062-2

Sahli, M., Cablé, A., Chetehouna, K., Hamamda, S., Gascoin, N., & Revo, S. (2017). Preparation and characterization of polytetrafluoroethylene (PTFE)/Thermally Expanded Graphite (TEG) nanocomposites. *Composites Part B: Engineering*, *124*, 175–181.

Saptadji, N. M. (2009). Karakterisasi reservoir panas bumi. *Training Advanced Geothermal Engineering*, 6–17.

Sari, R. P. (2011). Studi Penanggulangan Problem Scale dari Near-Wellbore Hingga Flowline di Lapangan Minyak Limau. *FT UI, Depok*.

Scriven, L. E. (1988). Physics and applications of dip coating and spin coating. *MRS Online Proceedings Library*, *121*(1), 717–729.

Sia, G. Di, Hong, X., Yu, H., Wu, H., & Hung, Y. M. (2023). Preservable superhydrophilicity of thermally cured graphene-nanoplatelets/epoxy nanocomposite coatings. *Composites Part B: Engineering*, *252*, 110500. https://doi.org/https://doi.org/10.1016/j.compositesb.2023.110500

Smith, B. C. (2011). *Fundamentals of Fourier transform infrared spectroscopy*. CRC press.

Stapleton, M. (1989). Scaling and corrosion in geothermal operation. *Power Chem Technology. Mindem, Nevada*.

Subramanian, A., & Rodriguez-Saona, L. (2009). Fourier transform infrared (FT-IR) spectroscopy. *Infrared spectroscopy for food quality analysis and control*, 145–178.

Sugama, T., & Gawlik, K. (2002). Anti-silica fouling coatings in geothermal environments. *Materials Letters*, *57*(3), 666–673. https://doi.org/10.1016/S0167-577X(02)00851-0

UNIVERSITAS
GADJAH MADA
Studi Komparatif dan Optimalisasi Pelapisan Hybrid Nanocomposite Epoksi/PTFE/CNT terhadap Anti-Silica Scaling pada Aplikasi Perpipaan Panas Bumi
Yurian Ariandi Andrameda, Prof. Dr. Ir. Kusmono, S.T., M.T., IPM., ASEAN Eng. ; Dr. Ir. Khasani, ST, M.Eng, IPM., A
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Thorhallsson, S. (2005). Common problems faced in geothermal generation and how to deal with them. *Workshop for Decision Makers on Geothermal Projects and Management. Naivasha, Kenya*.

Tyona, M. D. (2013). A theoritical study on spin coating technique. *Advances in materials Research*, *2*(4), 195.

van den Heuvel, D. B., Gunnlaugsson, E., & Benning, L. G. (2020). Surface roughness affects early stages of silica scale formation more strongly than chemical and structural properties of the substrate. *Geothermics*, *87*, 101835.

Van den Heuvel, D. B., Gunnlaugsson, E., Gunnarsson, I., Stawski, T. M., Peacock, C. L., & Benning, L. G. (2018). Understanding amorphous silica scaling under well-constrained conditions inside geothermal pipelines. *Geothermics*, *76*, 231–241.

Van Riessen, A., Rickard, W., & Sanjayan, J. (2009). Thermal properties of geopolymers. Dalam *Geopolymers* (hlm. 315–342). Elsevier. https://doi.org/10.1533/9781845696382.2.315

Vyazovkin, S., Koga, N., & Schick, C. (2018). *Handbook of thermal analysis and calorimetry: recent advances, techniques and applications*.

Wahyudityo, R., Harto, A. W., & Suryopratomo, K. (2013). Analisis Scaling Silika pada Pipa Injeksi Brine di Lapangan Panas Bumi Dieng dengan Studi Kasus di PT. Geo Dipa Energi. *Teknofisika*, *2*(1), 7–14.

Walock, M. (2012). *Nanocomposite coatings based on quaternary metalnitrogen*. https://pastel.archives-ouvertes.fr/pastel-00843104

Wang, M., Xue, Z., Yan, S., He, J., Shao, Q., Ge, W., & Lu, B. (2022). Pulse Electrodeposited Super-Hydrophobic Ni-Co/WS2 Nanocomposite Coatings with Enhanced Corrosion-Resistance. *Coatings*, *12*(12), 1897. https://doi.org/10.3390/coatings12121897

UNIVERSITAS
GADJAH MADA
Studi Komparatif dan Optimalisasi Pelapisan Hybrid Nanocomposite Epoksi/PTFE/CNT terhadap Anti-Silica Scaling pada Aplikasi Perpipaan Panas Bumi
Yurian Ariandi Andrameda, Prof. Dr. Ir. Kusmono, S.T., M.T., IPM., ASEAN Eng. ; Dr. Ir. Khasani, ST, M.Eng, IPM., A
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Wang, X., & Lin, Z. (2021). Robust, hydrophobic anti-corrosion coating prepared by PDMS modified epoxy composite with graphite nanoplatelets/nano-silica hybrid nanofillers. *Surface and Coatings Technology*, *421*, 127440.

Ying, L., Wu, Y., Nie, C., Wu, C., & Wang, G. (2020a). Improvement of the Tribological Properties and Corrosion Resistance of Epoxy–PTFE Composite Coating by Nanoparticle Modification. *Coatings*, *11*(1), 10. https://doi.org/10.3390/coatings11010010

Ying, L., Wu, Y., Nie, C., Wu, C., & Wang, G. (2020b). Improvement of the tribological properties and corrosion resistance of epoxy–PTFE composite coating by nanoparticle modification. *Coatings*, *11*(1), 10.

Young, T. (1805). III. An essay on the cohesion of fluids. *Philosophical transactions of the royal society of London*, *95*, 65–87.

Zain, A., Haron, H., & Sharif, S. (2010). Prediction of surface roughness in the end milling machining using Artificial Neural Network. *Expert Syst. Appl.*, *37*, 1755–1768. https://doi.org/10.1016/j.eswa.2009.07.033

Zhang, D., Huang, Y., & Wang, Y. (2021). Bonding performances of epoxy coatings reinforced by carbon nanotubes (CNTs) on mild steel substrate with different surface roughness. *Composites Part A: Applied Science and Manufacturing*, *147*, 106479. https://doi.org/10.1016/j.compositesa.2021.106479

Zhang, F., Qian, H., Wang, L., Wang, Z., Du, C., Li, X., & Zhang, D. (2018). Superhydrophobic carbon nanotubes/epoxy nanocomposite coating by facile one-step spraying. *Surface and Coatings Technology*, *341*, 15–23. https://doi.org/10.1016/j.surfcoat.2018.01.045

Zhang, J., Kong, Q., & Wang, D.-Y. (2018). Simultaneously improving the fire safety and mechanical properties of epoxy resin with Fe-CNTs via large-scale preparation. *Journal of Materials Chemistry A*, *6*(15), 6376–6386.

UNIVERSITAS
GADJAH MADA
Studi Komparatif dan Optimalisasi Pelapisan Hybrid Nanocomposite Epoksi/PTFE/CNT terhadap Anti-Silica Scaling pada Aplikasi Perpipaan Panas Bumi
Yurian Ariandi Andrameda, Prof. Dr. Ir. Kusmono, S.T., M.T., IPM., ASEAN Eng. ; Dr. Ir. Khasani, ST, M.Eng, IPM., A
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Zhang, R., Yang, K., Dang, B., Zhan, M., Zhang, P., & Li, S. (2024). Anti-Corrosion and Wave-Absorbing Properties of Epoxy-Based Coatings on Q235 Steel. *Coatings*, *14*(10), 1315.

Zhang, Z., Tang, S., Ge, K., Wang, K., & Ji, Y. (2024). High-Efficiency Terpolymer Scale Inhibitor for Obstructing the Formation of Calcium Sulfate by Preventing Crystallization. *Industrial & Engineering Chemistry Research*, *63*(26), 11463–11471.

Zheng, Q., & Lü, C. (2014). Size Effects of Surface Roughness to Superhydrophobicity. *Procedia IUTAM*, *10*, 462–475. https://doi.org/10.1016/j.piutam.2014.01.041

Ziat, Y., Hammi, M., Zarhri, Z., & Laghlimi, C. (2020). Epoxy coating modified with graphene: A promising composite against corrosion behavior of copper surface in marine media. *Journal of Alloys and Compounds*, *820*, 153380.