

DAFTAR PUSTAKA

- Aloulou, Y. *et al.* (2022) 'The association of anxiety and depression with mortality in lung cancer', *European Respiratory Journal*, 60(suppl 66), p. 3149. doi: 10.1183/13993003.congress-2022.3149.
- Alwhaibi, M., AlRuthia, Y. and Sales, I. (2023) 'The Impact of Depression and Anxiety on Adult Cancer Patients' Health-Related Quality of Life', *Journal of Clinical Medicine*, 12(6). doi: 10.3390/jcm12062196.
- Arrieta, Ó. *et al.* (2013) 'Association of depression and anxiety on quality of life, treatment adherence, and prognosis in patients with advanced non-small cell lung cancer', *Annals of Surgical Oncology*, 20(6), pp. 1941–1948. doi: 10.1245/s10434-012-2793-5.
- Aseri, Z. A. Al *et al.* (2015) 'Reliability and validity of the Hospital Anxiety and Depression Scale in an emergency department in Saudi Arabia : a cross-sectional observational study', *BMC Emergency Medicine*, pp. 1–6. doi: 10.1186/s12873-015-0051-4.
- Bai, M. and Lazenby, M. (2015) 'A systematic review of associations between spiritual well-being and quality of life at the scale and factor levels in studies among patients with cancer', *Journal of Palliative Medicine*, 18(3), pp. 286–298. doi: 10.1089/jpm.2014.0189.
- Bhatt, N. V, Baker, M. J. and Jain, V. B. (2019) *Anxiety Disorders Treatment & Management*. Available at: <https://emedicine.medscape.com/article/286227-treatment#d8>.
- Bjelland, I. *et al.* (2002) 'The validity of the Hospital Anxiety and Depression Scale', *Journal of Psychosomatic Research*, 52(2), pp. 69–77. doi: 10.1016/s0022-3999(01)00296-3.
- Bondy, B. (2002) 'Pathophysiology of depression and mechanisms of treatment', *Dialogues in Clinical Neuroscience*, 4(1), pp. 7–20.
- Bozkurt, C. and Bulut, H. (2025) 'The association of depression, anxiety, stress, and quality of life with the presence or absence of chronic obstructive pulmonary disease in lung cancer patients', *Applied Nursing Research*, 83, p.

151933. doi: <https://doi.org/10.1016/j.apnr.2025.151933>.

- Brown, C. G., Brodsky, J. and Cataldo, J. K. (2014) 'Lung Cancer Stigma, Anxiety, Depression and Quality of Life Cati', *Physiology & behavior*, 176(3), pp. 139–148. doi: 10.1080/07347332.2013.855963.Lung.
- Bufford, R. K., Paloutzian, R. F. and Ellison, C. W. (1991) 'Norms for the Spiritual Weil-Being Scale', *Journal of Psychology and Theology*, 19(1), pp. 56–70. doi: 10.1177/009164719101900106.
- Cella, D. F. and Tulsky, D. S. (1993) 'Quality of life in cancer: Definition, purpose, and method of measurement', *Cancer Investigation*, 11(3), pp. 327–336. doi: 10.3109/07357909309024860.
- Chand, S. P. and Arif, H. (2023) *Depression*. StatPearls Publishing, Treasure Island (FL). Available at:
https://www.ncbi.nlm.nih.gov/books/NBK430847/#_NBK430847_pubdet_.
- Chand, S. P. and Marwaha, R. (2023) *Anxiety*. StatPearls Publishing, Treasure Island (FL). Available at:
<https://www.ncbi.nlm.nih.gov/books/NBK470361/?report=reader>.
- Cleeland, C. S. *et al.* (2010) *Cancer Symptom Science: Measurement, Mechanisms, and Management*. Edited by M. D. A. C. C. Charles S. Cleeland, University of Texas, M. D. A. C. C. Michael J. Fisch, University of Texas, and M. Adrian J. Dunn, University of Hawaii. Cambridge university press. Available at:
https://www.google.co.id/books/edition/Cancer_Symptom_Science/SJajiaaeP74C?hl=id&gbpv=1&dq=Cleeland,+Charles+S.+et+al,+Cancer+Symptom+Science:+Measurement,+Mechanisms,+and+Management.+Cambridge+University+Press.+Cambridge+:+2011&pg=PA110&printsec=frontcov.
- Dahlan, M. S. (2019) *Besar Sampel dalam Penelitian Kedokteran dan Kesehatan*. 5th edition. Jakarta: Epidemiologi Indonesia.
- Didkowska, J. *et al.* (2016) 'Lung cancer epidemiology: Contemporary and future challenges worldwide', *Annals of Translational Medicine*, 4(8), pp. 1–11. doi: 10.21037/atm.2016.03.11.
- DiGiovanni, J. *et al.* (2016) 'Quality of life in patients with lung cancer', *Cancer:*

Treatment, Decision Making and Quality of Life, pp. 79–92. doi:
10.46316/1676-008-002-030.

Fayers P. M. et al (2001) ‘EORTC QLQ-C30 Scoring Manual The EORTC QLQ-C30 Introduction’, *EORTC QLQ-C30 Scoring Manual*, 30, pp. 1–67.

Available at: <http://www.eortc.be/qol/files/scmanualqlq-c30.pdf>.

Gao, X. et al. (2025) ‘Prevalence and Associated Factors of Anxiety and Depression in Lung Cancer Patients’, *Clinical and Experimental Pharmacology and Physiology*, 52(10), p. e70065. doi:

<https://doi.org/10.1111/1440-1681.70065>.

Goyarrola, R. et al. (2023) ‘Spiritual well-being correlates with quality of life of both cancer and non-cancer patients in palliative care - further validation of EORTC QLQ-SWB32 in Finnish’, *BMC Palliative Care*, 22(1), pp. 1–13. doi: 10.1186/s12904-023-01153-0.

Grassi, L. et al. (2023) ‘Anxiety and depression in adult cancer patients: ESMO Clinical Practice Guideline †’, *ESMO Open*, 8(2), p. 101155. doi: 10.1016/j.esmoop.2023.101155.

Hermann, M. et al. (2024) ‘Social Support, Depression and Anxiety in Cancer Patient-Relative Dyads in Early Survivorship: An Actor-Partner Interdependence Modeling Approach’, *Psycho-Oncology*, 33(12), pp. 1–10. doi: 10.1002/pon.70038.

Hopwood, P. and Stephens, R. J. (2011) ‘Depression in Patients With Lung Cancer : Prevalence and’, *Journal of Pain and Symptom Management*, 14(1), pp. 1–8. Available at:
<http://dx.doi.org/10.1176/appi.psy.46.2.187>
<http://dx.doi.org/10.1016/j.jpain.2011.11.001>
<http://dx.doi.org/10.1016/j.genhosppsy.2014.02.010>
[http://dx.doi.org/10.1016/S0140-6736\(11\)60236-5](http://dx.doi.org/10.1016/S0140-6736(11)60236-5)

Juwita, A. P. et al. (2019) ‘Kesesuaian antara spiritual assessment scale dan spirituality well- being scale sebagai instrumen pengukuran spiritualitas pasien rawat inap yarsi pontianak’, *ProNers*, 4(1).

Kandathil, A. et al. (2018) ‘Role of FDG PET/CT in the eighth edition of TNM

- staging of non– Small cell lung cancer’, *Radiographics*, 38(7), pp. 2134–2149. doi: 10.1148/rg.2018180060.
- Khue, P. M. *et al.* (2019) ‘Depression and Anxiety as Key Factors Associated With Quality of Life Among Lung Cancer Patients in Hai Phong , Vietnam’, 10(May), pp. 1–7. doi: 10.3389/fpsy.2019.00352.
- Komite Penanggulangan Kanker Nasional (2017) *Kanker Paru*. Kementerian Kesehatan.
- Li, H. *et al.* (2019) ‘International Journal of Nursing Sciences Depression in the context of chronic diseases in the United States and China’, *International Journal of Nursing Sciences*, 6(1), pp. 117–122. doi: 10.1016/j.ijnss.2018.11.007.
- McFarland, D. C. (2019) ‘New lung cancer treatments (immunotherapy and targeted therapies) and their associations with depression and other psychological side effects as compared to chemotherapy’, *General Hospital Psychiatry*, 60, pp. 148–155. doi: 10.1016/j.genhosppsy.2019.04.001.
- McLouth, L. E. *et al.* (2021) ‘A systematic review and meta-analysis of effects of psychosocial interventions on spiritual well-being in adults with cancer’, *Psycho-Oncology*, 30(2), pp. 147–158. doi: 10.1002/pon.5562.
- Montazeri, A. *et al.* (2003) ‘The Hospital Anxiety and Depression Scale (HADS): Translation and validation study of the Iranian version’, *Health and Quality of Life Outcomes*, 1, pp. 1–5. doi: 10.1186/1477-7525-1-14.
- De Moor, J. S. *et al.* (2010) ‘The role of socioeconomic status in adjustment after ductal carcinoma in situ’, *Cancer*, 116(5), pp. 1218–1225. doi: 10.1002/cncr.24832.
- Nicholson, A. G. *et al.* (2022) ‘The 2021 WHO Classification of Lung Tumors: Impact of Advances Since 2015’, *Journal of Thoracic Oncology*, 17(3), pp. 362–387. doi: 10.1016/j.jtho.2021.11.003.
- Ogobuiro, I., Gonzales, J. and Tuma, F. (2023) *Physiology, Gastrointestinal*. StatPearls Publishing, Treasure Island (FL). Available at: https://www.ncbi.nlm.nih.gov/books/NBK537103/#_NBK537103_pubdet_.
- Pangestu, S. *et al.* (2024) ‘Financial Toxicity Experiences of Patients With Cancer

- in Indonesia: An Interpretive Phenomenological Analysis’, *Value in Health Regional Issues*, 41, pp. 25–31. doi: 10.1016/j.vhri.2023.11.007.
- Papadopoulou, A. *et al.* (2022) ‘Quality of life, distress, anxiety and depression of ambulatory cancer patients receiving chemotherapy’, *Medicine and Pharmacy Reports*, 95(4), pp. 418–429. doi: 10.15386/mpr-2458.
- Peltzer, K. and Pengpid, S. (2018) ‘High prevalence of depressive symptoms in a national sample of adults in Indonesia: Childhood adversity, sociodemographic factors and health risk behaviour’, *Asian Journal of Psychiatry*, 33(March), pp. 52–59. doi: 10.1016/j.ajp.2018.03.017.
- Perwitasari, D. A. *et al.* (2011) ‘Translation and validation of EORTC QLQ-C30 into Indonesian version for cancer patients in Indonesia’, *Japanese Journal of Clinical Oncology*, 41(4), pp. 519–529. doi: 10.1093/jjco/hyq243.
- Picciotto, M. R. *et al.* (2015) ‘Mood and anxiety regulation by nicotinic acetylcholine receptors: A potential pathway to modulate aggression and related behavioral states’, *Neuropharmacology*, 96(PB), pp. 235–243. doi: 10.1016/j.neuropharm.2014.12.028.
- Polanski, J. *et al.* (2017) ‘Intensity of Anxiety and Depression in Patients with Lung Cancer in Relation to Quality of Life’. doi: 10.1007/5584.
- Prapa, P. *et al.* (2021) ‘Quality of Life and Psychological Distress of Lung Cancer Patients Undergoing Chemotherapy’, *World Journal of Oncology*, 12, pp. 61–66. doi: 10.14740/wjon1371.
- Prieto-Crespo, V. *et al.* (2024) ‘Impact of Spiritual Support Interventions on the Quality of Life of Patients Who Receive Palliative Care: A Systematic Review’, *Nursing Reports*, 14(3), pp. 1906–1921. doi: 10.3390/nursrep14030142.
- Puspa, R., Wibisono, Y. and Ang, H. (2018) ‘Penilaian Kualitas Hidup Eortc Qlq-C30 Dan Eortc Qlq-Bn20 Pada Pasien Tumor Primer Intrakranial Pascaterapi’, *Majalah Kedokteran Neurosains Perhimpunan Dokter Spesialis Saraf Indonesia*, 35(3). doi: 10.52386/neurona.v35i3.8.
- Rahnea-Nita, R. A. *et al.* (2024) ‘Anxiety and Depression in Advanced and Metastatic Lung Cancer Patients—Correlations with Performance Status and

- Type of Treatment’, *Medicina (Lithuania)*, 60(9). doi:
10.3390/medicina60091472.
- Rami-Porta, R. *et al.* (2024) ‘The International Association for the Study of Lung Cancer Lung Cancer Staging Project: Proposals for Revision of the TNM Stage Groups in the Forthcoming (Ninth) Edition of the TNM Classification for Lung Cancer’, *Journal of Thoracic Oncology*, 19(7), pp. 1007–1027. doi:
10.1016/j.jtho.2024.02.011.
- Riedl, D. and Schüßler, G. (2022) ‘Factors associated with and risk factors for depression in cancer patients – A systematic literature review’, *Translational Oncology*, 16. doi: 10.1016/j.tranon.2021.101328.
- Romanazzo, S., Mansueto, G. and Cosci, F. (2022) ‘Anxiety in the Medically Ill : A Systematic Review of the Literature’, 13(June), pp. 1–12. doi:
10.3389/fpsyt.2022.873126.
- Rudy, M., Widyadharma, I. P. E. and Adnyana, I. M. O. (2015) ‘Reliability indonesian version of the hospital anxiety and depression scale (HADS) of stroke patients in sanglah general hospital denpasar’, *Research Gatee*, 2(July), pp. 1–23. doi: 10.13140/RG.2.1.3604.5928.
- Skarstein, J. *et al.* (2000) ‘Anxiety-and-depression-in-cancer-patients-relation-between-the-Hospital-Anxiety-and-Depression-Scale-and-the-European-Organization-for-Research-and-Tr.pdf’, *Journal of Psychosomatic Research*, 49, pp. 27–34.
- Soeroso, N. N. and Soeroso, R. M. L. (2025) ‘Screening and early detection of lung cancer in Indonesia’, in *Handling Global Health Problems with North Sumatra Local Wisdom*, pp. 143–150. Available at:
<https://www.scopus.com/inward/record.uri?eid=2-s2.0-105000194190&partnerID=40&md5=81892786fddf2ba63df4ebb6d36e0c47>.
- Sullivan, D. R. *et al.* (2016) ‘Longitudinal changes in depression symptoms and survival among patients with lung cancer: A national cohort assessment’, *Journal of Clinical Oncology*, 34(33), pp. 3984–3991. doi:
10.1200/JCO.2016.66.8459.
- Suraya, A. *et al.* (2021) ‘Excess risk of lung cancer among agriculture and

- construction workers in Indonesia’, *Annals of Global Health*, 87(1), pp. 1–14.
doi: 10.5334/aogh.3155.
- Tao, L. *et al.* (2024) ‘Incidence and risk factors for psychological distress in adult female patients with breast cancer: a systematic review and meta-analysis’, *Frontiers in Psychiatry*, 15(March). doi: 10.3389/fpsyt.2024.1309702.
- Taylor, L. *et al.* (2011) ‘Depression and smoking: Mediating role of vagal tone and inflammation’, *Annals of Behavioral Medicine*, 42(3), pp. 334–340. doi: 10.1007/s12160-011-9288-7.
- Teoli, D. and Bhardwaj, A. (2023) *Quality Of Life*. Edited by Statpearls. StatPearls Publishing, Treasure Island (FL). Available at: https://www.ncbi.nlm.nih.gov/books/NBK536962/?report=reader#_NBK536962_pubdet_.
- Tian, H. *et al.* (2022) ‘The molecular pathophysiology of depression and the new therapeutics’, *MedComm*, 3(3), pp. 1–36. doi: 10.1002/mco2.156.
- Wheless, L., Brashears, J. and Alberg, A. J. (2013) ‘Epidemiology of lung cancer’, *Lung Cancer Imaging*, pp. 1–15. doi: 10.1007/978-1-60761-620-7_1.
- World Cancer Research Fund International (2020) *Lung Cancer Statistics*. Available at: <https://www.wcrf.org/cancer-trends/lung-cancer-statistics/>.
- Wu, J. R. *et al.* (2024) ‘The associates of anxiety among lung cancer patients: Dehydroepiandrosterone (DHEA) as a potential biomarker’, *BMC Cancer*, 24(1), pp. 1–9. doi: 10.1186/s12885-024-12195-9.
- Xing, L. *et al.* (2018) ‘Are spiritual interventions beneficial to patients with cancer?’, *Medicine*, 97(35), p. e11948. doi: 10.1097/md.00000000000011948.
- Yuliastuti, F. *et al.* (2024) ‘Cost determinant of chemotherapy in breast, cervical, and lung cancer in the era of National Health Insurance’, *Pharmacy Practice*, 22(2), pp. 1–10. doi: 10.18549/PharmPract.2024.2.2957.
- Zhu, G., Li, J. and Wang, H. (2022) ‘Depression in relation to lung cancer mortality and survival : a systematic review and meta-analysis of observational studies’, pp. 1–19.