

DAFTAR PUSTAKA

- Aichi, M., Hasegawa, S., Kurita, Y., Shinoda, S., Kato, S., Mizushima, T., et al., 2023. Low skeletal muscle mass predicts poor prognosis for patients with stage III cervical cancer on concurrent chemoradiotherapy. *Nutrition* 109: 111966.
- Arbyn, M., Weiderpass, E., Bruni, L., de Sanjosé, S., Saraiya, M., Ferlay, J., et al., 2020. Estimates of incidence and mortality of cervical cancer in 2018: a worldwide analysis. *Lancet Glob. Heal.* 8: e191–e203. doi:10.1016/S2214-109X(19)30482-6
- Baracos, V.E., Martin, L., Korc, M., Guttridge, D.C., & Fearon, K.C.H., 2018. Cancer-associated cachexia. *Nat. Rev. Dis. Prim.* 2018 41 4: 1–18. doi:10.1038/nrdp.2017.105
- Berek, J.S., & Hacker, N.F., 2021. Berek & Hacker's Gynecologic Oncology, 7e, 7th ed. Lippincott Williams & Wilkins, a Wolters Kluwer business.
- Berta, D.M., Teketelew, B.B., Chane, E., Bayleyegn, B., Tamir, M., Cherie, N., et al., 2024. Hematological changes in women with cervical cancer before and after cancer treatment: retrospective cohort study. *Sci. Rep.* 14. doi:10.1038/S41598-024-75937-6
- Bertoni Maluf, V.A., Herrmann, F.R., Platon, A., Mendes, A., Dupertuis, Y.M., De Watteville, A., et al., 2025. Exploring the association between computed tomography (CT)-derived skeletal muscle mass and short- and long-term mortality in critically ill patients: a systematic review and meta-analysis. *Crit. Care* 29: 1–20. doi:10.1186/S13054-025-05427-2/FIGURES/4
- Bhatla, N., Aoki, D., Sharma, D.N., & Sankaranarayanan, R., 2021. Cancer of the cervix uteri: 2021 update. *Int. J. Gynecol. Obstet.* 155: 28–44. doi:10.1002/IJGO.13865;JOURNAL:JOURNAL:18793479A;WGROU:STRING:PUBLICATION
- Bhatla, N., Berek, J.S., Cuello Fredes, M., Denny, L.A., Grenman, S., Karunaratne, K., et al., 2019. Revised FIGO staging for carcinoma of the cervix uteri. *Int. J. Gynecol. Obstet.* 145: 129–135. doi:10.1002/IJGO.12749
- Blankemeier, L., Yao, L., Long, J., Reis, E.P., Lenchik, L., Chaudhari, A.S., et al.,

2024. Skeletal Muscle Area on CT: Determination of an Optimal Height Scaling Power and Testing for Mortality Risk Prediction. *Am. J. Roentgenol.* 222: e2329889.
- Chen, L.K., Woo, J., Assantachai, P., Auyeung, T.W., Chou, M.Y., Iijima, K., et al., 2020. Asian Working Group for Sarcopenia: 2019 Consensus Update on Sarcopenia Diagnosis and Treatment. *J. Am. Med. Dir. Assoc.* 21: 300-307.e2. doi:10.1016/J.JAMDA.2019.12.012,
- Çolak, R., Gültürk, İ., Değerli, E., Kapar, C., Tacar, S.Y., & Yilmaz, M., 2025. The Relationship Between Changes in the Neutrophil Lymphocyte Ratio (NLR) and Radiological Progression in Cervical Cancer [WWW Document]. URL <https://istanbulmedicaljournal.org/pdf/87200e80-fa4b-4309-8816-eff4c4e638c8/articles/imj.galenos.2025.59254/211-215.pdf> (accessed 10.17.25).
- Cruz-Jentoft, A.J., Bahat, listan, Bauer, rgen, Boirie, Y., Bruyère, O., Cederholm, T., et al., 2019. Sarcopenia: revised European consensus on definition and diagnosis. *Age Ageing* 48: 601–601. doi:10.1093/ageing/afz046i
- Dahlan, M.S., 2016. Besar sampel dalam Penelitian Kedokteran dan Kesehatan.
- Delrieu, L., Blanc, D., Bouhamama, A., Reyat, F., Pilleul, F., Racine, V., et al., 2023. Automatic deep learning method for third lumbar selection and body composition evaluation on CT scans of cancer patients. *Front. Nucl. Med.* 3: 1292676. doi:10.3389/FNUME.2023.1292676/BIBTEX
- Devine, C., Viswanathan, C., Faria, S., Marcal, L., & Sagebiel, T.L., 2019. Imaging and Staging of Cervical Cancer. *Semin. Ultrasound, CT MRI* 40: 280–286. doi:10.1053/J.SULT.2019.03.001
- Díaz, J.F.R., 2024. Hemoglobin level and survival in cervical cancer with chemoradiotherapy at high altitude, 2020-2022. *Ecancermedicalscience* 18. doi:10.3332/ECANCER.2024.1767
- Eide, A.J., Halle, M.K., Lura, N., Fasmer, K.E., Wagner-Larsen, K., Forsse, D., et al., 2023. Visceral fat percentage for prediction of outcome in uterine cervical cancer. *Gynecol. Oncol.* 176: 62–68. doi:10.1016/j.ygyno.2023.06.581
- Fearon, K., Strasser, F., Anker, S.D., Bosaeus, I., Bruera, E., Fainsinger, R.L., et

- al., 2011. Definition and classification of cancer cachexia: An international consensus. *Lancet Oncol.* 12: 489–495. doi:10.1016/S1470-2045(10)70218-7
- Ferlay, J., Ervik, M., Lam, F., Laversanne, M., Colombet, M., Mery, L., et al., 2024. Global Cancer Observatory: Cancer Today – Indonesia Fact Sheet 2022. Lyon, France. doi:doi: 10.1002/ijc.33588. Epub ahead of print. PMID: 33818764.
- Fowler, J.R., Maani, E. V., Dunton, C.J., Gasalberti, D.P., & Jack, B.W., 2023. Cervical Cancer. *Encycl. Behav. Med.* 350–351. doi:10.1007/978-3-030-39903-0_157
- Gadduci, A., & Cosio, S., 2021. The Prognostic Relevance of Computed Tomography-assessed Skeletal Muscle Index and Skeletal Muscle Radiation Attenuation in Patients With Gynecological Cancer. *Anticancer Res.* 41: 9–20. doi:10.21873/ANTICANRES.14747
- Ganz, T., 2019. Anemia of Inflammation. *N. Engl. J. Med.* 381: 1148–1157. doi:10.1056/NEJMRA1804281/SUPPL_FILE/NEJMRA1804281_DISCLOSURES.PDF
- Garg, M., Bhati, P., Balaji, G., Sasidharan, A., & Kalavagunta, S., 2024. Amrita Institute of Medical Sciences, Kochi, IND 2. Radiation Oncology. *Amrita Inst. Med. Sci.* doi:10.7759/cureus.69461
- Giannella, L., Di Giuseppe, J., Delli Carpini, G., Grelloni, C., Fichera, M., Sartini, G., et al., 2022. HPV-Negative Adenocarcinomas of the Uterine Cervix: From Molecular Characterization to Clinical Implications. *Int. J. Mol. Sci.* 2022, Vol. 23, Page 15022 23: 15022. doi:10.3390/IJMS232315022
- GLOBOCAN, 2022. Statistics at a glance, 2022 Top 5 most frequent cancers Number of new cases 408 661 Number of deaths 242 988 Number of prevalent cases (5-year).
- Guthrie, G.J.K., Charles, K.A., Roxburgh, C.S.D., Horgan, P.G., McMillan, D.C., & Clarke, S.J., 2013. The systemic inflammation-based neutrophil-lymphocyte ratio: Experience in patients with cancer. *Crit. Rev. Oncol. Hematol.* 88: 218–230. doi:10.1016/j.critrevonc.2013.03.010
- Hofmann, F.O., Heiliger, C., Tschaidse, T., Jarmusch, S., Auhage, L.A., Aghamaliyev, U., et al., 2025. Validation of body composition parameters

extracted via deep learning-based segmentation from routine computed tomographies. *Sci. Rep.* 15: 1–10. doi:10.1038/S41598-025-96238-6;SUBJMETA

Hoppe-Seyler, K., Bossler, F., Braun, J.A., Herrmann, A.L., & Hoppe-Seyler, F., 2018. The HPV E6/E7 Oncogenes: Key Factors for Viral Carcinogenesis and Therapeutic Targets. *Trends Microbiol.* 26: 158–168. doi:10.1016/j.tim.2017.07.007

Hoppe-Seyler, K., Bossler, F., Braun, J.A., Herrmann, A.L., & Hoppe-Seyler, F., 2018. The HPV E6/E7 Oncogenes: Key Factors for Viral Carcinogenesis and Therapeutic Targets. *Trends Microbiol.* 26: 158–168. doi:10.1016/j.tim.2017.07.007

Hua, X., Liao, J.F., Liu, S., Zhang, J., Huang, H.Y., Wen, W., et al., 2020. Low Skeletal Muscle Mass Impairs Quality of Life in Nasopharyngeal Carcinoma Patients Treated With Concurrent Chemoradiotherapy. *Front. Nutr.* 6: 497994. doi:10.3389/FNUT.2019.00195/BIBTEX

Huang, Q.T., Man, Q.Q., Hu, J., Yang, Y.L., Zhang, Y.M., Wang, W., et al., 2017. Prognostic significance of neutrophil-to-lymphocyte ratio in cervical cancer: A systematic review and meta-analysis of observational studies. *Oncotarget* 8: 16755–16764. doi:10.18632/ONCOTARGET.15157

Ittiamornlert, P., & Ruengkachorn, I., 2019. Neutrophil-lymphocyte ratio as a predictor of oncologic outcomes in stage IVB, persistent, or recurrent cervical cancer patients treated by chemotherapy. *BMC Cancer* 19. doi:10.1186/S12885-019-5269-1

Kemenkes, 2022. National Cervical Cancer Elimination Plan for Indonesia 2023-2030. *Minist. Heal. Repub. Indones.* 1–102.

KEMENKES, 2020. Profil Kesehatan Indonesia Tahun 2020. *Kementeri. Kesehat. Republik Indones.* 48: 480.

Kong, M., Xu, M., Zhou, Y., Geng, N., Lin, N., Song, W., et al., 2022. Assessing Visceral Obesity and Abdominal Adipose Tissue Distribution in Healthy Populations Based on Computed Tomography: A Large Multicenter Cross-Sectional Study. *Front. Nutr.* 9: 871697. doi:10.3389/FNUT.2022.871697/FULL

- Koo, T.K., & Li, M.Y., 2016. A Guideline of Selecting and Reporting Intraclass Correlation Coefficients for Reliability Research. *J. Chiropr. Med.* 15: 155–163. doi:10.1016/J.JCM.2016.02.012
- Kumar, S.A., Gururajachar, M.J., & Martin, V.P., 2022. Correlation of skeletal muscle depletion with acute toxicities for cervical cancer patients undergoing concurrent chemoradiation: A prospective study. *J. Cancer Res. Ther.* 18: 1525–1529. doi:10.4103/JCRT.JCRT_1353_20
- Kusuma, F., Suryoadji, K.A., Purwoto, G., Wulandari, A.S., Soloan, G., Sini, K.P.I., et al., 2025. The Age as a Risk Factor for Advanced Stage in Cervical Cancer Patients: A Retrospective Multivariate Study. *Indones. J. Obstet. Gynecol.* 13: 65–70. doi:10.32771/INAJOG.V13I1.2366
- Laurén, J., Keski-Säntti, H., Mäkitie, A., & Arponen, O., 2024. Imaging-based evaluation of cervical muscle mass and 6-month survival in males with hypopharyngeal carcinoma. *Acta Oncol. (Madr).* 63: 950–957. doi:10.2340/1651-226X.2024.40481
- Law, M.L., Fonkem, E., & Wrzosek, A., 2022. Cancer cachexia: Pathophysiology and association with cancer-related pain. *Front. Pain Res.* doi:10.3389/fpain.2022.971295
- Lee, J., Lin, J. Bin, Chen, T.C., Jan, Y.T., Sun, F.J., Chen, Y.J., et al., 2022. Progressive Skeletal Muscle Loss After Surgery and Adjuvant Radiotherapy Impact Survival Outcomes in Patients With Early Stage Cervical Cancer. *Front. Nutr.* 8: 773506. doi:10.3389/FNUT.2021.773506/FULL
- Lee, J., Lin, J. Bin, Wu, M.H., Chang, C.L., Jan, Y.T., & Chen, Y.J., 2020. Muscle Loss after Chemoradiotherapy as a Biomarker of Distant Failures in Locally Advanced Cervical Cancer. *Cancers (Basel).* 12: 595. doi:10.3390/CANCERS12030595
- Li, J., Niu, C., Zhang, L., Mu, Y., Gui, X., Li, J., et al., 2024. Association of body composition and systemic inflammation for patients with locally advanced cervical cancer following concurrent chemoradiotherapy. *Diagnostic Interv. Radiol.* 30: 279–290. doi:10.4274/DIR.2024.242751
- Liao, J.B., 2007. Viruses and Human Cancer, in: *The Yale Journal of Biology and*

- Medicine. Elsevier, p. 115. doi:10.1016/B978-0-323-47674-4.00012-8
- Lichter, K.E., Levinson, K., Hammer, A., Lippitt, M.H., & Rositch, A.F., 2022. Understanding cervical cancer after the age of routine screening: Characteristics of cases, treatment, and survival in the United States. *Gynecol. Oncol.* 165: 67–74. doi:10.1016/j.ygyno.2022.01.017
- Lim, H., Kim, S.I., Kim, M.K., Yoon, S.H., Lee, M., Suh, D.H., et al., 2024. Initial sarcopenia and body composition changes as prognostic factors in cervical cancer patients treated with concurrent chemoradiation: An artificial intelligence-based volumetric study. *Gynecol. Oncol.* 190: 200–208.
- Lu, L., Ji, S., Jiang, J., & Yan, Y., 2022. Body Weight Is a Valid Predictor of the Long-Term Prognosis of Cervical Cancer. *Comput. Math. Methods Med.* 2022. doi:10.1155/2022/5613350
- Ma, H., Ma, L., Yang, L., Cai, M., Wang, Y., Li, Y., et al., 2025. Construction and evaluation of a prognostic model for cervical cancer based on dynamic hematological and clinical features. *BMC Cancer* 25. doi:10.1186/S12885-025-13595-1
- Martin, L., Birdsell, L., MacDonald, N., Reiman, T., Clandinin, M.T., McCargar, L.J., et al., 2013. Cancer cachexia in the age of obesity: Skeletal muscle depletion is a powerful prognostic factor, independent of body mass index. *J. Clin. Oncol.* 31: 1539–1547. doi:10.1200/JCO.2012.45.2722/ASSET/E8D96B87-0F94-4DC6-954F-60998C1CB68D/ASSETS/GRAPHIC/ZLJ9991033200003.JPEG
- Muñoz, N., Franceschi, S., Bosetti, C., Moreno, V., Herrero, R., Smith, J.S., et al., 2002. Role of parity and human papillomavirus in cervical cancer: The IARC multicentric case-control study. *Lancet* 359: 1093–1101. doi:10.1016/S0140-6736(02)08151-5
- Nasution, H.N., 2021. Kaheksia kanker danatalaksana nutrisi pada penderita kanker. *J. Kedokt. Syiah Kuala* 21: 189–196. doi:10.24815/jks.v21i2.19165
- Parulekar, M., Kim, M.K., Noh, J.J., Suh, D.H., Kim, K., Kim, Y.B., et al., 2025. Clinicopathological Factors Affecting Prognosis in Patients with Advanced Cervical Cancer Undergoing Concurrent Chemoradiation Therapy. *Cancers*

(*Basel*). 17: 3042. doi:10.3390/CANCERS17183042/S1

Prado, C.M., Lieffers, J.R., McCargar, L.J., Reiman, T., Sawyer, M.B., Martin, L., et al., 2008. Prevalence and clinical implications of sarcopenic obesity in patients with solid tumours of the respiratory and gastrointestinal tracts: a population-based study. *Lancet Oncol.* 9: 629–635. doi:10.1016/S1470-2045(08)70153-0

Resende, L.S., Amorim, F.V., Conceição, M.S., Jales, R.M., Pereira, P.N., Sarian, L.O., et al., 2024. Sarcopenia and Anemia Are Predictors of Poor Prognostic in Cervical Cancer Patients. *Open J. Obstet. Gynecol.* 14: 693–704. doi:10.4236/ojog.2024.145059

Serkies, K., Badzio, A., & Jassem, J., 2006. Clinical relevance of hemoglobin level in cervical cancer patients administered definitive radiotherapy. *Acta Oncol.* 45: 695–701. doi:10.1080/02841860600833160

Shachar, S.S., Williams, G.R., Muss, H.B., & Nishijima, T.F., 2016. Prognostic value of sarcopenia in adults with solid tumours: A meta-analysis and systematic review. *Eur. J. Cancer* 57: 58–67. doi:10.1016/J.EJCA.2015.12.030/ATTACHMENT/22F67C92-98D6-4967-8BBA-DC2C95BD5612/MMC1.DOCX

Shafiee, G., Keshtkar, A., Soltani, A., Ahadi, Z., Larijani, B., & Heshmat, R., 2017. Prevalence of sarcopenia in the world: A systematic review and meta-analysis of general population studies. *J. Diabetes Metab. Disord.* 16: 1–10. doi:10.1186/S40200-017-0302-X/FIGURES/5

Shin, N.-R., Lee, Y.-Y., Kim, S.-H., Choi, C.H., Kim, T.-J., Lee, J.-W., et al., 2014. Prognostic value of pretreatment hemoglobin level in patients with early cervical cancer. *Obstet. Gynecol. Sci.* 57: 28. doi:10.5468/OGS.2014.57.1.28

Small, W., Bacon, M.A., Bajaj, A., Chuang, L.T., Fisher, B.J., Harkenrider, M.M., et al., 2017. Cervical cancer: A global health crisis. *Cancer* 123: 2404–2412. doi:10.1002/CNCR.30667,

Sutrisno, S., Marlina, D., Dewi Poernomo, M.A. badly P., Utomo, A., Pelitawati, D.R., Adriansyah, P.N.A., et al., 2025. Elevated Body Mass Index as a Predictor of Cervical Cancer and Precancerous Lesions. *Med. Sci. Monit.* 31:

e947820. doi:10.12659/MSM.947820

- Takahashi, N., Sugimoto, M., Psutka, S.P., Chen, B., Moynagh, M.R., & Carter, R.E., 2017. Validation study of a new semi-automated software program for CT body composition analysis. *Abdom. Radiol. (New York)* 42: 2369–2375. doi:10.1007/S00261-017-1123-6
- Tian, M., Xu, H., Wang, Hongbin, Wang, Huifen, Dai, Z., Ding, C., et al., 2025. Pretreatment Computed Tomography-Defined Sarcopenia, Treatment-Associated Muscle Loss, and Survival in Patients With Cervical Cancer: A Systematic Review and Meta-Analysis. *Nutr. Rev.* 83: 797–808. doi:10.1093/NUTRIT/NUAE130
- Tóth, Z., Lóczi, L., Sebök, B., Merkely, P., Keszthelyi, E., Lintner, B., et al., 2025. Neutrophil/Lymphocyte Ratio (NLR) as a Predictive Marker for p16 Positivity and Cervical Cancer Progression: Insights from the SCOPE Study. *Cancers* 2025, Vol. 17, Page 921 17: 921. doi:10.3390/CANCERS17060921
- van Heusden, H.C., Swartz, J.E., Chargi, N., de Jong, P.A., van Baal, M.C.P.M., Wegner, I., et al., 2021. Feasibility of assessment of skeletal muscle mass on a single cross-sectional image at the level of the fourth thoracic vertebra. *Eur. J. Radiol.* 142: 109879. doi:10.1016/J.EJRAD.2021.109879
- Viddeleer, A.R., Vedder, I.R., Dob, R., & Bokkers, R.P.H., 2024. Objective comparison of commonly used computed tomography body composition analysis software. *Nutrition* 123. doi:10.1016/j.nut.2024.112421
- Wang, F., Zhen, H., Yu, K., & Liu, P., 2025. The Prognostic Value of Sarcopenia in Clinical Outcomes in Cervical Cancer: A Systematic Review and Meta-Analysis. *J. Cachexia. Sarcopenia Muscle* 16: e13674. doi:10.1002/JCSM.13674
- Wang, H.B., Xu, X.T., Tian, M.X., Ding, C.C., Tang, J., Qian, Y., et al., 2023. Prognostic values of the prognostic nutritional index, geriatric nutritional risk index, and systemic inflammatory indexes in patients with stage IIB–III cervical cancer receiving radiotherapy. *Front. Nutr.* 10. doi:10.3389/FNUT.2023.1000326/PDF
- Wang, X., Xu, J., Zhang, H., & Qu, P., 2023. The effect of albumin and hemoglobin

- levels on the prognosis of early-stage cervical cancer: a prospective, single-center-based cohort study. *BMC Womens. Health* 23: 1–10. doi:10.1186/S12905-023-02713-5/TABLES/3
- Weiss, G., & Goodnough, L.T., 2005. Anemia of chronic disease. *N. Engl. J. Med.* 352: 1011–1023. doi:10.1056/NEJMRA041809
- Wu, J., Chen, M., Liang, C., & Su, W., 2017. Prognostic value of the pretreatment neutrophil-to-lymphocyte ratio in cervical cancer: a meta-analysis and systematic review. *Oncotarget* 8: 13400–13412. doi:10.18632/ONCOTARGET.14541
- Xing, B., Guo, J., Sheng, Y., Wu, G., & Zhao, Y., 2021. Human Papillomavirus-Negative Cervical Cancer: A Comprehensive Review. *Front. Oncol.* 10: 606335. doi:10.3389/FONC.2020.606335/BIBTEX
- Yoshikawa, N., Yoshihara, M., Tamauchi, S., Ikeda, Y., Yokoi, A., & Kajiyama, H., 2022. Hypoalbuminemia for the prediction of survival in patients with stage IVB cervical cancer. *PLoS One* 17: e0273876. doi:10.1371/JOURNAL.PONE.0273876
- Zhang, J., Niu, S., Lu, X., Hu, R., Wu, Z., Yang, S., et al., 2024. Overall survival and short-term efficacy analysis of cervical squamous cell carcinoma with skeletal muscle and 18F-FDG PET/CT parameters. *Sci. Rep.* 14. doi:10.1038/S41598-024-55268-2
- Zhang, S., Xu, H., Zhang, L., & Qiao, Y., 2020. Cervical cancer: Epidemiology, risk factors and screening. *Chinese J. Cancer Res.* 32: 720. doi:10.21147/J.ISSN.1000-9604.2020.06.05
- Zhuang, X., Li, Y., Zheng, H., & Fu, L., 2024. Evaluating the prognostic relevance of neutrophil-to-lymphocyte ratio in cervical cancer: a systematic review and meta-analysis. *Front. Oncol.* 14. doi:10.3389/FONC.2024.1461175/PDF
- Zou, P., Yang, E., & Li, Z., 2020. Neutrophil-to-lymphocyte ratio is an independent predictor for survival outcomes in cervical cancer: a systematic review and meta-analysis. *Sci. Rep.* 10: 21917. doi:10.1038/S41598-020-79071-X