

REFERENCES

- Abadi, M., Agarwal, A., Barham, P., Brevdo, E., Chen, Z., Citro, C., Corrado, G. S., Davis, A., Dean, J., Devin, M., Ghemawat, S., Goodfellow, I., Harp, A., Irving, G., Isard, M., Jia, Y., Jozefowicz, R., Kaiser, L., Kudlur, M., ... Zheng, X. (2016). *TensorFlow: Large-Scale Machine Learning on Heterogeneous Distributed Systems*. <http://arxiv.org/abs/1603.04467>
- Adriano, B., Yokoya, N., Miura, H., Matsuoka, M., & Koshimura, S. (2020). A semiautomatic pixel-object method for detecting landslides using multitemporal ALOS-2 intensity images. *Remote Sensing*, *12*(3). <https://doi.org/10.3390/rs12030561>
- Ahmed, B., & Dewan, A. (2017). Application of bivariate and multivariate statistical techniques in landslide susceptibility modelling in Chittagong City Corporation, Bangladesh. *Remote Sensing*, *9*(4). <https://doi.org/10.3390/rs9040304>
- Ai, X., Sun, B., & Chen, X. (2022). Construction of a small sample seismic landslide susceptibility evaluation model based on Transfer Learning: a case study of Jiuzhaigou earthquake. *Bulletin of Engineering Geology and the Environment*, *81*(3), 1–21. <https://doi.org/10.1007/s10064-022-02601-6>
- Akinci, H. (2022). Assessment of rainfall-induced landslide susceptibility in Artvin, Turkey using machine learning techniques. *Journal of African Earth Sciences*, *191*(March), 104535. <https://doi.org/10.1016/j.jafrearsci.2022.104535>
- Aleotti, P., & Chowdhury, R. (1999). Landslide hazard assessment: Summary review and new perspectives. *Bulletin of Engineering Geology and the Environment*, *58*(1), 21–44. <https://doi.org/10.1007/s100640050066>
- Ali, S. A., Parvin, F., Vojteková, J., Costache, R., Linh, N. T. T., Pham, Q. B., Vojtek, M., Gigović, L., Ahmad, A., & Ghorbani, M. A. (2021). GIS-based landslide susceptibility modelling: A comparison between fuzzy multi-criteria and machine learning algorithms. *Geoscience Frontiers*, *12*(2), 857–876. <https://doi.org/10.1016/j.gsf.2020.09.004>
- Alvioli, M., Loche, M., Jacobs, L., Grohmann, C. H., Abraham, M. T., Gupta, K., Satyam, N., Scaringi, G., Bornaetxea, T., Rossi, M., Marchesini, I., Lombardo, L., Moreno, M., Steger, S., Camera, C., Bajni, G., Samodra, G., Wahyudi, E. E., Susyanto, N., ... Rivera-Rivera, J. S. (2024). A benchmark dataset and workflow for landslide susceptibility zonation. *Earth-Science Reviews*, *258*(August), 104927. <https://doi.org/10.1016/j.earscirev.2024.104927>
- Amato, G., Palombi, L., & Raimondi, V. (2021a). Data-driven classification of landslide types at a national scale by using Artificial Neural Networks. *International Journal of Applied Earth Observation and Geoinformation*, *104*, 102549. <https://doi.org/10.1016/j.jag.2021.102549>
- Amato, G., Palombi, L., & Raimondi, V. (2021b). International Journal of Applied Earth Observations and Geoinformation Data – driven classification of landslide types at a national scale by using Artificial Neural Networks. *International Journal of Applied Earth Observation and Geoinformation*, *104*, 102549. <https://doi.org/10.1016/j.jag.2021.102549>
- Amato, G., Palombi, L., & Raimondi, V. (2021c). International Journal of Applied Earth

Observations and Geoinformation Data – driven classification of landslide types at a national scale by using Artificial Neural Networks. *International Journal of Applied Earth Observation and Geoinformation*, 104, 102549. <https://doi.org/10.1016/j.jag.2021.102549>

Amatya, P., Kirschbaum, D., Stanley, T., & Tanyas, H. (2021). Landslide mapping using object-based image analysis and open source tools. *Engineering Geology*, 282, 106000. <https://doi.org/10.1016/j.enggeo.2021.106000>

Amorim, J. P., Abreu, P. H., Santos, J., Cortes, M., & Vila, V. (2023). Evaluating the faithfulness of saliency maps in explaining deep learning models using realistic perturbations. *Information Processing and Management*, 60(2), 103225. <https://doi.org/10.1016/j.ipm.2022.103225>

Arif, N., Danoedoro, P., Hartono, & Mulabbi, A. (2020). Erosion prediction model using fractional vegetation cover. *Indonesian Journal of Science and Technology*, 5(1), 125–132. <https://doi.org/10.17509/ijost.v5i1.21060>

Arif, N., & Nursantosa, E. (2021). Image Pattern Recognition in Spatial Data using Artificial Neural Network. *IOP Conference Series: Earth and Environmental Science*, 884(1). <https://doi.org/10.1088/1755-1315/884/1/012050>

Asfaw, L. M. (2007). Integrated approach to the study of geohazards with application in the southern Afar. *Journal of African Earth Sciences*, 48(2–3), 237–244. <https://doi.org/10.1016/j.jafrearsci.2006.08.006>

B., W. G. V., & Thornbury, W. D. (1955). Principles of Geomorphology. *The Geographical Journal*, 121(1), 103. <https://doi.org/10.2307/1791828>

Bai, N.-B. C. K. (2016). Multi-sensor Data Fusion and Machine learning for Environmental remote sensing. In *Taylor and Francis* (Vol. 6, Issue August).

Bamutaze, Y. (2019). Morphometric conditions underpinning the spatial and temporal dynamics of landslide hazards on the volcanics of Mt. Elgon, Eastern Uganda. In *Emerging Voices in Natural Hazards Research*. Elsevier Inc. <https://doi.org/10.1016/B978-0-12-815821-0.00010-2>

Basith, A. (2011). *Landslide Susceptibility Modelling Under Environmental Changes: A Case Study of Cameron Highlands, Malaysia*. September 2011. <https://doi.org/10.13140/RG.2.2.35707.00806>

Berhane, G., Kebede, M., Alfarah, N., Hagos, E., Grum, B., Giday, A., & Abera, T. (2020). Landslide susceptibility zonation mapping using GIS-based frequency ratio model with multi-class spatial data-sets in the Adwa-Adigrat mountain chains, northern Ethiopia. *Journal of African Earth Sciences*, 164, 103795. <https://doi.org/10.1016/j.jafrearsci.2020.103795>

Bernico, M., Li, Y., & Zhang, D. (2019). Investigating the impact of data volume and domain similarity on transfer learning applications. In *Advances in Intelligent Systems and Computing* (Vol. 881). Springer International Publishing. https://doi.org/10.1007/978-3-030-02683-7_5

Bhuyan, K., Tanyaş, H., Nava, L., Puliero, S., Meena, S. R., Floris, M., van Westen, C., & Catani, F. (2023). Generating multi-temporal landslide inventories through a general deep transfer learning strategy using HR EO data. *Scientific Reports*, 13(1), 1–26.

<https://doi.org/10.1038/s41598-022-27352-y>

- Bhuyan, K., Van Westen, C., Wang, J., & Meena, S. R. (2023). Mapping and characterising buildings for flood exposure analysis using open-source data and artificial intelligence. In *Natural Hazards* (Vol. 119, Issue 2). Springer Netherlands. <https://doi.org/10.1007/s11069-022-05612-4>
- Bragagnolo, L., Silva, R. V. d., & Grzybowski, J. M. V. (2020). Artificial neural network ensembles applied to the mapping of landslide susceptibility. *Catena*, 184. <https://doi.org/10.1016/J.CATENA.2019.104240>
- Broeckx, J., Maertens, M., Isabirye, M., Vanmaercke, M., Namazzi, B., Deckers, J., Tamale, J., Jacobs, L., Thiery, W., Kervyn, M., Vranken, L., & Poesen, J. (2019). Landslide susceptibility and mobilisation rates in the Mount Elgon region, Uganda. *Landslides*, 16(3), 571–584. <https://doi.org/10.1007/s10346-018-1085-y>
- Broeckx, J., Vanmaercke, M., Duchateau, R., & Poesen, J. (2018). A data-based landslide susceptibility map of Africa. *Earth-Science Reviews*, 185(October 2017), 102–121. <https://doi.org/10.1016/j.earscirev.2018.05.002>
- Budha, P. B., Bhardwaj, A., Analysis, O. I., Segmentation, I., & Extraction, S. F. (2019). Landslide extraction from Sentinel-2 image in Siwalik of Surkhet District, Nepal. *IV*(December), 10–11.
- Calderón-Guevara, W., Sánchez-Silva, M., Nutescu, B., & Villarraga, D. F. (2022). Comparative review of data-driven landslide susceptibility models: case study in the Eastern Andes mountain range of Colombia. *Natural Hazards*, 0123456789. <https://doi.org/10.1007/s11069-022-05339-2>
- Campbell, J., & Shin, M. E. (2011). *Essentials of GIS*. 259.
- Carrara, A., Cardinali, M., Detti, R., Guzzetti, F., Pasqui, V., & Reichenbach, P. (1991). GIS techniques and statistical models in evaluating landslide hazard. *Earth Surface Processes and Landforms*, 16(5), 427–445. <https://doi.org/10.1002/esp.3290160505>
- Casagli, N., Intrieri, E., Tofani, V., Gigli, G., & Raspini, F. (2023). Landslide detection, monitoring and prediction with remote-sensing techniques. *Nature Reviews Earth and Environment*, 4(1), 51–64. <https://doi.org/10.1038/s43017-022-00373-x>
- Chakraborty, R., Pal, S. C., Roy, P., Saha, A., & Chowdhuri, I. (2022). Novel ensemble approach for landslide susceptibility index assessment in a mountainous environment of India. *Geocarto International*, 37(26), 13311–13336. <https://doi.org/10.1080/10106049.2022.2076924>
- Chandra, N., & Vaidya, H. (2023). Attention-Based YOLOv5 Model For Enhancing Landslide Detection In Remote Sensing Imagery. *2023 IEEE India Geoscience and Remote Sensing Symposium, InGARSS 2023*, 5, 1–4. <https://doi.org/10.1109/InGARSS59135.2023.10490427>
- Chang, Z., Catani, F., Huang, F., Liu, G., Meena, S. R., Huang, J., & Zhou, C. (2022). Landslide susceptibility prediction using slope unit-based machine learning models considering the heterogeneity of conditioning factors. *Journal of Rock Mechanics and Geotechnical Engineering*, xxx. <https://doi.org/10.1016/j.jrmge.2022.07.009>
- Chau, K. T., & Chan, J. E. (2005). Regional bias of landslide data in generating susceptibility maps using logistic regression: Case of Hong Kong Island. *Landslides*, 2(4), 280–290.

<https://doi.org/10.1007/s10346-005-0024-x>

- Chen, W., Li, W., Chai, H., Hou, E., Li, X., & Ding, X. (2016). GIS-based landslide susceptibility mapping using analytical hierarchy process (AHP) and certainty factor (CF) models for the Baozhong region of Baoji City, China. *Environmental Earth Sciences*, 75(1), 1–14. <https://doi.org/10.1007/S12665-015-4795-7/TABLES/5>
- Chen, W., Pourghasemi, H. R., & Naghibi, S. A. (2018). Prioritisation of landslide conditioning factors and their spatial modelling in Shangnan County, China, using GIS-based data mining algorithms. *Bulletin of Engineering Geology and the Environment*, 77(2), 611–629. <https://doi.org/10.1007/s10064-017-1004-9>
- Chen, X., Yao, X., Zhou, Z., Liu, Y., Yao, C., & Ren, K. (2022). DRs-UNet: A Deep Semantic Segmentation Network for the Recognition of Active Landslides from InSAR Imagery in the Three Rivers Region of the Qinghai–Tibet Plateau. *Remote Sensing*, 14(8). <https://doi.org/10.3390/rs14081848>
- Chen, Z., Zhang, Y., Ouyang, C., Zhang, F., & Ma, J. (2018). Automated landslides detection for mountain cities using multi-temporal remote sensing imagery. *Sensors (Switzerland)*, 18(3). <https://doi.org/10.3390/s18030821>
- Chian, S. C., & Wilkinson, S. M. (2015). Feasibility of Remote Sensing for Multihazard Analysis of Landslides in Padang Pariaman during the 2009 Padang Earthquake. *Natural Hazards Review*, 16(1), 5014004. [https://doi.org/10.1061/\(ASCE\)NH.1527-6996.0000143](https://doi.org/10.1061/(ASCE)NH.1527-6996.0000143)
- Claessens, L., Knapen, A., Kitutu, M. G., Poesen, J., & Deckers, J. A. (2007). Modelling landslide hazard, soil redistribution and sediment yield of landslides on the Ugandan footslopes of Mount Elgon. *Geomorphology*, 90(1–2), 23–35. <https://doi.org/10.1016/j.geomorph.2007.01.007>
- Coeurdevey, L., & Gabriel-Robez, C. (2012). Pléiades Imagery - User Guide. *Usrphr-Dt-125-Spot-2.0, October* 1–118.
- CRED. (2015). The Human Cost of Natural Disasters. *Centre for Research on the Epidemiology of Disasters CRED*, 58.
- CRED. (2021). Disaster Year in Review 2020 Global Trends and Perspectives. *Cred, May*(62), 2020–2021. <https://cred.be/sites/default/files/CredCrunch62.pdf>
- CRED, UCLouvain, & USAID. (2023). 2023 Disaster in Numbers. *Nature Medicine*, 29(7), 1857–1866. https://files.emdat.be/reports/2023_EMDAT_report.pdf
- Cruden, D. M., & Varnes, D. J. (1996). Chapter 3 Landslide Types and Processes. *Landslides: Investigation and Mitigation, Transportation Research Board Special Report 247, Washington D.C., Bell* 1992, 36–75.
- Daffa, M., Putra, A., Winanto, T. S., Hendrowati, R., & Primajaya, A. (2023). A Comparative Analysis of Transfer Learning Architecture Performance on Convolutional Neural Network Models with Diverse Datasets. 12(148). <https://doi.org/10.34010/komputika.v12i1.8626>
- Dahal, R. K., Hasegawa, S., Nonomura, A., Yamanaka, M., Dhakal, S., & Paudyal, P. (2008). Predictive modelling of rainfall-induced landslide hazard in the Lesser Himalaya of Nepal based on weights-of-evidence. *Geomorphology*, 102(3–4), 496–510. <https://doi.org/10.1016/j.geomorph.2008.05.041>



- Dai, F. C., & Lee, C. F. (2001). Terrain-based mapping of landslide susceptibility using a geographical information system: A case study. *Canadian Geotechnical Journal*, 38(5), 911–923. <https://doi.org/10.1139/cgj-38-5-911>
- Dalton, C. M., & Stallmann, T. (2018). Counter-mapping data science. *Canadian Geographer*, 62(1), 93–101. <https://doi.org/10.1111/cag.12398>
- Darminto, M. R., Widodo, A., Alfatinah, A., & Chu, H. J. (2021). High-Resolution Landslide Susceptibility Map Generation using Machine Learning (Case Study in Pacitan, Indonesia). *International Journal on Advanced Science, Engineering and Information Technology*, 11(1), 369–379. <https://doi.org/https://10.18517/ijaseit.11.1.11679>
- Das, I., Stein, A., Kerle, N., & Dadhwal, V. K. (2011). Probabilistic landslide hazard assessment using homogeneous susceptible units (HSU) along a national highway corridor in the northern Himalayas, India. *Landslides*, 8(3), 293–308. <https://doi.org/10.1007/s10346-011-0257-9>
- Das, R., & Wegmann, K. W. (2022). Evaluation of machine learning-based algorithms for landslide detection across satellite sensors for the 2019 Cyclone Idai event, Chimanimani District, Zimbabwe. *Landslides*, 19(12), 2965–2981. <https://doi.org/10.1007/s10346-022-01912-9>
- Dias, H. C., Hölbling, D., & Grohmann, C. H. (2021). Landslide susceptibility mapping in brazil: A review. *Geosciences (Switzerland)*, 11(10), 1–15. <https://doi.org/10.3390/geosciences11100425>
- Elwood, S. (2006). Critical Issues in Participatory GIS: Deconstructions. *Transactions in GIS*, 10(5), 693–708.
- Fausset, L. V. (1994). Fundamentals of Neural Network: Architecture, Algorithm, and Application. In *Prentice Hall: Vols. C-18* (Issue 6). Prentice Hall. <https://doi.org/10.1109/T-C.1969.222718>
- Fleuchaus, P., Blum, P., Wilde, M., Terhorst, B., & Butscher, C. (2021). Retrospective evaluation of landslide susceptibility maps and review of validation practice. *Environmental Earth Sciences*, 80(15), 1–15. <https://doi.org/10.1007/s12665-021-09770-9>
- Froude, M. J., & Petley, D. N. (2018). Global fatal landslide occurrence from 2004 to 2016. *Natural Hazards and Earth System Sciences*, 18(8), 2161–2181. <https://doi.org/10.5194/nhess-18-2161-2018>
- Ghorbanzadeh, O., & Blaschke, T. (2019). Optimising the sample patches selection of CNN to improve the MIOU on landslide detection. *GISTAM 2019 - Proceedings of the 5th International Conference on Geographical Information Systems Theory, Applications and Management, May*, 33–40. <https://doi.org/10.5220/0007675300330040>
- Ghorbanzadeh, O., Blaschke, T., Gholamnia, K., Meena, S. R., Tiede, D., & Aryal, J. (2019). Evaluation of different machine learning methods and deep-learning convolutional neural networks for landslide detection. *Remote Sensing*, 11(2). <https://doi.org/10.3390/rs11020196>
- Ghorbanzadeh, O., Crivellari, A., Ghamisi, P., Shahabi, H., & Blaschke, T. (2021). A comprehensive transferability evaluation of U-Net and ResU-Net for landslide detection from Sentinel-2 data (case study areas from Taiwan, China, and Japan). *Scientific Reports*,

- 11(1), 1–20. <https://doi.org/10.1038/s41598-021-94190-9>
- Ghorbanzadeh, O., Gholamnia, K., & Ghamisi, P. (2022). The application of ResU-net and OBIA for landslide detection from multi-temporal Sentinel-2 images. *Big Earth Data*, 00(00), 1–26. <https://doi.org/10.1080/20964471.2022.2031544>
- Ghorbanzadeh, O., Shahabi, H., Crivellari, A., Homayouni, S., Blaschke, T., & Ghamisi, P. (2022). Landslide detection using deep learning and object-based image analysis. *Landslides*, 19(4), 929–939. <https://doi.org/10.1007/s10346-021-01843-x>
- Ghorbanzadeh, O., Tiede, D., Wendt, L., Sudmanns, M., & Lang, S. (2021). Transferable instance segmentation of dwellings in a refugee camp - integrating CNN and OBIA. *European Journal of Remote Sensing*, 54(sup1), 127–140. <https://doi.org/10.1080/22797254.2020.1759456>
- Ghorbanzadeh, O., Xu, Y., Ghamisi, P., Kopp, M., & Kreil, D. (2022). Landslide4Sense: Reference Benchmark Data and Deep Learning Models for Landslide Detection. *IEEE Transactions on Geoscience and Remote Sensing*, 60(October), 1–17. <https://doi.org/10.1109/TGRS.2022.3215209>
- Goetz, J. N., Brenning, A., Petschko, H., & Leopold, P. (2015). Evaluating machine learning and statistical prediction techniques for landslide susceptibility modelling. *Computers and Geosciences*, 81, 1–11. <https://doi.org/10.1016/j.cageo.2015.04.007>
- Gómez, H., & Kavzoglu, T. (2005). Assessment of shallow landslide susceptibility using artificial neural networks in Jabonosa River Basin, Venezuela. *Engineering Geology*, 78(1–2), 11–27. <https://doi.org/10.1016/j.enggeo.2004.10.004>
- Goodchild, M. F. (2007). Citizens as sensors: The world of volunteered geography. *GeoJournal*, 69(4), 211–221. <https://doi.org/10.1007/s10708-007-9111-y>
- Greenbaum and M Tutton. (1995). Rapid methods of landslide hazard mapping: Papua New Guinea case study. *British Geological Survey*, 121. <http://nora.nerc.ac.uk/id/eprint/9967/1/WC95027.pdf>
- Guzzetti, F., Carrara, A., Cardinali, M., & Reichenbach, P. (1995). ; Stern, 1991] and one of the NAVZ (Northern Austral Volcanic Zone) volcanic events [3010 yr. *Geomorphology*, 13(6), 1995.
- Guzzetti, F., Mondini, A. C., Cardinali, M., Fiorucci, F., Santangelo, M., & Chang, K. T. (2012). Landslide inventory maps: New tools for an old problem. *Earth-Science Reviews*, 112(1–2), 42–66. <https://doi.org/10.1016/j.earscirev.2012.02.001>
- Hadmoko, D. S., Lavigne, F., Sartohadi, J., Gomez, C., & Daryono, D. (2017). Spatio-Temporal Distribution of Landslides in Java and the Triggering Factors. *Forum Geografi*, 31(1), 1–15. <https://doi.org/10.23917/forgeo.v31i1.3790>
- Hearn, G. J., & Hart, A. B. (2019). *Landslide susceptibility mapping : a practitioner’s view*. 5811–5826.
- Highland, L. M., & Bobrowsky, P. (2008). The landslide Handbook - A guide to understanding landslides. *US Geological Survey Circular*, 1325, 1–147.
- Hong, H., Naghibi, S. A., Pourghasemi, H. R., & Pradhan, B. (2016). GIS-based landslide spatial modeling in Ganzhou City, China. *Arabian Journal of Geosciences*, 9(2), 1–26. <https://doi.org/10.1007/s12517-015-2094-y>



- Hu, J. (2018). Squeeze-and-Excitation_Networks_CVPR_2018_paper.pdf. *Cvpr*, 7132–7141. http://openaccess.thecvf.com/content_cvpr_2018/html/Hu_Squeeze-and-Excitation_Networks_CVPR_2018_paper.html
- Huangfu, W., Wu, W., Zhou, X., Lin, Z., Zhang, G., Chen, R., Song, Y., Lang, T., Qin, Y., Ou, P., Zhang, Y., Xie, L., Huang, X., Fu, X., Li, J., Jiang, J., Zhang, M., Liu, Y., Peng, S., ... Liu, W. (2021). Landslide Geo-hazard risk mapping using logistic regression modeling in Guixi, Jiangxi, China. *Sustainability (Switzerland)*, 13(9), 1–19. <https://doi.org/10.3390/su13094830>
- Hungr, O., Leroueil, S., & Picarelli, L. (2014). The Varnes classification of landslide types: an update. *Landslides*, 11(2), 167–194. <https://doi.org/10.1007/s10346-013-0436-y>
- Hussain, M. A., Chen, Z., Wang, R., Shah, S. U., Shoaib, M., Ali, N., Xu, D., & Ma, C. (2022). Landslide Susceptibility Mapping using Machine Learning Algorithm. *Civil Engineering Journal (Iran)*, 8(2), 209–224. <https://doi.org/10.28991/CEJ-2022-08-02-02>
- Jaderberg, M., Simonyan, K., Zisserman, A., & Kavukcuoglu, K. (2015). Spatial Transformer Networks. *ACM International Conference Proceeding Series*, 2, 45–48. <https://doi.org/10.1145/2948076.2948084>
- Ji, S., Yu, D., Shen, C., Li, W., & Xu, Q. (2020). Landslide detection from open satellite imagery and digital elevation model dataset using attention boosted convolutional neural networks. *Landslides*, 17(6), 1337–1352. <https://doi.org/10.1007/s10346-020-01353-2>
- Karantanellis, E. (2021). *Landslide detection and characterisation using obia methodology and UAV photogrammetry*. 1–178.
- Kavzoglu, T., Kutlug Sahin, E., & Colkesen, I. (2015). Selecting optimal conditioning factors in shallow translational landslide susceptibility mapping using a genetic algorithm. *Engineering Geology*, 192, 101–112. <https://doi.org/10.1016/j.enggeo.2015.04.004>
- Ke, J., Liu, X., & Wang, G. (2008). Theoretical and empirical analysis of the learning rate and momentum factor in neural network modelling for stock prediction. *Lecture Notes in Computer Science (Including Subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, 5370 LNCS, 697–706. https://doi.org/10.1007/978-3-540-92137-0_76
- Kemp, K. (2014). Modifiable Areal Unit Problem (MAUP). *Encyclopedia of Geographic Information Science*, 169–174. <https://doi.org/10.4135/9781412953962.n133>
- Kincal, C., Akgun, A., & Koca, M. Y. (2009). Landslide susceptibility assessment in the İzmir (West Anatolia, Turkey) city centre and its near vicinity by the logistic regression method. *Environmental Earth Sciences*, 59(4), 745–756. <https://doi.org/10.1007/s12665-009-0070-0>
- Kingma, D. P., & Ba, J. L. (2015). Adam: A method for stochastic optimisation. *3rd International Conference on Learning Representations, ICLR 2015 - Conference Track Proceedings*, 1–15.
- Kitchin, R. (2014). Big Data, new epistemologies, and paradigm shifts. *Big Data and Society*, 1(1), 1–12. <https://doi.org/10.1177/2053951714528481>
- Knapen, A., Kitutu, M. G., Poesen, J., Breugelmans, W., Deckers, J., & Muwanga, A. (2006). Landslides in a densely populated county at the foot slopes of Mount Elgon (Uganda): Characteristics and causal factors. *Geomorphology*, 73(1–2), 149–165.

<https://doi.org/10.1016/j.geomorph.2005.07.004>

- Lee, S. (2019). Current and Future Status of GIS-based Landslide Susceptibility Mapping: A Literature Review. *Korean Journal of Remote Sensing*, 35(1), 179–193.
- Lee, S., & Talib, J. A. (2005). Probabilistic landslide susceptibility and factor effect analysis. *Environmental Geology*, 47(7), 982–990. <https://doi.org/10.1007/s00254-005-1228-z>
- Lek, S., & Park, Y. S. (2008). Artificial Neural Networks. *Encyclopedia of Ecology, Five-Volume Set*, 237–245. <https://doi.org/10.1016/B978-008045405-4.00173-7>
- Li, H., & Yang, M. (2023). Study on influencing factors of slope stability and evolution law of safety factor in coal measure strata. *Frontiers in Earth Science*, 11(March), 1–9. <https://doi.org/10.3389/feart.2023.1167962>
- Li, Y., Fu, B., Yin, Y., Hu, X., Wang, W., Wang, W., Li, X., & Long, G. (2024). Review on the artificial intelligence-based methods in landslide detection and susceptibility assessment_ Current progress and future directions. *Intelligent Geoengineering*, 1(1), 1–18. <https://doi.org/10.1016/j.ige.2024.10.003>
- Li, Z., Liu, F., Yang, W., Peng, S., & Zhou, J. (2022). A Survey of Convolutional Neural Networks: Analysis, Applications, and Prospects. *IEEE Transactions on Neural Networks and Learning Systems*, 33(12), 6999–7019. <https://doi.org/10.1109/TNNLS.2021.3084827>
- Liao, M., Wen, H., & Yang, L. (2022). Identifying the essential conditioning factors of landslide susceptibility models under different grid resolutions using hybrid machine learning: A case of Wushan and Wuxi counties, China. *Catena*, 217(June), 106428. <https://doi.org/10.1016/j.catena.2022.106428>
- Lin, M., Teng, S., Chen, G., & Bassir, D. (2023). Transfer Learning with Attributes for Improving the Landslide Spatial Prediction Performance in Sample-Scarce Area Based on Variational Autoencoder Generative Adversarial Network. *Land*, 12(3), 525. <https://doi.org/10.3390/land12030525>
- Ling, S., Liu, T., & Carrasco, M. (2009). How spatial and feature-based attention affect the gain and tuning of population responses. *Vision Research*, 49(10), 1194–1204. <https://doi.org/10.1016/j.visres.2008.05.025>
- Liu, Z., Gilbert, G., Cepeda, J. M., Lysdahl, A. O. K., Piciullo, L., Hefre, H., & Lacasse, S. (2021). Modelling of shallow landslides with machine learning algorithms. *Geoscience Frontiers*, 12(1), 385–393. <https://doi.org/10.1016/j.gsf.2020.04.014>
- Lombardo, L., Opitz, T., Ardizzone, F., Guzzetti, F., & Huser, R. (2020). Space-time landslide predictive modelling. *Earth-Science Reviews*, 209(June), 103318. <https://doi.org/10.1016/j.earscirev.2020.103318>
- Lu, H., Ma, L., Fu, X., Liu, C., Wang, Z., Tang, M., & Li, N. (2020). Landslide information extraction using an object-oriented image analysis paradigm based on deep learning and transfer learning. *Remote Sensing*, 12(5). <https://doi.org/10.3390/rs12050752>
- Lu, W., Hu, Y., Shao, W., Wang, H., Zhang, Z., & Wang, M. (2024). A multiscale feature fusion enhanced CNN with the multiscale channel attention mechanism for efficient landslide detection (MS2LandsNet) using medium-resolution remote sensing data. *International Journal of Digital Earth*, 17(1). <https://doi.org/10.1080/17538947.2023.2300731>



- Ma, S., Huang, M., Fan, Q., Zhang, X., & Hu, P. (2010). *Model for Prediction of Shear Strength with Respect to Degree of Saturation*. 10–16. [https://doi.org/10.1061/41103\(376\)2](https://doi.org/10.1061/41103(376)2)
- Ma, Z., Mei, G., & Piccialli, F. (2021). Machine learning for landslides prevention: a survey. *Neural Computing and Applications*, 33(17), 10881–10907. <https://doi.org/10.1007/s00521-020-05529-8>
- Martha, T. R., Kamala, P., Jose, J., Vinod Kumar, K., & Jai Sankar, G. (2016). Identification of new Landslides from High Resolution Satellite Data Covering a Large Area Using Object-Based Change Detection Methods. *Journal of the Indian Society of Remote Sensing*, 44(4), 515–524. <https://doi.org/10.1007/s12524-015-0532-7>
- Martha, T. R., Kerle, N., Jetten, V., Westen, C. J. Van, & Kumar, K. V. (2010). Geomorphology Characterising spectral, spatial, and morphometric properties of landslides for semi-automatic detection using object-oriented methods. *Geomorphology*, 116(1–2), 24–36. <https://doi.org/10.1016/j.geomorph.2009.10.004>
- Masaba, S., Mungai, D. N., Isabirye, M., & Nsubuga, H. (2017). Implementation of landslide disaster risk reduction policy in Uganda. *International Journal of Disaster Risk Reduction*, 24(January), 326–331. <https://doi.org/10.1016/j.ijdrr.2017.01.019>
- Masruroh, H., Leksono, A. S., Kurniawan, S., & Soemarno. (2023). Developing a landslide susceptibility map using the Artificial Neural Network (ANN) method for the mitigation of land degradation. *Journal of Degraded and Mining Lands Management*, 10(3), 4479–4494. <https://doi.org/10.15243/jdmlm.2023.103.4479>
- Mebrahtu, T. K., Hussien, B., Banning, A., & Wohnlich, S. (2021). Predisposing and triggering factors of large-scale landslides in Debre Sina area, central Ethiopian highlands. *Bulletin of Engineering Geology and the Environment*, 80(1), 365–383. <https://doi.org/10.1007/s10064-020-01961-1>
- Meena, S. R., Nava, L., Bhuyan, K., Puliero, S., Soares, L. P., Dias, H. C., Floris, M., & Catani, F. (2023). HR-GLDD: a globally distributed dataset using generalised deep learning (DL) for rapid landslide mapping on high-resolution (HR) satellite imagery. *Earth System Science Data*, 15(7), 3283–3298. <https://doi.org/10.5194/essd-15-3283-2023>
- Meena, S. R., Puliero, S., Bhuyan, K., Floris, M., & Catani, F. (2022). Assessing the importance of conditioning factor selection in landslide susceptibility for the province of Belluno (region of Veneto, northeastern Italy). *Natural Hazards and Earth System Sciences*, 22(4), 1395–1417. <https://doi.org/10.5194/nhess-22-1395-2022>
- Mersha, T., & Meten, M. (2020). GIS-based landslide susceptibility mapping and assessment using bivariate statistical methods in the Simada area, northwestern Ethiopia. *Geoenvironmental Disasters*, 7(1). <https://doi.org/10.1186/s40677-020-00155-x>
- Miller, T. (2019). Explanation in artificial intelligence: Insights from the social sciences. *Artificial Intelligence*, 267, 1–38. <https://doi.org/10.1016/j.artint.2018.07.007>
- Mohan, A., Singh, A. K., Kumar, B., & Dwivedi, R. (2021). Review of remote sensing methods for landslide detection using machine learning and deep learning. *Transactions on Emerging Telecommunications Technologies*, 32(7), 1–23. <https://doi.org/10.1002/ett.3998>
- Mondini, A. C., Guzzetti, F., Chang, K. T., Monserrat, O., Martha, T. R., & Manconi, A. (2021). Landslide failures detection and mapping using Synthetic Aperture Radar: Past,

and future. *Earth-Science Reviews*, 216, 103574.
<https://doi.org/10.1016/j.earscirev.2021.103574>

- Montesinos López, O. A., Montesinos López, A., & Crossa, J. (2022). Multivariate Statistical Machine Learning Methods for Genomic Prediction. In *Multivariate Statistical Machine Learning Methods for Genomic Prediction*. <https://doi.org/10.1007/978-3-030-89010-0>
- Moosavi, V., Talebi, A., & Shirmohammadi, B. (2014). Geomorphology: Producing a landslide inventory map using pixel-based and object-oriented approaches optimised by the Taguchi method. *Geomorphology*, 204, 646–656. <https://doi.org/10.1016/j.geomorph.2013.09.012>
- Mugagga, F., Kakembo, V., & Buyinza, M. (2012). Land use changes on the slopes of Mount Elgon and the implications for the occurrence of landslides. *Catena*, 90, 39–46. <https://doi.org/10.1016/j.catena.2011.11.004>
- Mulyono, A., Subardja, A., Ekasari, I., Lailati, M., Sudirja, R., & Ningrum, W. (2018). The Hydromechanics of Vegetation for Slope Stabilisation. *IOP Conference Series: Earth and Environmental Science*, 118(1). <https://doi.org/10.1088/1755-1315/118/1/012038>
- Nakasu, T., & Amrapala, C. (2023). Evidence-based disaster risk assessment in Southeast Asian countries. *Natural Hazards Research*, 3(2), 295–304. <https://doi.org/10.1016/j.nhres.2023.04.001>
- Nakileza, B. R., & Mugagga, F. (2022). *Assessment of Landslide susceptibility and risk to road network in Mt Elgon, Uganda*. 1–25.
- Nakileza, B. R., & Nedala, S. (2020). Topographic influence on landslides characteristics and implications for risk management in the upper Manafwa catchment, Mt Elgon, Uganda. *Geoenvironmental Disasters*, 7(1). <https://doi.org/10.1186/s40677-020-00160-0>
- Ng, C. W. W., Yang, B., Liu, Z. Q., Kwan, J. S. H., & Chen, L. (2021). Spatiotemporal modelling of rainfall-induced landslides using machine learning. *Landslides*, 18(7), 2499–2514. <https://doi.org/10.1007/s10346-021-01662-0>
- Nguyen, V. V., Pham, B. T., Vu, B. T., Prakash, I., Jha, S., Shahabi, H., Shirzadi, A., Ba, D. N., Kumar, R., Chatterjee, J. M., & Bui, D. T. (2019). Hybrid machine learning approaches for landslide susceptibility modelling. *Forests*, 10(2). <https://doi.org/10.3390/f10020157>
- Nohani, E., Moharrami, M., Sharafi, S., Khosravi, K., Pradhan, B., Pham, B. T., Lee, S., & Melesse, A. M. (2019). Landslide susceptibility mapping using different GIS-based bivariate models. *Water (Switzerland)*, 11(7), 1–22. <https://doi.org/10.3390/w11071402>
- Nseka, D., Kakembo, V., Bamutaze, Y., & Mugagga, F. (2019). Analysis of topographic parameters underpinning landslide occurrence in Kigezi highlands of southwestern Uganda. *Natural Hazards*, 99(2), 973–989. <https://doi.org/10.1007/s11069-019-03787-x>
- Nurwatik, N., Ummah, M. H., Cahyono, A. B., Darminto, M. R., & Hong, J. H. (2022). A Comparison Study of Landslide Susceptibility Spatial Modelling Using Machine Learning. *ISPRS International Journal of Geo-Information*, 11(12). <https://doi.org/10.3390/ijgi11120602>
- Ohta, T., Hamamoto, K., & Eguchi, S. (2023). Topographical criteria for the occurrence of landslides causing debris flows in the 2017 torrential rain in northern Kyushu, Japan. *E3S Web of Conferences*, 415, 10–13. <https://doi.org/10.1051/e3sconf/202341505017>



- Pourghasemi, H. R., & Rossi, M. (2017). Landslide susceptibility modelling in a landslide-prone area in Mazandaran Province, north of Iran: a comparison between GLM, GAM, MARS, and M-AHP methods. *Theoretical and Applied Climatology*, *130*(1–2), 609–633. <https://doi.org/10.1007/s00704-016-1919-2>
- Pradhan, B., Dikshit, A., Lee, S., & Kim, H. (2023). An explainable AI (XAI) model for landslide susceptibility modelling. *Applied Soft Computing*, *142*, 110324. <https://doi.org/10.1016/j.asoc.2023.110324>
- Pradhan, B., & Lee, S. (2009). Landslide risk analysis using an artificial neural network model, focusing on different training sites. *International Journal of Physical Sciences*, *4*(1), 01–015.
- Prakash, N. (2021). *Mapping Landslides by Exploiting EO Big Data*. <https://doi.org/10.3929/ethz-b-000526851>
- Prakash, N., Manconi, A., & Loew, S. (2020). Mapping landslides on EO data: Performance of deep learning models vs. Traditional machine learning models. *Remote Sensing*, *12*(3). <https://doi.org/10.3390/rs12030346>
- Prakash, N., Manconi, A., & Loew, S. (2021). A new strategy to map landslides with a generalised convolutional neural network. *Scientific Reports*, *11*(1), 1–15. <https://doi.org/10.1038/s41598-021-89015-8>
- Puturu, F., Danoedoro, P., Sartohadi, J., & Srihadmoko, D. (2017). The Development of an Interpretation Method For Remote Sensing Imagery In Determining The Candidate of Landslide In Leitimur Paninsula, Ambon Island. *Jurnal Ilmu Lingkungan*, *15*(1), 20. <https://doi.org/10.14710/jil.15.1.20-34>
- Qin, Y., Yang, G., Lu, K., Sun, Q., Xie, J., & Wu, Y. (2021). Performance evaluation of five GIS-based models for landslide susceptibility prediction and mapping: A case study of Kaiyang county, China. *Sustainability (Switzerland)*, *13*(11). <https://doi.org/10.3390/su13116441>
- Quinn, P. E., Hutchinson, D. J., Diederichs, M. S., & Rowe, R. K. (2010). Regional-scale landslide susceptibility mapping using the weights of evidence method: An example applied to linear infrastructure. *Canadian Geotechnical Journal*, *47*(8), 905–927. <https://doi.org/10.1139/T09-144>
- Rajabi, A. M., Khodaparast, M., & Mohammadi, M. (2022). Earthquake-induced landslide prediction using back-propagation type artificial neural network : case study in northern Iran. *Natural Hazards*, *110*(1), 679–694. <https://doi.org/10.1007/s11069-021-04963-8>
- Reichenbach, P., Rossi, M., Malamud, B. D., Mihir, M., & Guzzetti, F. (2018). A review of statistically-based landslide susceptibility models. *Earth-Science Reviews*, *180*(November 2017), 60–91. <https://doi.org/10.1016/j.earscirev.2018.03.001>
- Reyes, A. A., Paheding, S., Rajaneesh, A., Sajinkumar, K. S., & Oommen, T. (2023). C-PLES: Contextual Progressive Layer Expansion with Self-attention for Multi-class Landslide Segmentation on Mars using Multimodal Satellite Imagery. *IEEE Computer Society Conference on Computer Vision and Pattern Recognition Workshops, 2023-June(Vm)*, 354–364. <https://doi.org/10.1109/CVPRW59228.2023.00041>
- Richards, J. A., & Jia, X. (1999). Remote Sensing Digital Image Analysis. In *Remote Sensing Digital Image Analysis*. <https://doi.org/10.1007/978-3-662-03978-6>



- Riemann, K. (2013). Martin Dodge, Rob Kitchin, and Chris Perkins: The Map Reader: theories of mapping practice and cartographic representation. *Landscape Ecology*, 28(8), 1635–1636. <https://doi.org/10.1007/s10980-013-9899-4>
- Rivki, M., Bachtiar, A. M., Informatika, T., Teknik, F., & Indonesia, U. K. (2021). *Polygon-based landslide inventory for Bandung Basin using Google Earth*. 112.
- Rossi, M., Guzzetti, F., Reichenbach, P., Mondini, A. C., & Peruccacci, S. (2010). Optimal landslide susceptibility zonation based on multiple forecasts. *Geomorphology*, 114(3), 129–142. <https://doi.org/10.1016/j.geomorph.2009.06.020>
- Roy, P., Ghosal, K., & Paul, P. K. (2022). Landslide susceptibility mapping of Kalimpong in the Eastern Himalayan Region using an Rprop ANN approach. *Journal of Earth System Science*, 131(2). <https://doi.org/10.1007/s12040-022-01877-2>
- Rózycka, M., Migoń, P., & Michniewicz, A. (2017). Topographic Wetness Index and Terrain Ruggedness Index in geomorphic characterisation of landslide terrains, on examples from the Sudetes, SW Poland. *Zeitschrift Fur Geomorphologie*, 61(January), 61–80. https://doi.org/10.1127/zfg_suppl/2016/0328
- Safonova, A., Ghazaryan, G., Stiller, S., Main-Knorn, M., Nendel, C., & Ryo, M. (2023). Ten deep learning techniques to address small data problems with remote sensing. *International Journal of Applied Earth Observation and Geoinformation*, 125(September), 103569. <https://doi.org/10.1016/j.jag.2023.103569>
- Sameen, M. I., & Pradhan, B. (2019). Landslide Detection Using Residual Networks and the Fusion of Spectral and Topographic Information. *IEEE Access*, 7, 114363–114373. <https://doi.org/10.1109/ACCESS.2019.2935761>
- Samodra, G., Chen, G., Sartohadi, J., & Kasama, K. (2017). Comparing data-driven landslide susceptibility models based on participatory landslide inventory mapping in Purwosari area, Yogyakarta, Java. *Environmental Earth Sciences*, 76(4), 1–19. <https://doi.org/10.1007/s12665-017-6475-2>
- Samodra, G., Malawani, M. N., Suhendro, I., & Mardiatno, D. (2024). Spatial datasets for benchmarking machine learning-based landslide susceptibility models. *Data in Brief*, 111155. <https://doi.org/10.1016/j.dib.2024.111155>
- Samodra, G., Ngadisih, N., Malawani, M. N., Mardiatno, D., Cahyadi, A., & Nugroho, F. S. (2020). Frequency–magnitude of landslides affected by the 27–29 November 2017 Tropical Cyclone Cempaka in Pacitan, East Java. *Journal of Mountain Science*, 17(4), 773–786. <https://doi.org/10.1007/s11629-019-5734-y>
- Samodra, G., Ngadisih, N., & Nugroho, F. S. (2024). Benchmarking data handling strategies for landslide susceptibility modelling using random forest workflows. *Artificial Intelligence in Geosciences*, 5(January), 100093. <https://doi.org/10.1016/j.aiig.2024.100093>
- Scaioni, M. (2013). Remote Sensing for Landslide Investigations: From Research into Practice. *Remote Sensing*, 5(11), 5488–5492. <https://doi.org/10.3390/rs5115488>
- Schlögl, M., Spiekermann, R., & Steger, S. (2025). Towards a holistic assessment of landslide susceptibility models: insights from the Central Eastern Alps. *Environmental Earth Sciences*, 84(4), 1–23. <https://doi.org/10.1007/s12665-024-12041-y>
- Shahabi, H., Rahimzad, M., Piralilou, S. T., Ghorbanzadeh, O., Homayouni, S., Blaschke, T.,

- Lim, S., & Ghamisi, P. (2021). Unsupervised deep learning for landslide detection from multispectral Sentinel-2 imagery. *Remote Sensing*, *13*(22). <https://doi.org/10.3390/rs13224698>
- Shea, K. O., & Nash, R. (2015). *An Introduction to Convolutional Neural Networks*. 1–11.
- Shirvani, Z., Abdi, O., & Buchroithner, M. (2019). A Synergetic analysis of Sentinel-1 and -2 for mapping historical landslides using object-oriented random forest in the Hyrcanian forests. *Remote Sensing*, *11*(19). <https://doi.org/10.3390/rs11192300>
- Siyahghalati, S., Saraf, A. kumar, Pradhan, B., Jebur, M. neamah, & tehrany, M. shafapour. (2016). Rule-based semi-automated approach for the detection of landslides induced by 18 September 2011 Sikkim, Himalaya, earthquake using IRS LISS3 satellite images. *Geomatics, Natural Hazards and Risk*, *7*(1), 326–344. <https://doi.org/10.1080/19475705.2014.898702>
- Skidmore, A. (1993). Environmental modelling with GIS. *Taylor and Francis, London*, 488.
- Sletto, B. (2008). The Knowledge that Counts: Institutional Identities, Policy Science, and the Conflict Over Fire Management in the Gran Sabana, Venezuela. *World Development*, *36*(10), 1938–1955. <https://doi.org/10.1016/j.worlddev.2008.02.008>
- Song, Y., Yang, D., Wu, W., Zhang, X., Zhou, J., Tian, Z., Wang, C., & Song, Y. (2023). Evaluating Landslide Susceptibility Using Sampling Methodology and Multiple Machine Learning Models. *ISPRS International Journal of Geo-Information*, *12*(5). <https://doi.org/10.3390/ijgi12050197>
- Sørensen, R., Zinko, U., & Seibert, J. (2006). On the calculation of the topographic wetness index: Evaluation of different methods based on field observations. *Hydrology and Earth System Sciences*, *10*(1), 101–112. <https://doi.org/10.5194/hess-10-101-2006>
- Soydaner, D. (2022). Attention mechanism in neural networks: where it comes and where it goes. *Neural Computing and Applications*, *34*(16), 13371–13385. <https://doi.org/10.1007/s00521-022-07366-3>
- Steger, S., Brenning, A., Bell, R., & Glade, T. (2017). The influence of systematically incomplete shallow landslide inventories on statistical susceptibility models and suggestions for improvements. *Landslides*, *14*(5), 1767–1781. <https://doi.org/10.1007/s10346-017-0820-0>
- Steger, S., Brenning, A., Bell, R., Petschko, H., & Glade, T. (2014). *Advances in assessing geomorphic plausibility in statistical susceptibility modelling*. *16*, 7157.
- Steger, S., Mair, V., Kofler, C., Pittore, M., Zebisch, M., & Schneiderbauer, S. (2021). Correlation does not imply geomorphic causation in data-driven landslide susceptibility modelling – Benefits of exploring landslide data collection effects. *Science of the Total Environment*, *776*. <https://doi.org/10.1016/j.scitotenv.2021.145935>
- Stumpf, A. (2013). *Landslide recognition and monitoring with remotely sensed data from passive optical sensors*. 281. <https://tel.archives-ouvertes.fr/tel-01089543>
- Su, M. D., Lin, M. C., & Wen, T. H. (2011). Spatial Mapping and Environmental Risk Identification. *Encyclopedia of Environmental Health, Volume 1-5*, *5*(c), V5-228-V5-235. <https://doi.org/10.1016/B978-0-444-52272-6.00636-X>
- Su, Y., Chen, Y., Lai, X., Huang, S., Lin, C., & Xie, X. (2024). Feature adaptation for landslide

- susceptibility assessment in “no sample” areas. *Gondwana Research*, 131, 1–17. <https://doi.org/10.1016/j.gr.2024.03.002>
- Sun, Y., Bi, F., Gao, Y., Chen, L., & Feng, S. (2022). A Multi-Attention UNet for Semantic Segmentation in Remote Sensing Images. *Symmetry*, 14(5), 1–19. <https://doi.org/10.3390/sym14050906>
- Süzen, M. L. (2002). *Data-driven landslide hazard assessment using geographical information systems and remote sensing*. January 2002, 216.
- Tan, C., Sun, F., Kong, T., Zhang, W., Yang, C., & Liu, C. (2018). A Survey on Deep Transfer Learning: Chuanqi. In the *27th International Conference on Artificial Neural Networks* (Vol. 11141, Issue November). Springer International Publishing. <https://doi.org/10.1007/978-3-030-01424-7>
- Tehrani, F. S., Santinelli, G., & Herrera Herrera, M. (2021). Multi-Regional landslide detection using combined unsupervised and supervised machine learning. *Geomatics, Natural Hazards and Risk*, 12(1), 1015–1038. <https://doi.org/10.1080/19475705.2021.1912196>
- Terven, J., Cordova-Esparza, D. M., Ramirez-Pedraza, A., Chavez-Urbiola, E. A., & Romero-Gonzalez, J. A. (2023). *Loss Functions and Metrics in Deep Learning*. <http://arxiv.org/abs/2307.02694>
- Tofani, V., Segoni, S., Agostini, A., Catani, F., & Casagli, N. (2013). Use of remote sensing for landslide studies in Europe. *Natural Hazards and Earth System Science*, 13(2), 299–309. <https://doi.org/10.5194/nhess-13-299-2013>
- UNISDR. (2015). Sendai Framework for Disaster Risk Reduction 2015 - 2030. *UNISDR*, 144(2), 169–173.
- Van Bemmelen, R. W. (1949). The Geology of Indonesia. General Geology of Indonesia and Adjacent Archipelagos. In *Government Printing Office, The Hague* (pp. 1–766).
- van Westen, C. J., Castellanos, E., & Kuriakose, S. L. (2008). Spatial data for landslide susceptibility, hazard, and vulnerability assessment: An overview. *Engineering Geology*, 102(3–4), 112–131. <https://doi.org/10.1016/j.enggeo.2008.03.010>
- Vaswani, A., Shazeer, N., Parmar, N., Uszkoreit, J., Jones, L., Gomez, A. N., Kaiser, Ł., & Polosukhin, I. (2017). Attention is all you need. *Advances in Neural Information Processing Systems, 2017-Decem(Nips)*, 5999–6009.
- Wang, H., Wang, L., & Zhang, L. (2022). Transfer learning improves landslide susceptibility assessment. *Gondwana Research*, xxxx. <https://doi.org/10.1016/j.gr.2022.07.008>
- Wang, X. G., Wang, W., Huang, D., Yong, B., & Chen, X. (2014). Remote Sensing for Landslide Investigations: An Overview of Recent Achievements and Perspectives. *Remote Sensing*, 6(7), 5909–5937. <https://doi.org/10.3390/rs6075909>
- Wang, X., Wang, D., Sun, T., Dong, J., Xu, L., Li, W., Li, S., Ran, P., Ao, J., Zou, Y., Wang, J., & Zeng, X. (2023). Dual Path Attention Network (DPANet) for Intelligent Identification of Wenchuan Landslides. *Remote Sensing*, 15(21). <https://doi.org/10.3390/rs15215213>
- Wang, Y., Fang, Z., & Hong, H. (2019a). Comparison of convolutional neural networks for landslide susceptibility mapping in Yanshan County, China. *Science of the Total Environment*, 666, 975–993. <https://doi.org/10.1016/j.scitotenv.2019.02.263>



- Wang, Y., Fang, Z., & Hong, H. (2019b). Comparison of convolutional neural networks for landslide susceptibility mapping in Yanshan County, China. *Science of the Total Environment*, 666, 975–993. <https://doi.org/10.1016/j.scitotenv.2019.02.263>
- Wang, Z., Goetz, J., & Brenning, A. (2022). Transfer learning for landslide susceptibility modelling using domain adaptation and case-based reasoning. *Geoscientific Model Development*, 15(23), 8765–8784. <https://doi.org/10.5194/gmd-15-8765-2022>
- Wei, R., Ye, C., Ge, Y., & Li, Y. (2022). An attention-constrained neural network with overall cognition for landslide spatial prediction. *Landslides*, 19(5), 1087–1099. <https://doi.org/10.1007/s10346-021-01841-z>
- Woo, S., Park, J., Lee, J. Y., & Kweon, I. S. (2018). CBAM: Convolutional block attention module. *Lecture Notes in Computer Science (Including Subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*, 11211 LNCS, 3–19. https://doi.org/10.1007/978-3-030-01234-2_1
- Wu, L., Liu, R., Ju, N., Zhang, A., Gou, J., He, G., & Lei, Y. (2024). Landslide mapping based on a hybrid CNN-transformer network and deep transfer learning using remote sensing images with topographic and spectral features. *International Journal of Applied Earth Observation and Geoinformation*, 126(December 2023), 103612. <https://doi.org/10.1016/j.jag.2023.103612>
- Wubalem, A. (2021). Landslide susceptibility mapping using statistical methods in the Uatzau catchment area, northwestern Ethiopia. *Geoenvironmental Disasters*, 8(1), 1–21. <https://doi.org/10.1186/s40677-020-00170-y>
- Xiong, T., Indrawan, I. G. B., & Eka Putra, D. P. (2018). Landslide Susceptibility Mapping Using Analytical Hierarchy Process, Statistical Index, Index of Entropy, and Logistic Regression Approaches in the Tinalah Watershed, Yogyakarta. *Journal of Applied Geology*, 2(2), 67. <https://doi.org/10.22146/jag.39983>
- Xu, Y., Ouyang, C., Xu, Q., Wang, D., Zhao, B., & Luo, Y. (2024). CAS Landslide Dataset: A Large-Scale and Multisensor Dataset for Deep Learning-Based Landslide Detection. *Scientific Data*, 11(1), 1–11. <https://doi.org/10.1038/s41597-023-02847-z>
- Xun, Z., Zhao, C., Kang, Y., Liu, X., Liu, Y., & Du, C. (2022). Automatic Extraction of Potential Landslides by Integrating an Optical Remote Sensing Image with an InSAR-Derived Deformation Map. *Remote Sensing*, 14(11), 2669. <https://doi.org/10.3390/rs14112669>
- Yang, S., Wang, Y., Zhao, K., Liu, X., Mu, J., & Zhao, X. (2025). Partial convolution-simple attention mechanism-SegFormer: An accurate and robust model for landslide identification. *Engineering Applications of Artificial Intelligence*, 151(April), 110612. <https://doi.org/10.1016/j.engappai.2025.110612>
- Yang, S., Yang, X., Wu, J., & Feng, B. (2024). Significant feature suppression and cross-feature fusion networks for fine-grained visual classification. *Scientific Reports*, 14(1), 24051. <https://doi.org/10.1038/s41598-024-74654-4>
- Yang, Z. qiang, Qi, W. wen, Xu, C., & Shao, X. yi. (2024). Exploring deep learning for landslide mapping: A comprehensive review. *China Geology*, 7(2), 330–350. <https://doi.org/10.31035/cg2024032>
- Ye, C., Tang, R., Wei, R., Guo, Z., & Zhang, H. (2023). Generating accurate negative samples

- for landslide susceptibility mapping: A combined self-organising-map and one-class SVM method. *Frontiers in Earth Science*, 10(January), 1–12. <https://doi.org/10.3389/feart.2022.1054027>
- Yi, Y., Zhang, W., Xu, X., Zhang, Z., & Wu, X. (2022). Evaluation of neural network models for landslide susceptibility assessment. *International Journal of Digital Earth*, 15(1), 934–953. <https://doi.org/10.1080/17538947.2022.2062467>
- Yong, C., Jinlong, D., Fei, G., Bin, T., Tao, Z., Hao, F., Li, W., & Qinghua, Z. (2022). Review of landslide susceptibility assessment based on knowledge mapping. *Stochastic Environmental Research and Risk Assessment*, 0123456789. <https://doi.org/10.1007/s00477-021-02165-z>
- Zare, M., Reza Pourghasemi, H., Vafakhah, M., & Pradhan, B. (n.d.). *Landslide susceptibility mapping at Vaz Watershed (Iran) using an artificial neural network model: a comparison between multilayer perceptron (MLP) and radial basis function (RBF) algorithms*. <https://doi.org/10.1007/s12517-012-0610-x>
- Zhao, C., & Lu, Z. (2018). Remote sensing of landslides: A review. *Remote Sensing*, 10(2), 8–13. <https://doi.org/10.3390/rs10020279>
- Zhao, Z., Wang, W., Chen, J., Yao, J., Liao, Y., & Liu, J. (2024). Heterogeneous transfer learning considering feature representation and environmental consistency for landslide spatial prediction. *GIScience and Remote Sensing*, 61(1). <https://doi.org/10.1080/15481603.2024.2349343>
- Zhiyong, F., Changdong, L., & Wenmin, Y. (2023). Landslide susceptibility assessment through TrAdaBoost transfer learning models using two landslide inventories. *Catena*, 222(May 2022), 106799. <https://doi.org/10.1016/j.catena.2022.106799>
- Zhong, C., Liu, Y., Gao, P., Chen, W., Li, H., Hou, Y., Nuremanguli, T., & Ma, H. (2020). Landslide mapping with remote sensing: challenges and opportunities. *International Journal of Remote Sensing*, 41(4), 1555–1581. <https://doi.org/10.1080/01431161.2019.1672904>
- Zhou, C., Yin, K., Cao, Y., Ahmed, B., Li, Y., Catani, F., & Pourghasemi, H. R. (2018). Landslide susceptibility modelling applying machine learning methods: A case study from Longju in the Three Gorges Reservoir area, China. *Computers and Geosciences*, 112(September 2017), 23–37. <https://doi.org/10.1016/j.cageo.2017.11.019>