

DAFTAR PUSTAKA

- Ahmad, K.A., & Abdrabou, A. (2014). The significance of added ADC value to conventional MR imaging in differentiation between benign and malignant ovarian neoplasms. *Egypt. J. Radiol. Nucl. Med.* 45 : 997–1002.
- Al Harbi, R., McNeish, I.A., & El-Bahrawy, M. (2021). Ovarian sex cord-stromal tumors: An update on clinical features, molecular changes, and management. *Int. J. Gynecol. Cancer* 31 : 161–168.
- Berek, J.S., Hacker, N.F. (2020). Berek and Hacker's Gynecologic Oncology 7th ed. *Wolters Kluwer*.
- Bihan, D. Le & Iima, M. (2015). Diffusion Magnetic Resonance Imaging : What Water Tells Us about Biological Tissues 1–13.
- Bourourou, R., Nougaret, S., Rockall, A., Bazot, M., Razakamanantsoa, L., & Thomassin-Naggara, I. (2024). Apparent diffusion coefficient analysis of solid tissue helps distinguish borderline from invasive malignant adnexal masses rated O-RADS MRI 4. *Diagn. Interv. Imaging* 105 : 386–394.
- Campos, A. (2024). Ovarian cancer (staging). *Radiopaedia [Internet]*. Available at: <https://radiopaedia.org/articles/ovarian-cancer-staging-1>. [Accessed 2025 August 21].
- Connor, J.P.B.O., Rose, C.J., Waterton, J.C., Carano, R.A.D., Parker, J.M., & Jackson, A. (2015). Europe PMC Funders Group Imaging Intratumor Heterogeneity : Role in Therapy Response , Resistance , and Clinical Outcome 21 : 249–257.
- Dahlan, M. (2016). Besar Sampel dalam Penelitian Kedokteran dan Kesehatan. *Sagung Seto*. 6: 1-300.
- Dilley, J., Burnell, M., Gentry-maharaj, A., Ryan, A., Neophytou, C., Apostolidou, S., *et al.* (2020). Gynecologic Oncology Ovarian cancer symptoms , routes to diagnosis and survival – Population cohort study in the ‘ no screen ’ arm of the UK Collaborative Trial of Ovarian Cancer Screening (UKCTOCS) 158 : 316–322.
- El-Wakil, A.M., Abdullah, M.S., El-Kholy, S. S. (2019). The role of MRI in the differentiation between benign and malignant ovarian lesions. *Menoufia Medical Journal*. 32:106-111. https://doi.org/10.4103/mmj.mmj_548_17.
- Elsherif, S.B., Agely, A., Gopireddy, D.R., Ganeshan, D., Hew, K.E., Sharma, S. (2022). Mimics and Pitfalls of Primary Ovarian Malignancy Imaging 100–119.
- Ford, C.E., Werner, B., Hacker, N.F., Warton, K. (2020). The untapped potential of ascites in ovarian cancer research and treatment. *British Journal of Cancer*. 123:9-16.
- Fuji, S., Kakite, S., Nishihara, K., *et al.* (2008). Diagnostic accuracy of diffusion-weighted imaging in differentiating benign from malignant ovarian lesions. *J*

- Magn Reson Imaging*. 28: 1149-1156.
- Gibson, E., & Mahdy, H. (2023). Anatomy, Abdomen and Pelvis, Male Genitourinary Tract Blood Supply and Lymphatics Physiologic Variants. *NCBI Bookshelf*: 5–9.
- Gica, N., Peltecu, G., Chirculescu, R., Gica, C., Stoicea, M.C., Serbanica, A.N., *et al.* (2022). Ovarian Germ Cell Tumors: Pictorial Essay. *Diagnostics* 12 : 1–23.
- Goff, B.A., Mandel, L.S., Drescher, C.W., Urban, N., Gough, S., Schurman, K.M., *et al.* (2006). Development of an Ovarian Cancer Symptom Index Possibilities for Earlier Detection. *American Cancer Society*. DOI: 10.1002/cncr.22371
- Gultekin, M.A. (2021). Diffusion-weighted imaging of solid ovarian masses: Is it useful to differentiate benign from malignant? *Ahi Evran Med. J.* 5 : 191–196.
- Hanley, K.Z., & Mosunjac, M.B. (2019). Practical Review of Ovarian Sex Cord–Stromal Tumors. *Surg. Pathol. Clin.* 12 : 587–620.
- Kamel, A.S., Solyman, M.T.M., Abdelhafez, A.T., & Ali, N.M. (2022). Role of MRI Diffusion in differentiating of benign and malignant ovarian masses. *SVU-International J. Med. Sci.* 5 : 174–187.
- Khalaf, L.M.R., Desoky, H.H.M., Seifeldin, G.S., Salah, A., Amine, M.A., & Hussien, M.T. (2020). Sonographic and Doppler predictors of malignancy in ovarian lesions. *Egyptian Journal of Radiology and Nuclear Medicine*. 8:0–7.
- Laurent, P.E., Thomassin-Piana, J., Jalaguier-Coudray, A. (2014). Mucin-producing tumors of the ovary: MR imaging appearance. *Diagnostic and Interventional Imaging*. 96 (11): 1125-1132.
- Ledbetter, D.J., & Johnson, P.R.V. (2017). Endocrine surgery in children. *Endocr. Surg. Child.* 1–462. doi:10.1007/978-3-662-54256-9.
- Lheureux, S., Gourley, C., Vergote, I., & Oza, A.M. (2019). Epithelial ovarian cancer. *Lancet*. 393:1240–1253.
- Lu, J., Pi, S., Ma, F.H., Zhao, S.H., Li, H.M., Cai, S.L., *et al.* (2019). Value of normalized apparent diffusion coefficients in differentiating between borderline and malignant epithelial ovarian tumors. *Eur. J. Radiol.* 118 : 44–50.
- Machado-Linde, F., Sánchez-Ferrer, M.L., Cascales, P., Torroba, A., Orozco, R., Silva Sánchez, Y., *et al.* (2015). Prevalence of endometriosis in epithelial ovarian cancer: Analysis of the associated clinical features and study on molecular mechanisms involved in the possible causality. *Eur J Gynaecol Oncol*. 36(1):21-4.
- Matondang, S.B.R.E., Ekawati, A., Andrijono, Tjahjadi, H., & Prihartono, J. (2020). Minimal apparent diffusion coefficient value of the solid component to differentiate borderline and malignant ovarian epithelial tumours: A preliminary report. *Polish J. Radiol.* 85:e250–e253.

- Moghadam, A.R.E., Jalilian, M., Absalan, F., Heidari, F. (2025). Diffusion-Weighted Imaging-Based Differentiating between Benign and Malignant Ovarian Lesions. *Advanced Biomedical Research*. 14:50.
- Momenimovahed, Z., Tiznobaik, A., Taheri, S., Salehiniya, H. (2019). Ovarian cancer in the world: epidemiology and risk factors. *Int J Womens Health*. 11:287-299. doi:10.2147/IJWH.S197604.
- Moore, K., Colombo, N., Scambia, G., *et al.* (2018). Maintenance Olaparib in Patients with Newly Diagnosed Advanced Ovarian Cancer. *New England Journal of Medicine*. 379(26): 2495–2505. <https://doi.org/10.1056/NEJMoa1810858>.
- Moss, E.L., Hollingworth, J., Reynolds, T.M. (2020). The role of CA125 in clinical practice. *Journal of Clinical Pathology*. 73(5) : 265–271. <https://doi.org/10.1136/jclinpath-2019-206530>.
- Mukuda, N., Fujii, S., Inoue, C., Fukunaga, T., Tanabe, Y., Itamochi, H., *et al.* (2016). Apparent diffusion coefficient (ADC) measurement in ovarian tumor: Effect of region-of-interest methods on ADC values and diagnostic ability. *J. Magn. Reson. Imaging*. 43 : 720–725.
- Naka, C., Tsili, A.C., Argyropoulou, M.I. (2016). Ovarian mature cystic teratoma: MR imaging findings. *Eurorad*. DOI: 10.1594/EURORAD/CASE.13775.
- Oh, J.W., Rha, S.E., Oh, S.N., Park, M.Y., Byun, J.Y., & Lee, A. (2015). Diffusion-weighted MRI of epithelial ovarian cancers: Correlation of apparent diffusion coefficient values with histologic grade and surgical stage. *Eur. J. Radiol*. 84 : 590–595.
- Ono, T., Kishimoto, K., Tajima, S., Maeda, I., Takagi, M., Suzuki, N., *et al.* (2020). Apparent diffusion coefficient (ADC) values of serous, endometrioid, and clear cell carcinoma of the ovary: pathological correlation. *Acta radiol*. 61 : 992–1000.
- Pangaribuan, M.T.M., Razali, R.R., & Darmawi, D. (2025). Diagnostic Accuracy of CA-125 Levels for Ovarian Tumor Patients with Suspected Malignancy. *Indones. J. Cancer* 19 : 1–8.
- Revzin, M. V., Mathur, M., Dave, H.B., Macer, M.L., & Spektor, M. (2016). Pelvic inflammatory disease: Multimodality imaging approach with clinical-pathologic correlation. *Radiographics* 36 : 1579–1596.
- Sahin, H., Akdogan, A.I., Smith, J., Zawaideh, J.P., Addley, H. (2021). Serous borderline ovarian tumours: an extensive review on MR imaging features. *BJR*. 94 : 1-12.
- Saksouk, F.A., & Johnson, S.C. (2004). Recognition of the ovaries and ovarian origin of pelvic masses with CT. *Radiographics*. 24: 133–146. doi:10.1148/rg.24si045507.
- Shaaban, A.M., Menias, C.O., Rezvani, M., Woodward, P.J., Tubay, M.S., & El

- Sayed, R.F. (2015). Diagnostic Imaging Gynecology. *Elsevier*. 6 : 491-500.
- Shier, D., Butler, J., & Lewis, R. (2021). Hole's essentials of Human Anatomy & Physiology Tenth Edition. *McGraw-Hill*.
- Sung, H., Ferlay, J., Siegel, R.L., *et al.* (2021). Global cancer statistics 2020: GLOBOCAN estimates of incidence and mortality worldwide for 36 cancers in 185 countries. *A Cancer Journal for Clinicians*. 71(3): 209–249. <https://doi.org/10.3322/caac.21660>.
- Taylor, E.C., Irshaid, L., & Mathur, M. (2021). Multimodality imaging approach to ovarian neoplasms with pathologic correlation. *Radiographics*. 41 : 289–315.
- Uysal, N.E., Karadag, C., & Simsek, T. (2021). Prediction of lymph node involvement in epithelial ovarian cancer by PET/CT, CT and MRI imaging. *European Journal of Gynaecological Oncology*. 42 (3): 506-511.
- Zhang, P., Cui, Y., Li, W., Ren, G., Chu, C., & Wu, X. (2012). Diagnostic accuracy of diffusion-weighted imaging with conventional MR imaging for differentiating complex solid and cystic ovarian tumors at 1.5T. *World J. Surg. Oncol*. 10 : 1–8.