UNIVERSITAS
GADJAH MADA
Tingkat Serangan Rattus argentiventer (Robinson & Kloss, 1916) Pada Berbagai Fase Pertumbuhan Padi
Di Dusun Cancangan, Sleman, Daerah Istimewa Yogyakarta
Teiya Novita Sari, Siti Nurleily Marliana, M.Sc., Ph.D.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abd RA, Huah WX, Arsat ZA. 2023. Hearing range analysis of *Rattus argentiventer* the paddy field pest. Agric Food Res J. 4(1):1–12. https://doi.org/10.36877/aafrj.a0000314

Afianto R, Hestiningsih R, Kusariana N, Sutiningsih D. 2021. Survey kepadatan tikus di Kelurahan Tandang, Kecamatan Tembalang, Kota Semarang. J Kes Mas. 9(2):231–235. https://doi.org/10.14710/jkm.v9i2.28841

Anggara AW, Sudarmaji. 2010. Kesesuaian penempatan tanaman perangkap *trap barrier system* pada ekosistem sawah irigasi. Prosiding Balai Besar Penelitian Tanaman Padi; Subang, Jawa Barat: Balai Besar Penelitian Tanaman Padi. https://repository.pertanian.go.id/handle/123456789/26103

Anggara AW, Ginanjar G. 2015. Penyebaran lubang aktif tikus sawah pada agroekosistem sawah irigasi dataran rendah. Prosiding Balai Besar Penelitian Tanaman Padi; Subang, Jawa Barat: Balai Besar Penelitian Tanaman Padi. https://repository.pertanian.go.id/handle/123456789/19784

Anggara AW, Nurhandiansyah T. 2015. Struktur populasi tikus sawah dalam lubang sarang di lahan sawah irigasi berpola tanam tidak serempak. Prosiding Balai Besar Penelitian Tanaman Padi; Subang, Jawa Barat: Balai Besar Penelitian Tanaman Padi. https://repository.pertanian.go.id/handle/123456789/18015

Angon PB et al. 2023. Integrated pest management (IPM) in agriculture and its role in maintaining ecological balance and biodiversity. Adv Agric. 23(1):1–19. https://doi.org/10.1155/2023/5546373

Aplin KP, Brown J, Jacob J, Krebs CJ, Singleton GR. 2003. Field methods for rodent studies in Asia and Indo-Pacific. ACIAR.

Ardika IN, Darmiati NN. 2018. Aplikasi *trap barrier system* (TBS) untuk menanggulangi hama *Rattus argentiventer* pada pertanian padi ramah lingkungan di Subak Timbul, Desa Gadung Sari, Kecamatan Selemadeg Timur, Kabupaten Tabanan, Bali. Udayana Mengabdi. 17(1):86–91. https://pdfs.semanticscholar.org/00fc/c545885cc28a3f4b9525c9e2984932a081cc.pdf

Barros, CS, Puttker T, Pinotti BT, Pardini R. 2015. Determinants of capture-recapture success: An evaluation of trapping methods to estimate population and community parameters for Atlantic Forest small mammals. Zool.32(5):334–344. https://doi.org/10.1590/S1984-46702015000500002

Beynon RJ, Hurst JL. 2004. Urinary proteins and the modulation of chemical scents in mice and rats. Pept. 25(9):1553–1563. https://doi.org/10.1016/j.peptides.2003.12.025

UNIVERSITAS
GADJAH MADA
Tingkat Serangan Rattus argentiventer (Robinson & Kloss, 1916) Pada Berbagai Fase Pertumbuhan Padi
Di Dusun Cancangan, Sleman, Daerah Istimewa Yogyakarta
Teiya Novita Sari, Siti Nurleily Marliana, M.Sc., Ph.D.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Badan Pusat Statistik Kabupaten Sleman. [Internet]. 2017. Luas serangan hama dan penyakit tanaman. luas serangan hama dan penyakit tanaman.per kecamatan di Kabupaten Sleman. Available from: https://slemankab.bps.go.id/statictable/2019/07/04/463/luas-serangan-hama-dan-penyakit-tanaman-per-kecamatan-di-kabupaten-sleman-2017.html

Brotodjojo RR, Lazuardi I, Suprihanti A. 2023. Population distribution of rats *Rattus argentiventer* and the damage intensity on rice and other crops in Pleret, Yogyakarta, Indonesia. J Plant Prot. 7(2): 115–126. https://doi.org/10.25077/jpt.7.2.115-126.2023

Hadi S, Subagja J, Sudarmaji. 2006. Perilaku spasio temporal tikus sawah (*Rattus argentiventer*) betina. J Biota. 11(2):110–115. https://doi.org/10.24002/biota.v11i2.2630

Herawati NA, Purnawan T. 2021. Effectiveness of snap traps on capturing rodent and small mammals in rural area of two provinces (Yogyakarta and West Java) in Indonesia. IOP Conf Ser: Earth Environ Sci. 913(012021): 1–10. https://doi.org/10.1088/1755-1315/913/1/012021

Hill RD. 2010. The cultivation of perennial rice, early phase in Southeast Asian agriculture. J Hist Geogr. 36(2):215–225. https://doi.org/10.1016/j.jhg.2009.09.001

Htwe NM, Singleton GR, Lyn AH, Catherine RP, Vincent S. 2012. Breeding ecology of rice field rats, *Rattus argentiventer* and *R. tanezumi* in lowland irrigated rice systems in the Philippines. Agric Ecosyst Environ. 161(1):39–45. https://doi.org/10.1016/j.agee.2012.07.023

Htwe NM, Singleton GR. 2014. Is quantity or quality of food influencing the reproduction of rice-field rats in the Philippines. Wildl Res. 41(1):56–63. https://doi.org/10.1071/WR13108

International Rice Research Institute (IRRI). [Internet]. 2010. Available from:http://www.knowledgebank.irri.org/training/fac sheets/postharvestmanagement/storage-fact-sheet-category/item/management-of-rodent-instorage-fact-sheet

Invadalam LM. 2014. Uji keefektifan enam jenis perangkap dalam Pengendalian tikus sawah (*Rattus argentiventer*). J Agr Kep. 2(2):38–46. https://ejournal.unpatti.ac.id/ppr_paperinfo_lnk.php?id=997

Irawati J, Fibriana AI, Wahyono B. 2015. Efektivitas pemasangan berbagai model perangkap tikus terhadap keberhasilan penangkapan tikus di Kelurahan Bangetayu, Kulon Kecamatan Genuk, Kota Semarang, Tahun 2014. Unnes J Public Health. 4(3):67–75. https://journal.unnes.ac.id/sju/ujph/article/view/6374

UNIVERSITAS
GADJAH MADA
Tingkat Serangan Rattus argentiventer (Robinson & Kloss, 1916) Pada Berbagai Fase Pertumbuhan Padi
Di Dusun Cancangan, Sleman, Daerah Istimewa Yogyakarta
Teiya Novita Sari, Siti Nurleily Marliana, M.Sc., Ph.D.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

IUCN. [Internet]. 2016. The IUCN red list of threatened species. Available from: https://www.iucnredlist.org/species/22688504/155542941.

Jacob J, Sudarmaji, Singleton GR, Rahmini, Herawati NA, Brown PR. 2010. Ecologically based management of rodents in lowland irrigated rice fields in Indonesia. Wildl Res. 37(5):418–427. https://doi.org/10.1071/WR10030

John A. 2014. Rodent outbreaks and rice pre-harvest losses in Southeast Asia. Foot Sec. 6(2):249-260. https://doi.org/10.1007/s12571-014-0338-4

Johnston RE. 2003. Chemical communication in Rodents: from pheromones to individual recognition. J Mammal. 84(4):1141–1162. https://doi.org/10.1644/BLe-010

Jurisic A et al. 2022. Surveillance strategies of rodents in agroecosystems, forestry and urban environments. Sustainability. 14(15): 1–32. https://doi.org/10.3390/su14159233

Karyanto P. 2005. Sumber belajar ekologi: Pola konsumsi tikus sawah (*Rattus argentiventer Rob. & Kloss*) pada persawahan tanam tidak serempak. Bioedukasi. 2(2):42–48. https://jurnal.uns.ac.id/bioedukasi/article/view/3958

Kementrian Pertanian. 2018. Petunjuk teknis pengamatan dan pelaporan organisme pengganggu tumbuhan dan dampak perubahan iklim (OPTDPI). Direktorat Perlindungan Tanaman Pangan. Jakarta.

Liu X. 2019. Rodent biology and management: current status, opinion and challenges in China. J Integr Agric. 18(4): 830–839. https://doi.org/10.1016/S2095-3119(18)61943-4

Lorica RP, Stuart AM, Singleton GR, Sudarmaji, Belmain SR. 2022. Optimizing the capture of neophobic rice field rats in lowland Asian rice ecosystems. Pest Manage Sci. 78(10):4252–4260. https://doi.org/10.1002/ps.7043

Mardiah Z, Sudarmaji. 2012. Identifikasi komponen volatil tanaman padi fase bunting dan matang susu sebagai pakan alami yang disukai tikus sawah. Prosiding Balai Besar Penelitian Tanaman Padi; Subang, Jawa Barat: Balai Besar Penelitian Tanaman Padi. 31(2):100–107. https://repository.pertanian.go.id/items/44356a21-f576-4296-be94-0f07d839f9f8

Maulana A, Sukadi, Nurlaela S. 2022. Perilaku petani dalam pengendalian hama tikus dengan teknologi *Trap Barrier System* pada tanaman padi sawah di Kabupaten Sleman. Agric Eksten. 16(2):67–72. https://doi.org/10.55127/ae.v16i2.123

Mamudah M, Pramudi, MI, Marsuni Y. 2022. Tingkat kesukaan tikus terhadap berbagai umpan pada perangkap semi otomatis. J Prot Tanaman Trop. 5(1):455–462. https://doi.org/10.20527/jptt.v5i1.1033

UNIVERSITAS
GADJAH MADA
Tingkat Serangan Rattus argentiventer (Robinson & Kloss, 1916) Pada Berbagai Fase Pertumbuhan Padi
Di Dusun Cancangan, Sleman, Daerah Istimewa Yogyakarta
Teiya Novita Sari, Siti Nurleily Marliana, M.Sc., Ph.D.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Mosleh M, Hassan Q, Chowdhury E. 2015. Application of remote sensors in mapping rice area and forecasting its production. J Sens. 15(1): 769–791. https://doi.org/10.3390/s150100769

Nasir M, Amira Y, Mahmud AH. 2012. Keanekaragaman jenis mamalia kecil pada tiga habitat yang berbeda di Lhokseumawe, Provinsi Aceh. J Bioleuser. 1(1):1–6. https://jurnal.usk.ac.id/bioleuser/article/view/8298

Nasir M et al. 2022. Spatial distribution of rattus species (Rodentia: Muridae) in oil palm plantations of peninsular malaysia with species verification using Cytochrome Oxidase I (COI) Gene. J Oil Palm Res. 35(1):58–74. https://doi.org/10.21894/jopr.2022.0026

Nelson A et al. 2014. Towards an operational SAR-based rice monitoring system in Asia. J Remote Sens. 6(11):10773–10812. https://doi.org/10.3390/rs61110773

Pretty J, Bharucha Z. 2015. Integrated pest management for sustainable intensification of agriculture in Asia and Africa. Insects. 6(1):152–182. https://doi.org/10.3390/insects6010152

Pusat Data dan Sistem Informasi Pertanian. [internet]. 2023. Statistik Pertanian 2023. Available from: https://satudata.pertanian.go.id/.

Ramadhani F, Pullanagari R, Kereszturi G, Procter J. 2021. Mapping cloud-free rice growth stages using the integration of PROBA-V and Sentinel-1 and its temporal correlation with sub-district statistics. J Remote Sens. 13(8):1–21. https://doi.org/10.3390/rs13081498

Rifani MI, Pramudi, MI, Marsuni Y. 2025. Efektifitas ukuran panjang lubang masuk perangkap tikus sawah *Rattus argentiventer*. J Prot Tanaman Trop. 8(1):1056–1061. https://doi.org/10.20527/jptt.v8i1.3083

Rizwar S. 2019. Wealth study of types of rats on natural and made in ecosystems in Bengkulu Province. Int J Ecophysiol. 1(1):65–71. https://doi.org/10.32734/ijoep.v1i1.849

Rusdy A, Fatmal I. 2008. Preferensi tikus sawah (*Rattus Argentiventer*) terhadap jenis umpan pada tanaman padi sawah. J Floratek. 3(1): 68–73. https://jurnal.usk.ac.id/floratek/article/view/120

Safira DD, Lestari KS. 2023. Gambaran kepadatan tikus dan pinjal di wilayah pelabuhan Banyuwangi. Hang Tuah Med J 20(2):170–181. https://doi.org/10.30649/htmj.v20i2.328

Saputra BAHA, Sartiami D, Wiyono S, Nurmansyah A, Priyambodo S. 2023. Daily captured pattern of rice field rat using *trap barrier system* application in fallow land. Ind J Plant Prot. 27(1):26–33. https://doi.org/10.22146/jpti.77117

UNIVERSITAS
GADJAH MADA
Tingkat Serangan Rattus argentiventer (Robinson & Kloss, 1916) Pada Berbagai Fase Pertumbuhan Padi
Di Dusun Cancangan, Sleman, Daerah Istimewa Yogyakarta
Teiya Novita Sari, Siti Nurleily Marliana, M.Sc., Ph.D.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Siregar HM, Priyambodo S, Hindayana D. 2020. Preferensi serangan tikus sawah *Rattus Argentiventer* terhadap Tanaman Padi. J Agrov. 13(1): 16–21. https://journal.trunojoyo.ac.id/agrovigor/article/view/6249

Sheng RTC et al. 2022. Rice growth stage classification via RF-based machine learning and image processing. J Agric. 12(12):1–23. https://doi.org/10.3390/agriculture12122137

Singleton GR, Sudarmaji, Jacob J, Krebs CJ. 2005. Integrated management to reduce rodent damage to lowland rice crops in Indonesia. J Agric Eco Env. 107(1):75–82. https://doi.org/10.1016/j.agee.2004.09.010

Sudarmaji. [Tesis]. 2004. Dinamika populasi tikus sawah (*Rattus argentiventer* Rob & Kloss) pada ekosistem sawah irigasi teknik dengan pola tanam padi-padi-bera. Universitas Gadjah Mada

Sudarmaji, Jacob J, Subagja J, Mangoendihardjo S, Djohan TS. 2007. Karakteristik perkembangbiakan tikus sawah pada ekosistem sawah irigasi dan implikasinya untuk pengendalian. Pertanian Tanaman Pangan. 26(2):93–99. https://www.researchgate.net/publication/268870263_Karakteristik_Perkembangbiakan_Tikus_Sawah_pada_Ekosistem_Sawah_Irigasi_dan_Implikasinya_untuk_Pengendalian

Sudarmaji, Singleton GR, Brown PR, Jacob J, Herawati NA. 2010. Rodent impacts in lowland irrigated intensive rice systems in West Java, Indonesia. International Rice Research Institute.

Sudarmaji, Herawati NA. 2017. Perkembangan populasi tikus sawah pada lahan sawah irigasi dalam pola indeks pertanaman padi 300. Pertanian Tanaman Pangan. 1(2):125–131. https://www.researchgate.net/publication/321080445_Perkembangan_Populasi_Tikus_Sawah_pada_Lahan_Sawah_Irigasi_dalam_Pola_Indeks_Pertanaman_Padi_300

Sudarmaji, Herawati NA. 2018. Breeding ecology of the rice field rat *(Rattus argentiventer* Rob & Kloss, 1916*)* in irrigated rice ecosystem in Indonesia. Proceedings of the 5th International Conference on Biological Science. 2002(1): 1–10. https://doi.org/10.1063/1.5050154

Sudarmaji. 2018. *Rattus argentiventer*: Bioekologi dan Pengendalian. IAARD Press.

Sudarmaji. 2020. Inovasi teknologi pengendalian hama *Rattus argentiventer* terpadu berbasis bioekologi untuk pengamanan produksi padi nasional. IAARD Press.

Sulistyorini E, Sampurna ER, Basri H, Yulianto MF. 2020. Pengendalian hama tikus sawah dengan pengasapan modern diterapkan di Dusun Sidomulyo. J Serv Learn. 6(1):18–22 https://doi.org/10.9744/share.6.1.18-22

UNIVERSITAS
GADJAH MADA
Tingkat Serangan Rattus argentiventer (Robinson & Kloss, 1916) Pada Berbagai Fase Pertumbuhan Padi
Di Dusun Cancangan, Sleman, Daerah Istimewa Yogyakarta
Teiya Novita Sari, Siti Nurleily Marliana, M.Sc., Ph.D.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Sutrisna N, Diratmaja A, Sinaga A, Ramdhaniati S. 2015. Deskripsi Varietas Unggul Baru Padi. Balai Pengkajian Teknologi Pertanian (BPTP). Jawa Barat.

Tauruslina AE. 2015. Analisis keanekaragaman hayati musuh alami pada ekosistem padi sawah di daerah endemik dan non endemik wereng batang coklat nilaparvata lugens di Sumatera Barat. Pros Sem Nas Masy Biodiv Indo. 1(3):581–589. https://smujo.id/files/psnmbi/M0103/M010334.pdf

Tristiani H, Murakami O, Watanabe H. 2003. Ranging and nesting behavior of the rice field rat *Rattus Argentiventer* (Rodentia: Muridae) in West Java, Indonesia. J Mammal. 84(4):1228–1236. https://doi.org/10.1644/BEM-024

Xuan T, Yen T, Caugh T. 2021. Understanding farmer and government measure in rat pests control in rice fields. J La Life sci. 2(2):24–30. https://doi.org/10.37899/journallalifesci.v2i2.373

Yuzugullu O, Marelli S, Erten E, Sudret B, Hajnsek I. 2017. Determining rice growth stage with X-Band SAR: A metamodel based inversion. J Remote Sens. 9(5):1–20. https://doi.org/10.3390/rs9050460

Wibowo L, Swibawa IG, Muryanto T. 2003. Penggunaan perangkap untuk pengendalian hama tikus sawah *Rattus argentiventer*. J Trop plant pest Dis. 3(1):17–20. https://doi.org/10.23960/j.hptt.1317-20