

## DAFTAR PUSTAKA

- Agostini, B., Revellin, R., & Thome, J. R. (2008). Elongated bubbles in microchannels. Part I: Experimental study and modeling of elongated bubble velocity. *International Journal of Multiphase Flow*, 34(6), 590–601. <https://doi.org/10.1016/j.ijmultiphaseflow.2007.07.007>
- Chisholm, D. (1967). A THEORETICAL BASIS FOR THE LOCKHART-MARTINELLI CORRELATION FOR TWO-PHASE FLOW. In *Inr J Heat Moss Transfer* (Vol. 10). Pergamon Press Ltd.
- Feng, K., & Zhang, H. (2021). Pressure drop and flow pattern of gas-non-Newtonian fluid two-phase flow in a square microchannel. *Chemical Engineering Research and Design*, 173, 158–169. <https://doi.org/10.1016/j.cherd.2021.07.010>
- Findlay, J. A. (1965). in *Two-Phase Flow Systems*. <http://heattransfer.asmedigitalcollection.asme.org/>
- Fu, T., Ma, Y., Funfschilling, D., & Li, H. Z. (2011). Bubble formation in non-Newtonian fluids in a microfluidic T-junction. *Chemical Engineering and Processing: Process Intensification*, 50(4), 438–442. <https://doi.org/10.1016/j.cep.2011.03.002>
- Huang, H., & Thome, J. R. (2017). An experimental study on flow boiling pressure drop in multi-microchannel evaporators with different refrigerants. *Experimental Thermal and Fluid Science*, 80, 391–407. <https://doi.org/10.1016/j.expthermflusci.2016.08.030>
- Hwang, Y. W., & Kim, M. S. (2006). The pressure drop in microtubes and the correlation development. *International Journal of Heat and Mass Transfer*, 49(11–12), 1804–1812. <https://doi.org/10.1016/j.ijheatmasstransfer.2005.10.040>
- Kandlikar, S. G. (2006). Nucleation characteristics and stability considerations during flow boiling in microchannels. *Experimental Thermal and Fluid Science*, 30(5), 441–447. <https://doi.org/10.1016/j.expthermflusci.2005.10.001>
- Kandlikar, S. G. (2010). Scale effects on flow boiling heat transfer in microchannels: A fundamental perspective. *International Journal of Thermal Sciences*, 49(7), 1073–1085. <https://doi.org/10.1016/j.ijthermalsci.2009.12.016>
- Kawahara, A., Chung, M.-Y., & Kawaji, M. (2002). Investigation of two-phase flow pattern, void fraction and pressure drop in a microchannel. In *International Journal of Multiphase Flow* (Vol. 28). [www.elsevier.com/locate/ijmulflow](http://www.elsevier.com/locate/ijmulflow)
- Kawahara, A., Mansour, M. H., Sadatomi, M., Law, W. Z., Kurihara, H., & Kusumaningsih, H. (2015). Characteristics of gas-liquid two-phase flows through a sudden contraction in rectangular microchannels. *Experimental Thermal and Fluid Science*, 66, 243–253. <https://doi.org/10.1016/j.expthermflusci.2015.03.030>

- Kawahara, A., Yonemoto, Y., & Arakaki, Y. (2020). Pressure Drop for Gas and Polymer Aqueous Solution Two-Phase Flows in Horizontal Circular Microchannel. *Flow, Turbulence and Combustion*, 105(4), 1325–1344. <https://doi.org/10.1007/s10494-020-00127-z>
- Kim, S. M., & Mudawar, I. (2014). Review of databases and predictive methods for heat transfer in condensing and boiling mini/micro-channel flows. In *International Journal of Heat and Mass Transfer* (Vol. 77, pp. 627–652). Elsevier Ltd. <https://doi.org/10.1016/j.ijheatmasstransfer.2014.05.036>
- Kumar, V., Paraschivoiu, M., & Nigam, K. D. P. (2011). Single-phase fluid flow and mixing in microchannels. *Chemical Engineering Science*, 66(7), 1329–1373. <https://doi.org/10.1016/j.ces.2010.08.016>
- Li, W., & Wu, Z. (2010). A general criterion for evaporative heat transfer in micro/mini-channels. *International Journal of Heat and Mass Transfer*, 53(9–10), 1967–1976. <https://doi.org/10.1016/j.ijheatmasstransfer.2009.12.059>
- Mansour, M. H., Kawahara, A., & Sadatomi, M. (2015). Experimental investigation of gas-non-Newtonian liquid two-phase flows from T-junction mixer in rectangular microchannel. *International Journal of Multiphase Flow*, 72, 263–274. <https://doi.org/10.1016/j.ijmultiphaseflow.2015.02.019>
- Mishima, K., & Hibiki, T. (1996). SOME CHARACTERISTICS OF AIR-WATER TWO-PHASE FLOW IN SMALL DIAMETER VERTICAL TUBES. In *J. Multiphase Flow* (Vol. 22, Issue 4).
- Pehlivan, K., Hassan, I., & Vaillancourt, M. (2006). Experimental study on two-phase flow and pressure drop in millimeter-size channels. *Applied Thermal Engineering*, 26(14–15), 1506–1514. <https://doi.org/10.1016/j.applthermaleng.2005.12.010>
- Sontti, S. G., & Atta, A. (2018). Formation characteristics of Taylor bubbles in power-law liquids flowing through a microfluidic co-flow device. *Journal of Industrial and Engineering Chemistry*, 65, 82–94. <https://doi.org/10.1016/j.jiec.2018.04.016>
- Triplett, K. A., Ghiaasiaan, S. M., Abdel-Khalik, S. I., Sadowski, D. L., & Woodru□, G. W. (n.d.). *Gas±liquid two-phase ¯ow in microchannels Part I: two-phase ¯ow patterns*.
- Tuckerman, D. B., & Pease, R. F. W. (1981). High-Performance Heat Sinking for VLSI. *IEEE Electron Device Letters*, EDL-2(5), 126–129. <https://doi.org/10.1109/EDL.1981.25367>
- Vasilev, M. P., Rusakov, B. A., & Abiev, R. S. (2022). Gas–liquid slug flow in microfluidic heat exchanger: Effect of gas hold-up and bubble size on pressure drop and heat transfer. *International Journal of Thermal Sciences*, 173. <https://doi.org/10.1016/j.ijthermalsci.2021.107395>



UNIVERSITAS  
GADJAH MADA

**KARAKTERISTIK ALIRAN DUA FASE FLUIDA NON-NEWTONIAN CMC-NITROGEN DAN XG-NITROGEN PADA KONDISI SUHU**

**DINAMIS DALAM SQUARE MICROCHANNEL HORIZONTAL**

Ahmad Yusuf Ramadhan, Prof. Dr. Eng. Deendarlianto, S.T., M.Eng.

Universitas Gadjah Mada, 2025 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Yahia, A., Mantellato, S., & Flatt, R. J. (2016). Concrete rheology: A basis for understanding chemical admixtures. In *Science and Technology of Concrete Admixtures* (pp. 97–127). Elsevier Inc. <https://doi.org/10.1016/B978-0-08-100693-1.00007-2>
- Yang, Z. C., Bi, Q. C., Liu, B., & Huang, K. X. (2010). Nitrogen/non-Newtonian fluid two-phase upward flow in non-circular microchannels. *International Journal of Multiphase Flow*, 36(1), 60–70. <https://doi.org/10.1016/j.ijmultiphaseflow.2009.07.011>
- Zhang, T., Cao, B., Fan, Y., Gonthier, Y., Luo, L., & Wang, S. (2011). Gas-liquid flow in circular microchannel. Part I: Influence of liquid physical properties and channel diameter on flow patterns. *Chemical Engineering Science*, 66(23), 5791–5803. <https://doi.org/10.1016/j.ces.2011.07.035>