

## DAFTAR PUSTAKA

- Alsaydalani, M. O. A., & Clayton, C. R. I. (2014). Internal Fluidization in Granular Soils. *Journal of Geotechnical and Geoenvironmental Engineering*, *140*(3), 04013024. [https://doi.org/10.1061/\(ASCE\)GT.1943-5606.0001039](https://doi.org/10.1061/(ASCE)GT.1943-5606.0001039)
- Bernatek-Jakiel, A., & Poesen, J. (2018). Subsurface erosion by soil piping: Significance and research needs. *Earth-Science Reviews*, *185*, 1107–1128. <https://doi.org/10.1016/j.earscirev.2018.08.006>
- Cui, X., Li, J., Chan, A., & Chapman, D. (2012). A 2D DEM–LBM study on soil behaviour due to locally injected fluid. *Particuology*, *10*(2), 242–252. <https://doi.org/10.1016/j.partic.2011.10.002>
- Davies, J. P., Clarke, B. A., Whiter, J. T., & Cunningham, R. J. (2001). Factors influencing the structural deterioration and collapse of rigid sewer pipes. *Urban Water*.
- Fell, R., & Fry, J. J. (Ed.). (2007). *Internal erosion of dams and their foundations: Selected and reviewed papers from the Workshop on Internal Erosion and Piping of Dams and Their Foundations, Aussois, France, 25 - 27 April 2005*. Workshop on Internal Erosion and Piping of Dams and Their Foundations, London. Taylor & Francis.
- Fenner, R. A. (1991). Influence of sewer bedding arrangements on infiltration rates on soil migration. *Proc. Inst. Civ. Eng. Munic. Eng.*, *8*, 105–117.
- Fenner, R. A., Sweeting, L., & Marriot, M. J. (2000). A new approach for directing proactive sewer maintenance. *ICE Publishing*, *142*, 67–77.
- Gray, D. H., & Sotir, R. B. (1996). *Biotechnical and soil bioengineering slope stabilization: A practical guide for erosion control*. Wiley.
- Guo, S., Jiang, Y., Tang, Y., Cheng, H., Luo, X., Lv, Y., & Li, M. (2023). Experimental study on the soil erosion through a defective pipe under the cyclic infiltration-exfiltration flow. *Transportation Geotechnics*, *42*, 101085. <https://doi.org/10.1016/j.trgeo.2023.101085>
- Guo, S., Shao, Y., Zhang, T., Zhu, David. Z., & Zhang, Y. (2013). Physical Modeling on Sand Erosion around Defective Sewer Pipes under the Influence of Groundwater. *Journal of Hydraulic Engineering*, *139*(12), 1247–1257. [https://doi.org/10.1061/\(ASCE\)HY.1943-7900.0000785](https://doi.org/10.1061/(ASCE)HY.1943-7900.0000785)
- Gutierrez, F., Guerrero, J., & Lucha, P. (2008). A genetic classification of sinkholes illustrated from evaporite paleokarst exposures in Spain. *Environ Geol*, *53*, 993–1006. <https://doi.org/10.1007/s00254-007-0727-5>
- Hardiyatmo, H. C. (2023a). *Pemeliharaan Jalan Raya*. Universitas Gadjah Mada Press.

- Hardiyatmo, H. C. (2023b). *Tanah longsor & Erosi* (Cetakan Kedua). Universitas Gadjah Mada Press.
- Hermosilla, R. G. (2012). The Guatemala City sinkhole collapses. *Carbonates and Evaporites*, 27(2), 103–107. <https://doi.org/10.1007/s13146-011-0074-1>
- Indiketiya, S., Jegatheesan, P., & Rajeev, P. (2017). Evaluation of defective sewer pipe-induced internal erosion and associated ground deformation using laboratory model test. *Canadian Geotechnical Journal*, 54(8), 1184–1195. <https://doi.org/10.1139/cgj-2016-0558>
- Indiketiya, S., Jegatheesan, P., Rajeev, P., & Kuwano, R. (2019). The influence of pipe embedment material on sinkhole formation due to erosion around defective sewers. *Transportation Geotechnics*, 19, 110–125. <https://doi.org/10.1016/j.trgeo.2019.03.001>
- Karoui, T., Jeong, S.-Y., Jeong, Y.-H., & Kim, D.-S. (2018). Experimental Study of Ground Subsidence Mechanism Caused by Sewer Pipe Cracks. *Applied Sciences*, 8(5), 679. <https://doi.org/10.3390/app8050679>
- Kementerian Energi dan Sumber Daya Mineral. (2012). *Peraturan Menteri Energi dan Sumber Daya Mineral Nomor 17 Tahun 2012 tentang Penetapan Kawasan Bentang Alam Karst*. KEMENTERIAN ESDM.
- Kenney, T. C., & Lau, D. (1985). *Internal stability of granular filters*.
- Kim, J., Choi, C., Kang, J., Baek, W., & Chung, M. (2016). Model test for the observation of cavity formation in sandy ground—With reference to ground water level and relative density -. *Japanese Geotechnical Society Special Publication*, 4(4), 64–67. <https://doi.org/10.3208/jgssp.v04.k02>
- Kim, K., Kim, J., Kwak, T.-Y., & Chung, C.-K. (2018). Logistic regression model for sinkhole susceptibility due to damaged sewer pipes. *Natural Hazards*, 93(2), 765–785. <https://doi.org/10.1007/s11069-018-3323-y>
- Kovács, G. (1981). *Seepage hydraulics*. Elsevier Scientific Pub. Co. Distribution for the U.S.A. and Canada, Elsevier/North-Holland.
- Kuswari, S., Hardiyatmo, H. C., & Fathani, T. F. (2024). *Studi Eksperimental Pengaruh Celah pada Sambungan Saluran Berbentuk Bulat*. Universitas Gadjah Mada.
- Kwak, T. Y., Woo, S. I., Kim, J., & Chung, C.-K. (2019). Model test assessment of the generation of underground cavities and ground cave-ins by damaged sewer pipes. *Soils and Foundations*, 59(3), 586–600. <https://doi.org/10.1016/j.sandf.2018.12.011>
- Megaconbeton. (2019). *Perencanaan Konstruksi Gorong-gorong Beton Bertulang*. <https://megaconbeton.com/blog/perencanaan-konstruksi-gorong-gorong-beton-bertulang>

- Moffat, R., & Fannin, R. (2006). A Large Permeameter for Study of Internal Stability in Cohesionless Soils. *Geotechnical Testing Journal*, 29(4), 273–279. <https://doi.org/10.1520/GTJ100021>
- Moffat, R., Fannin, R. J., & Garner, S. J. (2011). Spatial and temporal progression of internal erosion in cohesionless soil. *Canadian Geotechnical Journal*, 48(3), 399–412. <https://doi.org/10.1139/T10-071>
- Mukunoki, T., Kumano, N., & Otani, J. (2012). Image analysis of soil failure on defective underground pipe due to cyclic water supply and drainage using X-ray CT. *Frontiers of Structural and Civil Engineering*, 6(2), 85–100. <https://doi.org/10.1007/s11709-012-0159-5>
- Mukunoki, T., Kumano, N., Otani, J., & Kuwano, R. (2009). Visualization of Three Dimensional Failure in Sand Due to Water Inflow and Soil Drainage from Defective Underground Pipe Using X-ray CT. *Soils and Foundations*, 49(6), 959–968. <https://doi.org/10.3208/sandf.49.959>
- O'Reilly, M. P., Rosbrook, R. B., Cox, G. C., & McCloskey, A. (1989). Analysis of defects in 180 km of pipe sewerd in southern water authority. *TRRL Research Report 172*.
- Parise, M. (2015). A procedure for evaluating the susceptibility to natural and anthropogenic sinkholes. *Georisk: Assessment and Management of Risk for Engineered Systems and Geohazards*, 9(4), 272–285. <https://doi.org/10.1080/17499518.2015.1045002>
- Rice, J., & Swainston-Fleshman, M. (2013). Laboratory Modeling of Critical Hydraulic Conditions for the Initiation of Piping. *Geo-Congress 2013*, 1044–1055. <https://doi.org/10.1061/9780784412787.106>
- Richards, K. S., & Reddy, K. R. (2007). Critical appraisal of piping phenomena in earth dams. *Bulletin of Engineering Geology and the Environment*, 66(4), 381–402. <https://doi.org/10.1007/s10064-007-0095-0>
- Richards, K. S., & Reddy, K. R. (2012). Experimental investigation of initiation of backward erosion piping in soils. *Géotechnique*, 62(10), 933–942. <https://doi.org/10.1680/geot.11.P.058>
- Rogers, C. (1986). *Sewer deterioration studies: The background to the structural assessment procedure in the sewage rehabilitation manual*. WRC report ER199E.
- Sholeha, A., Hardiyatmo, H. C., & Ismanti, S. (2024). *Pengaruh Lebar Celah Pada Erosi Disambungan Saluran Berbentuk Persegi*.
- swccanada. (2019). *Outlet Headwall Structure Cleaning*. <https://www.swccanada.com/project/outlet-headwall-structure-cleaning>
- Tang, Y. (2017). *Mechanisms of Soil Erosion due to Defective Sewer Pipes*.

- Tang, Y., Asce, S. M., Zhu, D. Z., Asce, M., Chan, D. H., & Candidate, P. D. (2017). Experimental Study on Submerged Sand Erosion through a Slot on a Defective Pipe. *J. Hydraul. Eng.*, 143(9):-1--1.
- Tang, Y., Zhu, D. Z., Chan, D. H., & Zhang, S. (2023). Physical and analytical modeling of soil loss caused by a defective sewer pipe with different defect locations. *Acta Geotechnica*, 18(5), 2639–2659. <https://doi.org/10.1007/s11440-022-01747-7>
- Tufano, R., Guerriero, L., Annibali Corona, M., Bausilio, G., Di Martire, D., Nisio, S., & Calcaterra, D. (2022). Anthropogenic sinkholes of the city of Naples, Italy: An update. *Natural Hazards*, 112(3), 2577–2608. <https://doi.org/10.1007/s11069-022-05279-x>
- Van Zyl, J. E., Alsaydalani, M. O. A., Clayton, C. R. I., Bird, T., & Dennis, A. (2013). Soil fluidisation outside leaks in water distribution pipes – preliminary observations. *Proceedings of the Institution of Civil Engineers - Water Management*, 166(10), 546–555. <https://doi.org/10.1680/wama.11.00119>
- Vattano, M., Parise, M., Lollino, P., Bonamini, M., Maggio, D., & Madonia, G. (2013). Examples of Anthropogenic Sinkholes in Sicily and Comparison with Similar Phenomena in Southern Italy. *Full Proceedings of the Thirteenth Multidisciplinary Conference on Sinkholes and the Engineering and Environmental Impacts of Karst*, 263–271. <https://doi.org/10.5038/9780979542275.1135>
- Waltham, T., Bell, F., & Culshaw, M. (2005). Sinkholes and Subsidence: Karst and cavernous rocks in engineering and construction. *Choice Reviews Online*, 42(10), 42-5880-42–5880. <https://doi.org/10.5860/CHOICE.42-5880>
- Waltham, T., & Lu, Z. (2007). Natural and anthropogenic rock collapse over open caves. *Geological Society, London, Special Publications*, 279(1), 13–21. <https://doi.org/10.1144/SP279.3>
- Wischmeier, W. H., & Smith, D. D. (1986). *PREDICTING RAINFALL EROSION LOSSES, A Guide To Conservation Planning*. United States Department of Agriculture.
- (WRc), W. R. C. (2001). *Sewerage rehabilitation manual*.
- Yang, K.-H., & Wang, J.-Y. (2017). Experiment and statistical assessment on piping failures in soils with different gradations. *Marine Georesources & Geotechnology*, 35(4), 512–527. <https://doi.org/10.1080/1064119X.2016.1213338>
- Zhang, D.-M., Du, W.-W., Peng, M.-Z., Feng, S.-J., & Li, Z.-L. (2020). Experimental and numerical study of internal erosion around submerged defective pipe. *Tunnelling and Underground Space Technology*, 97, 103256. <https://doi.org/10.1016/j.tust.2019.103256>