

## DAFTAR PUSTAKA

- Antich, A., Palacín, C., Cebrian, E., Golo, R., Wangenstein, O.S., Turon, X., 2020. Marine biomonitoring with eDNA: Can metabarcoding of water samples cut it as a tool for surveying benthic communities? *Mol Ecol* 30, 3175–3188. <https://doi.org/doi.org/10.1111/mec.15641>
- Az-Zahra, N., Alifah, F., Noormafaza, A., Nurrohimah, K., Novitasari, N., Erindra, F., Oktaviani, V.I., Jasinda, R.C., Azzahra, S.A., Siagian, S.D.A., Prakarsa, T.B.P., 2023. Cave bats (Yangochiroptera and Yinpterochiroptera) in Gunung Sewu Geopark: Study of Karst Caves in Wonogiri Regency. *Indonesian Journal of Bioscience* 15–23.
- Bérénice, B. Building an amplicon sequence variant (ASV) table from 16S data using DADA2 (Galaxy Training Materials). <https://training.galaxyproject.org/training-material/topics/microbiome/tutorials/dada-16S/tutorial.html> Online; accessed Thu 10 July 2025
- Botosaneanu, L., 2003. New stygobiontic isopods (Isopoda: Cirolanidae, Anthuridae) from caves in Sulawesi, Indonesia. *Biologie* 73, 91–105.
- Bouckaert, R., Vaughan, T.G., Barido-Sottani, J., Duchêne, S., Fourment, M., Gavryushkina, A., Heled, J., Jones, G., Kühnert, D., De Maio, N., Matschiner, M., Mendes, F.K., Müller, N.F., Ogilvie, H.A., Du Plessis, L., Poppinga, A., Rambaut, A., Rasmussen, D., Siveroni, I., Suchard, M.A., Wu, C.H., Xie, D., Zhang, C., Stadler, T., Drummond, A.J., 2019. BEAST 2.5: An advanced software platform for Bayesian evolutionary analysis. *PLoS Comput Biol* 15. <https://doi.org/10.1371/journal.pcbi.1006650>
- Boulton, A.J., Bichuette, M.E., Korbel, K., Stoch, F., Niemiller, M.L., Hose, G.C., Linke, S., 2023. Recent concepts and approaches for conserving groundwater biodiversity, in: *Groundwater Ecology and Evolution*. Elsevier, pp. 525–550. <https://doi.org/10.1016/B978-0-12-819119-4.00001-9>
- Bucklin, A., Steinke, D., Blanco-Bercial, L., 2011. DNA barcoding of marine metazoa. *Ann Rev Mar Sci* 3, 471–508.
- Cahyani, N.K.D., Anggoro, A.W., Al Malik, M.D., Subhan, B., Sani, L.M.I., Madduppa, H., 2024. Inventorizing marine biodiversity using eDNA data from Indonesian coral reefs: comparative high throughput analysis using different bioinformatic pipelines. *Marine Biodiversity* 54. <https://doi.org/10.1007/s12526-024-01432-w>

- Callahan, B.J., McMurdie, P.J., Rosen, M.J., Han, A.W., Johnson, A.J.A., Holmes, S.P., 2016. DADA2: high-resolution sample inference from Illumina amplicon data. *Nat Methods* 13, 581–588.
- Chiarello, M., McCauley, M., Villéger, S., Jackson, C.R., 2022. Ranking the biases: The choice of OTUs vs. ASVs in 16S rRNA amplicon data analysis has stronger effects on diversity measures than rarefaction and OTU identity threshold. *PLoS One* 17. <https://doi.org/10.1371/journal.pone.0264443>
- Chung, P.P., Hyne, R. V., Mann, R.M., Ballard, J.W.O., 2008. Genetic and life-history trait variation of the amphipod *Melita plumulosa* from polluted and unpolluted waterways in eastern Australia. *Science of the Total Environment* 403, 222–229. <https://doi.org/10.1016/j.scitotenv.2008.05.038>
- Couton, M., Studer, A., Hürlemann, S., Locher, N., Knüsel, M., Alther, R., Altermatt, F., 2023. Integrating citizen science and environmental DNA metabarcoding to study biodiversity of groundwater amphipods in Switzerland. *Sci Rep* 13. <https://doi.org/10.1038/s41598-023-44908-8>
- Cuesta, R. 2024. Komunikasi pribadi terkait informasi Gua Laulawi melalui zoom meeting. 12 Februari 2024.
- Danielopol, D.L., Griebler, C., Gunatilaka, A., Notenboom, J., 2003. Present state and future prospects for groundwater ecosystems. *Environ Conserv.* <https://doi.org/10.1017/S0376892903000109>
- Deharveng, L., Bedos, A., Pipan, T., Culver, D.C., 2024. Global Subterranean Biodiversity: A Unique Pattern. *Diversity (Basel)*. <https://doi.org/10.3390/d16030157>
- Deharveng, L., Rahmadi, C., Suhardjono, Y.R., Bedos, A., 2021. The Towakkalak system, a hotspot of subterranean biodiversity in Sulawesi, Indonesia. *Diversity (Basel)* 13, 392–416. <https://doi.org/https://doi.org/10.3390/d13080392>
- Dickie, I.A., Boyer, S., Buckley, H.L., Duncan, R.P., Gardner, P.P., Hogg, I.D., Holdaway, R.J., Lear, G., Makiola, A., Morales, S.E., Powell, J.R., Weaver, L., 2018. Towards robust and repeatable sampling methods in eDNA-based studies. *Mol Ecol Resour* 18, 940–952.
- Edgar, R.C., 2004. MUSCLE: Multiple sequence alignment with high accuracy and high throughput. *Nucleic Acids Res* 32, 1792–1797. <https://doi.org/10.1093/nar/gkh340>

- Elvira, C.C., Kovač, V.M., Mali, N., 2024. Microplastics in Groundwater: Pathways, Occurrence, and Monitoring Challenges. *Water (Basel)* 16. <https://doi.org/10.3390/w16091228>
- Folmer, O., Black, M., Hoeh, W., Lutz, R., Vrijenhoek, R., 1994. DNA primers for amplification of mitochondrial cytochrome c oxidase subunit I from diverse metazoan invertebrates, *Molecular Marine Biology and Biotechnology*.
- Foster, G.N., Bilton, D.T., 2014. The Conservation of Predaceous Diving Beetles: Knowns, Unknowns and Anecdotes, in: *Ecology, Systematics, and the Natural History of Predaceous 437 Diving Beetles (Coleoptera: Dytiscidae)*. Springer, New York.
- Francois, C.M., Simon, L., Malard, F., Lefébure, T., Douady, C.J., Mermillod-Blondin, F., 2020. Trophic selectivity in aquatic isopods increases with the availability of resources. *Functional Ecology* 34, 1078–1090.
- Gibert, J., Deharveng, L., 2022. Subterranean ecosystems: a truncated functional biodiversity. *Bioscience* 52, 473–481.
- Gilbert, J., Danielopol, D.L., Stanford, J.A., 1994. *Groundwater Ecology*. Academic Press, California.
- Goldberg, C.S., Pilliod, D.S., Arkle, R.S., Waits, L.P., 2011. Molecular detection of vertebrates in stream water: a demonstration using rocky mountain tailed frogs and Idaho giant salamanders. *PLoS One* 6.
- Google Maps, 2024. Google Maps diakses pada September 2024.
- Grave, S. de, Iliffe, thomas m., Christodoulou, magdalini, 2022. Further records of the anchialine shrimp *Caridina rubella* Fujino & Shokita, 1975 (Decapoda, Atyidae). *Crustaceana* 95, 709–716. <https://doi.org/10.1163/15685403-bja10210>
- Griebler, C., Avramov, M., 2015. Groundwater ecosystem services: a review. *Freshwater Science* 34, 355–367.
- Guzik, M.T., Austin, A.D., Cooper, S.J.B., Harvey, M.S., Humphreys, W.F., Bradford, T., Eberhard, S.M., King, R.A., Leys, R., Muirhead, K.A., Tomlinson, M., 2010. Is the Australian subterranean fauna uniquely diverse? *Invertebr Syst* 24, 407–418.
- Hall, B.G., 2013. Building phylogenetic trees from molecular data with MEGA. *Mol Biol Evol* 30, 1229–1235. <https://doi.org/10.1093/molbev/mst012>

- Hasibuan, Mhd.M., Maryanto, I., Kartono, A.P., 2021. Suara Kelelawar (Microchiroptera) dari Gua Gudawang, Bogor. *J Biologi Indones* 17, 1–10. <https://doi.org/10.47349/jbi/17012021/1>
- Herrman, M., Geesink, P., Yan, L., Lehmann, R., Totsche, K.U., Küsel, K., 2020. Complex food webs coincide with high genetic potential for chemolithoautotrophy in fractured bedrock groundwater. *Water Res* 170.
- Houadria, M., Menzel, F., 2021. Digging deeper into the ecology of subterranean ants: Diversity and niche partitioning across two continents. *Diversity (Basel)* 13, 1–15. <https://doi.org/10.3390/d13020053>
- Howarth, F.G., Wynne, J.J., 2022. Influence of the Physical Environment on Terrestrial Cave Diversity, in: Wynne, J.J., Pimm, S. (Eds.), *Cave Biodiversity: Speciation and Diversity of Subterranean Fauna*. Johns Hopkins University Press, Baltimore, pp. 1–56.
- Huang, J.C.C., Jazdyk, E.L., Nusalawo, M., Maryanto, I., Maharadatunkamsi, Wiantoro, S., Kingston, T., 2014. A recent bat survey reveals Bukit Barisan Selatan landscape as a chiropteran diversity hotspot in Sumatra. *Acta Chiropt* 16, 413–449. <https://doi.org/10.3161/150811014X687369>
- Huang, S., Yoshitake, K., Watabe, S., Asakawa, S., 2022. Environmental DNA study on aquatic ecosystem monitoring and management: recent advances and prospects. *J Environ Manage* 323.
- Humphreys, W.F., 2006. Aquifers: the ultimate groundwater-dependent ecosystems. *Aust J Bot* 54, 115–132.
- Hunter, M.E., Ferrante, J.A., Meigs-Friend, G., Ulmer, A., 2019. Improving eDNA yield and inhibitor reduction through increased water volumes and multi-filter isolation techniques. *Sci Rep* 9. <https://doi.org/10.1038/s41598-019-40977-w>
- Illumina, 2011. Quality Scores for Next-Generation Sequencing.
- Kehl, S., Dettner, K., 2003. Predation by pioneer water beetles (Coleoptera, Dytiscidae) from sandpit ponds, based on crop-content analysis and laboratory experiments. *Arch Hydrobiol* 158, 109–126. <https://doi.org/10.1127/0003-9136/2003/0158-0109>
- Kelly, R.P., Port, J.A., Yamahara, K.M., Crowder, L.B., 2014. Using environmental DNA to census marine fishes in large mesocosm. *PLoS One* 9.
- Kimprasit, T., Nunome, M., Iida, K., Murakami, Y., Wong, M.L., Wu, C.H., Kobayashi, R., Hengjan, Y., Takemae, H., Yonemitsu, K., Kuwata, R., Shimoda, H., Si, L.,

- Sohn, J.H., Asakawa, S., Ichiyanagi, K., Maeda, K., Oh, H.S., Mizutani, T., Kimura, J., Iida, A., Hondo, E., 2021. Dispersal history of *Miniopterus fuliginosus* bats and their associated viruses in east Asia. *PLoS One* 16. <https://doi.org/10.1371/journal.pone.0244006>
- Korbel, K.L., Hose, G.C., Karwautz, C., Greenfield, P., Wang, H., Chariton, A.A., Griebler, C., 2024. Detection, movement and persistence of invertebrate eDNA in groundwater. *Sci Rep* 14. <https://doi.org/10.1038/s41598-024-67349-3>
- Kurniawan, I.D., Rahmadi, C., Akbar, R.T.M., Calva, O., Zakia, F.A., Ameliee, Ependi, A.Z., 2023. Macroarthropod Diversity, Distribution, and Community Structure in Cikarae Cave of the Klapanunggal Karst, West Java. *Hayati* 30, 995–1007. <https://doi.org/10.4308/hjb.30.5.995-1007>
- Kurniawan, I.D., Rahmadi, C., Caraka, R.E., Ardi, T.E., 2018. Short communication: Cave-dwelling arthropod community of Semedi Show Cave in Gunungsewu Karst Area, Pacitan, East Java, Indonesia. *Biodiversitas* 19, 807–816. <https://doi.org/10.13057/biodiv/d190314>
- Langille, B.L., Hyde, J., Saint, K.M., Bradford, T.M., Stringer, D.N., Tierney, S.M., Humphreys, W.F., Austin, A.D., Cooper, S.J.B., 2020. Evidence for speciation underground in diving beetles (Dysticidae) from a subterranean archipelago. *Evolution (N Y)* 75, 166–175.
- Leray, M., Knowlton, N., 2014. DNA barcoding and metabarcoding of standardized samples reveal patterns of marine benthic diversity. *PNAS* 112, 2076–2081.
- Leray, M., Yang, J.Y., Meyer, C.P., Mills, S.C., Agudelo, N., Ranwez, V., Boehm, J.T., Machida, R.J., 2013. A new versatile primer set targeting a short fragment of the mitochondrial COI region for metabarcoding metazoan diversity: application for characterizing coral reef fish gut contents. *Front Zool* 10.
- Logronio, J. D. 2025. Komunikasi personal terkait modifikasi ekstraksi dengan Qiagen melalui email pada bulan Januari-Februari 2025.
- Longmire, J.L., Baker, R.J., 1997. Use Of “Lysis Buffer” In Dna Isolation And Its Implication For Museum Collections, Museum of Texas Tech University NUMBER.
- Lowry, J.K., Springthorpe, R.T., 2009. Melitidae, the Melita group. *Zootaxa* 718–735. <https://doi.org/10.11646/zootaxa.2260.1.37>

- Lukhaup, C., Eprilurahman, R., von Rintelen, T., 2025. Seven New Species of Crayfish of the Genus *Cherax* (Crustacea, Decapoda, Parastacidae) from Western New Guinea, Indonesia. *Arthropoda* 3, 10. <https://doi.org/10.3390/arthropoda3020010>
- Marmonier, P., Galassi, D.M.P., Korbel, K., Close, M., Datry, T., Karwautz, C., 2023. Groundwater biodiversity and constraints to biological distribution, in: *Groundwater Ecology and Evolution*. Elsevier, pp. 113–140.
- Matlock, B., 2025. Assessment of Nucleic Acid Purity.
- Medina, M.J., Antić, D., Borges, P.A.V., Borko, Š., Fišer, C., Lauritzen, S.E., Martín, J.L., Oromí, P., Pavlek, M., Premate, E., Puliafico, K.P., Sendra, A., Reboleira, A.S.P.S., 2023. Temperature variation in caves and its significance for subterranean ecosystems. *Sci Rep* 13. <https://doi.org/10.1038/s41598-023-48014-7>
- Mejía-Ortíz, L., Christman, M.C., Pipan, T., Culver, D.C., 2020. What's the temperature in tropical caves? *PLoS One* 15. <https://doi.org/10.1371/journal.pone.0237051>
- Miya, M., Sato, Y., Fukunaga, T., Sado, T., Poulsen, J.Y., Sato, K., Minamoto, T., Yamamoto, S., Yamanaka, H., Araki, H., Kondoh, M., Iwasaki, W., 2015. MiFish, a set of universal PCR primers for metabarcoding environmental DNA from fishes: detection of more than 230 subtropical marine species. *R Soc Open Sci* 2.
- Mouser, J.B., Brewer, S.K., Niemiller, M.L., Mollenhauer, R., Van Den Bussche, R.A., 2021. Refining sampling protocols for cavefishes and cave crayfishes to account for environmental variation. *Subterr Biol* 39, 79–105. <https://doi.org/10.3897/SUBTBIOL.39.64279>
- Naruse, T., Ng, P.K.L., Guinot, D., 1991. Two New Genera And Two New Species Of Troglotic False Spider Crabs (Crustacea: Decapoda: Brachyura: Hymenosomatidae) From Indonesia, With Notes On *Cancrocaeca* Ng. *Zootaxa* 1739, 21. <https://doi.org/10.5281/zenodo.181452>
- Niemiller, M.L., Carter, E.T., Fenolio, D.B., Gluesenkamps, A.G., Philips, J.G., 2022. Subterranean Colonization and Diversification of Cave-Dwelling Salamanders, in: Wynne, J.J., Pimm, S. (Eds.), *Cave Biodiversity: Speciation and Diversity of Subterranean Fauna*. Johns Hopkins University Press, Baltimore, pp. 192–223.
- Ogram, A., Sayler, G.S., Barkay, T., 1987. The extraction and purification of microbial DNA from sediments. *J Microbiol Methods* 7, 57–66.

- Ondov B.D., Bergman N.H., and Phillippy A.M. 2011 Interactive metagenomic visualization in a Web browser. *BMC Bioinformatics*. 12(1):385.
- Ortega, D. 2023. Marine Genome Project: Protocols for marine eDNA. Komunikasi personal pada Juli 2024.
- QGIS Map. 2025. Peta Laulawi. Dimodifikasi pada tanggal 18 Agustus 2025.
- Panasci, M., Ballard, W.B., Breck, S., Rodriguez, D., Densmore III, L.D., Wester, D.B., Bkaer, R.J., 2011. Evaluation of fecal DNA preservation techniques and effects of sample age and diet on genotyping success. *J Wildl Manage* 75, 1616–1624.
- Posada, D., 2008. jModelTest: Phylogenetic model averaging. *Mol Biol Evol* 25, 1253–1256. <https://doi.org/10.1093/molbev/msn083>
- Priyono, D.S., Reza, A., Eprilurahman, R., Yudha, D.S., Mufti, F., Fauzy, N.H., Triyono, R.B., Adhi, P.K., 2022. Aquatic biodiversity in a pond on the airport landside areas through environmental DNA metabarcoding: Implementation for Aviation Security Management. *Biodiversitas* 23, 3638–3645. <https://doi.org/10.13057/biodiv/d230741>
- Radulovici, A.E., Sainte-Marie, B., Dufresne, F., 2009. DNA barcoding of marine crustaceans from the Estuary and Gulf of St Lawrence: A regional-scale approach. *Mol Ecol Resour* 9, 181–187. <https://doi.org/10.1111/j.1755-0998.2009.02643.x>
- Renshaw, M.A., Olds, B.O., Jerde, C.L., McVeigh, M.M., Lodge, D.M., 2014. The room temperature preservation of filtered environmental DNA samples and assimilation into a phenol-chloroform-isoamyl alcohol DNA extraction. *Mol Ecol Resour* 15, 168–176.
- Saccò, M., Guzik, M.T., Heyde, M. van der, Nevill, P., Cooper, S.J.B., Austin, A.D., Coates, P.J., Allentoft, M.E., White, N.E., 2022. eDNA in subterranean ecosystems: applications, technical aspects, and future prospects. *Science of the Total Environment* 820, 1–14.
- Sahu, A., Kumar, N., Singh, C.P., Singh, M., 2023. Environmental DNA (eDNA): powerful technique for biodiversity conservation. *J Nat Conserv* 71.
- Sawicki, T.R., Holsinger, J.R., Iliffe, T.M., 2005. New species of amphipod crustaceans in the genera *Tegano* and *Melita* (Hadzioidea: Melitidae) from subterranean groundwaters in Guam, Palau, and the Philippines. *Journal of Crustacean Biology* 25, 49–74. <https://doi.org/10.1651/C-2525>
- Schultz, T.R., 2000. In search of ant ancestors, in: *Proceedings of the National Academy of Sciences*. Smithsonian Institution.

- Schwarzahns, W., 2009. A blind, new species of *Diancistrus* (Teleostei, Bythitidae) from three caves on Muna Island, southeast of Sulawesi, Indonesia. *International Journal of Ichthyology*. <https://doi.org/10.13140/2.1.4203.5841>
- Sudia, L.B., Indriyani, L., Yunus, L., Mursidi, B., Yasin, A., Albasri, Nurdin, M., 2021. Water quality in thirty freshwater springs and twenty four brackish springs in the karst area to realize sustainable water resource management. *Sustainability* 13, 1–16.
- Sugai, L.S.M., Ochoa-Quintero, J.M., Costa-Pereira, R., Roque, F.O., 2015. Beyond aboveground. *Biodiversity Conservation* 24, 2109–2112.
- Suhardjono, Y.R., Nugroho, H., Rahmadi, C., Sidabalok, C.M., 2021. Kawasan Karst Indonesia: Nilai Penting dan Potensi Biota, in: *Pedoman Inventarisasi Biota Karst Dan Gua*. LIPI Press, Jakarta, p. 3.
- Swift, J.F., Lance, R.F., Guan, X., Britzke, E.R., Lindsay, D.L., Edwards, C.E., 2018. Multifaceted DNA metabarcoding: Validation of a noninvasive, next-generation approach to studying bat populations. *Evol Appl* 11, 1120–1138. <https://doi.org/10.1111/eva.12644>
- Takahara, T., Minamoto, T., Doi, H., 2013. Using environmental DNA to estimate the distribution of invasive fish species in ponds. *PLoS One* 8.
- Takahara, T., Minamoto, T., Yamanaka, H., Doi, H., Kawabata, Z., 2012. Estimation of fish biomass using environmental DNA. *PLoS One* 7.
- Thomsen, P.F., Kielgast, J., Iversen, L.L., Møller, P.R., Rasmussen, M., Willerslev, E., 2012. Detection of a diverse marine fish fauna using environmental DNA from seawater samples. *PLoS One* 8.
- Thomsen, P.F., Willerslev, E., 2015. Environmental DNA: an emerging tool in conservation for monitoring past and present biodiversity. *Biol Conserv* 183, 4–18.
- Tomikawa, K., Sasaki, T., Aoyagi, M., Nakano, T., 2022. Taxonomy and phylogeny of the genus *Melita* (Crustacea: Amphipoda: Melitidae) from the West Pacific Islands, with descriptions of four new species. *Zool Anz* 296, 141–160. <https://doi.org/10.1016/j.jcz.2021.12.005>
- Tsuji, S., Takahara, T., Doi, H., Shibata, N., Yamanaka, H., 2019. The detection of aquatic macroorganisms using environmental DNA analysis—a review of methods for collection, extraction, and detection. *Environmental DNA* 1, 99–108.

- Uchii, K., Doi, H., Minamoto, T., 2015. A novel environmental DNA approach to quantify the cryptic invasion of non-native genotypes. *Mol Ecol Resour* 16, 415–422.
- Von Rintelen, K., Rumpf, C.M.A., Wowor, D., Wessel, A., Von Rintelen, T., 2024. A phylogeographic approach to Sulawesi's Maros karst shrimp fauna (Decapoda, Atyidae) reveals several cave invasions and challenges current taxonomic hypotheses. *Crustaceana* 97, 479–505. <https://doi.org/10.1163/15685403-bja10383>
- Wang, P., Yan, Z., Yang, S., Wang, S., Zheng, X., Fan, J., Zhang, T., 2019. Environmental DNA: an emerging tool in ecological assessment. *Environmental Contamination and Toxicology* 103, 651–656.
- West, K.M., Richards, Z.T., Harvey, E.S., Susac, R., Grealy, A., Bunce, M., 2020. Under the karst: detecting hidden subterranean assemblages using eDNA metabarcoding in the caves of Christmas Island, Australia. *Nature Research* 10.
- White, N.E., Guzik, M.T., Austin, A.D., Moore, G.I., Humphreys, W.F., Alexander, J., Bunce, M., 2020. Detection of the rare Australian endemic blind cave eel (*Ophisternon candidum*) with environmental DNA: implications for threatened species management in subterranean environments. *Hydrobiologia* 847, 3201–3211. <https://doi.org/10.1007/s10750-020-04304-z>
- Williams, K.E., Huyvaert, K.P., Piaggio, A.J., 2016. No filters, no fridges: a method for preservation of water samples for eDNA analysis. *BMC Res Notes* 9.
- Yudha, D.S., Salsabila, S., Priyono, D.S., 2024. Keanekaragaman Jenis Ikan di Hulu Sungai Opak menggunakan Environmental DNA (eDNA) Metabarcoding. *Biota : Jurnal Ilmiah Ilmu-Ilmu Hayati* 238–246. <https://doi.org/10.24002/biota.v9i3.7864>
- Zhang, M., Zou, Y., Xiao, S., Hou, J., 2023. Environmental DNA metabarcoding serves as a promising method for aquatic species monitoring and management: a review focused on its workflow, applications, challenges and prospects. *Mar Pollut Bull* 194.
- Zhang, S., Zhao, J., Yao, M., 2020. A comprehensive and comparative evaluation of primers for metabarcoding eDNA from fish. *Methods Ecol Evol* 11, 1609–1625.