

DAFTAR PUSTAKA

- Ashphaq, M., Srivastava, P., & Mitra, D. 2024. Satellite-Derived Bathymetry in Dynamic Coastal Geomorphological Environments Through Machine Learning Algorithms. *Earth and Space Science*, 11. <https://doi.org/10.1029/2024EA003554>
- Avery, T.E., and Berlin, G.L. 1992. Fundamentals of Remote Sensing and Airphoto Interpretation. Macmillan Publishing Company, New York, NY.
- Aziz, H., Yulianto, F., Wibowo, M., Perdana, D. H. F., Nurwijayanti, A., & Fachrudin, I. 2025. Application of Sentinel-2 Imagery and Machine Learning for Predicting Coastal Bathymetry in the Cisadane Estuary, Indonesia. *Journal of the Indian Society of Remote Sensing*. <https://doi.org/10.1007/s12524-025-02247-3>
- Benny, A.H., and G.J. Dawson. 1983. Satellite imagery as an aid to bathymetric charting of the Red Sea. *The Cartographic Journal*. 20 (1): 5–16.
- Breiman, L. 2001. Random Forests. *Machine Learning*. 45. 5-32. <https://doi.org/10.1023/A:1010950718922>
- Caballero, I., & Stumpf, R. P. 2020. Towards Routine Mapping of Shallow Bathymetry in Environments with Variable Turbidity: Contribution of Sentinel-2A/B Satellites Mission. *Remote Sensing*, 12(3), 451. <https://doi.org/10.3390/RS12030451>
- Cahalane, Conor, Aidan Magee, Xavier Monteys, Gema Casal, Jenny Hanafin, and Paul Harris. 2019. A Comparison of Landsat 8, RapidEye and Pleiades Products for Improving Empirical Predictions of Satellite-Derived Bathymetry. *Remote Sensing of Environment*. <https://doi.org/10.1016/j.rse.2019.111414>.
- Camacho, M. 2006. Depth Analysis of Midway Atoll Using QuickBird Multi-Spectral Imaging Over Variable Substrates. 91.
- Clark, R. E. 2005. Naval satellite bathymetry: A performance assessment. Master's Thesis, Naval Postgraduate School, Monterey, California.
- Collin, A., & Hench, J. 2015. *Extracting shallow bathymetry from very high resolution satellite spectral bands and a machine learning algorithm*.
- Doxaran, D., Nagur, C., and S.J. Lavendar. 2006. Apparent and inherent optical properties of turbid estuarine waters: measurements, empirical quantification relationships, and modeling. *Applied Optics*. 45 (10): 2310–2324.
- Duan, Zhixin, Sensen Chu, Liang Cheng, Chen Ji, Manchun Li, and Wei Shen. 2022. Satellite-Derived Bathymetry Using Landsat-8 and Sentinel-2a Images: Assessment of Atmospheric Correction Algorithms and Depth Derivation Models in Shallow Waters. *Optics Express*. <https://doi.org/10.1364/oe.444557>.
- Figliomeni, F. G., & Parente, C. 2022. Bathymetry from satellite images: a proposal for adapting the band ratio approach to IKONOS data. *Applied Geomatics*. <https://doi.org/10.1007/s12518-022-00465-9>
- Fisher, T.M. 1999. Shallow water bathymetry at Lake Tahoe from AVIRIS data. Master's Thesis, Naval Postgraduate School, Monterey, California.
- Ganguly, P. 2023. Applications of Remote Sensing and GIS in Mineral Exploration. *International Journal for Research in Applied Science and Engineering Technology*. 11. 10.22214/ijraset.2023.56592.

- Garcia, R., Gracias, N., Nicosevici, T., Prados, R., Hurtos, N., Campos, R., Escartin, J., Elibol, A., Hegedus, R., 2017. Exploring the Seafloor with Underwater Robots: Land, Sea & Air. 10.1002/9781118868065.ch4.
- Green, E.P, Mumby, P.J., Edwards A.J., Clark, C.D., (Ed. A.J. Edwards). 2000. Remote sensing handbook for tropical coastal management. Coastal Management Sourcebooks 3, UNESCO, Paris.
- Gilvear, D., Hunter, P., & Higgins, T. 2007. An experimental approach to the measurement of the effects of water depth and substrate on optical and near infra-red reflectance: a field-based assessment of the feasibility of mapping submerged instream habitat. *International Journal of Remote Sensing*, 28(10), 2241–2256. <https://doi.org/10.1080/01431160600976079>
- Hamuna, B., Pujiyat, S., Natih, N. M. N., & Dimara, L. 2018. Analisis hambur balik akustik untuk klasifikasi dan pemetaan substrat dasar perairan di teluk Yos Sudarso, Kota Jayapura. *Jurnal Ilmu Dan Teknologi Kelautan Tropis*, 10(2), 291-300. <https://doi.org/10.29244/jitkt.v10i2.24045>
- Hartmann, D., Gravey, M., Price, T., Nijland, W., & de Jong, S. M. 2025. Surveying Nearshore Bathymetry Using Multispectral and Hyperspectral Satellite Imagery and Machine Learning. *Remote Sensing*, 17(2), 291. <https://doi.org/10.3390/rs17020291>
- Hastie, Trevor & Tibshirani, Robert & Friedman, Jerome. 2009. *The Elements of Statistical Learning: Data Mining, Inference, and Prediction*, Second Edition (Springer Series in Statistics).
- Ilori, C. O., & Knudby, A. 2020. An Approach to Minimize Atmospheric Correction Error and Improve Physics-Based Satellite-Derived Bathymetry in a Coastal Environment. *Remote Sensing*, 12(17), 2752. <https://doi.org/10.3390/RS12172752>
- International Hydrographic Organization (IHO). 2024. B-13 Edition 1.0.0 International Hydrographic Organization Guidance to Satellite-Derived Bathymetry. www.iho.int
- Jenson, J.R. 2000. Remote Sensing of Water. Retrieved August 10, 2006, from the University of South Carolina Web site: www.cas.sc.edu/geog/rslab/551/Lectures/Chapter11_Water.ppt
- Jerlov, N.G. 1976. *Marine Optics*. Elsevier, Amsterdam.
- Ji, X., Ma, Y., Zhang, J., Xu, W., & Wang, Y. 2023. A Sub-Bottom Type Adaption-Based Empirical Approach for Coastal Bathymetry Mapping Using Multispectral Satellite Imagery. *Remote Sensing*. <https://doi.org/10.3390/rs15143570>
- Jupp, D.L.P. 1988. Background and extensions to depth of penetration (DOP) mapping in shallow coastal waters. *Proceedings of the Symposium on Remote Sensing of the Coastal Zone, Queensland, September 1988*, IV2.1–IV2.29.
- Kirk, J.T.O. 1994. *Light and Photosynthesis in Aquatic Ecosystems*. Cambridge University Press, Cambridge.
- Laily, H. H., Setyawan, F. O., Fuad, M. A. Z., & Nandika, M. R. 2024. Analisis tingkat akurasi data batimetri menggunakan singlebeam echosounder system (sbes) dan citra satelit spot-7 di perairan gili ketapang, kabupaten Probolinggo. *Jurnal Kelautan Nasional*, 19(1), 57. <https://doi.org/10.15578/jkn.v19i1.13381>

- Le, Y., Sun, X., Chen, Y., Zhang, D., Wu, L., Liu, H., & Hu, M. 2024. High-accuracy shallow-water bathymetric method including reliability evaluation based on Sentinel-2 time-series images and ICESat-2 data. *Frontiers in Marine Science*, 11. <https://doi.org/10.3389/fmars.2024.1470859>
- Lillesand, T.M., Kiefer, R.W. and J.W. Chipman. 2004. *Remote Sensing and Image Interpretation*. New York: JohnWiley and Sons, Inc.
- Liu, Z., Liu, H., Ma, Y., Ma, X., Yang, J., Jiang, Y., & Li, S. 2024. Exploring the Most Effective Information for Satellite-Derived Bathymetry Models in Different Water Qualities. *Remote Sensing*, 16(13), 2371. <https://doi.org/10.3390/rs16132371>
- Louchard, E. M., Reid, P. R., Stephens, C. F., Davis, C.O., Leathers, R. A., and V.T. Downes. 2003. Optical remote sensing of benthic habitats and bathymetry in coastal environments at Lee Stocking Island, Bahamas: A comparative spectral classification approach. *Limnology and Oceanography*. 48 (1, part 2): 511–521.
- Loupe, G. 2014. *Understanding Random Forests: From Theory to Practice*. <https://doi.org/10.13140/2.1.1570.5928>
- Lu, T., Yu, Y., Wang, L., Chen, W., Ji, C., Tang, X., & Shao, C. 2023. Effect of atmospheric corrections on shallow sea bathymetric mapping using gaofen-2 imagery: a case study in Lingyang Reef, South China Sea. *Marine Geodesy*. <https://doi.org/10.1080/01490419.2023.2284182>
- Lubin, D., W. Li, P. Dustan, C. Maxel, and K. Stamnes. 2001. Spectral signatures of coral reefs: Features from space. *Remote Sensing of the Environment*. 75: 127–137.
- Lyzenga, D. R. 1978. Passive remote sensing techniques for mapping water depth and bottom features. *Applied Optics*. 17 (3): 379–383.
- Lyzenga, D. R. 1981. Remote sensing of bottom reflectance and water attenuation parameters in shallow water using aircraft and Landsat data. *International Journal of Remote Sensing*. 1: 71–82.
- Lyzenga, D. R. 1985. Shallow-water bathymetry using combined lidar and passive multispectral scanner data. *International Journal of Remote Sensing*. 6 (1): 115–125.
- Manessa, M., Kanno, A., Sekine, M., Haidar, M., Yamamoto, K., Imai, T., & Higuchi, T. (2016). Satellite-Derived Bathymetry Using Random Forest Algorithm And Worldview-2 Imagery. *Geoplanning: Journal of Geomatics and Planning*, 3, 117. <https://doi.org/10.14710/geoplanning.3.2.117-126>
- Maragos JE, Potts DC, Aeby GA, Gulko D, Kenyon J, Siciliano D, and D. VanRavenswaay. 2004. 2000–2002 Rapid Ecological Assessment of Corals (Anthozoa) on Shallow Reefs of the Northwestern Hawaiian Islands. Part 1: Species and Distribution. *Pacific Science* 58(2): 211–230.
- Maritorena, S., A. Morel, and B. Gentili. 1994. Diffuse reflectance of oceanic shallow waters: Influence of water depth and bottom albedo. *Limnology and Oceanography*. 39 (7): 1689–1703.
- Martin, S. 2004. *An Introduction to Ocean Remote Sensing*. Cambridge, UK: Cambridge University Press.
- McCoy, R.M. 2005. *Field Methods in Remote Sensing*. New York: The Guildford Press.

- Mishra, D.R., Narumalani, S., Rundquist, D., and M. Lawson. 2005. Characterizing the vertical diffuse attenuation coefficient for downwelling irradiance in coastal waters: Implications for water penetration by high resolution satellite data. *Photogrammetry and Remote Sensing*. 60: 48–64.
- Mobley, C.D. 1994. *Light and Water: Radiative Transfer in Natural Waters*. Academic Press, San Diego.
- Morel, A., Prieur, L. 1977. Analysis of variations of ocean color. *Limnology and Oceanography*. 22 (4): 709–722.
- Morris, K. 2005. Midway Atoll: National Wildlife Refuge and Battle of Midway National Memorial. [Pamphlet]. U.S. Fish and Wildlife Service.
- Munawaroh, M., Wicaksono, P., & Farda, N. M. 2024. Performance and Uncertainty of Bathymetry Derived From Time Series Composite Satellite Imagery. 1–7. <https://doi.org/10.1109/icares64249.2024.10768039>
- Nagamani, P. v, Chauhan, P., Sanwani, N., & Ali, M. M. 2012. Artificial Neural Network (ANN) Based Inversion of Benthic Substrate Bottom Type and Bathymetry in Optically Shallow Waters - Initial Model Results. *Journal of The Indian Society of Remote Sensing*, 40(1), 137–143. <https://doi.org/10.1007/S12524-011-0142-Y>
- Narciso, G., Tamondong, A., & Blanco, A. 2024. Integration of Stumpf's Ratio Model and Random Forest for Satellite-Derived Bathymetry Estimation. *The International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, XLVIII-4/W8-2023,387–393. <https://doi.org/10.5194/isprs-archives-XLVIII-4-W8-2023-387-2024>
- Nasef, M. A., Abel-maguid, R. Kh., & Elnaggar, A. 2024. Exploring Best Practices in Machine Learning Approaches for near-shore bathymetry modeling: Insights from the Egyptian Mediterranean Coast. *Benha Journal of Applied Sciences*, 9(5), 49–56. <https://doi.org/10.21608/bjas.2024.285895.1420>
- Neter, J., Kutner, M. H., Nachtsheim, C. J., & Wasserman, W. (1996). *Applied Linear Statistical Models*. McGraw-Hill.
- Nguyen Hao, Q., Banno, M., & Ha, N.-T. 2024. Satellite derived bathymetry using empirical and machine learning approaches: a case study in the highly dynamic coastal water. *Coastal Engineering Journal*, 1–20. <https://doi.org/10.1080/21664250.2024.2445418>
- Niranjani, K., & Vani, K. 2019. Unsupervised Nonlinear Spectral Unmixing of Satellite Images Using the Modified Bilinear Model. *Journal of The Indian Society of Remote Sensing*, 47(4), 573–584. <https://doi.org/10.1007/S12524-018-0907-7>
- Olsen, R.C. 2006. *Remote Sensing from Air and Space*. In press, SPIE.
- Owusu, C., Masto, N. M., Kalyanapu, A. J., Murdock, J. N., & Cohen, B. S. 2024. Shallow Water Depth Estimation of Inland Wetlands Using Landsat 8 Satellite Images. *Remote Sensing*, 16(16). <https://doi.org/10.3390/rs16162986>
- Pangestu, N. J., Kushadiwijayanto, A. A., & Nurrahman, Y. A. 2020. Studi batimetri dan morfologi muara sungai mempawah kabupaten mempawah, kalimantan barat. *Jurnal Laut Khatulistiwa*, 3(2), 69. <https://doi.org/10.26418/lkuntan.v3i2.41150>
- Paula, César Francisco de, Luís Antônio de Lima, Jorge Pimentel Cintra, Henrique Cândido de Oliveira, and Diógenes Cortijo Costa. 2023. Bathymetric DEM

- Derived From Lyzenga's Algorithm (Multispectral Bathymetry) Using Landsat 8 Images: A Case Study of Fort Lauderdale Coast. *Revista Brasileira De Cartografia*. <https://doi.org/10.14393/rbcv75n0a-68742>.
- Pettorelli, N. 2014. *The Normalized Difference Vegetation Index*. <https://www.amazon.com/Normalized-Difference-Vegetation-Index/dp/0199693161>
- Philpot, W. D. 1989. Bathymetric mapping with passive multispectral imagery. *Applied Optics*. 28 (8): 1569–1578.
- Poppenga, S. K., Palaseanu-Lovejoy, M., Gesch, D. B., Danielson, J. J., & Tyler, D. J. 2018. Evaluating the potential for near-shore bathymetry on the Majuro Atoll, Republic of the Marshall Islands, using Landsat 8 and WorldView-3 imagery. Scientific Investigations Report. <https://doi.org/10.3133/SIR20185024>
- Qi, C., Su, D., Yang, F., Ma, Y., Wang, X., & Yang, A. 2022. Analysis and correction in the airborne LiDAR bathymetric error caused by the effect of seafloor topography slope. *Journal of Remote Sensing*, 26(12), 2642–2654. <https://doi.org/10.11834/jrs.20210285>
- Prayogo, L. M. and Basith, A. 2020. Uji performa citra worldview 3 dan sentinel 2a untuk pemetaan kedalaman laut dangkal (studi kasus di kepulauan karimunjawa, jawa tengah). *JGISE: Journal of Geospatial Information Science and Engineering*, 3(2), 161. <https://doi.org/10.22146/jgise.59572>
- Quispe, H. R. S. 2025. Automated Classification of Oil Spill Events in Satellite Imagery Using Deep Learning and Spectral Decomposition. *Journal of Information Systems Engineering and Management*, 10(49s), 336–343. <https://doi.org/10.52783/jisem.v10i49s.9883>
- Robinson, I.S. 2004. *Measuring the Oceans from Space*. Chichester, UK: Praxis Publishing LTD.
- Rosalina, D., Jamil, K., Arafat, Y., Amalia, R., & Leilani, A. N. I. 2023. Mapping of seagrass ecosystem on Bontosua Island, Pangkep District, South Sulawesi, Indonesia. *Biodiversitas Journal of Biological Diversity*, 24. <https://doi.org/10.13057/biodiv/d240411>
- Selamat, M. B., Lanuru, M., & Muhiddin, A. H. 2018. Spatial Composition of Benthic Substrate Around Bontosua Island. *Jurnal Ilmu Kelautan SPERMONDE (Online)*, 4(1).
- Shin, H., Kim, D., Lee, H., Bouk, J., Kim, J., & Kim, T. (2024). Estimation of shallow bathymetry using Sentinel-2 satellite data and random forest machine learning: a case study for Cheonsuman, Hallim, and Samcheok Coastal Seas. *Journal of Applied Remote Sensing*. <https://doi.org/10.1117/1.jrs.18.014522>
- Short, N.M. 2006. The remote sensing tutorial. Retrieved August 10, 2006, from the National Aeronautics and Space Administration Web site: <http://rst.gsfc.nasa.gov/>
- Smith, R. C., and K. S. Baker. 1981. Optical properties of the clearest natural waters. *Applied Optics*. 20 (2): 177–184.
- Stumpf, R.P., Holderied, K., and M. Sinclair. 2003. Determination of water depth with high-resolution satellite imagery over variable bottom depths. *Limnology and Oceanography*. 48 (1, part 2): 547–556.
- Sukmono, Abdi, Sentanu Aji, Fauzi Janu Amarrohman, Nurhadi Bashit, and Lutfi Rangga Saputra. 2022. The Extraction of Near-Shore Bathymetry Using

- Sentinel-2a Satellite Imagery: Algorithms and Their Modifications. *Tem Journal*.
<https://doi.org/10.18421/tem111-17>.
- Thalib, M. S., Faizal, A., & La Nafie, Y. A. 2019. *Remote Sensing Analysis of Seagrass Beds in Bontosua Island, Spermonde Archipelago*. 253(1), 012047.
<https://doi.org/10.1088/1755-1315/253/1/012047>
- Thomas, G.E. and K. Stamnes. 1999. *Radiative Transfer in the Atmosphere and Ocean*. Cambridge, UK: Cambridge University Press.
- Tran, H. T. T., Nguyen, Q. H., Pham, T. H., Ngo, G. T. H., Pham, N. T. D., Pham, T. G., Tran, C. T. M., & Ha, T. N. (2024). Novel Learning of Bathymetry from Landsat 9 Imagery Using Machine Learning, Feature Extraction and Meta-Heuristic Optimization in a Shallow Turbid Lagoon. *Geosciences*, 14(5).
<https://doi.org/10.3390/geosciences14050130>
- Wang, C & Philpot, W. 2007. Using airborne bathymetric LIDAR to detect bottom type variation in shallow waters. *Remote Sensing of Environment*. 106. 123-135.
10.1016/j.rse.2006.08.003.
- Wei, C., Xiao, Y., Fu, D., & Ting-ting, Z. 2024. Impact of Turbidity on Satellite-Derived Bathymetry: Comparative Analysis Across Seven Ports in the South China Sea. *Remote Sensing*, 16(23), 4349. <https://doi.org/10.3390/rs16234349>
- Xie, C., Chen, P., Zhang, Z., & Pan, D. 2023. Satellite-derived bathymetry combined with Sentinel-2 and ICESat-2 datasets using machine learning. *Frontiers in Earth Science*, 11. <https://doi.org/10.3389/feart.2023.1111817>
- Ye, M., Yang, C., Zhang, X., Li, S., Peng, X., Li, Y., & Chen, T. 2024. Shallow Water Bathymetry Inversion Based on Machine Learning Using ICESat-2 and Sentinel-2 Data. *Remote Sensing*, 16(23), 4603. <https://doi.org/10.3390/rs16234603>
- Zhongping, L., Kendell, L. C., Mobley, C.D., Steward, R.G., and J.S. Patch. 1999. Hyperspectral remote sensing for shallow waters: Deriving bottom depths and water properties by optimization. *Applied Optics*. 38 (18): 3831–3843.
- Zwinkels, J., 2015. *Light, Electromagnetic Spectrum*. 10.1007/978-3-642-27851-8_204-1.