

DAFTAR PUSTAKA

- Abdulmajeed, A. A., Närhi, T. O., Vallittu, P. K., & Lassila, L. V. (2011). The effect of high fiber fraction on some mechanical properties of unidirectional glass fiber-reinforced composite. *Dental Materials*, 27(4), 313–321. <https://doi.org/10.1016/J.DENTAL.2010.11.007>
- Abitha, T. S., & Anjaneyulu, K. (2022). Incidence of Class I vs. Class II dental caries in general population-A retrospective study. *J Clin Dentistry Oral Health*, 6. <https://doi.org/10.35841/aacdoh-6.5.121>
- Albar, N. H. M., & Khayat, W. F. (2022). Evaluation of Fracture Strength of Fiber-Reinforced Direct Composite Resin Restorations: An In Vitro Study. *Polymers*, 14(20). <https://doi.org/10.3390/polym14204339>
- Asenahabi, B. M., & Ikoha, P. A. (2023). Scientific Research Sample Size Determination. *The International Journal of Science & Technoledge*. <https://doi.org/10.24940/theijst/2023/v11/i7/st2307-008>
- Blumer, L., Schmidli, F., Weiger, R., & Fischer, J. (2015). A systematic approach to standardize artificial aging of resin composite cements. *Dental Materials*, 31(7), 855–863. <https://doi.org/10.1016/J.DENTAL.2015.04.015>
- Ciarleglio, A. (2021). Measures of variability and precision in statistics: appreciating, untangling and applying concepts. *BJPsych Advances*, 27(2), 137–139. <https://doi.org/10.1192/bja.2020.41>
- Delaviz, Y., Finer, Y., & Santerre, J. P. (2014). Biodegradation of resin composites and adhesives by oral bacteria and saliva: A rationale for new material designs that consider the clinical environment and treatment challenges. *Dental Materials*, 30(1), 16–32. <https://doi.org/10.1016/J.DENTAL.2013.08.201>
- Eliasson, S. T., & Dahl, J. E. (2020). Effect of thermal cycling on temperature changes and bond strength in different test specimens. *Biomaterial Investigations in Dentistry*, 7(1), 16–24. <https://doi.org/10.1080/26415275.2019.1709470>
- Espressivo, A., Irnawati, D., & Agustiono, P. (2017). Pengaruh pH Saliva terhadap Kelarutan Ion Aluminium Pada Resin Komposit Nanohybrid. *Jurnal Material Kedokteran Gigi*, 6(2), 25–32. <https://doi.org/10.32793/jmkg.v6i2.268>
- Gale, M. S., & Darvell, B. W. (1999). Thermal cycling procedures for laboratory testing of dental restorations. *Journal of Dentistry*, 27(2), 89–99. [https://doi.org/10.1016/S0300-5712\(98\)00037-2](https://doi.org/10.1016/S0300-5712(98)00037-2)
- Garg, N., & Garg, A. (2017). *Preclinical Conservative Dentistry* (2 ed.). Jaypee Brothers Medical Publishers.
- Garoushi, S., Säilynoja, E., Vallittu, P. K., & Lassila, L. (2013). Physical properties and depth of cure of a new short fiber reinforced composite. *Dental Materials*, 29(8), 835–841. <https://doi.org/10.1016/J.DENTAL.2013.04.016>
- Goteti, S. V., Anwarullah, A., Mandava, J., Kantheti, S., Pulidindi, H., & Chandolu, V. (2024). Evaluation of microtensile bond strength and marginal adaptation of fiber-reinforced composites. *Journal of Conservative Dentistry and*

- Endodontics*, 27(11), 1120–1125.
https://doi.org/10.4103/JCDE.JCDE_515_24
- Hafez, M. E., Abd El-ghany, A. A., Taha, A. I., & Amin, A. (2025). In vitro assessment of fracture resistance of endodontically treated teeth restored with short fiber reinforced resin based composite and ceramic overlays. *BMC Oral Health*, 25(1). <https://doi.org/10.1186/s12903-025-05480-x>
- Kamath, U., & Salam, A. (2016). Fracture resistance of maxillary premolars with mod cavities restored with Zirconomer: An in vitro comparative study. ~ 77 ~ *International Journal of Applied Dental Sciences*, 2(2), 77–80. www.oraljournal.com
- Khurshid, Z., Najeeb, S., Zafar, M. S., & Sefat, F. (2019). *Advanced Dental Biomaterials* (1 ed.). Woodhead Publishing.
- Kim, S. Y., Bae, H. J., Lee, H. H., Lee, J. H., Kim, Y. J., Choi, Y. S., Lee, J. H., & Shin, S. Y. (2023a). The Effects of Thermocycling on the Physical Properties and Biocompatibilities of Various CAD/CAM Restorative Materials. *Pharmaceutics*, 15(8), 1–20. <https://doi.org/10.3390/pharmaceutics15082122>
- Kim, S. Y., Bae, H. J., Lee, H. H., Lee, J. H., Kim, Y. J., Choi, Y. S., Lee, J. H., & Shin, S. Y. (2023b). The Effects of Thermocycling on the Physical Properties and Biocompatibilities of Various CAD/CAM Restorative Materials. *Pharmaceutics*, 15(8). <https://doi.org/10.3390/pharmaceutics15082122>
- Lassila, L., Säilynoja, E., Prinssi, R., Vallittu, P. K., & Garoushi, S. (2020). Fracture behavior of Bi-structure fiber-reinforced composite restorations. *Journal of the Mechanical Behavior of Biomedical Materials*, 101, 103444. <https://doi.org/10.1016/J.JMBBM.2019.103444>
- Malarvizhi, D., Karthick, A., Gold Pearlin Mary, N. S., & Venkatesh, A. (2019). Shrinkage in composites: An enigma. *Journal of International Oral Health*, 11(5), 244–248. https://doi.org/10.4103/jioh.jioh_36_19
- Mangoush, E., Garoushi, S., Lassila, L., Vallittu, P. K., & Säilynoja, E. (2021). Effect of fiber reinforcement type on the performance of large posterior restorations: A review of in vitro studies. *Polymers*, 13(21), 1–12. <https://doi.org/10.3390/polym13213682>
- Mohamed, M. H., Abouauf, E. A., & Mosallam, R. S. (2025). Clinical performance of class II MOD fiber reinforced resin composite restorations: an 18-month randomized controlled clinical trial. *BMC Oral Health*, 25(1). <https://doi.org/10.1186/s12903-025-05521-5>
- Mohammadipour, H. S., Farajzadeh, M., Toutouni, H., Gazerani, A., & Sekandari, S. (2025). Fracture Resistance of Fiber-Reinforced vs. Conventional Resin Composite Restorations in Structurally Compromised Molars: An In Vitro Study. *International Journal of Dentistry*, 2025(1). <https://doi.org/10.1155/ijod/5169253>
- Poggio, C., Chiesa, M., Scribante, A., Mekler, J., & Colombo, M. (2013). Microleakage in Class II composite restorations with margins below the CEJ: In vitro evaluation of different restorative techniques. *Medicina Oral, Patologia Oral y Cirugia Bucal*, 18(5). <https://doi.org/10.4317/medoral.18344>
- Rinastiti, M., Özcan, M., Siswomihardjo, W., & Busscher, H. J. (2011). Effects of surface conditioning on repair bond strengths of non-aged and aged

- microhybrid, nanohybrid, and nanofilled composite resins. *Clinical Oral Investigations*, 15(5), 625–633. <https://doi.org/10.1007/s00784-010-0426-6>
- Ritter, A. V., Boushell, L. W., & Walter, R. (2019). *Studivant's Art and Science of Operative Dentistry* (7 ed.). Elsevier. www.konkur.in
- Sabbagh, J., & McConnell, R. (2023). Bulk Fill Resin Composites in Dentistry: A Clinical Guide. Dalam *Bulk Fill Resin Composites in Dentistry: a Clinical Guide*. Springer International Publishing. <https://doi.org/10.1007/978-3-031-16388-3>
- Sakaguchi, R. L. ., Ferracane, J. L. ., & Powers, J. M. . (2019). *Craig's restorative dental materials* (14 ed.). Elsevier.
- Sari, C., Bala, O., Akgul, S., & Alp, C. K. (2025). Effect of using different materials and restorative techniques on cuspal deflection and microleakage in endodontically treated teeth. *BMC Oral Health*, 25(1), 1–13. <https://doi.org/10.1186/s12903-025-05693-0>
- Shahin, S. Y., AlQahtani, N., Abushowmi, T. H., Siddiqui, I. A., Akhtar, S., Nassar, E. A., & Gad, M. M. (2024). The effect of surface treatment and thermal aging on the bonding of clear aligner attachments to provisional resin-based material: shear bond strength analysis. *Frontiers in Oral Health*, 5. <https://doi.org/10.3389/froh.2024.1449833>
- Sheid, R. C., & Weiss, G. (2017). *Woelfel's Dental Anatomy* (9th ed.). Wolters Kluwer.
- Shen, C., Rawls, H. R., & Esquievel-Upshaw, J. F. (2022). *Phillips' Science of Dental Materials* (13 ed.). Elsevier.
- Siagian, J. S., Dennis, D., Ikhsan, T., & Abidin, T. (2020). Effect of Different LED light-curing units on degree of conversion and microhardness of bulk-fill composite resin. *Journal of Contemporary Dental Practice*, 21(6), 615–620. <https://doi.org/10.5005/jp-journals-10024-2848>
- Singh, P., & Sehgal, P. (2021). G.V Black dental caries classification and preparation technique using optimal CNN-LSTM classifier. *Multimedia Tools and Applications*, 80(4), 5255–5272. <https://doi.org/10.1007/s11042-020-09891-6>
- Tanner, J., Tolvanen, M., Garoushi, S., & Säilynoja, E. (2018). Clinical Evaluation of Fiber-Reinforced Composite Restorations in Posterior Teeth - Results of 2.5 Year Follow-up. *The Open Dentistry Journal*, 12(1), 476–485. <https://doi.org/10.2174/1874210601812010476>
- Țuculină, M. J., Staicu, A. N., Munteanu, M. C., Cumpăță, C. N., Dimitriu, B., Rîcă, A. M., Beznă, M. C., Popa, D. L., Popescu, A. D., & Țîrcă, T. (2023). Study on the Restoration of Class II Carious Cavities by Virtual Methods: Simulation of Mechanical Behavior. *Journal of Functional Biomaterials*, 14(7). <https://doi.org/10.3390/jfb14070354>
- Valian, A., Moravej-Salehi, E., Geramy, A., Faramarzi, E., & Geramy, A. (2015). Effect of Extension and Type of Composite-Restored Class II Cavities on Biomechanical Properties of Teeth: A Three Dimensional Finite Element Analysis. Dalam *Journal of Dentistry* (Vol. 12, Nomor 2). www.jdt.tums.ac.ir

- WHO. (2023). *Global Oral Health Status Report : Towards Universal Health Coverage for Oral Health by 2030. Regional Summary of the South-East Asia Region*. World Health Organization.
- Yang, G., Park, M., & Park, S. J. (2019). Recent progresses of fabrication and characterization of fibers-reinforced composites: A review. *Composites Communications*, *14*, 34–42. <https://doi.org/10.1016/J.COCO.2019.05.004>
- Yazdi, H. K., Sohrabi, N., & Mostofi, S. N. (2020a). Effect of direct composite and indirect ceramic onlay restorations on fracture resistance of endodontically treated maxillary premolars. *Frontiers in Dentistry*, *17*(8), 1–8. <https://doi.org/10.18502/fid.v17i8.4126>
- Yazdi, H. K., Sohrabi, N., & Mostofi, S. N. (2020b). Effect of direct composite and indirect ceramic onlay restorations on fracture resistance of endodontically treated maxillary premolars. *Frontiers in Dentistry*, *17*. <https://doi.org/10.18502/fid.v17i8.4126>
- Zhou, X., Wang, S., Peng, X., Hu, Y., Ren, B., Li, M., Hao, L., Feng, M., Cheng, L., & Zhou, X. (2018). Effects of water and microbial-based aging on the performance of three dental restorative materials. *Journal of the Mechanical Behavior of Biomedical Materials*, *80*, 42–50. <https://doi.org/10.1016/J.JMBBM.2018.01.023>