

DAFTAR PUSTAKA

- Abenavoli, C., Provenzano, M., Ksiazek, S.H., Hu, L., Cuna, V., La Manna, G., et al., 2024. Role of Estimated Glomerular Filtration Rate in Clinical Research: The Never-Ending Matter. *Rev. Cardiovasc. Med.* 25: 1–14. doi:10.31083/j.rcm2501001
- Alqarni, A., Jiang, J., Crawford, J.D., Koch, F., Brodaty, H., Sachdev, P., et al., 2021. Sex differences in risk factors for white matter hyperintensities in non-demented older individuals. *Neurobiol. Aging* 98: 197–204. doi:10.1016/j.neurobiolaging.2020.11.001
- Botz, J., Lohner, V., & Schirmer, M.D., 2023. Spatial patterns of white matter hyperintensities: a systematic review. *Front. Aging Neurosci.* 15: 1–13. doi:10.3389/fnagi.2023.1165324
- Bronas, U.G., Steffen, A., Dion, C., Boots, E.A., Arfanakis, K., Marquez, D.X., et al., 2019. Sedentary Time and White Matter Hyperintensity Volume in Older Adults. *Med. Sci. Sports Exerc.* 51: 1613–1618. doi:10.1249/MSS.0000000000001957
- Cedres, N., Ferreira, D., Machado, A., Shams, S., Sacuiu, S., Waern, M., et al., 2020. Predicting Fazekas scores from automatic segmentations of white matter signal abnormalities. *Aging (Albany, NY)*. 12: 894–901. doi:10.18632/aging.102662
- Chen, T.K., Knicely, D.H., & Grams, M.E., 2019. Chronic Kidney Disease Diagnosis and Management: A Review. *JAMA* 322: 1294–1304. doi:10.1001/jama.2019.14745
- Dahlan, M.S., 2010. Besar Sampel dan Cara Pengambilan Sampel dalam Penelitian Kedokteran dan Kesehatan, 3rd ed. Salemba Medika, Jakarta.
- Debette, S., & Markus, H.S., 2010. The clinical importance of white matter hyperintensities on brain magnetic resonance imaging: Systematic review and meta-analysis. *BMJ* 341: 288. doi:10.1136/bmj.c3666
- DeCarli, C., Fletcher, E., Ramey, V., Harvey, D., & Jagust, W.J., 2005. Anatomical mapping of white matter hyperintensities (WMH): Exploring the relationships between periventricular WMH, deep WMH, and total WMH burden. *Stroke* 36: 50–55. doi:10.1161/01.STR.0000150668.58689.f2
- Fahlevi, M.H., 2024. Segmentasi White Matter Hyperintensity Pada Citra MRI Otak Menggunakan U-Net. Institut Teknologi Sepuluh Nopember.
- Farkhondeh, V., & DeCarli, C., 2024. White matter hyperintensities in diverse populations: A systematic review of literature in the United States. *Cereb. Circ. - Cogn. Behav.* 6: 100204. doi:10.1016/j.cccb.2024.100204
- Fazekas, F., Chawluk, J.B., & Alavi, A., 1987. MR signal abnormalities at 1.5 T in Alzheimer's dementia and normal aging. *Am. J. Neuroradiol.* 8: 421–426.
- Fields, R.D., 2010. Neuroscience. Change in the brain's white matter. *Science*

- 330: 768–9. doi:10.1126/science.1199139
- Fields, R.D., 2008. White matter in learning, cognition and psychiatric disorders. *Trends Neurosci.* 31: 361–70. doi:10.1016/j.tins.2008.04.001
- Francis, A., Harhay, M.N., Ong, A.C.M., Tummalapalli, S.L., Ortiz, A., Fogo, A.B., et al., 2024. Chronic kidney disease and the global public health agenda: an international consensus. *Nat. Rev. Nephrol.* 20: 473–485. doi:10.1038/s41581-024-00820-6
- Greco, F., Quarta, L.G., Parizel, P.M., Zobel, B.B., Quattrocchi, C.C., & Mallio, C.A., 2023. Relationship between chronic kidney disease and cerebral white matter hyperintensities: a systematic review. *Quant. Imaging Med. Surg.* 13: 7596–7606. doi:10.21037/qims-22-707
- Guppy, M., Thomas, E.T., Glasziou, P., Clark, J., Jones, M., O’Hara, D.V., et al., 2024. Rate of decline in kidney function with age: a systematic review. *BMJ Open* 14. doi:10.1136/bmjopen-2024-089783
- Hase, Y., Horsburgh, K., Ihara, M., & Kalara, R.N., 2018. White matter degeneration in vascular and other ageing-related dementias. *J. Neurochem.* 144: 617–633. doi:10.1111/jnc.14271
- Heinen, Rutger, Steenwijk, M.D., Barkhof, F., Biesbroek, J.M., van der Flier, Wiesje M., Kuijf, Hugo J., et al., 2019. Performance of five automated white matter hyperintensity segmentation methods in a multicenter dataset. *Sci. Rep.* 9: 1–12. doi:10.1038/s41598-019-52966-0
- Huang, J.J., & Tseng, C.C., 2002. Emphysematous pyelonephritis: Clinicoradiological classification, management, prognosis, and pathogenesis. *Arch. Intern. Med.* 160: 797–805. doi:10.1001/archinte.160.6.797
- Ikeme, J.C., Pergola, P.E., Scherzer, R., Shlipak, M.G., Catanese, L., McClure, L.A., et al., 2019. Cerebral white matter hyperintensities, kidney function decline, and recurrent stroke after intensive blood pressure lowering: Results from the secondary prevention of small subcortical strokes (sps3) trial. *J. Am. Heart Assoc.* 8. doi:10.1161/JAHA.118.010091
- Khatri, M., Wright, C.B., Nickolas, T.L., Yoshita, M., Paik, M.C., Kranwinkel, G., et al., 2007. Chronic kidney disease is associated with white matter hyperintensity volume: The Northern Manhattan Study (NOMAS). *Stroke* 38: 3121–3126. doi:10.1161/STROKEAHA.107.493593
- Kim, S.H., Yun, J.M., Jeong, S.M., Kim, S., Yoo, T.G., Lee, J.E., et al., 2019. Kidney Dysfunction Impact on White Matter Hyperintensity Volume in Neurologically Healthy Adults. *Sci. Rep.* 9: 1–7. doi:10.1038/s41598-019-45109-y
- Lengnan, X., Aiqun, C., Ying, S., Chuanbao, L., & Yonghui, M., 2021. The effects of aging on the renal function of a healthy population in Beijing and an evaluation of a range of estimation equations for glomerular filtration rate. *Aging (Albany, NY).* 13: 6904–6917. doi:10.18632/aging.202548
- Levey, A.S., Stevens, L.A., Schmid, C.H., Zhang, Y.L., Castro, A.F., Feldman, H.I., et al., 2009. A new equation to estimate glomerular filtration rate. *Ann. Intern. Med.* 150: 604–12. doi:10.7326/0003-4819-150-9-200905050-00006
- Levin, A., & Stevens, P.E., 2014. Summary of KDIGO 2012 CKD Guideline: Behind the scenes, need for guidance, and a framework for moving forward.

- Kidney Int.* 85: 49–61. doi:10.1038/ki.2013.444
- Maiti, S., Frielinghaus, H., Gräbel, D., Dulle, M., Axer, M., & Förster, S., 2021. Distribution and orientation of nerve fibers and myelin assembly in a brain section retrieved by small-angle neutron scattering. *Sci. Rep.* 11: 1–14. doi:10.1038/s41598-021-92995-2
- Maldjian, J.A., Whitlow, C.T., Saha, B.N., Kota, G., Vandergriff, C., Davenport, E.M., et al., 2013. Automated white matter total lesion volume segmentation in diabetes. *Am. J. Neuroradiol.* 34: 2265–2270. doi:10.3174/ajnr.A3590
- Marini, S., Georgakis, M.K., & Anderson, C.D., 2021. Interactions Between Kidney Function and Cerebrovascular Disease: Vessel Pathology That Fires Together Wires Together. *Front. Neurol.* 12: 1–13. doi:10.3389/fneur.2021.785273
- Marx-Schütt, K., Cherney, D.Z.I., Jankowski, J., Matsushita, K., Nardone, M., & Marx, N., 2025. Cardiovascular disease in chronic kidney disease. *Eur. Heart J.* 46: 2148–2160. doi:10.1093/eurheartj/ehaf167
- Mercadante, A.A., & Tadi, P., 2025. Neuroanatomy, Gray Matter, StatPearls.
- Miglinas, M., Cesniene, U., Janusaite, M.M., & Vinikovas, A., 2020. Cerebrovascular Disease and Cognition in Chronic Kidney Disease Patients. *Front. Cardiovasc. Med.* 7: 1–13. doi:10.3389/fcvm.2020.00096
- O’Sullivan, M., 2008. Leukoaraiosis. *Pract. Neurol.* 8: 26–38. doi:10.1136/jnnp.2007.139428
- Raz, N., Yang, Y., Dahle, C.L., & Land, S., 2012. Volume of white matter hyperintensities in healthy adults: contribution of age, vascular risk factors, and inflammation-related genetic variants. *Biochim. Biophys. Acta* 1822: 361–9. doi:10.1016/j.bbadis.2011.08.007
- Ribaldi, F., Altomare, D., Jovicich, J., Ferrari, C., Picco, A., Pizzini, F.B., et al., 2021. Accuracy and reproducibility of automated white matter hyperintensities segmentation with lesion segmentation tool: A European multi-site 3T study. *Magn. Reson. Imaging* 76: 108–115. doi:10.1016/j.mri.2020.11.008
- Saftari Handini, Y., & Ilsa Hunaifi, 2022. Cognitive Impairment in Patient With Chronic Kidney Disease. *Unram Med. J.* 10: 712–721. doi:10.29303/jku.v10i4.586
- Sastroasmoro, S., & Ismael, 2011. Dasar-Dasar Metodologi Penelitian Klinis. CV Sagung Seto.
- Schmahmann, J.D., Smith, E.E., Eichler, F.S., & Filley, C.M., 2008. Cerebral white matter: neuroanatomy, clinical neurology, and neurobehavioral correlates. *Ann. N. Y. Acad. Sci.* 1142: 266–309. doi:10.1196/annals.1444.017
- Schweitzer, N., Son, S.J., Thurston, R.C., Li, J., Chen, C. Le, Aizenstein, H., et al., 2024. Sex-specific risk factors and clinical dementia outcomes for white matter hyperintensities in a large South Korean cohort. *Alzheimer’s Res. Ther.* 16. doi:10.1186/s13195-024-01598-2
- Smith, E.E., Saposnik, G., Biessels, G.J., Doubal, F.N., Fornage, M., Gorelick, P.B., et al., 2017. Prevention of Stroke in Patients with Silent Cerebrovascular Disease: A Scientific Statement for Healthcare

- Professionals from the American Heart Association/American Stroke Association. *Stroke* 48: e44–e71. doi:10.1161/STR.000000000000116
- Toya, T., Sara, J.D., Scharf, E.L., Ahmad, A., Nardi, V., Ozcan, I., et al., 2021. Impact of peripheral microvascular endothelial dysfunction on white matter hyperintensity. *J. Am. Heart Assoc.* 10. doi:10.1161/JAHA.121.021066
- Vääräniemi, K., Koskela, J., Tahvanainen, A., Tikkakoski, A., Wilenius, M., Kähönen, M., et al., 2014. Lower glomerular filtration rate is associated with higher systemic vascular resistance in patients without prevalent kidney disease. *J. Clin. Hypertens.* 16: 722–728. doi:10.1111/jch.12405
- Vaidya, S.R., & Aeddula, N.R., 2025. Chronic Kidney Disease, StatPearls.
- Valdés Hernández, M.D.C., Chappell, F.M., Muñoz Maniega, S., Dickie, D.A., Royle, N.A., Morris, Z., et al., 2017. Metric to quantify white matter damage on brain magnetic resonance images. *Neuroradiology* 59: 951–962. doi:10.1007/s00234-017-1892-1
- Vemuri, P., Knopman, D.S., Jack, C.R., Lundt, E.S., Weigand, S.D., Zuk, S.M., et al., 2017. Association of kidney function biomarkers with brain MRI findings: The BRINK study. *J. Alzheimer's Dis.* 55: 1069–1082. doi:10.3233/JAD-160834
- Wang, J.H., Lin, Y.L., & Hsu, B.G., 2025. Endothelial dysfunction in chronic kidney disease: Mechanisms, biomarkers, diagnostics, and therapeutic strategies. *Tzu Chi Med. J.* 37: 125–134. doi:10.4103/tcmj.tcmj_284_24
- Wardlaw, J.M., Valdés Hernández, M.C., & Muñoz-Maniega, S., 2015. What are white matter hyperintensities made of? Relevance to vascular cognitive impairment. *J. Am. Heart Assoc.* 4: 001140. doi:10.1161/JAHA.114.001140
- Wei, C.S., Yan, C.Y., Yu, X.R., Wang, L., Zhang, R., Jiang, J.Y., et al., 2022. Association Between White Matter Hyperintensities and Chronic Kidney Disease: A Systematic Review and Meta-Analysis. *Front. Med.* 9. doi:10.3389/fmed.2022.770184
- Wu, C.C., Mungas, D., Petkov, C.I., Eberling, J.L., Zrelak, P.A., Buonocore, M.H., et al., 2002. Brain structure and cognition in a community sample of elderly Latinos 383–392.
- Wycoco, V., Shroff, M., Sudhakar, S., & Lee, W., 2013. White Matter Anatomy. What the Radiologist Needs to Know. *Neuroimaging Clin. N. Am.* 23: 197–216. doi:10.1016/j.nic.2012.12.002
- Xu, H., Garcia-Ptacek, S., Trevisan, M., Evans, M., Lindholm, B., Eriksdotter, M., et al., 2021. Kidney Function, Kidney Function Decline, and the Risk of Dementia in Older Adults: A Registry-Based Study. *Neurology* 96: E2956–E2965. doi:10.1212/WNL.0000000000012113
- Yang, C.M., Hung, C.L., Su, H.C., Lin, H.J., Chen, C.H., Lin, C.C., et al., 2018. Leukoaraiosis and risk of intracranial hemorrhage and outcome after stroke thrombolysis. *PLoS One* 13: 1–12. doi:10.1371/journal.pone.0196505
- Zhuang, F.J., Chen, Y., He, W.B., & Cai, Z.Y., 2018. Prevalence of white matter hyperintensities increases with age. *Neural Regen. Res.* 13: 2141–2146. doi:10.4103/1673-5374.241465