

## DAFTAR PUSTAKA

- Abdulridha, J., Ampatzidis, Y., Ehsani, R., & de Castro, A. I. (2018). Evaluating the performance of spectral features and multivariate analysis tools to detect laurel wilt disease and nutritional deficiency in avocado. *Computers and Electronics in Agriculture*, *155*, 203–211. <https://doi.org/10.1016/j.compag.2018.10.016>
- Achmad, Herliyana, E. N., & Permatasari, D. P. (2016). Luas serangan dan sebaran kejadian penyakit akar merah di Hutan Pendidikan Gunung Walat, Sukabumi. *Jurnal Silvikultur Tropika*, *7*(1), 24–31.
- Agrios, G. N. (2005). *Plant Pathology (5th ed.)*. Elsevier Academic Press. <https://doi.org/10.1016/B978-0-12-822429-8.00018-2>
- Ahmad, A., & Nair, A. M. (2024). Spectral mixture analysis of intimate mixtures for lithological mapping. *ISPRS Journal of Photogrammetry and Remote Sensing*, *208*, 210–232. <https://doi.org/10.1016/j.isprsjprs.2023.12.014>
- Ahmed, S., Griffin, T. S., Kraner, D., Schaffner, M. K., Sharma, D., Hazel, M., Leitch, A. R., Orians, C. M., Han, W., Stepp, J. R., Robbat, A., Matyas, C., Long, C., Xue, D., Houser, R. F., & Cash, S. B. (2019). Environmental factors variably impact tea secondary metabolites in the context of climate change. *Frontiers in Plant Science*, *10*, 1–16. <https://doi.org/10.3389/fpls.2019.00939>
- Anggraini, T. (2017). *Proses dan Manfaat Teh* (1st ed.). Penerbit Erka.
- Apan, A., Held, A., Phinn, S., & Markley, J. (2004). Detecting sugarcane ‘orange rust’ disease using EO-1 Hyperion hyperspectral imagery. *International Journal of Remote Sensing*, *25*(3), 489–498. <https://doi.org/10.1080/01431160310001618031>
- Ashourloo, D., Aghighi, H., Matkan, A. A., Mobasheri, M. R., & Rad, A. M. (2016). An investigation into Machine Learning Regression techniques for the Leaf Rust Disease detection using hyperspectral measurement. *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, *9*(9), 4344–4351. <https://doi.org/10.1109/JSTARS.2016.2575360>
- Assis, K., Ho, C. M., Chong, K. P., & Idris, A. S. (2018). Identifying the early visible symptoms of the ganoderma-infected oil palms: A case study on the infected palms which collapsed within twelve months after disease census. *ASM Science Journal*, *11*(2), 156–163.
- Bai, Y., Nie, C., Yu, X., Gou, M., Liu, S., Zhu, Y., Jiang, T., Jia, X., Liu, Y., Nan, F., Li, L., Tekinerdogan, B., Song, Y., Liu, Q., & Jin, X. (2024). Comprehensive analysis of hyperspectral features for monitoring canopy maize leaf spot disease. *Computers and Electronics in Agriculture*, *225*, 1–14. <https://doi.org/10.1016/j.compag.2024.109350>
- Balcan, M., & Sharma, D. (2024). *Learning accurate and interpretable decision trees*.
- Bateson, A., & Curtiss, B. (1996). A Method for manual endmember selection and spectral unmixing. *Remote Sensing of Environment*, *55*, 229–243.

- Bera, R., Datta, A., Bose, S., Barik, A. K., & Asthana, A. (2024). Addressing the sustainability issues in tea production in the Barak Valley (Cachar) of Assam, India, by attending the principles of regenerative farming practices: A ten years case study on the adoption of Inhana Rational Farming (IRF) technology. *Asia Journal of Environment & Ecology*, 23(10), 130–153. <https://doi.org/10.9734/ajec/2024/v23i10616>
- Bleasdale, A. J., & Whyatt, J. D. (2024). Classifying early apple scab infections in multispectral imagery using convolutional neural networks. *Journal Pre-Proof*. <https://doi.org/10.1016/j.aiia.2024.10.001>
- Blomquist, M., Larsson Herrera, S., Hofmann, J., Beram, R. C., Cleary, M., & Rönnberg, J. (2020). Size matters but is big always better? Effectiveness of urea and Phlebiopsis gigantea as treatment against Heterobasidion on Picea abies stumps of variable size. *Forest Ecology and Management*, 462. <https://doi.org/10.1016/j.foreco.2020.117998>
- Bock, C. H., Barbedo, J. G. A., Del Ponte, E. M., Bohnenkamp, D., & Mahlein, A.-K. (2020). From visual estimates to fully automated sensor-based measurements of plant disease severity: status and challenges for improving accuracy. *Phytopathology Research*, 2(9), 1–30. <https://doi.org/10.1186/s42483-020-00049-8>
- Bolton, D. K., & Friedl, M. A. (2013). Forecasting crop yield using remotely sensed vegetation indices and crop phenology metrics. *Agricultural and Forest Meteorology*, 173, 74–84. <https://doi.org/10.1016/j.agrformet.2013.01.007>
- Bonn, F. (2005). Evaluation of soil erosion protective cover by crop residues using vegetation indices and spectral mixture analysis of multispectral and hyperspectral data. *Catena*, 62, 157–172. <https://doi.org/10.1016/j.catena.2005.05.003>
- BPS. (2022). *Statistik Indonesia 2022*. <https://www.bps.go.id/publication/2020/04/29/e9011b3155d45d70823c141f/statistik-indonesia-2020.html>
- BPS. (2024). *Statistik Indonesia 2024*.
- Breiman, L. (2001). Random Forests. In R. E. Schapire (Ed.), *Kluwer Academic Publishers* (Vol. 45, pp. 5–32). Kluwer Academic Publishers. [https://doi.org/10.1007/978-3-030-62008-0\\_35](https://doi.org/10.1007/978-3-030-62008-0_35)
- Brosinsky, A., Kuester, T., Foerster, S., Kaufmann, H., Segl, K., & Guanter, L. (2019). *Principles of imaging spectroscopy: Electromagnetic radiation and its interactions with earth surface materials*. HYPERedu, EnMAP Education Initiative. <https://eo-college.org/resource/principles-of-imaging-spectroscopy/>
- Brown, D. G. (2001). A Spectral Unmixing Approach to Leaf Area Index (LAI) Estimation at the Alpine Treeline Ecotone. In A. C. Millington, S. J. Walsh, & P. E. Osborne (Eds.), *GIS and Remote Sensing Applications in Biogeography and Ecology* (pp. 7–21). Springer Science+Business Media.
- Cai, Y., Shi, Q., Xu, X., & Liu, X. (2023). A novel approach towards continuous monitoring of forest change dynamics in fragmented landscapes using time series Landsat imagery. *International Journal of Applied Earth Observation*

- and Geoinformation*, 118. <https://doi.org/10.1016/j.jag.2023.103226>
- Calamita, F., Imran, H. A., Vescovo, L., Mekhalfi, M. L., & La Porta, N. (2021). Early identification of root rot disease by using hyperspectral reflectance: the case of pathosystem Grapevine/*Armillaria*. *Remote Sensing*, 13, 1–22. <https://doi.org/10.3390/rs13132436>
- Carter, G. A. (1993). Responses of leaf spectral reflectance to plant stress. *American Journal of Botany*, 80(3), 239–243. <https://doi.org/10.1002/j.1537-2197.1993.tb13796.x>
- Carter, G. A. (1994). Ratios of leaf reflectances in narrow wavebands as indicators of plant stress. *International Journal of Remote Sensing*, 15(3), 697–703. <https://doi.org/10.1080/01431169408954109>
- Carter, G. A., Cibula, W. G., & Miller, R. L. (1996). Narrow-band reflectance imagery compared with thermal imagery for early detection of plant stress. *Journal of Plant Physiology*, 148, 515–522. [https://doi.org/10.1016/S0176-1617\(96\)80070-8](https://doi.org/10.1016/S0176-1617(96)80070-8)
- Carter, G. A., & Miller, R. L. (1994). Early detection of plant stress by digital imaging within narrow stress-sensitive wavebands. *Remote Sensing of Environment*, 50, 295–302. [https://doi.org/10.1016/0034-4257\(94\)90079-5](https://doi.org/10.1016/0034-4257(94)90079-5)
- Chaliha, C., & Kalita, E. (2020). Blister Blight Disease of Tea: An Enigma. In *Diagnostic of Plant Disease*. IntechOpen.
- Chang, C., Chiang, S., Smith, J. A., & Ginsberg, I. W. (2002). Linear spectral random mixture analysis for hyperspectral imagery. *IEEE Transactions on Geoscience and Remote Sensing*, 40(2), 375–392.
- Chemura, A., Mutanga, O., & Dube, T. (2017). Separability of coffee leaf rust infection levels with machine learning methods at Sentinel-2 MSI spectral resolutions. *Precision Agriculture*, 18(5), 859–881. <https://doi.org/10.1007/s11119-016-9495-0>
- Chiang, K. S., Bock, C. H., El Jarroudi, M., Delfosse, P., Lee, I. H., & Liu, H. I. (2016). Effects of rater bias and assessment method on disease severity estimation with regard to hypothesis testing. *Plant Pathology*, 65(4), 523–535. <https://doi.org/10.1111/ppa.12435>
- Çınar, T., Beram, R. C., Aydın, A., Akyol, S., Tashigul, N., Lehtijärvi, H. T., & Woodward, S. (2024). Detection of heterobasidion root rot on *Pinus brutia* Ten. using different vegetation indices generated from Sentinel-2 a satellite imagery. *Journal of the Indian Society of Remote Sensing*, 52, 1805–1817. <https://doi.org/10.1007/s12524-024-01914-1>
- Cotrozzi, L. (2022). Spectroscopic detection of forest diseases: a review (1970–2020). *Journal of Forestry Research*, 33(1), 21–38. <https://doi.org/10.1007/s11676-021-01378-w>
- de Asis, A. M., & Omasa, K. (2007). Estimation of vegetation parameter for modeling soil erosion using linear Spectral Mixture Analysis of Landsat ETM data. *ISPRS Journal of Photogrammetry and Remote Sensing*, 62(4), 309–324. <https://doi.org/10.1016/j.isprsjprs.2007.05.013>

- Dhillon, B., & Chakrabarti, S. (2023). *Ganoderma zonatum* causes Butt Rot of Areca (*Dyopsis lutescens*) and Robellini (*Phoenix roebelenii*) palms in Florida. *Plant Disease*, *107*(9), 2844. <https://doi.org/10.1094/PDIS-01-23-0083-PDN>
- Duan, D., Chen, L., Zhao, C., Wang, F., & Cao, Q. (2023). Multi-angle detection of spatial differences in tea physiological parameters. *Remote Sensing*, *15*, 1–19. <https://doi.org/10.3390/rs15040935>
- Dun, Y., Kong, Y., & Wang, Y. (2016). Eigen-value analysis of numerical mode-matching method in resistivity logging. *International Conference on Advanced Mechatronic Systems, ICAMechS*, 368–371. <https://doi.org/10.1109/ICAMechS.2016.7813476>
- Dutta, A., Tyagi, R., Chattopadhyay, A., Chatterjee, D., Sarkar, A., Lall, B., & Sharma, S. (2024). Early detection of wilt in *Cajanus cajan* using satellite hyperspectral images: Development and validation of disease-specific spectral index with integrated methodology. *Computers and Electronics in Agriculture*, *219*. <https://doi.org/10.1016/j.compag.2024.108784>
- Effendi, D. S., Syakir, M., Yusron, M., & Wiratno. (2010). Budidaya dan Pascapanen Teh. In *Pusat Penelitian dan Pengembangan Perkebunan*. Pusat Penelitian dan Pengembangan Perkebunan. [https://books.google.co.id/books/about/Teh\\_Budidaya\\_Pengolahan\\_Pascapanen.html?id=KGXjfmDxo28C&redir\\_esc=y](https://books.google.co.id/books/about/Teh_Budidaya_Pengolahan_Pascapanen.html?id=KGXjfmDxo28C&redir_esc=y)
- Elango, V., Manjukurambika, K., Ponmurugan, P., & Marimuthu, S. (2015). Evaluation of *Streptomyces* spp. for effective management of *Poria hypolateritia* causing red root-rot disease in tea plants. *Biological Control*, *89*, 75–83. <https://doi.org/10.1016/j.biocontrol.2015.05.003>
- Fajri, M., Ernawati, & Erlansari, A. (2019). Sistem pakar penyakit dan hama pada tanaman teh menggunakan certainty factor berbasis android. *Jurnal Rekursif*, *7*(2), 155–161. <http://ejournal.unib.ac.id/index.php/rekursif/>
- Falcioni, R., Oliveira, R. B. De, Chicati, M. L., Antunes, W. C., Dematt, A. M., & Nanni, M. R. (2024). Estimation of biochemical compounds in *Tradescantia* leaves using VIS-NIR-SWIR hyperspectral and chlorophyll a fluorescence sensors. *Remote Sensing*, *16*, 1–25. <https://doi.org/doi.org/10.3390/rs16111910>
- Faridah, H., & Pramukanto, Q. (2020). Landscape planning of tea plantation agrotourism area based on agro-based services. *IOP Conference Series: Earth and Environmental Science*, *418*(1). <https://doi.org/10.1088/1755-1315/418/1/012016>
- Farmonov, N., Amankulova, K., Szatmári, J., Urinov, J., Narmanov, Z., Nosirov, J., & Mucsi, L. (2023). Combining PlanetScope and Sentinel-2 images with environmental data for improved wheat yield estimation. *International Journal of Digital Earth*, *16*(1), 847–867. <https://doi.org/10.1080/17538947.2023.2186505>
- Fauziana, F., Danoedoro, P., & Murti, S. H. (2016). Linear spectral mixture analysis of SPOT-7 for tea yield estimation in Pagilaran Estate, Batang Central Java. *IOP Conference Series: Earth and Environmental Science*, *47*.

<https://doi.org/10.1088/1755-1315/47/1/012034>

- Feng, W., Shen, W., He, L., Duan, J., Guo, B., Li, Y., Wang, C., & Guo, T. (2016). Improved remote sensing detection of wheat powdery mildew using dual-green vegetation indices. *Precision Agriculture*, *17*, 608–627. <https://doi.org/10.1007/s11119-016-9440-2>
- Fernández-García, V., Marcos, E., Fernández-Guisuraga, J. M., Fernández-Manso, A., Quintano, C., Suárez-Seoane, S., & Calvo, L. (2021). Multiple endmember spectral mixture analysis (Mesma) applied to the study of habitat diversity in the fine-grained landscapes of the cantabrian mountains. *Remote Sensing*, *13*, 1–19. <https://doi.org/10.3390/rs13050979>
- Filella, I., & Peñuelas, J. (1994). The red edge position and shape as indicators of plant chlorophyll content, biomass and hydric status. *International Journal of Remote Sensing*, *15*(7), 1459–1470. <https://doi.org/10.1080/01431169408954177>
- Fitzgerald, G. J., Maas, S. J., & Detar, W. R. (2004). Spider mite detection and canopy component mapping in cotton using hyperspectral imagery and spectral mixture analysis. *Precision Agriculture*, *5*, 275–289. <https://doi.org/10.1023/B>
- Flood, J., Bridge, P. D., & Holderness, M. (2000). *Ganoderma Diseases of Perennial Crops*. In *CABI Publishing*. <https://doi.org/10.1079/9780851993881.0000>
- Galvão, L. S., Arlanche Petri, C., & Dalagnol, R. (2023). Coupled effects of solar illumination and phenology on vegetation index determination: an analysis over the Amazonian forests using the SuperDove satellite constellation. *GIScience and Remote Sensing*, *61*(1), 1–24. <https://doi.org/10.1080/15481603.2023.2290354>
- Gan, Y., Wang, Q., & Song, G. (2024). Structural Complexity Significantly Impacts Canopy Reflectance Simulations as Revealed from Reconstructed and Sentinel-2-Monitored Scenes in a Temperate Deciduous Forest. *Remote Sensing*, *16*(22). <https://doi.org/10.3390/rs16224296>
- Gandharum, L., & Sanjaya, H. (2015). Penerapan metode Linear Spectral Unmixing pada citra Landsat tm dan data spekrometer untuk memetakan tanaman padi terserang penyakit Hawar Daun Bakteri. *PIT XX Dan Kongres MAPIN*, 1–12.
- Gao, L., Wang, X., Johnson, B. A., Tian, Q., Wang, Y., Verrelst, J., Mu, X., & Gu, X. (2020). Remote sensing algorithms for estimation of fractional vegetation cover using pure vegetation index values: A review. *ISPRS Journal of Photogrammetry and Remote Sensing*, *159*, 364–377. <https://doi.org/10.1016/j.isprsjprs.2019.11.018>
- Gao, S., Yan, K., Liu, J., Pu, J., Zou, D., Qi, J., Mu, X., & Yan, G. (2024). Assessment of remote-sensed vegetation indices for estimating forest chlorophyll concentration. *Ecological Indicators*, *162*, 1–10. <https://doi.org/10.1016/j.ecolind.2024.112001>
- Gao, S., Zhong, R., Yan, K., Ma, X., Chen, X., Pu, J., Gao, S., Qi, J., Yin, G., &

- Myneni, R. B. (2023). Evaluating the saturation effect of vegetation indices in forests using 3D radiative transfer simulations and satellite observations. *Remote Sensing of Environment*, 295, 1–18. <https://doi.org/10.1016/j.rse.2023.113665>
- Georgopoulos, N., Sotiropoulos, C., Stefanidou, A., & Gitas, I. Z. (2022). Total stem biomass estimation using Sentinel-1 and -2 data in a dense coniferous forest of complex structure and terrain. *Forests*, 13, 1–18. <https://doi.org/doi.org/10.3390/f13122157>
- Gilabert, M. A., García-Haro, F. J., & Meliá, J. (2000). Mixture modeling approach to estimate vegetation parameters for heterogeneous canopies in remote sensing. *Remote Sensing of Environment*, 72(3), 328–345. [https://doi.org/10.1016/S0034-4257\(99\)00109-1](https://doi.org/10.1016/S0034-4257(99)00109-1)
- Gitelson, A. A., Chivkunova, O. B., & Merzlyak, M. N. (2009). Nondestructive estimation of anthocyanins and chlorophylls in anthocyanic leaves. *American Journal of Botany*, 96(10), 1861–1868. <https://doi.org/10.3732/ajb.0800395>
- Gitelson, A. A., Kaufman, Y. J., & Merzlyak, M. N. (1996). Use of a green channel in remote sensing of global vegetation from EOS- MODIS. *Remote Sensing of Environment*, 58, 289–298. [https://doi.org/10.1016/S0034-4257\(96\)00072-7](https://doi.org/10.1016/S0034-4257(96)00072-7)
- Gitelson, A. A., Zur, Y., Chivkunova, O. B., & Merzlyak, M. N. (2002). Assessing carotenoid content in plant leaves with reflectance spectroscopy. *Photochemistry and Photobiology*, 75(3), 272–281. [https://doi.org/10.1562/0031-8655\(2002\)075<0272:accipl>2.0.co;2](https://doi.org/10.1562/0031-8655(2002)075<0272:accipl>2.0.co;2)
- Gitelson, A., & Merzlyak, M. N. (1994). Quantitative estimation of chlorophyll-a using reflectance spectra: Experiments with autumn chestnut and maple leaves. *Journal of Photochemistry and Photobiology, B: Biology*, 22(3), 247–252. [https://doi.org/10.1016/1011-1344\(93\)06963-4](https://doi.org/10.1016/1011-1344(93)06963-4)
- Go, W. Z., Chin, K. L., H'ng, P. S., Wong, M. Y., Luqman, C. A., Surendran, A., Tan, G. H., Lee, C. L., Khoo, P. S., & Kong, W. J. (2021). Virulence of *Rigidoporus microporus* Isolates Causing White Root Rot Disease on Rubber Trees (*Hevea brasiliensis*) in Malaysia. *Plants*, 10, 1–15.
- Goebel, M., & Iwaszczuk, D. (2023). Spectral analysis of images of plants under stress using a close-range camera. *The International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, 48, 63–69. <https://doi.org/doi.org/10.5194/isprs-archives-XLVIII-1-W3-2023-63-2023>
- Govender, M., Chetty, K., & Bulcock, H. (2007). A review of hyperspectral remote sensing and its application in vegetation and water resource studies. *Water SA*, 33(2), 145–152.
- Green, A. A., Berman, M., Switzer, P., & Craig, M. D. (1988). A Transformation for ordering multispectral data in terms of image quality with implications for noise removal. *IEEE Transactions on Geoscience and Remote Sensing*, 26(1), 65–74. <https://doi.org/10.1109/36.3001>
- Guo, A., Huang, W., Ye, H., Dong, Y., Ma, H., Ren, Y., & Ruan, C. (2020). Identification of Wheat Yellow Rust using spectral and texture features of

- hyperspectral images. *Remote Sensing*, *12*, 1–17.
- Haboudane, D., Miller, J. R., Pattey, E., Zarco-Tejada, P. J., & Strachan, I. B. (2004). Hyperspectral vegetation indices and novel algorithms for predicting green LAI of crop canopies: Modeling and validation in the context of precision agriculture. *Remote Sensing of Environment*, *90*, 337–352. <https://doi.org/10.1016/j.rse.2003.12.013>
- He, Y., Chen, G., Potter, C., & Meentemeyer, R. K. (2019). Integrating multi-sensor remote sensing and species distribution modeling to map the spread of emerging forest disease and tree mortality. *Remote Sensing of Environment*, *231*. <https://doi.org/10.1016/j.rse.2019.111238>
- Heim, R. H. J., Jürgens, N., Große-Stoltenberg, A., & Oldeland, J. (2015). The effect of epidermal structures on leaf spectral signatures of ice plants (Aizoaceae). *Remote Sensing*, *7*, 16901–16914. <https://doi.org/10.3390/rs71215862>
- Hennessy, A., Clarke, K., & Lewis, M. (2020). Hyperspectral classification of plants: A review of waveband selection generalisability. *Remote Sensing*, *12*. <https://doi.org/10.3390/RS12010113>
- Herrmann, I., Vosberg, S. K., Ravindran, P., Singh, A., Chang, H. X., Chilvers, M. I., Conley, S. P., & Townsend, P. A. (2018). Leaf and canopy level detection of *Fusarium virguliforme* (sudden death syndrome) in soybean. *Remote Sensing*, *10*, 1–19. <https://doi.org/10.3390/rs10030426>
- Horler, D. N. H., Dockray, M., & Barber, J. (1983). The red edge of plant leaf reflectance. *International Journal of Remote Sensing*, *4*(2), 273–288. <https://doi.org/10.1080/01431168308948546>
- Hou, J., Li, L., & He, J. (2016). Detection of grapevine leafroll disease based on 11-index imagery and ant colony clustering algorithm. *Precision Agriculture*, *17*, 488–505. <https://doi.org/10.1007/s11119-016-9432-2>
- Huete, A., Didan, K., Miura, T., Rodriguez, E. P., Gao, X., & Ferreira, L. G. (2002). Overview of the radiometric and biophysical performance of the MODIS vegetation indices. *Remote Sensing Applications: Society and Environment*, *83*, 195–213. <https://doi.org/10.1080/14790963.2015.1107328>
- Huete, A. R. (1988). A Soil-Adjusted Vegetation Index (SAVI). *Remote Sensing of Environment*, *25*, 295–309.
- Huete, A. R. (2004). Remote Sensing for Environmental Monitoring. In *Environmental Monitoring and Characterization* (pp. 183–206). Elsevier, Inc. <https://doi.org/10.1016/B978-0-12-064477-3.50013-8>
- Isip, M. F., Alberto, R. T., & Biagtan, A. R. (2020). Exploring vegetation indices adequate in detecting twister disease of onion using Sentinel-2 imagery. *Spatial Information Research*, *28*(3), 369–375. <https://doi.org/10.1007/s41324-019-00297-7>
- Jansen, M., Bergsträsser, S., Schmittgen, S., Müller-Linow, M., & Rascher, U. (2014). Non-Invasive Spectral Phenotyping Methods can Improve and Accelerate *Cercospora* Disease Scoring in Sugar Beet Breeding. *Agriculture (Switzerland)*, *4*(2), 147–158. <https://doi.org/10.3390/agriculture4020147>

- Jensen, J. R. (2005). *Introductory Digital Image Processing - A Remote Sensing Perspective*. In *Englewood Cliffs* (3rd Editio). Prentice Hall.
- Jiang, H., Deng, X., Wang, J., Wang, J., Peng, J., & Zhou, T. (2014). Effects of gibberellic acid and N, N-dimethyl piperidinium chloride on the dose of and physiological responses to prometryn in black nightshade (*Solanum nigrum* L.). *PLoS ONE*, *9*(4), 1–9. <https://doi.org/10.1371/journal.pone.0093654>
- Johansson, S. M., Pratt, J. E., & Asiegbu, F. O. (2002). Treatment of Norway spruce and Scots pine stumps with urea against the root and butt rot fungus *Heterobasidion annosum* - Possible modes of action. *Forest Ecology and Management*, *157*, 87–100. [https://doi.org/10.1016/S0378-1127\(00\)00661-7](https://doi.org/10.1016/S0378-1127(00)00661-7)
- Kamal, M., Kanekaputra, T., Hermayani, R., & Utari, D. (2019). Pengaruh Distribusi Spasial Sampel Pemodelan terhadap Akurasi Estimasi Leaf Area Index (LAI) Mangrove. *Jurnal Penginderaan Jauh Dan Pengolahan Data Citra Digital*, *17*(2), 101–112. <http://dx.doi.org/10.30536/j.pjpdcd.2019.v16.a3069>
- Kamal, M., Phinn, S., & Johansen, K. (2016). Assessment of multi-resolution image data for mangrove leaf area index mapping. *Remote Sensing of Environment*, *176*, 242–254. <https://doi.org/10.1016/j.rse.2016.02.013>
- Karunarathna, S. C., Patabendige, N. M., Lu, W., Asad, S., & Hapuarachchi, K. K. (2024). An un-depth study of phytopathogenic *Ganoderma*: pathogenicity, advanced detection techniques, control strategies, and sustainable management. *Journal of Fungi*, *10*(6), 1–78. <https://doi.org/10.3390/jof10060414>
- Kaufman, Y. J., & Tanr, D. (1992). Atmospherically Resistant Vegetation Index (ARVI) for EOS-MODIS. *IEEE Transactions on Geoscience and Remote Sensing*, *30*(2), 261–270.
- Klein, A. G., & Isacks, B. L. (1999). Spectral mixture analysis of Landsat thematic mapper images applied to the detection of the transient snowline on tropical Andean glaciers. *Global and Planetary Change*, *22*, 139–154. [https://doi.org/10.1016/S0921-8181\(99\)00032-6](https://doi.org/10.1016/S0921-8181(99)00032-6)
- Kokaly, R. F., Despain, D. G., Clark, R. N., & Livo, K. E. (2003). Mapping vegetation in Yellowstone National Park using spectral feature analysis of AVIRIS data. *Remote Sensing of Environment*, *84*, 437–456.
- Kuang, J., Yu, L., Zhou, Q., Wu, D., Ren, L., & Luo, Y. (2024). Identification of Pine Wilt disease-infested stands based on single and multi-temporal medium-resolution satellite data. *Forests*, *15*, 1–14. <https://doi.org/10.3390/f15040596>
- Kumhar, K. C., Babu, A., & Bordoloi, M. (2021). A Preliminary study on the diversity of *Fusarium solani*, causing Dieback disease of tea (*Camellia* sp) and its alternate hosts. *Appli Microbiol Open Access*, *7*(7), 1–6.
- Li, H., Suk, W., & Wang, K. (2013). Spectral Mixture Analysis based Citrus Greening disease detection using satellite image of Florida. *2013 5th Workshop on Hyperspectral Image and Signal Processing: Evolution in Remote Sensing (WHISPERS)*, 1–4. <https://doi.org/10.1109/WHISPERS.2013.8080738>

- Li, L., Wu, D., Wang, T., & Wang, Y. (2022). Effect of topography on spatiotemporal patterns of soil moisture in a mountainous region of Northwest China. *Geoderma Regional*, 28, 1–9. <https://doi.org/10.1016/j.geodrs.2021.e00456>
- Li, M., & Yan, Y. (2024). Comparative analysis of machine-learning models for soil moisture estimation using high-resolution remote-sensing data. *Land*, 13(8), 1–24. <https://doi.org/10.3390/land13081331>
- Liberda-matyja, D., & Wrobel, T. P. (2024). New resolution independent approach to noise estimation in Minimum Noise Fraction denoising of tissues measured with Infrared Imaging. *Chemometrics and Intelligent Laboratory Systems*, 244, 105042. <https://doi.org/10.1016/j.chemolab.2023.105042>
- Lillesand, T. M., & Kiefer, R. W. (1999). *T M Lillesand - Remote Sensing and Image Interpretation Fourth Edition.pdf* (4th ed.). John Wiley & Sons, Inc.
- Lillesand, T. M., Kiefer, R. W., & Chipman, J. W. (2004). *Remote Sensing and Image Interpretation* (5th ed.). Jhon Willey & Son.
- Lillesand, T. M., Kiefer, R. W., & Chipman, J. W. (2015). *Remote Sensing and Image Interpretation* (7th ed.).
- Luo, G., Chen, G., Tian, L., Qin, K., & Qian, S. E. (2016). Minimum Noise Fraction versus Principal Component Analysis as a preprocessing step for hyperspectral imagery denoising. *Canadian Journal of Remote Sensing*, 42(2), 106–116. <https://doi.org/10.1080/07038992.2016.1160772>
- Luo, Y., Zhang, S., Hu, Q., Huang, F., Bao, D., Li, X., Dong, C., Zhu, S., Fu, J., & Yan, P. (2024). Long-term agricultural management alters soil fungal communities and soil carbon and nitrogen contents in tea plantations. *Agronomy*, 14, 1–17. <https://doi.org/10.3390/agronomy14122779>
- Mahadevan, N., Sinniah, G. D., Gunasekaram, P., & Karunajeewa, D. G. N. P. (2024). How tea plant defends against Blister Blight disease: Facts revealed and unexplored horizons. *Plant Disease Feaature*, 108(8), 2253–2263. <https://doi.org/10.1094/PDIS-10-23-2033-FE>
- Mahmood, T., Akhtar, N., & Khan, B. A. (2010). The morphology, characteristics, and medicinal properties of *Camellia sinensis*' tea. *Journal of Medicinal Plants Research*, 4(19), 2028–2033. <https://doi.org/10.5897/jmpr10.010>
- Maimaitiyiming, M., Ghulam, A., Bozzolo, A., Wilkins, J. L., & Kwasniewski, M. T. (2017). Early detection of plant physiological responses to different levels of water stress using reflectance spectroscopy. *Remote Sensing*, 9, 1–23. <https://doi.org/10.3390/rs9070745>
- Manumono, D., & Listiyani. (2023). Kajian perkembangan teh di Indonesia. *AGRIFITIA: Journal of Agribusiness Plantation*, 2(2), 133–146. <https://doi.org/10.55180/aft.v2i2.281>
- Marakarkandy, B., & Mishra, B. K. (2011). Issues in dimensionality reduction of multispectral and hyperspectral data. *International Journal of Computer Science and Information Technologies*, 2(5), 1847–1851.
- Matthias, B., & Martin, H. (2004). Mapping imperviousness using NDVI and linear

- spectral unmixing of ASTER data in the Cologne-Bonn region (Germany). *Proceedings of the SPIE 10th International Symposium on Remote Sensing*, 274–284. <https://doi.org/10.1117/12.510978>
- McCoy, R. M. (2005). *Field Methods in Remote Sensing*. The Guilford Press. [https://doi.wiley.com/10.1111/j.1541-0064.2006.00161\\_2.x](https://doi.wiley.com/10.1111/j.1541-0064.2006.00161_2.x)
- Medina, O., Manian, V., & Chinea, J. D. (2013). Biodiversity assessment using hierarchical agglomerative clustering and spectral unmixing over hyperspectral images. *Sensors (Switzerland)*, 13(10), 13949–13959. <https://doi.org/10.3390/s131013949>
- Meena, S. V., Dhaka, V. S., & Sinwar, D. (2020). Exploring the role of vegetation indices in plant diseases identification. *2020 6th International Conference on Parallel, Distributed and Grid Computing (PDGC)*, 372–377. <https://doi.org/10.1109/PDGC50313.2020.9315814>
- Merzlyak, M. N., Gitelson, A. A., Chivkunova, O. B., & Rakitin, V. Y. (1999). Non-destructive optical detection of pigment changes during leaf senescence and fruit ripening. *Physiologia Plantarum*, 106, 135–141.
- Miller, J. R., Hare, E. W., & Wu, J. (1990). Quantitative characterization of the vegetation red edge reflectance 1. An inverted-gaussian reflectance model. *International Journal of Remote Sensing*, 11(10), 1755–1773. <https://doi.org/10.1080/01431169008955128>
- Min, B. (2024). Identifying crop distress and stress-induced plant disease using hyperspectral image analysis. *Scalable Computing: Practice and Experience*, 25(6), 4518–4528. <https://doi.org/10.12694/scpe.v25i6.3258>
- Morang, P., Bhattacharjee, S., & Nath Doley, S. (2024). Stem and Root Diseases of Tea (*Camellia sinensis* (L.) O Kuntze) and their Control Measures with Special Reference to Assam, India: A Review. *Journal of Agricultural Research*, 9(4), 1–12. <https://doi.org/10.23880/oajar-16000381>
- Morang, P., Prava Devi, S., & Doley, S. N. (2023). Integrated approach to management of Brown Root Rot disease of tea (*Camellia sinensis* (L.) O.Kuntze). *Current Agriculture Research Journal*, 11(2), 468–483. <https://doi.org/10.12944/carj.11.2.09>
- Muningsih, R., Indradewa, D., & Sulistyaningsih, E. (2014). Karakter fisiologis dan hasil pucuk teh pada beberapa umur pangkas produksi dan tinggi tempat. *Ilmu Pertanian*, 17(1), 63-7725–7736.
- Nevalainen, O., Honkavaara, E., Tuominen, S., Viljanen, N., Hakala, T., Yu, X., Hyyppä, J., Saari, H., Pölönen, I., Imai, N. N., & Tommaselli, A. M. G. (2017). Individual tree detection and classification with UAV-Based photogrammetric point clouds and hyperspectral imaging. *Remote Sensing*, 9. <https://doi.org/10.3390/rs9030185>
- Niu, C., Phinn, S., & Roelfsema, C. (2021). Global sensitivity analysis for canopy reflectance and vegetation indices of mangroves. *Remote Sensing*, 13, 1–19. <https://doi.org/10.3390/rs13132617>
- Nkuna, B. L., Chirima, J. G., Newete, S. W., Nyamugama, A., & van der Walt, A. J. (2024). Developing models to detect maize diseases using spectral

- vegetation indices derived from spectral signatures. *Egyptian Journal of Remote Sensing and Space Science*, 27, 597–603. <https://doi.org/10.1016/j.ejrs.2024.07.005>
- Nusaibah, S. A., Latiffah, Z., & Hassaan, A. R. (2011). ITS-PCR-RFLP analysis of *Ganoderma* sp. infecting industrial crops. *Pertanika Journal of Tropical Agricultural Science*, 34(1), 83–91.
- Ochoa, F., Brodrick, P. G., Okin, G. S., Ben-dor, E., Meyer, T., Thompson, D. R., Green, R. O., Ochoa, F., Brodrick, P. G., Okin, G. S., & Ben-dor, E. (2024). *Optimal soil and vegetation cover estimation for global imaging spectroscopy using spectral mixture analysis*. 0–31.
- Odilbekov, F., Armoniené, R., Henriksson, T., & Chawade, A. (2018). Proximal phenotyping and machine learning methods to identify septoria tritici blotch disease symptoms in wheat. *Frontiers in Plant Science*, 9(May), 1–11. <https://doi.org/10.3389/fpls.2018.00685>
- Oerke, E.-C. (2020). Remote Sensing of Diseases. *Annual Review of Phytopathology*, 58, 225–252. <https://doi.org/10.1146/annurev-phyto-010820-012832>
- Pacheco, A., & McNairn, H. (2010). Remote Sensing of Environment Evaluating multispectral remote sensing and spectral unmixing analysis for crop residue mapping. *Remote Sensing of Environment*, 114(10), 2219–2228. <https://doi.org/10.1016/j.rse.2010.04.024>
- Pandey, A. K., Sinniah, G. D., Babu, A., & Tanti, A. (2021). How the global tea industry copes with fungal diseases - Challenges and opportunities. *Plant Disease Feature*, 105(7), 1868–1879. <https://doi.org/10.1094/PDIS-09-20-1945-FE>
- Pang, Y., Räsänen, A., Wolff, F., Tahvanainen, T., Männikkö, M., Aurela, M., Korpelainen, P., Kumpula, T., & Virtanen, T. (2024). Comparing multispectral and hyperspectral UAV data for detecting peatland vegetation patterns. *International Journal of Applied Earth Observation and Geoinformation*, 132, 1–12. <https://doi.org/10.1016/j.jag.2024.104043>
- Pengfei, L., Yongguang, H., Feng, J., & Sheng, W. (2018). Influence of sloping tea fields on soil moisture migration. *IFAC-PapersOnLine*, 51(17), 565–569. <https://doi.org/10.1016/j.ifacol.2018.08.143>
- Permatasari, G. W., Puspita, M., Kresnawaty, I., Mulyatni, A. S., Eris, D. D., Widiastuti, H., & Priyono. (2023). Validasi Marker infeksi dini *Ganoderma* pada kelapa sawit di tiga lokasi endemik *Ganoderma*. *Jurnal Penelitian Kelapa Sawit*, 31(1), 1–12.
- Peterson, L. E. (2023). Noise eigenspace projection for improving pattern classification accuracy and parsimony: Information-to-Noise Ratios (INRs). *IEEE Transactions on Antennas and Propagation*, 10(20), 1–6.
- Phan, P., Chen, N., Xu, L., & Chen, Z. (2020). Using multi-temporal MODIS NDVI data to monitor tea status and forecast yield: A Case study. *Remote Sensing*, 12, 1814. <https://doi.org/10.3390/rs12111814>
- Phinn, S., Stanford, M., Scarth, P., Murray, A. T., & Shyy, P. T. (2002). Monitoring

- the composition of urban environments based on the vegetation-impervious surface-soil (VIS) model by subpixel analysis techniques. *International Journal of Remote Sensing*, 23(20), 4131–4153. <https://doi.org/10.1080/01431160110114998>
- Pilli, S. K., Nallathambi, B., George, S. J., & Diwanji, V. (2015). EAGROBOT - A robot for early crop disease detection using image processing. *2nd International Conference on Electronics and Communication Systems, ICECS 2015*, 1684–1689. <https://doi.org/10.1109/ECS.2015.7124873>
- Planet Labs. (2023). Planet Imagery Product Specifications. In *Planet Labs Inc.* <https://www.planet.com/products/planet-imagery/>
- Plaza, A., & Chang, C.-I. (2008). Clusters versus FPGA for parallel processing of hyperspectral imagery. *The International Journal of High Performance Computing Applications*, 22(4), 366–385. <https://doi.org/10.1177/1094342007088376>
- Ploetz, R. C. (2015). Fusarium Wilt of Banana. *Phytopathology*, 105(12), 1513.
- Porter, D. L., Hotz, E. C., Uehling, J. K., & Naleway, S. E. (2023). A review of the material and mechanical properties of select Ganoderma fungi structures as a source for bioinspiration. *Journal of Materials Science*, 58(8), 3401–3420. <https://doi.org/10.1007/s10853-023-08214-y>
- Purhartanto, L. N., Danoedoro, P., & Wicaksono, P. (2019). Kajian transformasi indeks vegetasi citra satelit Sentinel-2A untuk estimasi produksi daun kayu putih menggunakan Linear Spectral Mixture Analysis. *Jurnal Nasional Teknologi Terapan (JNTT)*, 3(1), 47–70. <https://doi.org/10.22146/jntt.56618>
- Ray, T. W. (1995). *Remote Monitoring of Land Degradation in Arid/Semiarid Regions*. California Institute of Technology.
- Raza, M. M., Harding, C., Liebman, M., & Leandro, L. F. (2020). Exploring the potential of high-resolution satellite imagery for the detection of Soybean Sudden Death Syndrome. *Remote Sensing*, 12, 1–20. <https://doi.org/10.3390/rs12071213>
- Razali, S. M., Nuruddin, A. A., & Lion, M. (2019). Mangrove vegetation health assessment based on remote sensing indices for Tanjung Piai, Malay Peninsular. *Journal of Landscape Ecology(Czech Republic)*, 12(2), 26–40. <https://doi.org/10.2478/jlecol-2019-0008>
- Redfern, D. B., Pratt, J. E., Hendry, S. J., & Low, J. D. (2010). Development of a policy and strategy for controlling infection by *Heterobasidion annosum* in British forests: A review of supporting research. *Forestry*, 83(2), 207–218. <https://doi.org/10.1093/forestry/cpq005>
- Ristaino, J. B., & Gumpertz, M. L. (2000). New frontiers in the study of dispersal and spatial analysis of epidemics caused by species in the genus *Phytophthora*. *Annual Review of Phytopathology*, 38, 541–575.
- Rivard, B., Rogge, D. M., Feng, J., & Zhang, J. (2009). Spatial constraints on endmember extraction and optimization of per-pixel endmember sets for spectral unmixing. *WHISPERS '09 - 1st Workshop on Hyperspectral Image and Signal Processing: Evolution in Remote Sensing*, 1–4.

<https://doi.org/10.1109/WHISPERS.2009.5289088>

- Roberts, D. A., Gardner, M., Church, R., Ustin, S., Scheer, G., & Green, R. O. (1998). Mapping chaparral in the Santa Monica Mountains using multiple endmember spectral mixture models. *Remote Sensing of Environment*, 65(3), 267–279. [https://doi.org/10.1016/S0034-4257\(98\)00037-6](https://doi.org/10.1016/S0034-4257(98)00037-6)
- Roberts, D. A., Smith, M. O., & Adams, J. B. (1993). Green vegetation, nonphotosynthetic vegetation, and soils in AVIRIS data. *Remote Sensing of Environment*, 44(2–3), 255–269. [https://doi.org/10.1016/0034-4257\(93\)90020-X](https://doi.org/10.1016/0034-4257(93)90020-X)
- Rock, B. N., Hoshizaki, T., & Miller, J. R. (1988). Comparison of in situ and airborne spectral measurements of the blue shift associated with forest decline. *Remote Sensing of Environment*, 24, 109–127. [https://doi.org/10.1016/0034-4257\(88\)90008-9](https://doi.org/10.1016/0034-4257(88)90008-9)
- Rondeaux, G., Steven, M., & Baret, F. (1996). Optimization of soil-adjusted vegetation indices. *Remote Sensing of Environment*, 55, 95–107. [https://doi.org/10.1016/0034-4257\(95\)00186-7](https://doi.org/10.1016/0034-4257(95)00186-7)
- Rouse, J. W., Haas, R. H., Schell, J. A., & Deering, D. W. (1974). Monitoring vegetation systems in the great plains with ERTS. *NASA Spéc. Publ.*, 351, 309.
- Ruan, C., Dong, Y., Huang, W., Huang, L., Ye, H., Ma, H., Guo, A., & Ren, Y. (2021). Prediction of Wheat Stripe Rust occurrence with time series Sentinel-2 images. *Agriculture*, 11, 1079. <https://www.mdpi.com/journal/agriculture>
- Sankey, T., Donager, J., McVay, J., & Sankey, J. B. (2017). UAV lidar and hyperspectral fusion for forest monitoring in the southwestern USA. *Remote Sensing of Environment*, 195, 30–43. <https://doi.org/10.1016/j.rse.2017.04.007>
- Sankey, T. T., McVay, J., Swetnam, T. L., McClaran, M. P., Heilman, P., & Nichols, M. (2018). UAV hyperspectral and lidar data and their fusion for arid and semi-arid land vegetation monitoring. *Remote Sensing in Ecology and Conservation*, 4(1), 20–33. <https://doi.org/10.1002/rse2.44>
- Santiago, K. A. A., Wong, W. C., Goh, Y. K., Tey, S. H., & Ting, A. S. Y. (2023). Metabolomics approach in identifying biomarkers from pathogenic *Ganoderma boninense* involved in early interactions with oil palm host. *Physiological and Molecular Plant Pathology*, 125. <https://doi.org/10.1016/j.pmpp.2023.101980>
- Santoso, H., Tani, H., & Wang, X. (2017). Random Forest classification model of Basal Stem Rot disease caused by *Ganoderma boninense* in oil palm plantations. *International Journal of Remote Sensing*, 38(16), 4683–4699. <https://doi.org/10.1080/01431161.2017.1331474>
- Schowengerdt, R. A. (2007). Remote sensing: Models and methods for image processing: Third edition. In *Remote Sensing: Models and Methods for Image Processing: Second Edition* (3rd ed.). <https://doi.org/10.1016/C2009-0-21902-7>
- Settle, J. J., & Drake, N. A. (1993). Linear mixing and the estimation of ground cover proportions. *International Journal of Remote Sensing*, 14(6), 1159–

1177. <https://doi.org/10.1080/01431169308904402>

- Shahriar, S. A., & Mohd, M. H. (2024). Characterization and pathogenicity of *Colletotrichum camelliae* causing brown blight disease of tea (*Camellia sinensis*) in Malaysia. *Canadian Journal of Plant Pathology*, 46(4), 342–355. <https://doi.org/10.1080/07060661.2024.2334371>
- Shi, Y., Huang, W., Ye, H., Ruan, C., Xing, N., Geng, Y., Dong, Y., & Peng, D. (2018). Partial Least Square Discriminant analysis based on normalized two-stage vegetation indices for mapping damage from rice diseases using PlanetScope datasets. *Sensors*, 18, 1–16. <https://doi.org/10.3390/s18061901>
- Siahaan, A. J., & Sitorus, B. (2024). The influence of climate elements on tea plant produktivity (*Camellia sinensis* L.) at Bah Butong Plantation PTPN IV 2005-2009. *Jurnal Online Pertanian Tropik*, 11(01), 1–8.
- Singh, R., & Kumar, V. (2023). Evaluating automated endmember extraction for classifying hyperspectral data and deriving spectral parameters for monitoring forest vegetation health. *Environmental Monitoring and Assessment*, 195(1). <https://doi.org/10.1007/s10661-022-10576-w>
- Sivakumar, V. L., Ramkumar, K., Vidhya, K., Gobinathan, B., & Gietahun, Y. W. (2022). A Comparative analysis of methods of endmember selection for use in subpixel classification: A Convex hull approach. *Computational Intelligence and Neuroscience*, 1–9.
- Smith, K. L., Steven, M. D., & Colls, J. J. (2004). Use of hyperspectral derivative ratios in the red-edge region to identify plant stress responses to gas leaks. *Remote Sensing of Environment*, 92, 207–217. <https://doi.org/10.1016/j.rse.2004.06.002>
- Smith, R. B. (2012). *Introduction to Remote Sensing of Environment (RSE)*.
- Soltanikazemi, M., Minaei, S., & Shafizadeh-moghadam, H. (2022). Field-scale estimation of sugarcane leaf nitrogen content using vegetation indices and spectral bands of Sentinel-2 : Application of random forest and support vector regression. *Computers and Electronics in Agriculture*, 200. <https://doi.org/10.1016/j.compag.2022.107130>
- Somers, B., Asner, G. P., Tits, L., & Coppin, P. (2011). Endmember variability in Spectral Mixture Analysis: A review. *Remote Sensing of Environment*, 115(7), 1603–1616. <https://doi.org/10.1016/j.rse.2011.03.003>
- Stagakis, S., Vanikiotis, T., & Sykioti, O. (2016). Estimating forest species abundance through linear unmixing of CHRIS/PROBA imagery. *ISPRS Journal of Photogrammetry and Remote Sensing*, 119, 79–89. <https://doi.org/10.1016/j.isprsjprs.2016.05.013>
- Sun, Y., Qin, Q., Zhang, Y., Ren, H., Han, G., Zhang, Z., Zhang, T., & Wang, B. (2025). A leaf chlorophyll vegetation index with reduced LAI effect based on Sentinel-2 multispectral red-edge information. *Computers and Electronics in Agriculture*, 236, 1–15. <https://doi.org/10.1016/j.compag.2025.110500>
- Tang, J., Wang, L., & Myint, S. W. (2007). Improving urban classification through fuzzy supervised classification and spectral mixture analysis. *International Journal of Remote Sensing*, 28(18), 4047–4063.

<https://doi.org/10.1080/01431160701227687>

- Tarr, S. A. J. (1972). Principles of Plant Pathology. In *The Macmillan Press* (1st ed.). The Macmillan Press.
- Thenkabail, P. S., Smith, R. B., & Pauw, E. De. (2000). Hyperspectral vegetation indices and their relationships with agricultural crop characteristics. *Remote Sensing of Environment*, *71*, 158–182.
- Thor, M. (2005). Heterobasidion Root Rot in Norway Spruce. *Scandinavian Journal of Forest Research*, *20*, 154–164. <http://urn.kb.se/resolve?urn=urn:nbn:se:slu:epsilon-479>
- Tokuda, S., Ota, Y., Hattori, T., Shoda-Kagaya, E., & Sotome, K. (2011). The distribution of closely related large genets of *Heterobasidion parviporum* in a Todo fir (*Abies sachalinensis*) stand in Hokkaido, Japan. *Forest Pathology*, *41*, 482–492. <https://doi.org/10.1111/j.1439-0329.2010.00708.x>
- Tong, X., Liu, T., Singh, V. P., Duan, L., & Long, D. (2016). Development of in situ experiments for evaluation of anisotropic reflectance effect on spectral mixture analysis for vegetation cover. *IEEE Geoscience and Remote Sensing Letters*, *13*(5), 636–640. <https://doi.org/10.1109/LGRS.2016.2531743>
- Ustin, S. L., Roberts, D. A., Gamon, J. A., Asner, G. P., & Green, R. O. (2004). Using Imaging Spectroscopy to Study Ecosystem Processes and Properties. *BioScience*, *54*(6), 523–534.
- Van Der Meer, F., & De Jong, S. M. (2000). Improving the results of spectral unmixing of Landsat Thematic Mapper imagery by enhancing the orthogonality of end-members. *International Journal of Remote Sensing*, *21*(15), 2781–2797. <https://doi.org/10.1080/01431160050121249>
- Varese, G. C., Gonthier, P., & Nicolotti, G. (2017). Long-term effects on other fungi are studied in biological and chemical stump treatments in the fight against *Heterobasidion annosum* coll. *Mycologia*, *95*(3), 379–387. <https://doi.org/10.1080/15572536.2004.11833082>
- Venbrux, M., Crauwels, S., & Rediers, H. (2023). Current and emerging trends in techniques for plant pathogen detection. *Frontiers in Plant Science*, *14*, 1–25. <https://doi.org/10.3389/fpls.2023.1120968>
- Vohland, M., Stoffels, J., Hau, C., & Schüller, G. (2007). Remote sensing techniques for forest parameter assessment: Multispectral classification and linear spectral mixture analysis. *Silva Fennica*, *41*(3), 441–456. <https://doi.org/10.14214/sf.471>
- Wan, L., Li, H., Li, C., Wang, A., & Yang, Y. (2022). Hyperspectral sensing of plant diseases: Principle and methods. *Agronomy*, *12*, 1–19. <https://doi.org/doi.org/10.3390/agronomy12061451>
- Wang, H., Yu, G., Cheng, J., Zhang, Z., Wang, X., & Xu, Y. (2024). Fast hyperspectral image classification with strong Noise robustness based on Minimum Noise Fraction. *Remote Sensing*, *16*(20), 1–17. <https://doi.org/10.3390/rs16203782>
- Wang, Y., Xiong, F., Lu, Q., Hao, X., Zheng, M., Wang, L., Li, N., Ding, C., Wang,

- X., & Yang, Y. (2019). Diversity of Pestalotiopsis-like species causing Gray Blight disease of tea plants (*Camellia sinensis*) in China, including two Novel Pestalotiopsis species, and analysis of their pathogenicity. *Plant Disease*, 103(10), 2548–2558. <https://doi.org/10.1094/PDIS-02-19-0264-RE>
- Weng, F., & Pu, R. (2013). Mapping and assessing of urban impervious areas using multiple endmember spectral mixture analysis: A case study in the city of Tampa, Florida. *Geocarto International*, 28(7), 594–615. <https://doi.org/10.1080/10106049.2013.764355>
- Weng, Q. (2010). *Remote Sensing and GIS Integration; Theories, Methods, and Applications*. McGraw-Hill.
- Wikantika, K., Ghazali, M. F., Dwivany, F. M., Susantoro, T. M., Yayusman, L. F., Sunarwati, D., & Sutanto, A. (2023). A Study on the distribution pattern of Banana Blood Disease (BBD) and Fusarium Wilt using multispectral aerial photos and a handheld spectrometer in Subang, Indonesia. *Diversity*, 15, 1–19. <https://doi.org/10.3390/d15101046>
- Wilson, K. C., & Clifford, M. N. (1992). TEA; Cultivation to Consumption. In 1st (Ed.), *Chapman & Hall*. Chapman & Hall. <https://doi.org/10.1007/978-94-011-2326-6>
- Wójtowicz, A., Piekarczyk, J., Czernecki, B., & Ratajkiewicz, H. (2021). A random forest model for the classification of wheat and rye leaf rust symptoms based on pure spectra at leaf scale. *Journal of Photochemistry and Photobiology B: Biology*, 223. <https://doi.org/10.1016/j.jphotobiol.2021.112278>
- Wu, C., & Chang, C. (2009). Causal Pixel Purity Index (PPI). *Proc.SPIE*, 7334, 1–13. <https://doi.org/10.1117/12.818369>
- Wu, C., & Murray, A. T. (2003). Estimating impervious surface distribution by spectral mixture analysis. *Remote Sensing of Environment*, 84, 493–505.
- Xue, D., Yao, H., & Huang, C. (2006). Microbial biomass, N mineralization and nitrification, enzyme activities, and microbial community diversity in tea orchard soils. *Plant and Soil*, 288(1–2), 319–331. <https://doi.org/10.1007/s11104-006-9123-2>
- Yan, K., Gao, S., Yan, G., Ma, X., Chen, X., Zhu, P., Li, J., Gao, S., Gastellu-Etchegorry, J. P., Myneni, R. B., & Wang, Q. (2025). A global systematic review of the remote sensing vegetation indices. *International Journal of Applied Earth Observation and Geoinformation*, 139, 1–19. <https://doi.org/10.1016/j.jag.2025.104560>
- Yuan, L., Yan, P., Han, W., Huang, Y., Wang, B., Zhang, J., Zhang, H., & Bao, Z. (2019). Detection of anthracnose in tea plants based on hyperspectral imaging. *Computers and Electronics in Agriculture*, 167(October), 105039. <https://doi.org/10.1016/j.compag.2019.105039>
- Yuan, L., Zhang, J., Shi, Y., Nie, C., Wei, L., & Wang, J. (2014). Damage mapping of powdery mildew in winter wheat with high-resolution satellite image. *Remote Sensing*, 6, 3611–3623. <https://doi.org/10.3390/rs6053611>
- Yuniasih, B., & Adji, A. R. P. (2022). Evaluasi kondisi kebun kelapa sawit menggunakan indeks NDVI dari citra satelit Sentinel 2. *Jurnal Teknotan*,

16(2), 127–132. <https://doi.org/10.24198/jt.vol16n2.10>

- Zeng, Y., Hao, D., Huete, A., Dechant, B., Berry, J., Chen, J. M., Joiner, J., Frankenberg, C., Bond-Lamberty, B., Ryu, Y., Xiao, J., Asrar, G. R., & Chen, M. (2022). Optical vegetation indices for monitoring terrestrial ecosystems globally. *Nature Reviews Earth and Environment*, 3(7), 477–493. <https://doi.org/10.1038/s43017-022-00298-5>
- Zeniusa, P., & Ramadhian, M. R. (2017). Efektifitas ekstrak etanol teh hijau dalam menghambat pertumbuhan *Escherichia coli*. *Jurnal Majority*, 7(1), 26–30.
- Zhang, C., Ma, L., Chen, J., Rao, Y., Zhou, Y., & Chen, X. (2019). Assessing the impact of endmember variability on linear Spectral Mixture Analysis (LSMA): A theoretical and simulation analysis. *Remote Sensing of Environment*, 235, 1–21. <https://doi.org/10.1016/j.rse.2019.111471>
- Zhang, J., Cheng, J., Liu, C., Wu, Q., Xiong, S., Yang, H., Chang, S., Fu, Y., Yang, M., Zhang, S., Yang, G., & Ma, X. (2024). Enhanced Crop Leaf Area Index Estimation via Random Forest Regression: Bayesian Optimization and Feature Selection Approach. *Remote Sensing*, 16, 1–21. <https://doi.org/10.3390/rs16213917>
- Zhang, J., Huang, Y., Pu, R., Gonzalez-Moreno, P., Yuan, L., Wu, K., & Huang, W. (2019). Monitoring plant diseases and pests through remote sensing technology: A review. *Computers and Electronics in Agriculture*, 165. <https://doi.org/10.1016/j.compag.2019.104943>
- Zhang, J., Pu, R., Yuan, L., Wang, J., Huang, W., & Yang, G. (2014). Monitoring powdery mildew of winter wheat by using moderate resolution multi-temporal satellite imagery. *PLoS ONE*, 9(4). <https://doi.org/10.1371/journal.pone.0093107>
- Zhang, J., Yuan, L., Wang, J., Juhua, L. U., Shizoun, D. U., & Huang, W. (2012). Research progress in remote sensing monitoring of crop pests and diseases. *Journal of Agricultural Engineering*, 28(20), 1–11.
- Zhang, L., Ho, C. T., Zhou, J., Santos, J. S., Armstrong, L., & Granato, D. (2019). Chemistry and biological activities of processed *Camellia sinensis* teas: A Comprehensive review. *Comprehensive Reviews in Food Science and Food Safety*, 1–22. <https://doi.org/10.1111/1541-4337.12479>
- Zhang, L., Li, D., Tong, Q., & Zheng, L. (1998). Study of the spectral mixture model of soil and vegetation in PoYang Lake area, China. *International Journal of Remote Sensing*, 19(11), 2077–2084. <https://doi.org/10.1080/014311698214875>
- Zhang, M., Qin, Z., & Liu, X. (2005). Remote sensed spectral imagery to detect late blight in field tomatoes. *Precision Agriculture*, 6, 489–508. <https://doi.org/10.1007/s11119-005-5640-x>
- Zhang, S., Li, X., Ba, Y., Lyu, X., Zhang, M., & Li, M. (2022). Banana Fusarium Wilt disease detection by supervised and unsupervised methods from UAV-based multispectral imagery. *Remote Sensing*, 14, 1–27.
- Zheng, Q., Huang, W., Cui, X., Dong, Y., Shi, Y., Ma, H., & Liu, L. (2019). Identification of wheat yellow rust using optimal three-band spectral indices

in different growth stages. *Sensors*, 19, 1–19.  
<https://doi.org/10.3390/s19010035>

Zheng, Q., Huang, W., Cui, X., Shi, Y., & Liu, L. (2018). New spectral index for detecting wheat yellow rust using sentinel-2 multispectral imagery. *Sensors*, 18(3), 1–19. <https://doi.org/10.3390/s18030868>

Zheng, Z., Cen, R., Trac, H., & Miralda-Escudé, J. (2010). Radiative transfer modeling of Ly $\alpha$  emitters. I. Statistics of spectra and luminosity. In *Astrophysical Journal* (Vol. 716, Issue 1, pp. 574–598). <https://doi.org/10.1088/0004-637X/716/1/574>

Zhou, X., Guan, H., Xie, H., & Wilson, J. L. (2009). Analysis and optimization of NDVI definitions and areal fraction models in remote sensing of vegetation. *International Journal of Remote Sensing*, 30(3), 721–751. <https://doi.org/10.1080/01431160802392620>