

DAFTAR PUSTAKA

- Alexandra, S., Anggraini, W., Sulistyowati, I., dan Ariyani, A.P. (2023) Lengkung Senyum dan Tampilan Gingiva Pada Senyum. *Jurnal Kedokteran Gigi Terpadu*. 5(1):82-86.
- Andrade, N.N., Mathai, P., dan Aggarwal, N. (2021) Facial Asymmetry. In Bonanthaya, K., Panneerselvam, E., Manuel, S., Kumar, V.V., Rai, A (Eds.) *Oral and Maxillofacial Surgery for the Clinician*, 1st ed. Springer. hal 1549-1576.
- Arslan SS, Inal O, Demir N, Olmez MS, Karaduman AA. (2017). Chewing side preference is associated with hemispheric laterality in healthy adults. *Somatosens Mot Res*. 34(2):92-5. doi:10.1080/08990220.2017.1343021.
- Azizzadeh, B., Murphy, M., dan Johnson, C., (2018) *Master Techniques in Facial Rejuvenation*. Canada: Elsevier. hal. 19.
- Baek, C., Paeng, J., Lee, J.S., dan Hong, J., (2012) Morphologic evaluation and classification of facial asymmetry using 3-dimensional computed tomography. *J Oral Maxillofac surg*. 70(5): 1161-9.
- Bakke M, Michler L.,(1991) Temporalis and masseter muscle activity in patients with anterior open bite and craniomandibular disorders. *Scand J Dent Res*. 99(3):219–228. <https://doi:10.1111/j.1600-0722.1991.tb01888.x>.
- Balcioglu H. A., Uyanikgil Y., Yuruker S., Tuna H. S., dan Karacayli, U., (2009) ‘Volumetric assessment of lateral pterygoid muscle in unilateral chewing: a stereologic study’. *J Craniofac Surg*. 20(5): 1364- 6.
- Basit, H., Tariq, M.A., Siccardi, M.A., (2023) *Anatomy, Head and Neck, Mastication Muscles*. Treasure Island: StatPearls Publishing. <https://www.ncbi.nlm.nih.gov/books/NBK541027/> (05/01/2025).
- Batubara, Jose R. L. (2010). *Adolescent Development (Perkembangan Remaja)*. Sari Pediatri, 12(1):1-9.
- Biswas, D., Szocs, C., Krishna, A., dan Lehmann, D., (2014) Something to chew on: the effects of oral haptics on mastication, orosensory perception, and calorie estimation. *J Consum Res*. 41(2):261-273.
- Bramantoro, T., Irmalia, W.R., Santoso, C.M.A., Nor, N.A.M., Utomo, H., Ramadhani, A., Kristanti, R.A., dan Nugraha, A.P., (2023) The effect of caries on the chewing ability of children: a scoping review. *Eur J Dent*. 17(4):1012-1019.
- Buvinic S, Balanta-Melo J, Kupczik K, Vásquez W, Beato C, Toro-Ibacache V. (2021). Muscle-bone crosstalk in the masticatory system: From

- biomechanical to molecular interactions. *Front Endocrinol (Lausanne)*. 11:606947. doi:10.3389/fendo.2020.606947.
- Carlson, D.S., (2015) Evolving concepts of heredity and genetics in orthodontics. *Am. J. Orthod. Dentofac. Orthop.* 148: 922–938.
- Chan, H.J., Woods, M., dan Stella, D., (2008) Mandibular muscle morphology in children with different vertical facial patterns: a 3-dimensional computed tomography study. *Am J Orthod Dentofac Orthop.* 133: 10.e1-10.e13.
- Cheong Y.W., dan Lo L.J., (2011) ‘Facial asymmetry: Etiology, evaluation, and management. *Chang Gung Med J.* 34(4):341–51.
- Djordjevic, J., Toma, A. M., Zhurov, A. I., Richmond, S., & Rosin, P. L. (2011). Three-dimensional analysis of facial asymmetry in adolescents. *Eur J Orthod.*35(2), 236–243.
- Filligim, R.B., (2017) Individual differences in pain: understanding the mosaic that makes pain personal. *Pain.* 1(1):S11-S18.
- Goenharto, dan Sianiwati., (2016) Intra Dan Extra-Oral Fotografi Untuk Rekaman Orthodontic. *Rec Libr J.* 2(2):152-161.
- Hamilah, D.K. (2008) *Tumbuh Kembang Kraniodentofasial*. Jakarta: FKG Trisakti. pp. 16-45.
- Haraguchi S, Takada K, Yasuda Y. Facial asymmetry in subjects with skeletal Class III deformity. (2008) *Angle Orthod.* 72(1):28–35. [https://doi:10.1043/0003-3219\(2002\)072<0028:FAISWS>2.0.CO;2](https://doi:10.1043/0003-3219(2002)072<0028:FAISWS>2.0.CO;2).
- Haralur, S.B., Majeed, M.I., Chaturvedi, S., Alqahtani, N.M., Alfarsi, M., (2019) Association between preferred chewing side and dynamic occlusion parameters. *Int J Med Res.* 47(5):1908-1915.
- Harnádková K, Kočandrlová K, Kožejová Jaklová L, Dupej J, Velemínská J., (2023) The effect of sex and age on facial shape directional asymmetry in adults: a 3D landmarks-based method study. *PLoS One.* 18(8):e0288702. <https://doi:10.1371/journal.pone.0288702>.
- Heikkinen, E.V., Vuollo, V., Heikkinen, T., dan Harila, V., (2024) Chewing Side Preference, Facial Asymmetry and Related Factors in the Northern Finland Birth Cohort 1986. *Acta Odontol Scand.*83(1): 500–506.
- Hidaka, N., Kurose, S., Takao, N., Miyauchi, T., Nakajima, S., Yoshiuchi, S., Fujii, A., Takahashi, K., Tsutsumi, H., Habu, D., dan Taniguchi, K., (2022) Masticatory behaviors and gender differences in people with obesity as measured via an earphone-style light-sensor-based mastication meter. *Nutrients.* 14(14):2990.
- Huang CS, Liu XQ, Chen YR, et al., ((2013)Facial asymmetry index in normal young adults. *J Oral Rehabil.* 40(7):97–104.

- Hwang, H.S., (2007) *A new classification of facial asymmetry*. In: McNamara JA, editor. *Early Orthodontic treatment: Is the Benefit Worth the Burden* Ann Arbor: University of Michigan. pp. 269–294.
- Ishii M, Deguchi T, Hunt NP., (2009) Morphological differences in the faces of Japanese and British Caucasian female adults with a skeletal Class III malocclusion. *Eur J Orthod.* 31(5):493–499. <https://doi:10.1093/ejo/cjp02>.
- Jafri, Z., Ahmad, N., Sawai, M., Sultan, N., dan Bhardwaj, A., (2020) Digital Smile Design-An innovative tool in aesthetic dentistry. *J Oral Biol Craniofac Resh.* 10(1):194-198.
- Jiang, H., Liu, H., Liu, G., Jin, Z., Wang, L., Ma, J., dan Li, H., (2015) Analysis of brain activity involved in chewing-side preference during chewing: an fMRI study. *J Oral Rehabil.* 42:27-33.
- Kamble, R. H., Thetay, A., Hazarey, P., Mundada, R., dan Gupta, M., (2011) ‘Assessment and Comparison of Facial Asymmetry by Photographic and Radiographic Measurements: Using Visual Studio 2005 Software and Posteroanterior Cephalogram’. *J Indian Acad Oral Med Radiology.* 23(4): 527-530.
- Katsumata A, dkk., (2005) 3D evaluation of facial asymmetry in individuals with unilateral chewing habit. *Am J Orthod Dentofacial Orthop.* 128(3):324–330. <https://doi:10.1016/j.ajodo.2004.03.041>.
- Kaya, K.S., Turk, B., Cankaya, M., Seyhun, N., dan Coskun, B.U., (2019) Assessment of facial analysis measurements by golden proportion. *Brazilian Journal of Otorhinolaryngology.* 85(2):494-501.
- Kertiasih, N.L.P., dan Artawa, I.M.B ., (2015) The function of saliva in caries prevention. *Jurnal Kesehatan Gigi.* 3(1): 56-60.
- Ko, E.W., Huang, C.S., dan Chen, Y.R., (2009) Characteristics and corrective outcome of face asymmetry by orthognathic surgery. *J Oral Maxillofac Surg.* 67(1):2201–2209.
- Krimmel, M., Godt, A., dan Reinert, S., (2007) Mandibular asymmetry after lesion of the trigeminal motor nucleus: A case report. *J Oral Maxillofac Surg.* 65(1):131.
- Le Reverend, B.J.D., Edelson, L.R., dan Loret, C., (2014) Anatomical, functional, physiological and behavioural aspects of the development of mastication in early childhood. *Be J Nutr.* 111(1): 403-414.
- Lee, Y.R., Choi, J.S., dan Kim, H.E., (2018) Unilateral chewing as a risk factor for hearing loss: association between chewing habits and hearing acuity. *Tohoku J Exp Med.* 246(1): 45-50.
- Lucena C.V., dan Silva H. J., (2011) Mastication: physiology and development aspects. *Neurobiologia.* 74(1):139–43.

- Mahendra, P.K., Wulandari, V.L., dan Makmur, S.A., (2024) Pengaruh tingkat keparahan karies terhadap kebiasaan mengunyah satu sisi pada anak usia 12-14 tahun. *e-GiGi*. 13(1):22-26.
- Malkoc S, Demir A, Uysal T., (2009) Angular photogrammetric analysis of the soft tissue facial profile of Turkish adults. *Eur J Orthod*. 31(2):174–179. <https://doi:10.1093/ejo/cjn086>.
- Marhamah, Horax, S., Fajriani, Reuwpassa, I., Habar, E., dan Rachmatiara, S., (2024) Craniofacial growth and development. *Makassar Dental Journal*. 13(1): 122-126.
- Martins, F.L., Inete, M.B., Souza, Y.D., Costa, R.L., Gabbay, R.D., Moraes, T.M., Costa, V.V., Paracampo, C.C., Albuquerque, L.C., dan Gomes, D.L., (2024) Association between Self-Perception of Chewing, Chewing Behavior, and the Presence of Gastrointestinal Symptoms in Candidates for Bariatric Surgery. *Nutrients*. 16(8):1096.
- Masturoh, I., dan Anggita, N., (2018). *Metodologi Penelitian Kesehatan*. Jakarta: Kementerian Kesehatan Republik Indonesia. pp. 129.
- McDonnell, S.T., Hector, M.P. and Hannigan, A., (2004) Chewing side preferences in children. *J Oral Rehabil*. 31(9): 855-860.
- Meiyappan, N., Tamizharasi, S., Senthilkumar, K. P., dan Janardhanan, K., (2015) Natural head position: An overview. *Journal of pharmacy & bioallied sciences*. 7(Suppl 2): S424–S427.
- Menezes, M., Rosati, R., Allievi, C., Sforza, C., (2009) A Photographic System for the Three-Dimensional Study of Facial Morphology. *Angle Orthod*. 79(6):1070-1077.
- Nakata Y, dkk., (2007) Electromyographic analysis of masseter muscle activity in unilateral mastication. *J Oral Rehabil*. 34(8):590–596. <https://doi:10.1111/j.1365-2842.2007.01752.x>.
- Nakamura, T., Okamoto, K., & Maruyama, T. (2001). Facial asymmetry in patients with cervicobrachial pain and headache. *J Oral Rehabil*, 28(11), 1009–1014.
- Nayak, U.A., Sharma, R., Kashyap, N., Prajapati, D., Kappadi, D., Wadhwa, S., Gandotra, S. and Yadav, P., (2016) Association between chewing side preference and dental caries among deciduous, mixed and permanent dentition. *J Clin Diagn Res*. 10(9): ZC05.
- Okeson, J.P., (2019) *Management of Temporomandibular Disorders and Occlusion*. 8th ed. St.Louis: Elsevier Publishing. pp. 12-17.
- Padmaja, B.I., Neeharika, S., Bindu, G.H., Babu, N.S., dan Madhulika, S.D., (2018) Predilection of chewing side preferences and clinical assessment of its impact on temporomandibular joint. *J Dent Allied Sci*. 7(2): 65-9.

- Papel, I. D., Frodel, J.L., Holt, G.R., Larrabee, W.F., Nachlas, N.E., Park, S.S., Sykes, J.M., dan Toriumi, D.M., (2009) *Principles of Facial Plastic and Reconstructive Surgery*. 3rd ed. New York: Thieme. pp. 65.
- Park, S., Shin, W.S. (2015) Differences in eating behaviors and masticatory performances by gender and obesity status. *Physiol Behav*. 138:69-74.
- Pawinru, A. S., Budiawan, U. P. (2024). Gambaran dan prevalensi asimetris wajah serta kemungkinan etiologinya pada mahasiswa preklinik Fakultas Kedokteran Gigi Universitas Hasanuddin. *Makassar Dental Journal*, 13(2):327–329.
- Peck S, Peck L, Kataja M., (1991) Skeletal asymmetry in the craniofacial complex. *Angle Orthod*. 61(4):273–284.
- Prendergast, P.M., (2011) Facial Proportions. In Erian, A., Shiffman, M.A. (Eds.) *Advanced Surgical Facial Rejuvenation* (1st ed., pg 15-22). Springer.
- Proffit, W.R., Fields, W.H., Larson, B.E., dan Sarver, D.M., (2019) *Contemporary Orthodontics*. 6th ed. Philadelphia: Elsevier. Pp. 124-138.
- Rahardjo, P. ,(2016) *Orthodonti Dasar*. 2th ed. Surabaya: Airlangga University Press. Hal. 43-49
- Rahmadanti, B., Rachmawati, Y. L., Damaryanti, E., dan Kurniawati, S., (2021) Dampak Mengunyah Satu Sisi Terhadap Asimetri Wajah: Tinjauan Literatur. *Sinnun Maxillofac J*. 3(02):17-26.
- Rahmawati, A.D., Sutardjo, I., dan Utomo, R.B., (2012) Relation of The Anteroposterior and Vertical Facial Growth on Javanese School Age Children With Good Nutritional Status, Yogyakarta: Tesis Fakultas Kedokteran Gigi.
- Reena, M., (2015) Psychological changes during puberty-adolescent school girls. *Universal Journal of Psychology*. 3(3):65-68.
- Saleh, A.A., (2018) *Pengantar Psikologi*. Makassar: Penerbit Aksara Timur. Hal. 80-81.
- Santana-Mora, U., López-Cedrún, J., Suárez-Quintanilla, J., Varela-Centelles, P., Mora, M.J., Da Silva, J.L., Figueiredo-Costa, F., Santana-Penín,U., (2021) Asymmetry of dental or joint anatomy or impaired chewing function contribute to chronic temporomandibular joint disorders. *Annals of Anatomy - Anatomischer Anzeiger*. 238(1): 151793.
- Sari AR, Yuniarti, Rathomi H.S.,2016, ‘Kebiasaan mengunyah satu sisi terhadap oral hygiene index-simplified (ohi-s) pada anak-anak’, Prosiding Pendidikan Dokter, 3(2): 425-30
- Sherwood, L., (2014) *Fisiologi Manusia Dari Sel ke Sistem*. 8th ed. Jakarta: Penerbit Buku Kedokteran EGC. pp. 303.

- Shokry SM, Salam ZA, Ahmed AWS, Ali EI. Task dependent muscular volume in unilateral edentulous patients by magnetic resonance imaging (MRI). (2012) *Arch Oral Res.*;8(2):103–109. <https://doi.org/10.7213/aor.v8i2.23049>.
- Sopianah, Y., Nugroho, C., Sabilillah, M., F., dan Rahayu, C., (2017) Hubungan Mengunyah Unilateral dengan Status Kebersihan Gigi dan Mulut pada Mahasiswa Tingkat I Jurusan Keperawatan Gigi. *J Kes Bakti Tunas Husada*. 17(1):176.
- Sperber, G.H., (2010) *Craniofacial Development*. Canada: BC Decker. Pp 145.
- Sudarso, S., Setiadi, D., & Putra, Y. (2023). Gambaran faktor mengunyah satu sisi dan angka OHI-S pada siswa SD. *J Ilm Keper Gigi*, 4(3), 183–190.
- Swarjana I, dkk., (2022) *Metodologi Penelitian Kesehatan*. Yogyakarta: Andi Offset.
- Thiesen, G., Gribel, B.F., Freitas, M.P.M., (2015) ‘Facial asymmetry: a current review’. *Dental Press J Orthod*. 20(6):110-25.
- Tiwari, S., Nambiar, S., dan Unnikrishnan, B., (2017) Chewing side preference-impact on facial symmetry, dentition and temporomandibular joint its correlation with handedness.*J Orofac Sci*. 9(1):22-7. https://doi:10.4103/jofs.jofs_70_16.
- Tripathi, T., Kalra, S., dan Rai, P., (2025) Management of Skeletal Class III With Facial Asymmetry Using Skeletal Anchorage : 4-6 year Follow Up. *Dental Press J Orthod*. 25(2):3.
- Triyanto, R., dan Nugroho, C., (2017) Efek Mengunyah Satu Sisi Terhadap Tingkat Kebersihan Gigi dan Mulut.*Indones Oral Health J*. (1): 17-23.
- Uysal T, dkk., (2005) Evaluation of the relationship between posture and facial asymmetry. *Eur J Orthod*. 27(3):258–265. <https://doi:10.1093/ejo/cji011>.
- Ved, V.P., Arora, A., Das, D., Kalra, D., (2017) The correlation of unilateral chewing habit with temporomandibular joint disorders. *Int J Sci Stud*. 5(1):1-4.
- Wang, Z., Feng, J., Wang, Q., Yang, Y., dan Xiao, J., (2021) Analysis of the correlation between malocclusion, bad oral habits, and the caries rate in adolescents, *Transl Pediatr*. 10(12): 3291-3300.
- Watted, N., Abu-Hussein, M., Bill, J., dan Proff, P., (2015) A Therapeutic Concept by “Watted” for the Surgical Lengthening of the Lower Face by Short Face Syndrome. *J Stomatol*. 5(1):127-141.
- Wintoko, R., Sutyarso, dan Mahmud, N., (2011) Hubungan tinggi wajah dengan lebar wajah dan gambar bentuk wajah pada wanita dewasa suku Lampung di Desa Negeri Sakti Pesawaran. *J Ked Kes Univ Lampung*. 1(2):115-123.

Wulan, V., (2024) *Prevalensi dan Etiologi Kebiasaan Mengunyah Satu Sisi Pada Anak Usia 12-14 Tahun Kajian Pada Siswa Maarif 2 Gamping, Yogyakarta: Tesis* Fakultas Kedokteran Gigi.

Xie, Q., Yang, C., He, D., Cai, X., & Ma, Z. (2017). Association between unilateral mastication and facial asymmetry: A systematic review. *Angle Orth*, 87(4), 563–570. <https://doi.org/10.2319/060316-449.1>

Yamaguchi, S., Itoh, S., Watanabe, Y., Tsuboi, A., dan Watanabe, M., (2011) Quantitative analysis of masticatory activity during unilateral mastication using muscle fMRI. *Oral diseases*. 17(4): 407–413.

Zou, J., Meng, M., Law, C.S., Rao, Y., Zhou, X., (2018) Common dental diseases in children and malocclusion. *Int J Oral Sci*. 10(1):7-20.