

## DAFTAR PUSTAKA

- Abdikan, S., Sanli, F. B., Ustuner, M., & Calò, F. (2016). Land cover mapping using sentinel-1 SAR data. *International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives*, 41(July), 757–761. <https://doi.org/10.5194/isprsarchives-XLI-B7-757-2016>
- Ananto, Wahyu Hendaradi Giri Putri, A. F. S., Hadi, H. A., Hanum, D. N., Wiryawan, B. K. P., Prabaswara, R. R., & Arjasakusuma, S. (2019). *Performance of various speckle filter methods in modelling forest aboveground biomass using Sentinel-1 data: case study of Barru Regency, South Sulawesi*. 11311, 38. <https://doi.org/10.1117/12.2549036>
- Askar, Nuthammachot, N., Phairuang, W., Wicaksono, P., & Sayektiningsih, T. (2018). Estimating Aboveground Biomass on Private Forest Using Sentinel-2 Imagery. *Hindawi Journal of Sensors*, 1, 11.
- Aziz, G., Minallah, N., Saeed, A., Frnda, J., & Khan, W. (2024). Remote sensing based forest cover classification using machine learning. *Scientific Reports*, 14(1), 1–17. <https://doi.org/10.1038/s41598-023-50863-1>
- Baccini, A., Walker, W., Carvalho, L., Farina, M., & Houghton, R. A. (2019). Response to Comment on “Tropical forests are a net carbon source based on aboveground measurements of gain and loss.” *Science*, 363(6423), 1–11. <https://doi.org/10.1126/science.aat1205>
- Basuki, T. M., van Laake, P. E., Skidmore, A. K., & Hussin, Y. A. (2009). Allometric equations for estimating the above-ground biomass in tropical lowland Dipterocarp forests. *Forest Ecology and Management*, 257(8), 1684–1694. <https://doi.org/10.1016/j.foreco.2009.01.027>
- Bergstra, J., & Bengio, Y. (2012). *Random Search for Hyper-Parameter Optimization*. 13, 281–305.
- Braun, A. (2020). *Sentinel-1 Toolbox SAR-based landcover classification with Sentinel-1 GRD products SAR-based land cover classification*. October, 1–32. <https://skywatch.co>
- Braun, A., & Offermann, E. (2022). Polarimetric information content of Sentinel-1 for land cover mapping: An experimental case study using quad-pol data synthesized from complementary repeat-pass acquisitions. *Frontiers in Remote Sensing*, 3. <https://doi.org/10.3389/frsen.2022.905713>
- Brown, S. (2012). Estimating Biomass and Biomass Change of Tropical Forests: a Primer. (FAO Forestry Paper - 134). *FAO Forestry Paper 134, January 1997*, 1–44.
- Bui, Q. T., Pham, Q. T., Pham, V. M., Tran, V. T., Nguyen, D. H., Nguyen, Q. H., Nguyen, H. D., Do, N. T., & Vu, V. M. (2024). Hybrid machine learning models for aboveground biomass estimations. *Ecological Informatics*, 79(December 2023), 102421. <https://doi.org/10.1016/j.ecoinf.2023.102421>
- Cadman, S. (2008). *Defining Forests under the Kyoto Protocol: a way forward*. October, 4.

- Cappelli, F., Castronuovo, G., Grimaldi, S., & Telesca, V. (2024). Random Forest and Feature Importance Measures for Discriminating the Most Influential Environmental Factors in Predicting Cardiovascular and Respiratory Diseases. *International Journal of Environmental Research and Public Health*, 21(7). <https://doi.org/10.3390/ijerph21070867>
- Chave, J., Réjou-Méchain, M., Búrquez, A., Chidumayo, E., Colgan, M. S., Delitti, W. B. C., Duque, A., Eid, T., Fearnside, P. M., Goodman, R. C., Henry, M., Martínez-Yrizar, A., Mugasha, W. A., Muller-Landau, H. C., Mencuccini, M., Nelson, B. W., Ngomanda, A., Nogueira, E. M., Ortiz-Malavassi, E., ... Vieilledent, G. (2014). Improved allometric models to estimate the aboveground biomass of tropical trees. *Global Change Biology*, 20(10), 3177–3190. <https://doi.org/10.1111/gcb.12629>
- Chen, Y., Liu, Z., Rao, X., Wang, X., Liang, C., Lin, Y., Zhou, L., Cai, X. A., & Fu, S. (2015). Carbon storage and allocation pattern in plant biomass among different forest plantation stands in guangdong, China. *Forests*, 6(3), 794–808. <https://doi.org/10.3390/f6030794>
- Congalton, R. G., & Green, K. (2019). *Assessing the Accuracy of Remotely Sensed Data: Principles and Practices*.
- Congalton, R., & Green, K. (2019). *Assessing the Accuracy of Remotely Sensed Data: Principles and Practices, Third Edition*. <https://doi.org/10.1201/9780429052729>
- Contreras, P., Orellana-Alvear, J., Muñoz, P., Bendix, J., & Céleri, R. (2021). Influence of random forest hyperparameterization on short-term runoff forecasting in an andean mountain catchment. *Atmosphere*, 12(2). <https://doi.org/10.3390/atmos12020238>
- Danoedoro, P. (2009). *LAND-USE INFORMATION FROM THE SATELLITE IMAGERY: Versatility and Contents for Local Physical Planning*.
- Danoedoro, P. (2015). *PENGARUH JUMLAH DAN METODE PENGAMBILAN TITIK SAMPEL PENGUJI TERHADAP TINGKAT AKURASI KLASIFIKASI CITRA DIGITAL PENGINDERAAN JAUH*.
- David, R. M., Rosser, N. J., & Donoghue, D. N. M. (2022). Improving above ground biomass estimates of Southern Africa dryland forests by combining Sentinel-1 SAR and Sentinel-2 multispectral imagery. *Remote Sensing of Environment*, 282(September), 113232. <https://doi.org/10.1016/j.rse.2022.113232>
- Dillabaugh, K. A., & King, D. J. (2008). Riparian marshland composition and biomass mapping using Ikonos imagery. *Canadian Journal of Remote Sensing*, 34(2), 143–158. <https://doi.org/10.5589/m08-011>
- Eckert, S. (2012). Improved forest biomass and carbon estimations using texture measures from worldView-2 satellite data. *Remote Sensing*, 4(4), 810–829. <https://doi.org/10.3390/rs4040810>
- ESA. (2012). Sentinel-1: ESA's radar observatory mission for GMES operational services. In K. Fletcher (Ed.), *ESA Special Publication* (Vol. 1, Issue 1322). ESA Communications. [https://sentinel.esa.int/documents/247904/349449/S1\\_SP-1322\\_1.pdf](https://sentinel.esa.int/documents/247904/349449/S1_SP-1322_1.pdf)

- ESA. (2015). *Sentinel-2 User Handbook* (Vol. 48, Issue 1).  
<https://doi.org/10.1021/ie51400a018>
- ESA, & EUMETSAT. (2021). *Sentinel High Level Operations Plan (HLOP)* (Issue 3). European Space Agency (ESA).
- Fauzi, M. R., Noerwidi, S., Widiyanto, H., Handini, R., Octavianus Sofian, H., Prasetyo Wibowo, U., Perwira Shidqqi, B., Geria, I. M., & Simanjuntak, T. (2023). Archaeological investigation in the future capital city of Indonesia (IKN) at Sepaku, East Kalimantan. *Anthropologie (France)*, 127(3), 103151.  
<https://doi.org/10.1016/j.anthro.2023.103151>
- Fearnside, P. M. (2012). Brazil's Amazon forest in mitigating global warming: Unresolved controversies. *Climate Policy*, 12(1), 70–81.  
<https://doi.org/10.1080/14693062.2011.581571>
- Ferreira, M. C., dos Santos, R. C., Castro, R. V. O., de Cássia Oliveira Carneiro, A., da Silva, G. G. C., Castro, A. F. N. M., de Lima Costa, S. E., & Pimenta, A. S. (2017). Produção de biomassa e energia em plantio clonal de Eucalyptus de curta rotação implantado no rio grande do norte. *Revista Arvore*, 41(5).  
<https://doi.org/10.1590/1806-90882017000500004>
- Georgopoulos, N., Sotiropoulos, C., Stefanidou, A., & Gitas, I. Z. (2022). Total Stem Biomass Estimation Using Sentinel-1 and -2 Data in a Dense Coniferous Forest of Complex Structure and Terrain. *Forests*, 13(12), 1–18.
- Ghivarry, G., & Sukmawijaya, A. (2021). Application of random forest algorithm to Sentinel-1 for plantation detection: Case study of Tesso Nilo ecosystem. *Proceedings of SPIE - The International Society for Optical Engineering*, 12082.  
<https://doi.org/10.1117/12.2618285>
- Ghosh, S. M., & Behera, M. D. (2018). Aboveground biomass estimation using multi-sensor data synergy and machine learning algorithms in a dense tropical forest. *Applied Geography*, 96(March), 29–40.  
<https://doi.org/10.1016/j.apgeog.2018.05.011>
- Gong, C., Yin, R., Long, T., Jiao, W., He, G., & Wang, G. (2024). Spatial–Temporal Approach and Dataset for Enhancing Cloud Detection in Sentinel-2 Imagery: A Case Study in China. *Remote Sensing*, 16(6), 1–23.  
<https://doi.org/10.3390/rs16060973>
- González-García, M., Hevia, A., Majada, J., Rubiera, F., & Barrio-Anta, M. (2016). Nutritional, carbon and energy evaluation of Eucalyptus nitens short rotation bioenergy plantations in northwestern Spain. *IForest*, 9(APR2016), 303–310.  
<https://doi.org/10.3832/ifor1505-008>
- Guilloteau, C., & Foufoula-Georgiou, E. (2023). Preserving Extremes in Satellite Quantitative Precipitation Estimates: A Matter of Scale. *International Geoscience and Remote Sensing Symposium (IGARSS)*, 2023-July, 662–665.  
<https://doi.org/10.1109/IGARSS52108.2023.10281499>
- Hall, R. J., Skakun, R. S., Arsenault, E. J., & Case, B. S. (2006). Modeling forest stand structure attributes using Landsat ETM+ data: Application to mapping of aboveground biomass and stand volume. *Forest Ecology and Management*,

- 225(1–3), 378–390. <https://doi.org/10.1016/j.foreco.2006.01.014>
- Hirata, Y., Tabuchi, R., Patanaponpaiboon, P., Pongpan, S., Yoneda, R., & Fujioka, Y. (2014). Estimation of aboveground biomass in mangrove forests using high-resolution satellite data. *Journal of Forest Research*, *19*(1), 34–41. <https://doi.org/10.1007/s10310-013-0402-5>
- Huang, C., Zhang, C., Liu, Q., Li, H., Yang, X., & Liu, G. (2021). Multi-Feature Classification of Optical and SAR Remote Sensing Images for Typical Tropical Plantation Species. *Linye Kexue/Scientia Silvae Sinicae*, *57*(7), 80–91. <https://doi.org/10.11707/j.1001-7488.20210709>
- Huang, T., Ou, G., Xu, H., Zhang, X., Wu, Y., Liu, Z., Zou, F., Zhang, C., & Xu, C. (2023). Comparing Algorithms for Estimation of Aboveground Biomass in *Pinus yunnanensis*. *Forests*, *14*(9). <https://doi.org/10.3390/f14091742>
- IPCC. (2006). *2006 IPCC Guidelines for National Greenhouse Gas Inventories*. the Institute for Global Environmental Strategies (IGES).
- Isbaex, C., Coelho, A. M., Gonçalves, A. C., & Sousa, A. M. O. (2024). Mapping of Forest Species Using Sentinel-2A Images in the Alentejo and Algarve Regions, Portugal. *Land*, *13*(12), 1–21. <https://doi.org/10.3390/land13122184>
- Jensen, J. R. (2005). *Introductory Digital Image Processing* (3rd ed.). Prentice Hall.
- Jeong, J., & Park, C. R. (2023). Developing a mapping procedure for urban forests using online map services and Sentinel-2A images. *Urban Forestry and Urban Greening*, *89*, 128095. <https://doi.org/10.1016/j.ufug.2023.128095>
- KLHK. (2022). Keputusan Nomor SK.168/MENLHK/PKTL/PLA.1/2/2022 tentang Indonesia's Forestry And Other Land Use (FOLU) Net Sink 2030 Untuk Pengendalian Perubahan Iklim. In *Kementerian Lingkungan Hidup dan Kehutanan*.
- KLHK. (2023). *PETA JALAN PERDAGANGAN KARBON SEKTOR KEHUTANAN*.
- Kollert, A., Bremer, M., Löw, M., & Rutzinger, M. (2021). Exploring the potential of land surface phenology and seasonal cloud free composites of one year of Sentinel-2 imagery for tree species mapping in a mountainous region. *International Journal of Applied Earth Observation and Geoinformation*, *94*(May 2020), 102208. <https://doi.org/10.1016/j.jag.2020.102208>
- Kralicek, K., Huy, B., Poudel, K. P., Temesgen, H., & Salas, C. (2017). Simultaneous estimation of above- and below-ground biomass in tropical forests of Viet Nam. *Forest Ecology and Management*, *390*, 147–156. <https://doi.org/10.1016/j.foreco.2017.01.030>
- Kumar, A., & Dadhwal, V. K. (2010). Entropy-based fuzzy classification parameter optimization using uncertainty variation across spatial resolution. *Journal of the Indian Society of Remote Sensing*, *38*(2), 179–192. <https://doi.org/10.1007/s12524-010-0025-7>
- Kumar, K. K., Nagai, M., Witayangkurn, A., Kritiyutanant, K., Nakamura, S., Kumar, K. K., Nagai, M., Witayangkurn, A., Kritiyutanant, K., & Nakamura, S. (2016). Above Ground Biomass Assessment from Combined Optical and SAR Remote Sensing Data in Surat Thani Province, Thailand. *Journal of Geographic*

- Information System*, 8(4), 506–516. <https://doi.org/10.4236/JGIS.2016.84042>
- Kumar, & Mutanga, O. (2017). Remote sensing of above-ground biomass. *Remote Sensing*, 9(9), 1–8. <https://doi.org/10.3390/rs9090935>
- Kwon, Y., & Baker, B. W. (2017). Area-based fuzzy membership forest cover comparison between MODIS NPP and Forest Inventory and Analysis (FIA) across eastern U.S. forest. *Environmental Monitoring and Assessment*, 189(1). <https://doi.org/10.1007/s10661-016-5745-x>
- Lal, R., Lorenz, K., Hüttl, R. F., Schneider, B. U., & von Braun, J. (2013). Ecosystem services and carbon sequestration in the biosphere. In *Ecosystem Services and Carbon Sequestration in the Biosphere*. Springer Netherlands. <https://doi.org/10.1007/978-94-007-6455-2/COVER>
- Li, C., Zhou, L., & Xu, W. (2021). Estimating aboveground biomass using sentinel-2 msi data and ensemble algorithms for grassland in the shengjin lake wetland, China. *Remote Sensing*, 13(8). <https://doi.org/10.3390/rs13081595>
- Li, X., Ye, D., Liang, H., Zhu, H., Qin, L., Zhu, Y., & Wen, Y. (2015). Effects of successive rotation regimes on carbon stocks in eucalyptus plantations in subtropical China measured over a full rotation. *PLoS ONE*, 10(7), 1–16. <https://doi.org/10.1371/journal.pone.0132858>
- Lin, X., Ren, C., Li, Y., Yue, W., Liang, J., & Yin, A. (2023). Eucalyptus Plantation Area Extraction Based on SLPSO-RFE Feature Selection and Multi-Temporal Sentinel-1/2 Data. *Forests*, 14(9). <https://doi.org/10.3390/f14091864>
- Liu, M., & Popescu, S. (2022). Estimation of biomass burning emissions by integrating ICESat-2, Landsat 8, and Sentinel-1 data. *Remote Sensing of Environment*, 280(January), 113172. <https://doi.org/10.1016/j.rse.2022.113172>
- Liu, Y., Gong, W., Hu, X., & Gong, J. (2018). Forest type identification with random forest using Sentinel-1A, Sentinel-2A, multi-temporal Landsat-8 and DEM data. *Remote Sensing*, 10(6), 1–25. <https://doi.org/10.3390/rs10060946>
- López-Serrano, P. M., Domínguez, J. L. C., Corral-Rivas, J. J., Jiménez, E., López-Sánchez, C. A., & Vega-Nieva, D. J. (2020). Modeling of aboveground biomass with landsat 8 oli and machine learning in temperate forests. *Forests*, 11(1). <https://doi.org/10.3390/f11010011>
- Lu, D. (2006). The potential and challenge of remote sensing-based biomass estimation. *International Journal of Remote Sensing*, 27(7), 1297–1328. <https://doi.org/10.1080/01431160500486732>
- Lu, D., Chen, Q., Wang, G., Liu, L., Li, G., & Moran, E. (2016). A survey of remote sensing-based aboveground biomass estimation methods in forest ecosystems. *International Journal of Digital Earth*, 9(1), 63–105. <https://doi.org/10.1080/17538947.2014.990526>
- Luciani, R., Laneve, G., & Orsi, R. (2021). PHENOLOGY-BASED CLASSIFICATION OF CROP FIELDS USING CROSS-CORRELATION: A CASE STUDY. *International Geoscience and Remote Sensing Symposium (IGARSS), 2021-July*, 5842–5844. <https://doi.org/10.1109/IGARSS47720.2021.9553719>

- Macedo, F. L., Sousa, A. M. O., Gonçalves, A. C., Marques da Silva, J. R., Mesquita, P. A., & Rodrigues, R. A. F. (2018). Above-ground biomass estimation for *Quercus rotundifolia* using vegetation indices derived from high spatial resolution satellite images. *European Journal of Remote Sensing*, 51(1), 932–944. <https://doi.org/10.1080/22797254.2018.1521250>
- Malhi, R. K. M., Anand, A., Srivastava, P. K., Chaudhary, S. K., Pandey, M. K., Behera, M. D., Kumar, A., Singh, P., & Sandhya Kiran, G. (2022). Synergistic evaluation of Sentinel 1 and 2 for biomass estimation in a tropical forest of India. *Advances in Space Research*, 69(4), 1752–1767. <https://doi.org/10.1016/j.asr.2021.03.035>
- Mandal, D., Kumar, V., Ratha, D., Dey, S., Bhattacharya, A., Lopez-Sanchez, J. M., McNairn, H., & Rao, Y. S. (2020). Dual polarimetric radar vegetation index for crop growth monitoring using sentinel-1 SAR data. *Remote Sensing of Environment*, 247. <https://doi.org/10.1016/j.rse.2020.111954>
- Marnaek, R. H., Setiawan, Y., Hermawan, R., & Muhdin. (2024). Development of Allometric Model for Estimating Biomass and Carbon Storage of Hybrid Eucalyptus (*E. grandis* × *E. urophylla*) in Industrial Plantation Forests of North Sumatra Province. *Jurnal Sylva Lestari*, 12(3), 948–961. <https://doi.org/10.23960/jsl.v12i3.951>
- Matiza, C., Mutanga, O., Odindi, J., & Mngadi, M. (2024). The utility of Planetscope spectral data in quantifying above-ground carbon stock in an urban reforested landscape. *Ecological Informatics*, 80(April 2023), 102472. <https://doi.org/10.1016/j.ecoinf.2024.102472>
- McCoy, R. M. (2005). *Field Methods in Remote Sensing*. Guilford Publications. <https://books.google.co.id/books?id=jxalSbaxb6QC>
- Minh, H. L., Van, T. V., & Anh, T. T. (2020). Using dual-polarization sentinel-1A for mapping vegetation types in Daklak, Vietnam. *40th Asian Conference on Remote Sensing, ACRS 2019: Progress of Remote Sensing Technology for Smart Future*. <https://www.scopus.com/inward/record.uri?eid=2-s2.0-85105829656&partnerID=40&md5=61a9b7525b5760e8d7487354768e389b>
- Miranda, N., & Meadows, P. J. (2015). Radiometric Calibration of S-1 Level-1 Products Generated by the S-1 IPF. *Technical Note, 1*, 1–13. <https://sentinel.esa.int/documents/247904/685163/S1-Radiometric-Calibration-V1.0.pdf/66e69a62-11ae-4160-916b-f2b97cb8a350?t=1432307754000>
- Mngadi, M., Mutanga, O., & Odindi, J. (2021). The utility of Sentinel-2 spectral data in quantifying above-ground carbon stock in an urban reforested landscape. *Ecological Informatics*, 80. <https://doi.org/10.1016/j.ecoinf.2024.102472>
- Morris, H., Sinclair, M., De Vis, P., & Bialek, A. (2024). Utilising LANDHYPERNET data products over a deciduous broadleaf forest to validate Sentinel-2 and Landsat surface reflectance products. *Frontiers in Remote Sensing*, 5(April), 1–13. <https://doi.org/10.3389/frsen.2024.1322760>
- Mulyani, M., & Jepson, P. (2013). REDD+ and Forest Governance in Indonesia: A Multistakeholder Study of Perceived Challenges and Opportunities. *Journal of*

- Environment and Development*, 22(3), 261–283.  
<https://doi.org/10.1177/1070496513494203>
- Mutanga, O., Adam, E., & Cho, M. A. (2012). High density biomass estimation for wetland vegetation using worldview-2 imagery and random forest regression algorithm. *International Journal of Applied Earth Observation and Geoinformation*, 18(1), 399–406. <https://doi.org/10.1016/j.jag.2012.03.012>
- Nambiar, E. K. S., & Harwood, C. E. (2014). Productivity of acacia and eucalypt plantations in southeast Asia. 1. Bio-physical determinants of production: Opportunities and challenges. *International Forestry Review*, 16(2), 225–248. <https://doi.org/10.1505/146554814811724757>
- Nardkulpat, A., Boonpook, W., Sitthi, A., & Tan, Y. (2025). Machine learning-based and synthetic aperture radar time-series data for rice classification over Sentinel-1 imagery. *Bulletin of Electrical Engineering and Informatics*, 14(2), 1138–1150. <https://doi.org/10.11591/eei.v14i2.7833>
- Nguyen, H. T. T., Doan, T. M., Tomppo, E., & McRoberts, R. E. (2020). Land Use / Land Cover Mapping Using Multitemporal Sentinel-2 Imagery and Four Classification. *Remote Sensing*, 12, 1–27.
- Nuthammachot, N., Askar, A., Stratoulas, D., & Wicaksono, P. (2022). Combined use of Sentinel-1 and Sentinel-2 data for improving above-ground biomass estimation. *Geocarto International*, 37(2), 366–376. <https://doi.org/10.1080/10106049.2020.1726507>
- Pandit, S., Tsuyuki, S., & Dube, T. (2020). Exploring the inclusion of Sentinel-2 MSI texture metrics in above-ground biomass estimation in the community forest of Nepal. *Geocarto International*, 35(16), 1832–1849. <https://doi.org/10.1080/10106049.2019.1588390>
- Park, J., Lee, Y., & Lee, J. (2021). Assessment of machine learning algorithms for land cover classification using remotely sensed data. *Sensors and Materials*, 33(11), 3885–3902. <https://doi.org/10.18494/SAM.2021.3612>
- Pasquarella, V. J., Brown, C. F., Czerwinski, W., & Rucklidge, W. J. (2023). Comprehensive quality assessment of optical satellite imagery using weakly supervised video learning. *IEEE Computer Society Conference on Computer Vision and Pattern Recognition Workshops, 2023-June*, 2125–2135. <https://doi.org/10.1109/CVPRW59228.2023.00206>
- Pedregosa, F., Weiss, R., & Brucher, M. (2011). *Scikit-learn : Machine Learning in Python*. 12, 2825–2830.
- Picard, N., Boyemba Bosela, F., & Rossi, V. (2015). Reducing the error in biomass estimates strongly depends on model selection. *Annals of Forest Science*, 72(6), 811–823. <https://doi.org/10.1007/s13595-014-0434-9>
- Pizaña, J. M. G., Hernández, J. M. N., & Romero, N. C. (2016). Remote Sensing-Based Biomass Estimation. In *Intech* (Vol. 11, Issue Environmental Applications of Remote Sensing Biomass, p. 40). <https://www.intechopen.com/books/advanced-biometric-technologies/liveness-detection-in-biometrics>

- Poonia, R., Singh, V., & Nayak, S. R. (2022). *Deep Learning for Sustainable Agriculture*. Academic Press.
- Ramezan, C. A. (2022). Transferability of Recursive Feature Elimination (RFE)-Derived Feature Sets for Support Vector Machine Land Cover Classification. *Remote Sensing*, *14*(24). <https://doi.org/10.3390/rs14246218>
- Reed, J., van Vianen, J., Foli, S., Clendenning, J., Yang, K., MacDonald, M., Petrokofsky, G., Padoch, C., & Sunderland, T. (2017). Trees for life: The ecosystem service contribution of trees to food production and livelihoods in the tropics. *Forest Policy and Economics*, *84*, 62–71. <https://doi.org/10.1016/J.FORPOL.2017.01.012>
- Rockwood, D. L., Rudie, A. W., Ralph, S. A., Zhu, J. Y., & Winandy, J. E. (2008). Energy product options for Eucalyptus species grown as short rotation woody crops. *International Journal of Molecular Sciences*, *9*(8), 1361–1378. <https://doi.org/10.3390/ijms9081361>
- Rodríguez-Solís, M., Briceño-Elizondo, E., Gamboa-Zuñiga, J. P., & Arias-Aguilar, D. (2015). Biomass assessment, volume equations and crown architecture of Eucalyptus pellita F. Muell in a commercial plantation in Mexico. *Revista Forestal Mesoamericana Kurú*, *12*(29), 46. <https://doi.org/10.18845/rfmk.v12i29.2254>
- Roman, A., & Ursu, T. (2016). *Multispectral satellite imagery and airborne laser scanning techniques for the detection of archaeological vegetation marks* **PERFORM-INCREASING RESEARCH CAPACITY AND INSTITUTIONAL PERFORMANCE OF INCDSB View project** (C. H. Opreanu & V.-A. Lăzărescu (eds.); Issue April). Mega Publishing House. <https://www.researchgate.net/publication/315797574>
- Rothacher, Y., & Strobl, C. (2024). Identifying Informative Predictor Variables With Random Forests. In *Journal of Educational and Behavioral Statistics* (Vol. 49, Issue 4). <https://doi.org/10.3102/10769986231193327>
- Roy, S., Mudi, S., Das, P., Ghosh, S., Shit, P. K., Bhunia, G. S., & Kim, J. (2021). *Estimating Above Ground Biomass (AGB) and Tree Density using Sentinel-1 Data BT - Spatial Modeling in Forest Resources Management : Rural Livelihood and Sustainable Development* (P. K. Shit, H. R. Pourghasemi, P. Das, & G. S. Bhunia (eds.); pp. 259–280). Springer International Publishing. [https://doi.org/10.1007/978-3-030-56542-8\\_11](https://doi.org/10.1007/978-3-030-56542-8_11)
- Sabaghy, S., Abuzar, M., Crawford, D., McAllister, A., & Sheffield, K. (2025). Remote sensing for land cover mapping across Victoria, Australia – a machine learning application. *Scientific Data*, *12*(1), 1–12. <https://doi.org/10.1038/s41597-025-04900-5>
- Sadono, R., & Soraya, E. (2024). Enhancing the estimation accuracy of above-ground carbon storage in Eucalyptus urophylla plantation on Timor Island, Indonesia, through higher spatial-resolution satellite imagery. *Journal of Degraded and Mining Lands Management*, *11*(3), 5623–5634. <https://doi.org/10.15243/jdmlm.2024.113.5623>

- Sadono, R., Wardana, W., Idris, F., & Wirabuana, P. Y. A. P. (2023). Developing energy production from Eucalyptus urophylla plantation in dryland ecosystem at East Nusa Tenggara, Indonesia. *Journal of Degraded and Mining Lands Management*, *10*(4), 4673–4681. <https://doi.org/10.15243/jdmlm.2023.104.4673>
- Sadono, R., Wardhana, W., Wirabuana, & Idris, F. (2021). JOURNAL OF DEGRADED AND MINING LANDS MANAGEMENT Azotobacter population, soil nitrogen and groundnut growth in mercury-contaminated tailing inoculated with Azotobacter. *J. Degrad. Min. Land Manage*, *8*(53), 2635–2642. <https://doi.org/10.15243/jdmlm>
- Sadono, R., Wardhana, W., & Wirabuana, P. Y. A. P. (2023). Estimating carbon storage of Eucalyptus urophylla vegetation in Mutis Timau Nature Reserve, East Nusa Tenggara, Indonesia using remote sensing analysis. *Biodiversitas*, *24*(4), 1946–1952. <https://doi.org/10.13057/biodiv/d240402>
- Sandhini Putri, A. F., Widyatmanti, W., & Umarhadi, D. A. (2022). Sentinel-1 and Sentinel-2 data fusion to distinguish building damage level of the 2018 Lombok Earthquake. *Remote Sensing Applications: Society and Environment*, *26*(September 2021), 100724. <https://doi.org/10.1016/j.rsase.2022.100724>
- Sasaki, N., Asner, G. P., Pan, Y., Knorr, W., Durst, P. B., Ma, H. O., Abe, I., Lowe, A. J., Koh, L. P., & Putz, F. E. (2016). Sustainable management of tropical forests can reduce carbon emissions and stabilize timber production. *Frontiers in Environmental Science*, *4*(AUG), 1–13. <https://doi.org/10.3389/fenvs.2016.00050>
- Shang, M., Wang, S., Zhou, Y., Du, C., & Liu, W. (2019). Object-based image analysis of suburban landscapes using Landsat-8 imagery. *International Journal of Digital Earth*, *12*(6), 720–736. <https://doi.org/10.1080/17538947.2018.1474959>
- Shertz, K. W., & Prager, M. H. (2002). Least median of squares: A suitable objective function for stock assessment models? *Canadian Journal of Fisheries and Aquatic Sciences*, *59*(9), 1474–1481. <https://doi.org/10.1139/f02-112>
- Shu, Q., Xi, L., Wang, K., Xie, F., Pang, Y., & Song, H. (2022). Optimization of Samples for Remote Sensing Estimation of Forest Aboveground Biomass at the Regional Scale. *Remote Sensing*, *14*(17), 1–19. <https://doi.org/10.3390/rs14174187>
- Sidumo, B., Sonono, E., & Takaidza, I. (2024). Count Regression and Machine Learning Techniques for Zero-Inflated Overdispersed Count Data: Application to Ecological Data. *Annals of Data Science*, *11*(3), 803–817. <https://doi.org/10.1007/s40745-023-00464-6>
- Simonetti, D., Pimple, U., Langner, A., & Marelli, A. (2021). Pan-tropical Sentinel-2 cloud-free annual composite datasets. *Data in Brief*, *39*, 107488. <https://doi.org/10.1016/j.dib.2021.107488>
- Singh, C., Karan, S. K., Sardar, P., & Samadder, S. R. (2022). Remote sensing-based biomass estimation of dry deciduous tropical forest using machine learning and ensemble analysis. *Journal of Environmental Management*, *308*(December

- 2021), 114639. <https://doi.org/10.1016/j.jenvman.2022.114639>
- Singh, M., Arshad, A., Bijlwan, A., Tamang, M., Shahina, N. N., Biswas, A., Bhowmick D, Vineeta, A., Chandra Banik, G., Nath, J., Shukla, G., & Chakravarty, S. (2024). Mapping tree carbon density using sentinel 2A sensor on Google Earth Engine in Darjeeling Himalayas: Implication for tree carbon management and climate change mitigation. *Physics and Chemistry of the Earth, 134*, 103569. <https://doi.org/10.1016/j.pce.2024.103569>
- Stratoulia, D., Nuthammachot, N., Suepa, T., & Phoungthong, K. (2022). Assessing the Spectral Information of Sentinel-1 and Sentinel-2 Satellites for Above-Ground Biomass Retrieval of a Tropical Forest. *ISPRS International Journal of Geo-Information, 11*(3), 1–19. <https://doi.org/10.3390/ijgi11030199>
- Sun, J., & Ongsomwang, S. (2023). Optimal parameters of random forest for land cover classification with suitable data type and dataset on Google Earth Engine. *Frontiers in Earth Science, 11*(October), 1–17. <https://doi.org/10.3389/feart.2023.1188093>
- Tian, L., Wu, X., Tao, Y., Li, M., Qian, C., Liao, L., & Fu, W. (2023). Review of Remote Sensing-Based Methods for Forest Aboveground Biomass Estimation: Progress, Challenges, and Prospects. *Forests, 14*(6), 1–31. <https://doi.org/10.3390/f14061086>
- Turgut, R., & Günlü, A. (2022). Estimating aboveground biomass using Landsat 8 OLI satellite image in pure Crimean pine (*Pinus nigra* J.F. Arnold subsp. *pallasiana* (Lamb.) Holmboe) stands: a case from Turkey. *Geocarto International, 37*(3), 720–734. <https://doi.org/10.1080/10106049.2020.1737971>
- Valbuena, R., Hernando, A., Manzanera, J. A., Görgens, E. B., Almeida, D. R. A., Mauro, F., García-Abril, A., & Coomes, D. A. (2017). Enhancing of accuracy assessment for forest above-ground biomass estimates obtained from remote sensing via hypothesis testing and overfitting evaluation. *Ecological Modelling, 366*, 15–26. <https://doi.org/10.1016/j.ecolmodel.2017.10.009>
- van Dijk, A. I. J. M., & Keenan, R. J. (2007). Planted forests and water in perspective. *Forest Ecology and Management, 251*(1–2), 1–9. <https://doi.org/10.1016/j.foreco.2007.06.010>
- Vermote, E., McCorkel, J., Rountree, W. H., Santamaria-Artigas, A., Skakun, S., Franch, B., & Roger, J. C. (2022). Validation of High Spatial Resolution Surface Reflectance using a Camera System (CAMSIS). *International Geoscience and Remote Sensing Symposium (IGARSS), 2022-July*(1), 7729–7732. <https://doi.org/10.1109/IGARSS46834.2022.9883241>
- Virtriana, R., Harto, A. B., Atmaja, F. W., Meilano, I., Fauzan, K. N., Anggraini, T. S., Ihsan, K. T. N., Mustika, F. C., & Suminar, W. (2023). Machine learning remote sensing using the random forest classifier to detect the building damage caused by the Anak Krakatau Volcano tsunami. *Geomatics, Natural Hazards and Risk, 14*(1), 28–51. <https://doi.org/10.1080/19475705.2022.2147455>
- Vorster, A. G., Evangelista, P. H., Stovall, A. E. L., & Ex, S. (2020). Variability and uncertainty in forest biomass estimates from the tree to landscape scale: The role

- of allometric equations. *Carbon Balance and Management*, 15(1), 1–20.  
<https://doi.org/10.1186/s13021-020-00143-6>
- Vuolo, F., Zóltak, M., Pipitone, C., Zappa, L., Wenng, H., Immitzer, M., Weiss, M., Baret, F., & Atzberger, C. (2016). Data service platform for Sentinel-2 surface reflectance and value-added products: System use and examples. *Remote Sensing*, 8(11). <https://doi.org/10.3390/rs8110938>
- Wang, S., Tuya, H., Zhang, S., Zhao, X., Liu, Z., Li, R., & Lin, X. (2023). Random forest method for analysis of remote sensing inversion of aboveground biomass and grazing intensity of grasslands in Inner Mongolia, China. *International Journal of Remote Sensing*, 44(9), 2867–2884.  
<https://doi.org/10.1080/01431161.2023.2210724>
- Wirabuana, P. Y. A. P., Alam, S., Matatula, J., Harahap, M. M., Nugroho, Y., Idris, F., Meinata, A., & Sekar, D. A. (2021). The growth, aboveground biomass, crown development, and leaf characteristics of three eucalyptus species at initial stage of planting in Jepara, Indonesia. *Biodiversitas*, 22(5), 2859–2869.  
<https://doi.org/10.13057/biodiv/d220550>
- Wirabuana, P. Y. A. P., Sadono, R., & Juniarso, S. (2019). Fertilization Effects on Early Growth, Aboveground Biomass, Carbon Storage, and Leaf Characteristics of *Eucalyptus pellita* F. Muell. In South Sumatera. *Jurnal Manajemen Hutan Tropika*, 23(5), 154–163. <https://doi.org/10.7226/jtfm.25.3.154>
- Wu, Z., Snyder, G., Vadnais, C., Arora, R., Babcock, M., Stensaas, G., Doucette, P., & Newman, T. (2019). User needs for future Landsat missions. *Remote Sensing of Environment*, 231(June), 111214. <https://doi.org/10.1016/j.rse.2019.111214>
- Xiao, J., Chevallier, F., Gomez, C., Guanter, L., Hicke, J. A., Huete, A. R., Ichii, K., Ni, W., Pang, Y., Rahman, A. F., Sun, G., Yuan, W., Zhang, L., & Zhang, X. (2019). Remote sensing of the terrestrial carbon cycle: A review of advances over 50 years. *Remote Sensing of Environment*, 233(August), 111383.  
<https://doi.org/10.1016/j.rse.2019.111383>
- Yogyanti, G. C. (2024). *Estimasi Volume Tegakan Menggunakan Pemodelan Empiris Berbasis Citra Multisensor dengan Random Forest Regression*. Universitas Gadjah Mada.
- Zaki, N. A. M., & Latif, Z. A. (2017). Carbon sinks and tropical forest biomass estimation: a review on role of remote sensing in aboveground-biomass modelling. *Geocarto International*, 32(7), 701–716.  
<https://doi.org/10.1080/10106049.2016.1178814>
- Zhai, Y., Wang, L., Yao, Y., Jia, J., Li, R., Ren, Z., He, X., Ye, Z., Zhang, X., Chen, Y., & Xu, Y. (2025). Spatially continuous estimation of urban forest aboveground biomass with UAV-LiDAR and multispectral scanning: An allometric model of forest structural diversity. *Agricultural and Forest Meteorology*, 360. <https://doi.org/10.1016/j.agrformet.2024.110301>
- Zhang, X., & Kondragunta, S. (2006). Estimating forest biomass in the USA using generalized allometric models and MODIS land products. *Geophysical Research Letters*, 33(9), 1–5. <https://doi.org/10.1029/2006GL025879>

Zhang, Y., Liang, S., & Yang, L. (2019). A Review of Regional and Global Gridded Forest. *Remote Sensing*, *11*, 2744.