

DAFTAR PUSTAKA

- Anonim (2021). Albumin Gen.2 Package Insert Cobas®.
- Anonim (2020). Ureal (Urea/BUN) Package Insert Cobas®.
- Arnau-Barrés, I., Güerri-Fernández, R., Luque, S., Sorli, L., Vázquez, O., & Miralles, R. (2019). Serum albumin is a strong predictor of sepsis outcome in elderly patients. *Eur J Clin Microbiol Infect Dis* 38 : 743–746. Available at: <https://doi.org/10.1007/s10096-019-03478-2>
- Baihaqi, F.A., Delarosa, D.O., & Ramadhan, R. (2022). Rasio Laktat/Albumin sebagai Prediktor Mortalitas pada Pasien dengan Sepsis dan Syok Sepsis: Studi Meta-Analisis. *JPDI* 9 : 146. Available at: <https://doi.org/10.7454/jpdi.v9i3.718>
- Biolo, G., Toigo, G., Ciocchi, B., Situlin, R., Iscra, F., Gullo, A., *et al.* (1997). Metabolic response to injury and sepsis: changes in protein metabolism. *Nutr J* 13 : 52–57. Available at: [https://doi.org/10.1016/S0899-9007\(97\)83044-4](https://doi.org/10.1016/S0899-9007(97)83044-4)
- Bode, C., Weis, S., Sauer, A., Wendel-Garcia, P., & David, S. (2023). Targeting the host response in sepsis: current approaches and future evidence. *Crit. Care* 27 : 478. Available at: <https://doi.org/10.1186/s13054-023-04762-6>
- Brackeen, G.L., Dover, J.S., & Long, C.L. (1989). Serum Albumin. *Nutr Clin Pr*. 4 : 203–205. Available at: <https://doi.org/10.1177/0115426589004006203>
- Cao, Y., Su, Y., Guo, C., He, L., & Ding, N. (2023). Albumin Level is Associated with Short-Term and Long-Term Outcomes in Sepsis Patients Admitted in the ICU: A Large Public Database Retrospective Research. *Clin. Epidemiol.* Volume 15 : 263–273. Available at: <https://doi.org/10.2147/CLEP.S396247>
- Chen, C.B., Hammo, B., Barry, J., & Radhakrishnan, K. (2021). Overview of Albumin Physiology and its Role in Pediatric Diseases. *Curr. Gastroenterol. Rep.* 23 : 11. Available at: <https://doi.org/10.1007/s11894-021-00813-6>
- Christensen, E.E., Prebensen, C.H., Martinsen, A.B., Stiff, E.T., Hoff, R., Kvale, D., *et al.* (2023). Mortality and Sequential Organ Failure Assessment Score in Patients With Suspected Sepsis: The Impact of Acute and Preexisting Organ Failures and Infection Likelihood. *Crit. Care Explor.* 5 : e0865. Available at: <https://doi.org/10.1097/CCE.0000000000000865>
- Daniel, M., Bedoui, Y., Vagner, D., Raffray, L., Ah-Pine, F., Doray, B., *et al.* (2022). Pathophysiology of Sepsis and Genesis of Septic Shock: The Critical Role of Mesenchymal Stem Cells (MSCs). *Int. J. Mol. Sci.* 23 : 9274. Available at: <https://doi.org/10.3390/ijms23169274>
- Dharmawan, A., Istia, M.J., Tan, H.T., Suparto, S., Anastasia, M.C., & Layanto, N. (2021). The Outcome of Patients with Sepsis at Tarakan Hospital Central Jakarta in 2018. *Muhammadiyah Med. J.* 2 : 49. Available at: <https://doi.org/10.24853/mmj.2.2.49-54>

- Do, S.N., Dao, C.X., Nguyen, T.A., Nguyen, M.H., Pham, D.T., Nguyen, N.T., *et al.* (2023). Sequential Organ Failure Assessment (SOFA) Score for predicting mortality in patients with sepsis in Vietnamese intensive care units: a multicentre, cross-sectional study. *BMJ Open* 13 : e064870. Available at: <https://doi.org/10.1136/bmjopen-2022-064870>
- Dobson, G.P., Letson, H.L., & Morris, J.L. (2024). Revolution in sepsis: a symptoms - based to a systems - based approach? *J. Biomed. Sci.* 1–18. Available at: <https://doi.org/10.1186/s12929-024-01043-4>
- Dugani, S., & Kissoon, N. (2017). Global advocacy needed for sepsis in children. *J. Infect.* 74 : S61–S65. Available at: [https://doi.org/10.1016/S0163-4453\(17\)30193-7](https://doi.org/10.1016/S0163-4453(17)30193-7)
- Dwisusanti, O., Rohman, Yunitri, N., Rayasari, F., Anitha, & Maemun, S. (2024). Predictors Of Ventilator Weaning Failure In Sepsis. *Indones. J. Glob. Heal. Res.* 6 : 87–94. Available at: <https://doi.org/https://doi.org/10.37287/ijghr.v6iS4.3956>
- Erdogan, M., & Findikli, H.A. (2021). The Relationship Between Hypoalbuminemia and Mortality in Geriatric Patients with Sepsis. *J. Crit. Intensive Care.* Available at: <https://doi.org/10.37678/dcybd.2021.2824>
- Fadrian, F., Decroli, E., Ahmad, A., Kam, A., Muharramah, D.H., Pradana, G., *et al.* (2025). In-hospital mortality and its determinant factors among patients with sepsis. *Universa Med.* 44 : 3–15. Available at: <https://doi.org/10.18051/UnivMed.2025.v44.3-15>
- Fleischmann-Struzek, C., & Rudd, K. (2023). Challenges of assessing the burden of sepsis. *Medizinische Klin. - Intensivmed. und Notfallmedizin* 118 : 68–74. Available at: <https://doi.org/10.1007/s00063-023-01088-7>
- Fujishima, S. (2016). Organ dysfunction as a new standard for defining sepsis. *Inflamm. Regen.* 36 : 24. Available at: <https://doi.org/10.1186/s41232-016-0029-y>
- Guarino, M., Perna, B., Cesaro, A.E., Maritati, M., Spampinato, M.D., Contini, C., *et al.* (2023). 2023 Update on Sepsis and Septic Shock in Adult Patients: Management in the Emergency Department. *J. Clin. Med.* 12 : 3188. Available at: <https://doi.org/10.3390/jcm12093188>
- Gyawali, B., Ramakrishna, K., & Dhamoon, A.S. (2019). Sepsis: The evolution in definition, pathophysiology, and management. *SAGE Open Med.* 7 : 2050312119835043. Available at: <https://doi.org/10.1177/2050312119835043>
- Hanif, R.S., Hamdi, T., Kadri, A., & Megawati, E.R. (2024). Initial Sofa Score and Mortality of Sepsis Patients in the Intensive Care Unit of Haji Adam Malik Hospital Medan: Does It Correlate? *Indones. J. Anesthesiol. Reanim.* 6 : 73–79. Available at: <https://doi.org/10.20473/ijar.V6I22024.73-79>

- Harazim, M., Tan, K., Nalos, M., & Matejovic, M. (2023). Blood urea nitrogen - independent marker of mortality in sepsis. *Biomed. Pap.* 167 : 24–29. Available at: <https://doi.org/10.5507/bp.2022.015>
- Harr, K.E., Flatland, B., Nabity, M., & Freeman, K.P. (2013). ASVCP guidelines: allowable total error guidelines for biochemistry. *Vet. Clin. Pathol.* 42 : 424–436. Available at: <https://doi.org/10.1111/vcp.12101>
- He, M., Huang, J., Li, X., Liang, S., Wang, Q., & Zhang, H. (2023). Risk Factors for Mortality in Sepsis Patients without Lactate Levels Increasing Early. *Emerg. Med. Int.* 2023 : 1–10. Available at: <https://doi.org/10.1155/2023/6620157>
- Helms, J., Merdji, H., Loewert, S., Severac, F., Monnier, A., Kaurin, J., *et al.* (2023). Disseminated intravascular coagulation is strongly associated with severe acute kidney injury in patients with septic shock. *Ann. Intensive Care* 13 : 119. Available at: <https://doi.org/10.1186/s13613-023-01216-8>
- Hosten, A.O. (1990). Clinical Methods: The History, Physical, and Laboratory Examinations. *Ann. Intern. Med.* 113 : 563. Available at: https://doi.org/10.7326/0003-4819-113-7-563_2
- Hotchkiss, R.S., Moldawer, L.L., Opal, S.M., Reinhart, K., Turnbull, I.R., & Vincent, J.-L. (2016). Sepsis and septic shock. *Nat. Rev. Dis. Prim.* 2 : 16045. Available at: <https://doi.org/10.1038/nrdp.2016.45>
- Hu, D., Sheeja Prabhakaran, H., Zhang, Y.-Y., Luo, G., He, W., & Liou, Y.-C. (2024). Mitochondrial dysfunction in sepsis: mechanisms and therapeutic perspectives. *Crit. Care* 28 : 292. Available at: <https://doi.org/10.1186/s13054-024-05069-w>
- Ibarz, M., Haas, L.E.M., Ceccato, A., & Artigas, A. (2024). The critically ill older patient with sepsis: a narrative review. *Ann. Intensive Care* 14 : 6. Available at: <https://doi.org/10.1186/s13613-023-01233-7>
- Iskandar, A., & Siska, F. (2025). Analisis Hubungan Sequential Organ Failure Assessment (Sofa) Score Dengan Mortalitas Pasien Sepsis. *J. Kesehatan Andalas* 9 : 168–173. Available at: <https://doi.org/10.25077/jka.v9i2.1221>
- Ito, S., & Yamamoto, D. (2010). Mechanism for the color change in bromocresol purple bound to human serum albumin. *Clin. Chim. Acta* 411 : 294–295. Available at: <https://doi.org/10.1016/j.cca.2009.11.019>
- Jerome Pugin, Michael Meisner, Alain Leon, Dominique Gendrel, & Anna Fernández López (2012). Guide for the Clinical Use of Procalcitonin (PCT), 13th ed. Germany : Thermo Fisher Scientific.
- Jiang, X., Zhang, C., Pan, Y., Cheng, X., & Zhang, W. (2023). Effects of C-reactive protein trajectories of critically ill patients with sepsis on in-hospital mortality rate. *Sci. Rep.* 13 : 15223. Available at: <https://doi.org/10.1038/s41598-023-42352-2>

- Juneja, D. (2012). Severe sepsis and septic shock in the elderly: An overview. *World J. Crit. Care Med.* 1 : 23. Available at: <https://doi.org/10.5492/wjccm.v1.i1.23>
- Kang, C., Choi, S., Jang, E.J., Joo, S., Jeong, J.H., Oh, S.-Y., *et al.* (2024). Prevalence and outcomes of chronic comorbid conditions in patients with sepsis in Korea: a nationwide cohort study from 2011 to 2016. *BMC Infect. Dis.* 24 : 184. Available at: <https://doi.org/10.1186/s12879-024-09081-x>
- Kendall, H., Abreu, E., & Cheng, A.-L. (2019). Serum Albumin Trend Is a Predictor of Mortality in ICU Patients With Sepsis. *Biol. Res. Nurs.* 21 : 237–244. Available at: <https://doi.org/10.1177/1099800419827600>
- Kim, D.K., Kim, S., Kang, D.H., Ju, H., Oh, D.K., Lee, S.Y., *et al.* (2024). Influence of underlying condition and performance of sepsis bundle in very old patients with sepsis: a nationwide cohort study. *Ann. Intensive Care* 14 : 179. Available at: <https://doi.org/10.1186/s13613-024-01415-x>
- Kim, Y.S., Sol, I.S., Kim, M.J., Kim, S.Y., Kim, J.D., Kim, Y.H., *et al.* (2017). Serum Albumin as a Biomarker of Poor Prognosis in the Pediatric Patients in Intensive Care Unit. *Korean J. Crit. Care Med.* 32 : 347–355. Available at: <https://doi.org/10.4266/kjccm.2017.00437>
- Kramarow, E.A. (2021). Sepsis-related Mortality Among Adults Aged 65 and Over: United States, 2019. *NCHS Data Brief* 1–8.
- Kramarow, Y.G.E.A. (2023). QuickStats: Sepsis-Related* Death Rates† Among Persons Aged ≥65 Years, by Age Group and Sex - National Vital Statistics System, United States, 2021., MMWR. Morbidity and mortality weekly report. US Department of Health and Human Services | : . Available at: <https://doi.org/10.15585/mmwr.mm7238a5>
- Kudo, D., Kushimoto, S., Miyagawa, N., Sato, T., Hasegawa, M., Ito, F., *et al.* (2018). The impact of organ dysfunctions on mortality in patients with severe sepsis: A multicenter prospective observational study. *J. Crit. Care* 45 : 178–183. Available at: <https://doi.org/10.1016/j.jcrc.2018.03.011>
- Kumar, Anand, Zarychanski, R., Light, B., Parrillo, J., Maki, D., Laporta, D., *et al.* (2010). Early combination antibiotic therapy yields improved survival compared with monotherapy in septic shock: A propensity-matched analysis*. *Crit. Care Med.* 38 : 1773–1785. Available at: <https://doi.org/10.1097/CCM.0b013e3181eb3ccd>
- La Via, L., Sangiorgio, G., Stefani, S., Marino, A., Nunnari, G., Cocuzza, S., *et al.* (2024). The Global Burden of Sepsis and Septic Shock. *Epidemiologia* 5 : 456–478. Available at: <https://doi.org/10.3390/epidemiologia5030032>
- Lau, W.L., & Vaziri, N.D. (2017). Urea, a true uremic toxin: the empire strikes back. *Clin. Sci.* 131 : 3–12. Available at: <https://doi.org/10.1042/CS20160203>

Lemeshow, S. David, J. (1997). Besar Sampel dalam Penelitian Kesehatan (terjemahan). Gadjah Mada University Press, Yogyakarta. : Gadjah Mada University Press, Yogyakarta.

Lemeshow S.K., L.S. (2006). Sample size determination in health studies 55–62.

Li, X., Zheng, R., Zhang, T., Zeng, Z., Li, H., & Liu, J. (2021). Association between blood urea nitrogen and 30-day mortality in patients with sepsis: a retrospective analysis. *Ann. Palliat. Med.* 10 : 11653–11663. Available at: <https://doi.org/10.21037/apm-21-2937>

Liu, N., Ren, J., Yu, L., & Xie, J. (2020). Mechanical ventilation associated with worse survival in septic patients : a retrospective analysis of MIMIC-III. *J. Emerg. Crit. Care Med.* Available at: <https://doi.org/10.21037/jeccm.2020.01.01>

Liu, V.X., Fielding-Singh, V., Greene, J.D., Baker, J.M., Iwashyna, T.J., Bhattacharya, J., *et al.* (2017). The Timing of Early Antibiotics and Hospital Mortality in Sepsis. *Am. J. Respir. Crit. Care Med.* 196 : 856–863. Available at: <https://doi.org/10.1164/rccm.201609-1848OC>

Liu, Z., Meng, Z., Li, Y., Zhao, J., Wu, S., Gou, S., *et al.* (2019). Prognostic accuracy of the serum lactate level, the SOFA score and the qSOFA score for mortality among adults with Sepsis. *Scand. J. Trauma. Resusc. Emerg. Med.* 27 : 51. Available at: <https://doi.org/10.1186/s13049-019-0609-3>

Luetscher, J.A. (1947). Biological And Medical Applications Of Electrophoresis. *Physiol. Rev.* 27 : 621–642. Available at: <https://doi.org/10.1152/physrev.1947.27.4.621>

Marik, P.E., & Taeb, A.M. (2017). SIRS , qSOFA and new sepsis definition. Available at: <https://doi.org/10.21037/jtd.2017.03.125>

McPherson, R. A. & Pincus, M.R. (2022). Henry's Clinical Diagnosis and Management by Laboratory Methods, 24th ed. Canada : Elsevier Inc.

Merry, M., Agung, I.G., Utara, G., Aryabiantara, I.W., Ayu, D., & Shintya, M. (2021). Profile of Sepsis Patients Treated in Intensive Care Unit of Sanglah Hospital Denpasar. *J Med Sci.* 9 : 1701–1704.

Mewes, C., Runzheimer, J., Böhnke, C., Büttner, B., Nemeth, M., Hinz, J., *et al.* (2023). Differences in Mortality and Sepsis-Associated Organ Dysfunction between Surgical and Non-Surgical Sepsis Patients. *Biomedicines* 1–11.

Min, J., Lu, J., Zhong, L., Yuan, M., & Xu, Y. (2022). The correlation study between blood urea nitrogen to serum albumin ratio and prognosis of patients with sepsis during hospitalization. *BMC Anesthesiol.* 22 : 404. Available at: <https://doi.org/10.1186/s12871-022-01947-4>

Nduka, O.O., & Parrillo, J.E. (2009). The Pathophysiology of Septic Shock. *Crit. Care Clin.* 25 : 677–702. Available at:

<https://doi.org/10.1016/j.ccc.2009.08.002>

- Nugroho H.S., R, M., Irwanto FH, & Husin Syarif (2021). Correlation Between Albumin Level and 28-Days Sepsis Related Mortality. *J. Anesthesiol. Clin. Res.* 2 : 170–183. Available at: <https://doi.org/10.37275/jacr.v2i1.147>
- Orsatti, V.N., Ribeiro, V.S.T., de Oliveira Montenegro, C., Costa, C.J., Raboni, E.A., Sampaio, E.R., *et al.* (2024). Sepsis death risk factor score based on systemic inflammatory response syndrome, quick sequential organ failure assessment, and comorbidities. *Med. Intensiva (English Ed.* 48 : 263–271. Available at: <https://doi.org/10.1016/j.medicine.2024.03.005>
- Ortiz, G., Dueñas, C., Rodríguez, F., Barrera, L., de La Rosa, G., Dennis, R., *et al.* (2014). Epidemiology of sepsis in Colombian intensive care units. *Biomedica* 34 : 40–7. Available at: <https://doi.org/10.1590/S0120-41572014000100007>
- Patel, J.J., Taneja, A., Niccum, D., Kumar, G., Jacobs, E., & Nanchal, R. (2015). The Association of Serum Bilirubin Levels on the Outcomes of Severe Sepsis. *J. Intensive Care Med.* 30 : 23–29. Available at: <https://doi.org/10.1177/0885066613488739>
- Peisajovich, A., Marnell, L., Mold, C., & Du Clos, T.W. (2008). C-reactive protein at the interface between innate immunity and inflammation. *Expert Rev. Clin. Immunol.* 4 : 379–390. Available at: <https://doi.org/10.1586/1744666X.4.3.379>
- Peraturan Menteri Kesehatan Republik Indonesia (2013). Cara Penyelenggaraan Laboratorium Klinik Yang Baik. Jakarta: Kementerian Kesehatan Republik Indonesia : .
- Purba, A.K.R., Mariana, N., Aliska, G., Wijaya, S.H., Wulandari, R.R., Hadi, U., *et al.* (2020). The burden and costs of sepsis and reimbursement of its treatment in a developing country: An observational study on focal infections in Indonesia. *Int J Infect Dis* 96 : 211–218. Available at: <https://doi.org/10.1016/j.ijid.2020.04.075>
- Raith, E.P., Udy, A.A., Bailey, M., Mcgloughlin, S., Fracp, B., Macisaac, C., *et al.* (2017). Prognostic Accuracy of the SOFA Score, SIRS Criteria, and qSOFA Score for In-Hospital Mortality Among Adults With Suspected Infection Admitted to the Intensive Care Unit. *JAMA - J. Am. Med. Assoc.* 317 : 290–300. Available at: <https://doi.org/10.1001/jama.2016.20328>
- Reinhart, K., Bauer, M., Riedemann, N.C., & Hartog, C.S. (2012). New Approaches to Sepsis: Molecular Diagnostics and Biomarkers. *Clin. Microbiol. Rev.* 25 : 609–634. Available at: <https://doi.org/10.1128/CMR.00016-12>
- Rosenfeld, M., & Surgenor, D.M. (1952). The hematin-binding reaction as a basis for serum albumin determination. *J. Biol. Chem.* 199 : 911–21. Available at: [https://doi.org/https://www.jbc.org/article/S0021-9258\(18\)38530-2/pdf](https://doi.org/https://www.jbc.org/article/S0021-9258(18)38530-2/pdf)

- Rudd, K.E., Johnson, S.C., Agesa, K.M., Shackelford, K.A., Tsoi, D., Kievlan, D.R., *et al.* (2020). Global, regional, and national sepsis incidence and mortality, 1990–2017: analysis for the Global Burden of Disease Study. *Lancet* 395 : 200–211. Available at: [https://doi.org/10.1016/S0140-6736\(19\)32989-7](https://doi.org/10.1016/S0140-6736(19)32989-7)
- Sakr, Y., Elia, C., Mascia, L., Barberis, B., Cardellino, S., Livigni, S., *et al.* (2013). The influence of gender on the epidemiology of and outcome from severe sepsis. *Crit. Care* 17 : R50. Available at: <https://doi.org/10.1186/cc12570>
- Sanderson, M., Chikhani, M., Blyth, E., Wood, S., Moppett, I.K., McKeever, T., *et al.* (2018). Predicting 30-day mortality in patients with sepsis: An exploratory analysis of process of care and patient characteristics. *J. Intensive Care Soc.* 19 : 299–304. Available at: <https://doi.org/10.1177/1751143718758975>
- Schneider, H.-G., & Thanh Lam, Q. (2007). Procalcitonin for the clinical laboratory: a review. *Pathology* 39 : 383–390. Available at: <https://doi.org/10.1080/00313020701444564>
- Septian, D., & Oktaliansah, E. (2024). Continous Renal Replacement Therapy Pada Pasien Sepsis, Respiratory Failure, Acute Kidney Injury, Dan Asidosis Metabolik. *J. Komplikasi Anestesi* 11 : 322–329. Available at: <https://doi.org/10.22146/jka.v11i3.15136>
- Seymour, C.W., Gesten, F., Prescott, H.C., Friedrich, M.E., Iwashyna, T.J., Phillips, G.S., *et al.* (2017). Time to Treatment and Mortality during Mandated Emergency Care for Sepsis. *N. Engl. J. Med.* 376 : 2235–2244. Available at: <https://doi.org/10.1056/NEJMoa1703058>
- Seymour, W.J.W.C.W. (2018). Handbook of Sepsis, Journal of Advanced Lung Health. Cham : Springer International Publishing. Available at: <https://doi.org/10.1007/978-3-319-73506-1>
- Shetty, A.L., Thompson, K., Byth, K., Macaskill, P., Green, M., Fullick, M., *et al.* (2018). Serum lactate cut-offs as a risk stratification tool for in-hospital adverse outcomes in emergency department patients screened for suspected sepsis. *BMJ Open* 8 : e015492. Available at: <https://doi.org/10.1136/bmjopen-2016-015492>
- Singer, M., Deutschman, C.S., Seymour, C., Shankar-Hari, M., Annane, D., Bauer, M., *et al.* (2016). The third international consensus definitions for sepsis and septic shock (sepsis-3). *JAMA - J. Am. Med. Assoc.* 315 : 801–810. Available at: <https://doi.org/10.1001/jama.2016.0287>
- Suranadi, I.W., Sinardja, C.D., & Suryadi, I.A. (2022). Role of Procalcitonin in Predicting Mortality and Organ Dysfunction at Intensive Care Admission. *Int. J. Gen. Med.* Volume 15 : 4917–4923. Available at: <https://doi.org/10.2147/IJGM.S362558>

- Tietzt, N.W., Burtis, C.A., Ashwood, E.R., & Bruns, D.E. (2012). Tietz textbook of clinical chemistry and molecular diagnostics, 5th ed. ed. St. Louis, Mo., Elsevier/Saunders. : Elsevier/Saunders.
- Tirupakuzhi Vijayaraghavan, B.K., & Adhikari, N.K.J. (2022). Sepsis Epidemiology and Outcomes in Asia: Advancing the Needle. *Am. J. Respir. Crit. Care Med.* 206 : 1059–1060. Available at: <https://doi.org/10.1164/rccm.202207-1257ED>
- Turcato, G., Zaboli, A., Sibilio, S., Rella, E., Bonora, A., & Brigo, F. (2023). Albumin as a prognostic marker of 30-day mortality in septic patients admitted to the emergency department. *Intern. Emerg. Med.* 18 : 2407–2417. Available at: <https://doi.org/10.1007/s11739-023-03387-5>
- van der Poll, T., van de Veerdonk, F.L., Scicluna, B.P., & Netea, M.G. (2017). The immunopathology of sepsis and potential therapeutic targets. *Nat. Rev. Immunol.* 17 : 407–420. Available at: <https://doi.org/10.1038/nri.2017.36>
- van Engelen, T.S.R., Joost Wiersinga, W., & van der Poll, T. (2018). Pathogenesis of Sepsis, in: *Handbook of Sepsis*. pp. 31–43, Cham : Springer International Publishing. Available at: https://doi.org/10.1007/978-3-319-73506-1_3
- Vera, S., Mart, R., Gormaz, J.G., Gajardo, A., & Galleguillos, F. (2015). Novel relationships between oxidative stress and angiogenesis-related factors in sepsis : New biomarkers and therapies Novel relationships between oxidative stress and angiogenesis-related factors in sepsis : New biomarkers and therapies. *Ann. Med.* Available at: <https://doi.org/10.3109/07853890.2015.1029967>
- Vincent, J.-L., Marshall, J.C., Namendys-Silva, S.A., François, B., Martin-Loeches, I., Lipman, J., *et al.* (2014). Assessment of the worldwide burden of critical illness: the Intensive Care Over Nations (ICON) audit. *Lancet Respir. Med.* 2 : 380–386. Available at: [https://doi.org/10.1016/S2213-2600\(14\)70061-X](https://doi.org/10.1016/S2213-2600(14)70061-X)
- Vincent, J.-L., Sakr, Y., Singer, M., Martin-Loeches, I., Machado, F.R., Marshall, J.C., *et al.* (2020). Prevalence and Outcomes of Infection Among Patients in Intensive Care Units in 2017. *JAMA - J. Am. Med. Assoc.* 323 : 1478. Available at: <https://doi.org/10.1001/jama.2020.2717>
- Vincent, J. (2023). Sepsis and infection : Two words that should not be confused. *Front. Med.* 1–5. Available at: <https://doi.org/10.3389/fmed.2023.1156732>
- Wang, T.-J., Lee, S.-Y., Wong, L.-T., & Chao, W.-C. (2024). Blood Urea Nitrogen to Albumin Ratio Was Associated With Mortality in Critically Ill Septic Patients: A Multicenter Retrospective Propensity-Adjusted Analysis. *Int. J. Clin. Pract.* 2024. Available at: <https://doi.org/10.1155/ijcp/5202122>
- Wang, Y., Gao, S., Hong, L., Hou, T., Liu, H., Li, M., *et al.* (2023). Prognostic impact of blood urea nitrogen to albumin ratio on patients with sepsis: a

- retrospective cohort study. *Sci. Rep.* 13 : 10013. Available at: <https://doi.org/10.1038/s41598-023-37127-8>
- Wardi, G., Tainter, C.R., Ramnath, V.R., Brennan, J.J., Tolia, V., Castillo, E.M., *et al.* (2021). Age-related incidence and outcomes of sepsis in California, 2008–2015. *J. Crit. Care* 62 : 212–217. Available at: <https://doi.org/10.1016/j.jcrc.2020.12.015>
- Wasyluk, W., & Zwolak, A. (2021). Metabolic Alterations in Sepsis. *J. Clin. Med.* 10 : 2412. Available at: <https://doi.org/10.3390/jcm10112412>
- Whiles, B., Deis, A., Miller, P., & Simpson, S. (2016). Comorbid Conditions Predict Outcomes in Patients With Severe Sepsis. *Chest* 149 : A170. Available at: <https://doi.org/10.1016/j.chest.2016.02.176>
- Wiersinga, W.J., & van der Poll, T. (2022). Immunopathophysiology of human sepsis. *eBioMedicine* 86 : 104363. Available at: <https://doi.org/10.1016/j.ebiom.2022.104363>
- World Health Organization (2020). Global report on the epidemiology and burden of sepsis: current evidence, identifying gaps and future directions, World Health Organization. Geneva: . .
- Xu, K.W., Luo, Y., & QinXi Xia, J. (2023). Factors influencing mortality in ICU hospitalized patients with severe sepsis: A systematic review and meta-analysis. *Indian J. Exp. Biol.* 61. Available at: <https://doi.org/10.5604/ijeb.v61i08.4373>
- Xu, X., Yang, T., An, J., Li, B., & Dou, Z. (2025). Liver injury in sepsis: manifestations, mechanisms and emerging therapeutic strategies. *Front. Immunol.* 16 : 1575554. Available at: <https://doi.org/10.3389/fimmu.2025.1575554>
- Yadav, S., Verma, T., Pathak, S., & Nandi, D. (2019). Understanding the Roles of Nitric Oxide During Sepsis, an Inflammatory Disorder, Therapeutic Application of Nitric Oxide in Cancer and Inflammatory Disorders. Elsevier Inc. Available at: <https://doi.org/10.1016/B978-0-12-816545-4.00013-X>
- Zhou, Z., Zhang, L., Liu, J., & Li, H. (2022). Case Reports Long-Term Outcomes in Older Patients with Sepsis in the ICU : A Retrospective Study. *Ann. Clin. Med.* 10 : 1–7.
- Zou, X.-L., Feng, D.-Y., Wu, W.-B., Yang, H.-L., & Zhang, T.-T. (2021). Blood urea nitrogen to serum albumin ratio independently predicts 30-day mortality and severity in patients with Escherichia coli bacteraemia. *Med. Clin. (Barc).* 157 : 219–225. Available at: <https://doi.org/10.1016/j.medcli.2020.06.060>