UNIVERSITAS
GADJAH MADA
**Penyeduhan Berbantu Gelombang Mikro Daun Gaharu Sebagai Pengembangan Minuman Fungsional dengan
Variasi Pengeringan, Umur Daun, dan Formulasi**
Bedri Sekar Nurmadhani, Dr. Widiastuti Setyaningsih, S.T.P., M.Sc.; Dr. Manikharda, S.T.P., M.Agr.
**Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/**

# DAFTAR PUSTAKA

Abdel-Halim, S., Ibrahim, M., Abdel Mohsen, M., Abou-Setta, L., Sleem, A., & El-Missiry, M. (2021). The influence of the extraction method on polyphenols, flavonoids composition and anti-hyperlipidemic properties of papaya leaves (Carica papaya Linn.). *Bulletin of the National Research Centre*, *45*(1). https://doi.org/10.1186/s42269-021-00548-4

Abdu Hussen, A. (2022). High-Performance Liquid Chromatography (HPLC): A review. *Annals of Advances in Chemistry*, *6*(1), 010–020. https://doi.org/10.29328/journal.aac.1001026

Adam, A. Z., Lee, S. Y., & Mohamed, R. (2017). Pharmacological properties of agarwood tea derived from Aquilaria (Thymelaeaceae) leaves: An emerging contemporary herbal drink. In *Journal of Herbal Medicine* (Vol. 10, pp. 37–44). Elsevier GmbH. https://doi.org/10.1016/j.hermed.2017.06.002

Aderibigbe, O. R., Kareem, O. F., & Akinwumi, S. G. (2023). Comparative Evaluation of the Effects of Pretreatments on the Nutritional and Chemical Properties of Ginger Leaf-Based Herbal Tea. *African Journal of Food, Agriculture, Nutrition and Development*, *23*(2), 22548–22567. https://doi.org/10.18697/ajfand.117.22080

Akbari, S., Abdurahman, N. H., & Yunus, R. M. (2019). Optimization of saponins, phenolics, and antioxidants extracted from fenugreek seeds using microwave-assisted extraction and response surface methodology as an optimizing tool. *Comptes Rendus Chimie*, *22*(11–12), 714–727. https://doi.org/10.1016/j.crci.2019.07.007

Al-Snafi, A. E. (2016). Pharmacological importance of Clitoria ternatea – A review Pharmacological importance of Clitoria ternatea – A review Prof Dr Ali Esmail Al-Snafi. *IOSR Journal Of Pharmacy*, *6*(3), 68–83. https://www.researchgate.net/profile/Ali-Al-Snafi/publication/313742374_Pharmacological_importance_of_Clitoria_ternatea_-_A_review/links/58a462cdaca27206d976c76c/Pharmacological-importance-of-Clitoria-ternatea-A-review.pdf

Alara, O. R., & Abdurahman, N. H. (2019). Microwave-assisted extraction of phenolics from Hibiscus sabdariffa calyces: Kinetic modelling and process intensification. *Industrial Crops and Products*, *137*(February), 528–535. https://doi.org/10.1016/j.indcrop.2019.05.053

Alwi, H., Zubairy, N., & Ku Hamid, K. H. (2022). Drying properties of agarwood leaves in vacuum far infrared dryer: Colour changes. *Materials Today: Proceedings*, *63*, S174–S177. https://doi.org/10.1016/j.matpr.2022.02.130

Anwar, K., Rahmanto, B., Triyasmono, L., Rizki, M. I., Halwany, W., & Lestari, F.

UNIVERSITAS GADJAH MADA
**Penyeduhan Berbantu Gelombang Mikro Daun Gaharu Sebagai Pengembangan Minuman Fungsional dengan Variasi Pengeringan, Umur Daun, dan Formulasi**
Bedri Sekar Nurmadhani, Dr. Widiastuti Setyaningsih, S.T.P., M.Sc.; Dr. Manikharda, S.T.P., M.Agr.
**Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/**

(2017). The Influence of leaf age on total phenolic, flavonoids, and free radical scavenging capacity of Aquilaria beccariana. *Research Journal of Pharmaceutical, Biological and Chemical Sciences*, *8*(129), 129–133. https://www.researchgate.net/publication/313435961

Asante, J. O., Wireko-Manu, F., Larbie, C., Kpodo, G. N., & Oduro, I. (2024). Sensory evaluation and chemical composition of Solanum nigrum and Solanum torvum herbal tea and spice. *Food Science and Technology International*, 1–12. https://doi.org/10.1177/10820132241266103

Astill, C., Birch, M. R., Dacombe, C., Humphrey, P. G., & Martin, P. T. (2001). Factors affecting the caffeine and polyphenol contents of black and green tea infusions. *Journal of Agricultural and Food Chemistry*, *49*(11), 5340–5347. https://doi.org/10.1021/jf010759+

Atasoy, A. D., Yesilnacar, M. I., & Atasoy, A. F. (2019). Essential element contents of turkish black tea. In *Non-alcoholic Beverages: Volume 6. The Science of Beverages* (pp. 63–72). Elsevier. https://doi.org/10.1016/B978-0-12-815270-6.00002-5

Aydemir, M. E., Takım, K., & Yılmaz, M. A. (2024). Characterization of phenolic components of black teas of different origins and the effect of brewing duration on quality properties. *Food Science and Nutrition*, *12*(1), 494–507. https://doi.org/10.1002/fsn3.3782

Babu, A. K., Kumaresan, G., Raj, V. A. A., & Velraj, R. (2018). Review of leaf drying: Mechanism and influencing parameters, drying methods, nutrient preservation, and mathematical models. *Renewable and Sustainable Energy Reviews*, *90*(December 2016), 536–556. https://doi.org/10.1016/j.rser.2018.04.002

Batubara, R., Hanum, T. I., & Affandi, O. (2021). GC-MS analysis of young and mature wild agarwood leaves (Aquilaria malaccensis Lamk) and its antioxidant potential. *IOP Conference Series: Earth and Environmental Science*, *912*(1). https://doi.org/10.1088/1755-1315/912/1/012038

Batubara, R., Hanum, T. I., Risnasari, I., Ginting, H., & Lubis, L. A. (2018). *Antioxidant Activity and Preferences Test of Agarwood Leaves Tea ( Aquilaria malaccensis Lamk ) Based on Leaves Drying Methods*. *Bromo*, 159–163. https://doi.org/10.5220/0008359101590163

Benzie, I. F. F., & Strain, J. J. (1996). The ferric reducing ability of plasma (FRAP) as a measure of "antioxidant power": The FRAP assay. *Analytical Biochemistry*, *239*(1), 70–76. https://doi.org/10.1006/abio.1996.0292

Bhuiyan, M. A., Galdes, N., Cuschieri, S., & Hu, P. (2024). A comparative systematic review of risk factors, prevalence, and challenges contributing to non-communicable diseases in South Asia, Africa, and Caribbeans. *Journal of Health, Population and Nutrition*, *43*(1). https://doi.org/10.1186/s41043-024-00607-2

Borrás-Linares, I., Fernández-Arroyo, S., Arráez-Roman, D., Palmeros-Suárez, P. A., Del Val-Díaz, R., Andrade-Gonzáles, I., Fernández-Gutiérrez, A., Gómez-Leyva, J. F., & Segura-Carretero, A. (2015). Characterization of phenolic compounds, anthocyanidin, antioxidant and antimicrobial activity of 25 varieties of Mexican

UNIVERSITAS GADJAH MADA
**Penyeduhan Berbantu Gelombang Mikro Daun Gaharu Sebagai Pengembangan Minuman Fungsional dengan Variasi Pengeringan, Umur Daun, dan Formulasi**
Bedri Sekar Nurmadhani, Dr. Widiastuti Setyaningsih, S.T.P., M.Sc.; Dr. Manikharda, S.T.P., M.Agr.
**Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/**

Roselle (Hibiscus sabdariffa). *Industrial Crops and Products*, *69*, 385?394-394. https://doi.org/10.1016/j.indcrop.2015.02.053

Boultif, S., Belghar, N., Chabane, F., & Harir, M. (2024). Study of drying and thermal performance of an industrial food dehydrator for cubic beet portions. *Studies in Engineering and Exact Sciences*, *5*(2), e11834. https://doi.org/10.54021/seesv5n2-696

Catani, M. V., Rinaldi, F., Tullio, V., Gasperi, V., & Savini, I. (2021). Comparative analysis of phenolic composition of six commercially available chamomile (Matricaria chamomilla l.) extracts: Potential biological implications. *International Journal of Molecular Sciences*, *22*(19). https://doi.org/10.3390/ijms221910601

Cerretani, L., & Bendini, A. (2010). Rapid Assays to Evaluate the Antioxidant Capacity of Phenols in Virgin Olive Oil. *Olives and Olive Oil in Health and Disease Prevention*, 625–635. https://doi.org/10.1016/B978-0-12-374420-3.00067-X

Chong, C. Y., Tan, C. X., Tsai, M. C., Tan, S. S., Hariyono, H., & Tan, S. T. (2024). Gender differences in dietary intake and physical activity among university students: a post-COVID-19 pandemic study. *Nutrition and Food Science*, *54*(7), 1190–1201. https://doi.org/10.1108/NFS-01-2024-0015

da Silveira, T. F. F., Echegaray, N., Guimarães, R., Lemos, A., Pires, T. C. S. P., Ferreira, I. C. F. R., Alves, M. J., & Barros, L. (2025). Unveiling the impact of thermal water in German chamomile infusions: effects on phenolic compounds, antimicrobial and antioxidant properties. *Food Chemistry*, *463*(September 2024). https://doi.org/10.1016/j.foodchem.2024.141481

Dahimiwal, S. M., Thorat, D. B., Jain, N. P., Jadhav, V. B., & Patil, P. B. (2013). A review on high performance liquid chromatography. *International Journal of Pharmaceutical Research*, *5*(3), 1–6. https://doi.org/10.52711/2231-5675.2023.00011

Delica-Balagot, K. M., Grace Halasan, H. M., Mae Martinez, C. J., Jefferson Collera, J. A., Wilmer Balagot, K. M., Kamantigue, E. C., Samiano, F. B., & Lapuz, R. B. (2024). *Effect of Drying Methods on the Phenolic Compounds and Antioxidant Activity of Leaf of Agarwood (Aquilaria malaccensis Lam.)*.

Delica-Balagot, K. M., Halasan, H. G. M., Martinez, C. M. J., Collera, J. J. A., Balagot, K. W. M., Kamantigue, E. C., Samiano, F. B., & Lapuz, R. B. (2024). Effect of Drying Methods on the Phenolic Compounds and Antioxidant Activity of Leaf of Agarwood (Aquilaria malaccensis Lam.). *Philippine Journal of Science*, *153*(3), 1217–1225.

Eissa, M. A., Hashim, Y. Z. H. Y., El-Kersh, D. M., Abd-Azziz, S. S. S., Salleh, H. M., Isa, M. L. M., & Warif, N. M. A. (2020). Metabolite profiling of aquilaria malaccensis leaf extract using liquid chromatography-Q-TOF-mass spectrometry and investigation of its potential antilipoxygenase activity in-Vitro. *Processes*, *8*(2). https://doi.org/10.3390/pr8020202

El-Alfy, A. T., Almeida, K., Vaidya, N., & Abourashed, E. A. (2025). Inhibition of an

UNIVERSITAS GADJAH MADA
**Penyeduhan Berbantu Gelombang Mikro Daun Gaharu Sebagai Pengembangan Minuman Fungsional dengan Variasi Pengeringan, Umur Daun, dan Formulasi**
Bedri Sekar Nurmadhani, Dr. Widiastuti Setyaningsih, S.T.P., M.Sc.; Dr. Manikharda, S.T.P., M.Agr.
**Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/**

endocannabinoid catabolizing enzyme is a potential mechanism for the anxiolytic effect of chamomile. *Journal of Ethnopharmacology*, *353*(PA), 120312. https://doi.org/10.1016/j.jep.2025.120312

Fiana, R. M., Ningsih, W. S., Abdi, Syukri, D., & Indeswari, N. S. (2024). Characteristics of Chemical Components and Organoleptic Test of Cinnamon Leaf Tea against Differences in Drying Temperature. *Food Science and Technology (United States)*, *12*(1), 94–104. https://doi.org/10.13189/fst.2024.120108

Griffiths, H. R. (2016). Antioxidants: Characterization and Analysis. *Encyclopedia of Food and Health*, 221–226. https://doi.org/10.1016/B978-0-12-384947-2.00037-4

Halim, A. P., Wijayanti, N., Hidayati, L., & Nuringtyas, T. R. (2022). Antioxidant Activity Evaluation of Agarwood Aquilaria malaccensis Lamk. Leaves Extract Using DPPH, FRAP and ABTS Assays . *Proceedings of the 7th International Conference on Biological Science (ICBS 2021)*, *22*(Icbs 2021), 18–25. https://doi.org/10.2991/absr.k.220406.004

Hapsari, B. W., Manikharda, & Setyaningsih, W. (2021). Methodologies in the analysis of phenolic compounds in roselle (Hibiscus sabdariffa L.): Composition, biological activity, and beneficial effects on human health. *Horticulturae*, *7*(2), 1–36. https://doi.org/10.3390/horticulturae7020035

Harfika, A., Hardinsyah, H., & Rahman, L. H. (2023). The Development of Functional Beverage Combinations of Green Tea, Green Coffee, and Cinnamon for Hypercholesterolemia. *Amerta Nutrition*, *7*(2SP), 73–79. https://doi.org/10.20473/amnt.v7i2SP.2023.73-79

Hashim, Y. Z. H. Y., Kerr, P. G., Abbas, P., & Mohd Salleh, H. (2016). Aquilaria spp. (agarwood) as source of health beneficial compounds: A review of traditional use, phytochemistry and pharmacology. *Journal of Ethnopharmacology*, *189*, 331–360. https://doi.org/10.1016/j.jep.2016.06.055

Hayat, K., Hussain, S., Abbas, S., Farooq, U., Ding, B., Xia, S., Jia, C., Zhang, X., & Xia, W. (2009). Optimized microwave-assisted extraction of phenolic acids from citrus mandarin peels and evaluation of antioxidant activity in vitro. *Separation and Purification Technology*, *70*(1), 63–70. https://doi.org/10.1016/j.seppur.2009.08.012

Hendra, H., Moeljopawiro, S., & Nuringtyas, T. R. (2016). Antioxidant and antibacterial activities of agarwood (Aquilaria malaccensis Lamk.) leaves. *AIP Conference Proceedings*, *1755*. https://doi.org/10.1063/1.4958565

Hovhaness, M., Sawitri, A. H., & Sasongko, H. (2025). A Review of the Phytochemistry, Pharmacology and Properties of Black Tea in Health. *Tropical Journal of Natural Product Research*, *9*(3), 881–895. https://doi.org/10.26538/tjnpr/v9i3.01

Ibrahim, M., Azziz, S. S. S. A., Bakri, Y. M., Wong, C. F., Abdullah, Z., Yahaya, R., & Aldulaimi, A. K. O. (2023). Chemical Constituents from Leaves of Aquilaria subintegra. *Chemistry of Natural Compounds*, *59*(3), 529–531.

UNIVERSITAS GADJAH MADA
**Penyeduhan Berbantu Gelombang Mikro Daun Gaharu Sebagai Pengembangan Minuman Fungsional dengan Variasi Pengeringan, Umur Daun, dan Formulasi**
Bedri Sekar Nurmadhani, Dr. Widiastuti Setyaningsih, S.T.P., M.Sc.; Dr. Manikharda, S.T.P., M.Agr.
**Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/**

https://doi.org/10.1007/s10600-023-04042-3

Ince, A. E., Sahin, S., & Sumnu, G. (2014). Comparison of microwave and ultrasound-assisted extraction techniques for leaching of phenolic compounds from nettle. *Journal of Food Science and Technology*, *51*(10), 2776–2782. https://doi.org/10.1007/s13197-012-0828-3

Ito, H., & Ito, M. (2022). Comparison of phenolic compounds contained in Aquilaria leaves of different species. In *Journal of Natural Medicines* (Vol. 76, Issue 3, pp. 693–702). Springer. https://doi.org/10.1007/s11418-022-01608-3

Jaeger, S. R., Xia, Y. X., Le Blond, M., Beresford, M. K., Hedderley, D. I., & Cardello, A. V. (2019). Supplementing hedonic and sensory consumer research on beer with cognitive and emotional measures, and additional insights via consumer segmentation. *Food Quality and Preference*, *73*(September 2018), 117–134. https://doi.org/10.1016/j.foodqual.2018.11.015

Jena, B. N., Saily, A. S., Nanda, S. P., Madhusmita, P. M., & Swain, D. S. (2022). Development of Dehydrator for Domestic Use of Fruits. *International Journal for Research in Applied Science and Engineering Technology*, *10*(5), 3037–3043. https://doi.org/10.22214/ijraset.2022.42885

Joko, L. B., Eiasu, B. K., & Ngwenya, S. M. (2025). Evaluation of Drying Methods and Leaf Age on the Nutrient Composition of Orange-fleshed Sweetpotato (Ipomoea batatas L.) Leaves. *HortScience*, *60*(4), 514–518. https://doi.org/10.21273/HORTSCI18356-24

Juanda, & Hartuti, S. (2024). Sensory Analysis of Butterfly Pea (Clitoria ternatea L.) Flower Tea Drink Using Central Composite Design. *International Journal of Design and Nature and Ecodynamics*, *19*(1), 41–47. https://doi.org/10.18280/ijdne.190105

Kang, Y. F., Chien, S. L., Wu, H. M., Li, W. J., Chen, C. T., Li, H. T., Chen, H. L., Chao, D., Chen, S. J., Huang, C. T., & Chen, C. Y. (2014). Secondary metabolites from the leaves of Aquilaria sinensis. *Chemistry of Natural Compounds*, *50*(6), 1110–1112. https://doi.org/10.1007/s10600-014-1174-7

Kedare, S. B., & Singh, R. P. (2011). Genesis and development of DPPH method of antioxidant assay. *Journal of Food Science and Technology*, *48*(4), 412–422. https://doi.org/10.1007/s13197-011-0251-1

Kittibunchakul, S., Hudthagosol, C., Sanporkha, P., Sapwarobol, S., Suttisansanee, U., & Sahasakul, Y. (2022). Effects of Maturity and Thermal Treatment on Phenolic Profiles and In Vitro Health-Related Properties of Sacha Inchi Leaves. *Plants*, *11*(11), 1–14. https://doi.org/10.3390/plants11111515

Kulakarni, N. S., Ac, L., & Banerjee, A. (2025). *A comprehensive review of the therapeutic applications and bioactive profiles of three underutilized edible flowers : Matricaria chamomilla , Clitoria A comprehensive review of the therapeutic applications and bioactive profiles of three underutilized edi*. *June*. https://doi.org/10.5281/zenodo.15746743

Lai, Y. J., Chiang, Y. C., Jhan, Y. S., Song, T. Y., & Cheng, M. C. (2024). Extraction Effects on Roselle Functionalities: Antioxidant, Antiglycation, and Antibacterial

UNIVERSITAS GADJAH MADA
**Penyeduhan Berbantu Gelombang Mikro Daun Gaharu Sebagai Pengembangan Minuman Fungsional dengan Variasi Pengeringan, Umur Daun, dan Formulasi**
Bedri Sekar Nurmadhani, Dr. Widiastuti Setyaningsih, S.T.P., M.Sc.; Dr. Manikharda, S.T.P., M.Agr.
**Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/**

Capacities. *Foods*, *13*(14), 1–13. https://doi.org/10.3390/foods13142172

Lanjekar, H. (2022). *Tea : Varieties and Types*. *6*(8), 8–9.

Lee, S. Y., Ferdinand, V., & Siow, L. F. (2022). Effect of drying methods on yield, physicochemical properties, and total polyphenol content of chamomile extract powder. *Frontiers in Pharmacology*, *13*(November), 1–8. https://doi.org/10.3389/fphar.2022.1003209

Li, Q., Wei, P., Li, Y., & Fu, Y. (2024). Optimization of Extraction Process and Analysis of Biological Activity of Flavonoids from Leaves of Cultivated 'Qi-Nan' Agarwood. *Molecules*, *29*(8). https://doi.org/10.3390/molecules29081828

Lieu, M. D., Doan, T. N., Tran, T. P., Tran, T. H. C., & Dang, T. K. T. (2024a). Effect of Microwaves, Ultrasound, Enzyme, and Lactic Bacteria on Extraction Efficiency of Bioactive Compounds from Agarwood Leaves (Aquilaria spp.). *Current Applied Science and Technology*, *24*(5). https://doi.org/10.55003/cast.2024.259931

Lieu, M. D., Doan, T. N., Tran, T. P., Tran, T. H. C., & Dang, T. K. T. (2024b). Effect of Microwaves, Ultrasound, Enzyme, and Lactic Bacteria on Extraction Efficiency of Bioactive Compounds from Agarwood Leaves (Aquilaria spp.). *Current Applied Science and Technology*, *24*(5), 1–17. https://doi.org/10.55003/cast.2024.259931

Liu, C. M., Perng, M. H., & Chen, C. Y. (2018). The antioxidation and antiproliferation activity of flavonoids from aquilaria agallocha and aquilaria sinensis. *Biomedical Research (India)*, *29*(10), 2191–2196. https://doi.org/10.4066/biomedicalresearch.29-18-333

Liu, Y., Li, F., Fei, T., Lin, X., Wang, L., & Liu, Z. (2025). Natural α-glucosidase inhibitors from Aquilaria sinensis leaf-tea: Targeted bio-affinity screening, identification, and inhibition mechanism. *Food Chemistry*, *463*(September 2024). https://doi.org/10.1016/j.foodchem.2024.141329

Liu, Y., Luo, L., Liao, C., Chen, L., Wang, J., & Zeng, L. (2018). Effects of brewing conditions on the phytochemical composition, sensory qualities and antioxidant activity of green tea infusion: A study using response surface methodology. *Food Chemistry*, *269*(2), 24–34. https://doi.org/10.1016/j.foodchem.2018.06.130

López-Sampson, A., & Page, T. (2018). History of Use and Trade of Agarwood. In *Economic Botany* (Vol. 72, Issue 1, pp. 107–129). Springer New York LLC. https://doi.org/10.1007/s12231-018-9408-4

Mansouri, R. A., Alsufiani, H. M., Alshahrany, G. A., Alyami, K. A., Alzahrani, L. M., Yamani, R. O., Shorbaji, A. M., & Omar, U. M. (2019). Comparative Study of Total Polyphenol and Antioxidant Activity in Different Forms of Al-Kbous Black Tea. *Journal of Biochemical Technology*, *10*(4), 11–15.

Martin, M., & Guiochon, G. (2005). Effects of high pressure in liquid chromatography. *Journal of Chromatography A*, *1090*(1–2), 16–38. https://doi.org/10.1016/j.chroma.2005.06.005

Masyita, A., Hardinasinta, G., Astuti, A. D., Firdayani, F., Mayasari, D., Hori, A., Nisha, I. N. A., Nainu, F., & Kuraishi, T. (2024). Natural pigments: innovative

UNIVERSITAS GADJAH MADA
**Penyeduhan Berbantu Gelombang Mikro Daun Gaharu Sebagai Pengembangan Minuman Fungsional dengan Variasi Pengeringan, Umur Daun, dan Formulasi**
Bedri Sekar Nurmadhani, Dr. Widiastuti Setyaningsih, S.T.P., M.Sc.; Dr. Manikharda, S.T.P., M.Agr.
**Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/**

extraction technologies and their potential application in health and food industries. *Frontiers in Pharmacology*, *15*(January), 1–28. https://doi.org/10.3389/fphar.2024.1507108

Matyjaszczyk, E., & Śmiechowska, M. (2019). Edible flowers. Benefits and risks pertaining to their consumption. *Trends in Food Science and Technology*, *91*(July), 670–674. https://doi.org/10.1016/j.tifs.2019.07.017

Mazur, J., Drabek, R., & Goldman, A. (2018). Hedonic contrast effects in multi-product food evaluations differing in complexity. *Food Quality and Preference*, *63*(June 2017), 159–167. https://doi.org/10.1016/j.foodqual.2017.06.016

Mehrabi, M., Amiri, M., Razavi, R., Najafi, A., & Hajian-Tilaki, A. (2025). Influence of varied processing methods on the antioxidant capacity, antibacterial activity, and bioavailability of Iranian black, oolong, and green leafy teas. *Food Chemistry*, *464*, 141793. https://doi.org/10.1016/J.FOODCHEM.2024.141793

Meremäe, K., Raudsepp, P., Rusalepp, L., Laun, T., & Roasto, M. (2025). Polyphenolic profiles, antioxidant capacity, and antibacterial activity of green tea, matcha tea, black tea, and yerba mate extracts. *Applied Food Research*, *5*(2). https://doi.org/10.1016/j.afres.2025.101080

Mfotie Njoya, E. (2021). Medicinal plants, antioxidant potential, and cancer. *Cancer: Oxidative Stress and Dietary Antioxidants*, 349–357. https://doi.org/10.1016/B978-0-12-819547-5.00031-6

Mihyaoui, A. El, Esteves Da Silva, J. C. G., Charfi, S., Castillo, M. E. C., Lamarti, A., & Arnao, M. B. (2022). Chamomile (Matricaria chamomilla L.): A Review of Ethnomedicinal Use, Phytochemistry and Pharmacological Uses. *Life*, *12*(4), 1–41. https://doi.org/10.3390/life12040479

Mishra, Y., Amin, H. I. M., Mishra, V., Vyas, M., Prabhakar, P. K., Gupta, M., Kanday, R., Sudhakar, K., Saini, S., Hromić-Jahjefendić, A., Aljabali, A. A. A., El-Tanani, M., Serrano-Aroca, Ã., Bakshi, H., & Tambuwala, M. M. (2022). Application of nanotechnology to herbal antioxidants as improved phytomedicine: An expanding horizon. *Biomedicine & Pharmacotherapy*, *153*, 113413. https://doi.org/10.1016/J.BIOPHA.2022.113413

Mustafa, H. M., Amin, N. A. M., Zakaria, R., Anuar, M. S., Baharuddin, A. S., Hafid, H. S., & Omar, F. N. (2020). Dual impact of different drying treatments and ethanol/water ratios on antioxidant properties and colour attribute of jackfruit leaves (Artocarpus heterophyllus lam.) mastura variety (J35). *BioResources*, *15*(3), 5122–5140. https://doi.org/10.15376/biores.15.3.5122-5140

Nedorost Ragasová, L., Neugebauerová, J., Patloková, K., & Pokluda, R. (2025). Chemical composition of edible flowers: Worldwide research and case study from the Czech Republic. *Scientia Horticulturae*, *341*(August 2024). https://doi.org/10.1016/j.scienta.2025.113969

Nikniaz, Z., Mahdavi, R., Ghaemmaghami, S. J., Lotfi Yagin, N., & Nikniaz, L. (2016). Effect of different brewing times on antioxidant activity and polyphenol content of loosely packed and bagged black teas (Camellia sinensis L.). *Avicenna Journal of Phytomedicine*, *6*(3), 313–321.

UNIVERSITAS GADJAH MADA
**Penyeduhan Berbantu Gelombang Mikro Daun Gaharu Sebagai Pengembangan Minuman Fungsional dengan Variasi Pengeringan, Umur Daun, dan Formulasi**
Bedri Sekar Nurmadhani, Dr. Widiastuti Setyaningsih, S.T.P., M.Sc.; Dr. Manikharda, S.T.P., M.Agr.
**Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/**

http://www.ncbi.nlm.nih.gov/pubmed/27462554%0Ahttp://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=PMC4930538

Oktaviani, N. M. D., Larasati, I. D., Nugroho, A. W., Setyaningsih, W., & Palma, M. (2024). Ultrasound-Assisted Extraction of L-Tryptophan from Chamomile Flower: Method Development and Application for Flower Parts Characterization and Varietal Difference. *Trends in Sciences*, *21*(3). https://doi.org/10.48048/tis.2024.7348

Opitz, S. E. W., Smrke, S., Goodman, B. A., & Yeretzian, C. (2014). Methodology for the Measurement of Antioxidant Capacity of Coffee: A Validated Platform Composed of Three Complementary Antioxidant Assays. *Processing and Impact on Antioxidants in Beverages*, 253–264. https://doi.org/10.1016/B978-0-12-404738-9.00026-X

Osei-Kwarteng, M., Gweyi-Onyango, J. P., & Mahunu, G. K. (2021). Harvesting, storage, postharvest management, and marketing of Hibiscus sabdariffa. *Roselle (Hibiscus Sabdariffa): Chemistry, Production, Products, and Utilization*, 15–31. https://doi.org/10.1016/B978-0-12-822100-6.00010-0

Ostovar, M., Rezaee, Z., Najibi, S. M., & Hashempur, M. H. (2025). Chamomile: A systematic review of adverse events. *Complementary Therapies in Medicine*, *91*(January), 103192. https://doi.org/10.1016/j.ctim.2025.103192

Parekh, N., Merota, V., Joshi, R., Kaur, G., Tuli, H. S., & Buttar, H. S. (2023). The Impact of Antioxidant Diets, Nutraceuticals and Physical Activity Interventions in the Prevention of Cardiometabolic Diseases: An Overview. *Scripta Medica (Banja Luka)*, *54*(4), 389–403. https://doi.org/10.5937/scriptamed54-46932

Patil, S., & Murthy, P. S. (2022). Drying Kinetics, Phytochemical Profile and Antioxidant Potentials of Coffea robusta Leaves and its Valorization as a Functional Beverage. *Waste and Biomass Valorization*, *13*(10), 4239–4251. https://doi.org/10.1007/s12649-022-01771-4

Peluso, I., & Serafini, M. (2017). Antioxidants from black and green tea: from dietary modulation of oxidative stress to pharmacological mechanisms. *British Journal of Pharmacology*, *174*(11), 1195–1208. https://doi.org/10.1111/bph.13649

Petrova, O. E. and K. S. (2017). c-di-GMP Signaling Methods and Protocols. *C-Di-GMP Signaling*, *1657*, 111–130. https://doi.org/10.1007/978-1-4939-7240-1

Phaniendra, A., Jestadi, D. B., & Periyasamy, L. (2015). Free Radicals: Properties, Sources, Targets, and Their Implication in Various Diseases. *Indian Journal of Clinical Biochemistry*, *30*(1), 11–26. https://doi.org/10.1007/s12291-014-0446-0

Pimentel-Moral, S., Borrás-Linares, I., Lozano-Sánchez, J., Arráez-Román, D., Martínez-Férez, A., & Segura-Carretero, A. (2018). Microwave-assisted extraction for Hibiscus sabdariffa bioactive compounds. *Journal of Pharmaceutical and Biomedical Analysis*, *156*, 313–322. https://doi.org/10.1016/j.jpba.2018.04.050

Pranakhon, R., Aromdee, C., & Pannangpetch, P. (2015). Effects of iriflophenone 3-C-β-glucoside on fasting blood glucose level and glucose uptake. *Pharmacognosy Magazine*, *11*(41), 82–89. https://doi.org/10.4103/0973-1296.149711

UNIVERSITAS GADJAH MADA
**Penyeduhan Berbantu Gelombang Mikro Daun Gaharu Sebagai Pengembangan Minuman Fungsional dengan Variasi Pengeringan, Umur Daun, dan Formulasi**
Bedri Sekar Nurmadhani, Dr. Widiastuti Setyaningsih, S.T.P., M.Sc.; Dr. Manikharda, S.T.P., M.Agr.
**Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/**

Prasanth, M. I., Sivamaruthi, B. S., Chaiyasut, C., & Tencomnao, T. (2019). A review of the role of green tea (camellia sinensis) in antiphotoaging, stress resistance, neuroprotection, and autophagy. *Nutrients*, *11*(2). https://doi.org/10.3390/nu11020474

Rahimmalek, M., & Goli, S. A. H. (2013). Evaluation of six drying treatments with respect to essential oil yield, composition and color characteristics of Thymys daenensis subsp. daenensis. Celak leaves. *Industrial Crops and Products*, *42*(1), 613–619. https://doi.org/10.1016/j.indcrop.2012.06.012

Ray, G., Leelamanit, W., Sithisarn, P., & Jiratchariyakul, W. (2014). Antioxidative Compounds from Aquilaria crassna Leaf. In *Original Article Mahidol University Journal of Pharmaceutical Sciences* (Vol. 41, Issue 4).

Rizqiani, K. D., Wahyuni, N., & Sukito, A. (2024). Antioxidant activity and chemical compound analysis of inoculated agarwood extract. *AIP Conference Proceedings*, *2973*(1). https://doi.org/10.1063/5.0184676

Roshanak, S., Rahimmalek, M., & Goli, S. A. H. (2016). Evaluation of seven different drying treatments in respect to total flavonoid, phenolic, vitamin C content, chlorophyll, antioxidant activity and color of green tea (Camellia sinensis or C. assamica) leaves. In *Journal of Food Science and Technology* (Vol. 53, Issue 1, pp. 721–729). https://doi.org/10.1007/s13197-015-2030-x

Rukman, M. S., & Haerussana, A. N. E. M. (2023). The effect of different sweeteners on the free radical scavenging activities, alcohol contents, sugar reductions, and hedonic properties of green tea kombucha. *Pharmaceutical Sciences Asia*, *50*(1), 51–58. https://doi.org/10.29090/psa.2023.01.22.340

Saklar, S., Ertas, E., & Ozdemir, I. S. (2015). *Effects of different brewing conditions on catechin content and sensory acceptance in Turkish green tea infusions*. *52*(October), 6639–6646. https://doi.org/10.1007/s13197-015-1746-y

Samanta, S. (2020). Potential Bioactive Components and Health Promotional Benefits of Tea (Camellia sinensis). *Journal of the American College of Nutrition*. https://doi.org/10.1080/07315724.2020.1827082

Samart, M. A. R. S.-U., Passakorn, K., & Mazumder. (2024). Optimization of microwave-assisted extraction of phenolic compounds and antioxidants from Careya sphaerica Roxb. flowers using response surface methodology. *Applied Food Research*, *4*(1). https://doi.org/10.1016/j.afres.2023.100379

Šamec, D., Karalija, E., Šola, I., Vujčić Bok, V., & Salopek-Sondi, B. (2021). The role of polyphenols in abiotic stress response: The influence of molecular structure. *Plants*, *10*(1), 1–24. https://doi.org/10.3390/plants10010118

Santoso, B., Anggraini, N., Yuliati, K., & Pangawikan, A. D. (2022). PHENOL COMPOUND CONTENT AND ANTIBACTERIAL ACTIVITY OF GAHARU LEAF EXTRACT PRODUCTS (Aquilaria malaccensis). *Bioscience Journal*, *38*. https://doi.org/10.14393/BJ-v38n0a2022-54813

Setyaningsih, W., Saputro, I. E., Palma, M., & Barroso, C. G. (2016). Stability of 40 phenolic compounds during ultrasound-assisted extractions (UAE). *AIP Conference Proceedings*, *1755*. https://doi.org/10.1063/1.4958517

UNIVERSITAS GADJAH MADA
**Penyeduhan Berbantu Gelombang Mikro Daun Gaharu Sebagai Pengembangan Minuman Fungsional dengan Variasi Pengeringan, Umur Daun, dan Formulasi**
Bedri Sekar Nurmadhani, Dr. Widiastuti Setyaningsih, S.T.P., M.Sc.; Dr. Manikharda, S.T.P., M.Agr.
**Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/**

Shen, Y., Du, L., Zeng, H., Zhang, X., Prinyawiwatkul, W., Alonso-Marenco, J. R., & Xu, Z. (2016). Butterfly pea (Clitoria ternatea) seed and petal extracts decreased HEp-2 carcinoma cell viability. *International Journal of Food Science and Technology*, *51*(8), 1860–1868. https://doi.org/10.1111/ijfs.13158

Singh, M., Patra, S., & Singh, R. K. (2021). Common techniques and methods for screening of natural products for developing of anticancer drugs. *Evolutionary Diversity as a Source for Anticancer Molecules*, 323–353. https://doi.org/10.1016/B978-0-12-821710-8.00015-1

Singh, O., Khanam, Z., Misra, N., & Srivastava, M. K. (2011). Chamomile (Matricaria chamomilla L.): An overview. *Pharmacognosy Reviews*, *5*(9), 82–95. https://doi.org/10.4103/0973-7847.79103

Singh, R., R.A., K., J, J., K.D., A., Rajiv, Singh, P. K., & Kumar, P. (2024). Evaluation of Different Drying Methods and Leaf Age on the Retention of Phytochemical and Nutritional Attributes of Moringa Leaf Powder. *Journal of Scientific Research and Reports*, *30*(7), 153–165. https://doi.org/10.9734/jsrr/2024/v30i72132

Sompong, R., Siebenhandl-Ehn, S., Linsberger-Martin, G., & Berghofer, E. (2011). Physicochemical and antioxidative properties of red and black rice varieties from Thailand, China and Sri Lanka. *Food Chemistry*, *124*(1), 132–140. https://doi.org/10.1016/j.foodchem.2010.05.115

Sun, J., Wang, W., & Yue, Q. (2016). Review on microwave-matter interaction fundamentals and efficient microwave-associated heating strategies. *Materials*, *9*(4). https://doi.org/10.3390/ma9040231

Szydłowska-Czerniak, A., Kowaluk, A., Strzelec, M., Sawicki, T., & Tańska, M. (2025). Evaluation of Bioactive Compounds and Chemical Elements in Herbs: Effectiveness of Choline Chloride-Based Deep Eutectic Solvents in Ultrasound-Assisted Extraction. *Molecules*, *30*(2), 1–22. https://doi.org/10.3390/molecules30020368

Turjaman, M., & Hidayat, A. (2017). Agarwood-planted tree inventory in Indonesia. *IOP Conference Series: Earth and Environmental Science*, *54*(1). https://doi.org/10.1088/1755-1315/54/1/012062

Vuong, Q. V., Pham, H. N. T., & Negus, C. (2022). From Herbal Teabag to Infusion—Impact of Brewing on Polyphenols and Antioxidant Capacity. In *Beverages* (Vol. 8, Issue 4). https://doi.org/10.3390/beverages8040081

Vyankatrao, N. P. (2015). Effect of drying methods on nutritional value of carrot pomace powder. *Bioscience Discovery*, *6*(1–I), 72–79.

Wangiyana, I. G. A. S., & Triandini, I. G. A. A. H. (2022). Uji hedonik teh herbal daun tanaman pohon menggunakan berbagai pendekatan statistik. *Journal of Agritechnology and Food Processing*, *2*(2), 43–53.

Wibowo, S., Wardhani, S. K., Hidayati, L., Wijayanti, N., Matsuo, K., Costa, J., Nugraha, Y., Siregar, J. E., & Nuringtyas, T. R. (2024). Investigation of α-glucosidase and α-amylase inhibition for antidiabetic potential of agarwood (Aquilaria malaccensis) leaves extract. *Biocatalysis and Agricultural Biotechnology*, *58*. https://doi.org/10.1016/j.bcab.2024.103152

UNIVERSITAS GADJAH MADA
**Penyeduhan Berbantu Gelombang Mikro Daun Gaharu Sebagai Pengembangan Minuman Fungsional dengan Variasi Pengeringan, Umur Daun, dan Formulasi**
Bedri Sekar Nurmadhani, Dr. Widiastuti Setyaningsih, S.T.P., M.Sc.; Dr. Manikharda, S.T.P., M.Agr.
**Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/**

Widowati, W., Darsono, L., Lucianus, J., Setiabudi, E., Susang Obeng, S., Stefani, S., Wahyudianingsih, R., Reynaldo Tandibua, K., Gunawan, R., Riski Wijayanti, C., Novianto, A., Sari Widya Kusuma, H., & Rizal, R. (2023). Butterfly pea flower (Clitoria ternatea L.) extract displayed antidiabetic effect through antioxidant, anti-inflammatory, lower hepatic GSK-3β, and pancreatic glycogen on Diabetes Mellitus and dyslipidemia rat. *Journal of King Saud University - Science*, *35*(4), 102579. https://doi.org/10.1016/j.jksus.2023.102579

Widowati, W., Darsono, L., Utomo, H. S., Sabrina, A. H. N., Natariza, M. R., Valentinus Tarigan, A. C., Waluyo, N. W., Gleyriena, A. M., Siahaan, B. H., & Oktaviani, R. (2024). Antidiabetic and hepatoprotection effect of butterfly pea flower (Clitoria ternatea L.) through antioxidant, anti-inflammatory, lower LDH, ACP, AST, and ALT on diabetes mellitus and dyslipidemia rat. *Heliyon*, *10*(8), e29812. https://doi.org/10.1016/j.heliyon.2024.e29812

Wu, H. Y., Yang, K. M., & Chiang, P. Y. (2018). Roselle anthocyanins: Antioxidant properties and stability to heat and pH. *Molecules*, *23*(6). https://doi.org/10.3390/molecules23061357

Wu, P., Sun, L., Qi, S., Zeng, T., Hou, Z., Yang, Y., Xu, L., Wei, J., & Xiao, P. (2023). Extraction process, chemical profile, and biological activity of aromatic oil from agarwood leaf (Aquilaria sinensis) by supercritical carbon dioxide extraction. *Journal of CO2 Utilization*, *77*. https://doi.org/10.1016/j.jcou.2023.102615

Xiang, Y., Liu, Y., & Lee, M. L. (2006). Ultrahigh pressure liquid chromatography using elevated temperature. *Journal of Chromatography A*, *1104*(1–2), 198–202. https://doi.org/10.1016/J.CHROMA.2005.11.118

Xiao, W., Han, L., & Shi, B. (2008). Microwave-assisted extraction of flavonoids from Radix Astragali. *Separation and Purification Technology*, *62*(3), 614–618. https://doi.org/10.1016/j.seppur.2008.03.025

Younesi, M., Peighambardoust, S. H., Sarabandi, K., Akbarmehr, A., Ahaninjan, M., & Soltanzadeh, M. (2023). Application of structurally modified WPC in combination with maltodextrin for microencapsulation of Roselle (Hibiscus sabdariffa) extract as a natural colorant source for gummy candy. *International Journal of Biological Macromolecules*, *242*, 124903. https://doi.org/10.1016/J.IJBIOMAC.2023.124903