



DAFTAR PUSTAKA

- Abou Rached, A. and El Hajj, W. (2016) 'Eosinophilic gastroenteritis: Approach to diagnosis and management.', *World journal of gastrointestinal pharmacology and therapeutics*, 7(4), pp. 513–523. Available at: <https://doi.org/10.4292/wjgpt.v7.i4.513>.
- Alfadda AA, Storr MA, Shaffer EA. Eosinophilic colitis: an update on pathophysiology and treatment. *Br Med Bull*. 2011;100:59-72. doi: 10.1093/bmb/IDR045. Epub 2011 Oct 19. PMID: 22012125.
- Arinton, G., Samudro, P. and Soemohardjo, S. (2006) 'The Nepean Dyspepsia Index: Translation and Validation in Indonesian Language', *The Indonesian Journal of Gastroenterology, Hepatology and Digestive Endoscopy*, 7, pp. 38–41.
- Bischoff, S.C. (2007) 'Role of mast cells in allergic and non-allergic immune responses: comparison of human and murine data.', *Nature reviews. Immunology*, 7(2), pp. 93–104. Available at: <https://doi.org/10.1038/nri2018>.
- Brandtzaeg, P. (2009) 'Mucosal immunity: induction, dissemination, and effector functions.', *Scandinavian journal of immunology*, 70(6), pp. 505–515. Available at: <https://doi.org/10.1111/j.1365-3083.2009.02319.x>.
- Burks, A.W., Laubach, S. and Jones, S.M. (2008) 'Oral tolerance, food allergy, and immunotherapy: implications for future treatment.', *The Journal of allergy and clinical immunology*, 121(6), pp. 1344–1350. Available at: <https://doi.org/10.1016/j.jaci.2008.02.037>.
- Buczyńska, A., Grzybowska-Chlebowczyk, U. and Pawlicki, K. (2023) 'IgE-Dependent Food Sensitisation and Its Role in Clinical and Laboratory Presentation of Paediatric Inflammatory Bowel Disease', *Nutrients*, 15(8). Available at: <https://doi.org/10.3390/nu15081804>.
- Caldwell JM, Collins MH, Stucke EM, Putnam PE, Franciosi JP, Kushner JP, Abonia JP, Rothenberg ME. Histologic eosinophilic gastritis is a systemic disorder associated with blood and extragastric eosinophilia, TH2 immunity, and a unique gastric transcriptome. *J Allergy Clin Immunol*. 2014 Nov;134(5):1114-24. doi: 10.1016/j.jaci.2014.07.026. Epub 2014 Sep 15. PMID: 25234644; PMCID: PMC4254306.
- Calvani, M. *et al.* (2021) 'Non-IgE- or Mixed IgE/Non-IgE-Mediated Gastrointestinal Food Allergies in the First Years of Life: Old and New Tools for Diagnosis', *Nutrients*, 13(1), p. 226. Available at: <https://doi.org/10.3390/nu13010226>.
- Canani, R.B. *et al.* (2007) 'Diagnostic accuracy of the atopy patch test in children with food allergy-related gastrointestinal symptoms.', *Allergy*, 62(7), pp. 738–743. Available at: <https://doi.org/10.1111/j.1398-9995.2007.01351.x>.
- Chang, J.Y. *et al.* (2010) 'A shift in the clinical spectrum of eosinophilic gastroenteritis toward the mucosal disease type.', *Clinical gastroenterology and hepatology: the official clinical practice journal of the American*



- Gastroenterological Association*, 8(8), pp. 669–675; quiz e88. Available at: <https://doi.org/10.1016/j.cgh.2010.04.022>.
- Chen, M.-J. *et al.* (2003) ‘Eosinophilic gastroenteritis: clinical experience with 15 patients.’, *World journal of gastroenterology*, 9(12), pp. 2813–2816. Available at: <https://doi.org/10.3748/wjg.v9.i12.2813>.
- Cocco, R. and Solé, D. (2009) ‘Patch test in the diagnosis of food allergy’, *Allergologia et Immunopathologia*, 37(4), pp. 205–207. Available at: <https://doi.org/10.1016/j.aller.2009.03.003>.
- Dellon, E.S. *et al.* (2022) ‘International Consensus Recommendations for Eosinophilic Gastrointestinal Disease Nomenclature’, *Clinical Gastroenterology and Hepatology*, 20(11), pp. 2474-2484.e3. Available at: <https://doi.org/10.1016/j.cgh.2022.02.017>.
- Furuta, K. *et al.* (2013) ‘Case-control study of association of eosinophilic gastrointestinal disorders with *Helicobacter pylori* infection in Japan.’, *Journal of clinical biochemistry and nutrition*, 53(1), pp. 60–62. Available at: <https://doi.org/10.3164/jcbn.13-15>.
- Grzybowska-Chlebowczyk, U., Horowska-Ziaja, S., Kajor, M., Więcek, S., Chlebowczyk, W., & Woś, H. (2017). Original paper Eosinophilic colitis in children. *Advances in Dermatology and Allergology*, 1, 52–59. <https://doi.org/10.5114/ada.2017.65622>
- Ishimura, N. *et al.* (2013) ‘Limited role of allergy testing in patients with eosinophilic gastrointestinal disorders: Allergy test in eosinophilic disorders’, *Journal of Gastroenterology and Hepatology*, 28(8), pp. 1306–1313. Available at: <https://doi.org/10.1111/jgh.12197>.
- Han, P. *et al.* (2021) ‘The Association Between Intestinal Bacteria and Allergic Diseases—Cause or Consequence?’, *Frontiers in Cellular and Infection Microbiology*, 11(April), pp. 1–22. Available at: <https://doi.org/10.3389/fcimb.2021.650893>.
- Hartman, C., Eliakim, R. and Shamir, R. (2009) ‘Nutritional status and nutritional therapy in inflammatory bowel diseases’, *World Journal of Gastroenterology*, 15(21), pp. 2570–2578. Available at: <https://doi.org/10.3748/wjg.15.2570>.
- Inamura, H., Kashiwase, Y., Morioka, J., Suzuki, K., Igarashi, Y., & Kurosawa, M. (2006). Accumulation of mast cells in the interstitium of eosinophilic colitis. *Allergologia et Immunopathologia*, 34(5), 228–230. <https://doi.org/10.1157/13094031>
- Jawairia, M., Shahzad, G. and Mustacchia, P. (2012) ‘Eosinophilic Gastrointestinal Diseases: Review and Update’, *ISRN Gastroenterology*, 2012, pp. 1–8. Available at: <https://doi.org/10.5402/2012/463689>.
- Jensen, E.T. *et al.* (2016) ‘Prevalence of Eosinophilic Gastritis, Gastroenteritis, and Kolitis: Estimates From a National Administrative Database’, *Journal of Pediatric Gastroenterology & Nutrition*, 62(1), pp. 36–42. Available at: <https://doi.org/10.1097/MPG.0000000000000865>.
- Jesus K Yamamoto-Furusho (2007) ‘Genetic factors associated with the development of inflammatory bowel disease’, *World Journal of Gastroenterology*, ISSN 1007-(42), pp. 13(42): 5594-5597.
- Jo, Y.M. *et al.* (2015) ‘Eosinophilic Gastritis Presenting as Tissue Necrosis’, *Clinical*



- Endoscopy*, 48(6), pp. 558–562. Available at: <https://doi.org/10.5946/ce.2015.48.6.558>.
- Johansen, J.D. *et al.* (2015) ‘European Society of Contact Dermatitis guideline for diagnostic patch testing - recommendations on best practice.’, *Contact dermatitis*, 73(4), pp. 195–22 Available at: <https://doi.org/10.1111/cod.12432>.
- Kinoshita, Y. and Ishihara, S. (2019) ‘Eosinophilic gastroenteritis: epidemiology, diagnosis, and treatment’, *Current Opinion in Allergy & Clinical Immunology*, 20(3), pp. 311–315. Available at: <https://doi.org/10.1097/ACI.0000000000000635>.
- Koutri, E. (2020) ‘Distribution of eosinophils in the gastrointestinal tract of children with no organic disease’, *Annals of Gastroenterology* [Preprint]. Available at: <https://doi.org/10.20524/aog.2020.0518>.
- Li, K. *et al.* (2023) ‘Eosinophilic gastroenteritis: Pathogenesis, diagnosis, and treatment.’, *Chinese medical journal*, 136(8), pp. 899–909. Available at: <https://doi.org/10.1097/CM9.0000000000002511>.
- Liao, W.-H. *et al.* (2012) ‘A rare case of spontaneous resolution of eosinophilic ascites in a patient with primary eosinophilic gastroenteritis.’, *Chang Gung medical journal*, 35(4), pp. 354–359. Available at: <https://doi.org/10.4103/2319-4170.106134>.
- Loktionov, A. (2019) ‘Eosinophils in the gastrointestinal tract and their role in the pathogenesis of major colorectal disorders.’, *World journal of gastroenterology*, 25(27), pp. 3503–3526. Available at: <https://doi.org/10.3748/wjg.v25.i27.3503>.
- Lucendo, A.J. *et al.* (2015) ‘Efficacy of Dietary Treatment for Inducing Disease Remission in Eosinophilic Gastroenteritis.’, *Journal of pediatric gastroenterology and nutrition*, 61(1), pp. 56–64. Available at: <https://doi.org/10.1097/MPG.0000000000000766>.
- Malfertheiner, P., Schulz, C. and Hunt, R.H. (2024) ‘Helicobacter pylori Infection: A 40-Year Journey through Shifting the Paradigm to Transforming the Management’, *Digestive Diseases*, 42(4), pp. 299–308. Available at: <https://doi.org/10.1159/000538079>.
- Masterson, J.C. *et al.* (2015) ‘Eosinophil-mediated signalling attenuates inflammatory responses in experimental Kolitis.’, *Gut*, 64(8), pp. 1236–1247. Available at: <https://doi.org/10.1136/gutjnl-2014-306998>.
- M.B.B.S, S.-W.H. *et al.* (2000) ‘The SIBDQ: further validation in ulcerative Kolitis patients’, *The American Journal of Gastroenterology*, 95(1), pp. 145–151. Available at: [https://doi.org/10.1016/S0002-9270\(99\)00735-2](https://doi.org/10.1016/S0002-9270(99)00735-2).
- Mori, A. *et al.* (2013) ‘Eosinophilic Gastroenteritis: Review of a Rare and Treatable Disease of the Gastrointestinal Tract’, *Case Reports in Gastroenterology*, 7(2), pp. 293–298. Available at: <https://doi.org/10.1159/000354147>.
- Ohe, M. and Hashino, S. (2012) ‘Successful treatment of eosinophilic gastroenteritis with clarithromycin.’, *The Korean journal of internal medicine*, 27(4), pp. 451–454. Available at: <https://doi.org/10.3904/kjim.2012.27.4.451>.
- Olbrich, C.L., Larsen, L.D. and Spencer, L.A. (2021) ‘Assessing Phenotypic Heterogeneity in Intestinal Tissue Eosinophils.’, *Methods in molecular biology*



- (Clifton, N.J.), 2241, pp. 243–255. Available at: https://doi.org/10.1007/978-1-0716-1095-4_19.
- Pesek, R.D. *et al.* (2019) ‘Increasing Rates of Diagnosis, Substantial Co-Occurrence, and Variable Treatment Patterns of Eosinophilic Gastritis, Gastroenteritis, and Kolitis Based on 10-Year Data Across a Multicenter Consortium’, *American Journal of Gastroenterology*, 114(6), pp. 984–994. Available at: <https://doi.org/10.14309/ajg.0000000000000228>.
- Pineton de Chambrun, G. *et al.* (2011) ‘Natural History of Eosinophilic Gastroenteritis’, *Clinical Gastroenterology and Hepatology*, 9(11), pp. 950–956.e1. Available at: <https://doi.org/10.1016/j.cgh.2011.07.017>.
- Reed, C., Woosley, J.T. and Dellon, E.S. (2015) ‘Clinical characteristics, treatment outcomes, and resource utilization in children and adults with eosinophilic gastroenteritis.’, *Digestive and liver disease : official journal of the Italian Society of Gastroenterology and the Italian Association for the Study of the Liver*, 47(3), pp. 197–201. Available at: <https://doi.org/10.1016/j.dld.2014.11.009>.
- Ridolo, E. *et al.* (2016) ‘Eosinophilic disorders of the gastro-intestinal tract: an update’, *Clinical and Molecular Allergy*, 14(1), p. 17. Available at: <https://doi.org/10.1186/s12948-016-0055-y>.
- Rossi, C.M. *et al.* (2022) ‘Primary eosinophilic gastrointestinal disorders and allergy: Clinical and therapeutic implications’, *Clinical and Translational Allergy*, 12(5). Available at: <https://doi.org/10.1002/ctt2.12146>.
- Rothenberg, M.E. (2004) ‘Eosinophilic gastrointestinal disorders (EGID)☆’, *Journal of Allergy and Clinical Immunology*, 113(1), pp. 11–28. Available at: <https://doi.org/10.1016/j.jaci.2003.10.047>.
- Shamji, M.H. *et al.* (2021) ‘The role of allergen-specific IgE, IgG and IgA in allergic disease’, *Allergy: European Journal of Allergy and Clinical Immunology*, 76(12), pp. 3627–3641. Available at: <https://doi.org/10.1111/all.14908>.
- Shoda T, Wen T, Caldwell JM, Collins MH, Besse JA, Osswald GA, Abonia JP, Arva NC, Atkins D, Capocelli KE, Dellon ES, Falk GW, Gonsalves N, Gupta SK, Hirano I, Mukkada VA, Putnam PE, Sheridan RM, Rudman Spergel AK, Spergel JM, Wechsler JB, Yang GY, Aceves SS, Furuta GT, Rothenberg ME; Consortium of Eosinophilic Gastrointestinal Disease Researchers (CEGIR). Molecular, endoscopic, histologic, and circulating biomarker-based diagnosis of eosinophilic gastritis: Multi-site study. *J Allergy Clin Immunol*. 2020 Jan;145(1):255-269. doi: 10.1016/j.jaci.2019.11.007. Epub 2019 Nov 16. PMID: 31738990; PMCID: PMC6949389.
- Shouval, D.S. and Rufo, P.A. (2017) ‘The role of environmental factors in the pathogenesis of inflammatory bowel diseases: A review’, *JAMA Pediatrics*, 171(10), pp. 999–1005. Available at: <https://doi.org/10.1001/jamapediatrics.2017.2571>.
- Song, D.J. *et al.* (2017) ‘CCR3 Monoclonal Antibody Inhibits Eosinophilic Inflammation and Mucosal Injury in a Mouse Model of Eosinophilic Gastroenteritis.’, *Allergy, asthma & immunology research*, 9(4), pp. 360–367. Available at: <https://doi.org/10.4168/air.2017.9.4.360>.
- Stone, K.D. and Prussin, C. (2008) ‘Immunomodulatory therapy of eosinophil-



- associated gastrointestinal diseases.’, *Clinical and experimental allergy : journal of the British Society for Allergy and Clinical Immunology*, 38(12), pp. 1858–1865. Available at: <https://doi.org/10.1111/j.1365-2222.2008.03122.x>.
- Sunkara, T. *et al.* (2019) ‘Eosinophilic gastroenteritis: diagnosis and clinical perspectives.’, *Clinical and experimental gastroenterology*, 12, pp. 239–253. Available at: <https://doi.org/10.2147/CEG.S173130>.
- Turner, J.R. (2009) ‘Intestinal mucosal barrier function in health and disease.’, *Nature reviews. Immunology*, 9(11), pp. 799–809. Available at: <https://doi.org/10.1038/nri2653>.
- Uppal, V., Kreiger, P. and Kutsch, E. (2016) ‘Eosinophilic Gastroenteritis and Kolitis: a Comprehensive Review’, *Clinical Reviews in Allergy & Immunology*, 50(2), pp. 175–188. Available at: <https://doi.org/10.1007/s12016-015-8489-4>.
- Walker, M.M., Potter, M.D. and Talley, N.J. (2019) ‘Eosinophilic Kolitis and colonic eosinofilia.’, *Current opinion in gastroenterology*, 35(1), pp. 42–50. Available at: <https://doi.org/10.1097/MOG.0000000000000492>.
- Xie, L., Zhang, H. and Xu, L. (2025) ‘The Role of Eosinofils in Liver Disease’, *Cmgh*, 19(2), p. 101413. Available at: <https://doi.org/10.1016/j.jcmgh.2024.101413>.
- Yamada, Y. *et al.* (2015) ‘Proton pump inhibitor treatment decreased duodenal and esophageal eosinofilia in a case of eosinophilic gastroenteritis’, *Allergology International*, 64, pp. S83–S85. Available at: <https://doi.org/10.1016/j.alit.2015.06.002>.
- Yan, B. M., & Shaffer, E. A. (2009). Primary eosinophilic disorders of the gastrointestinal tract. *Gut*, 58(5), 721–732. <https://doi.org/10.1136/GUT.2008.165894>
- Zabriskie, J.B. (2009) *Essential clinical immunology*. Cambridge: Cambridge University Press.