

DAFTAR PUSTAKA

- Adams-Chapman, I. 2012. Long-Term Impact of Infection on the Preterm Neonate. *Semin. Perinatol.*, 36(6):462–470. <https://doi.org/10.1053/j.semperi.2012.06.009>
- Akter, H., Dey, S.K., Shabuj, M.K.H., Fatema, K., Jahan, I., Sihan, N., Rahman, T., Khan, M.A.S., Hasan, M.J. 2024. Predictors of poor neurodevelopmental outcomes in neonates with clinically observed seizures: A prospective observational study in a tertiary care hospital of Bangladesh. *Epilepsy Behav. Reports*, 26(March):100665. <https://doi.org/10.1016/j.ebr.2024.100665>
- Albaradie, R., Habibullah, H., Mir, A., Alshammari, A.K., Alajmi, M.S., Alsubaie, F.A., Alsudairi, R.R., Bashir, S. 2021. The prevalence of seizures in children with developmental delay. *Neurosciences*, 26(2):186–191. <https://doi.org/10.17712/nsj.2021.2.20200106>
- Amare, H.T. & Amare, A.T. 2019. Etiology, clinical features, and short-term outcome of seizures in newborns admitted to the University of Gondar Hospital, Ethiopia. *Pediatr Health Med Ther*, 10:107–113. <https://doi.org/10.2147/PHMT.S228241>
- American Psychiatric Association 2013, *Diagnostic and statistical manual of mental disorders*, 5th edn, American Psychiatric Publishing, Arlington, VA.
- Artha, N., Sutomo, R., Gamayanti, I. 2014. Kesepakatan hasil antara KPSP, PEDS dan tes denver-II untuk skrining perkembangan anak balita. *Sari Pediatr.*, 16(4):1–5. <https://doi.org/10.14238/sp16.4.2014.266-270>
- Banik, A., Kandilya, D., Ramya, S., Stünkel, W., Chong, Y.S. dan Dheen, S.T. 2017. Maternal factors that induce epigenetic changes contribute to neurological disorders in offspring. *Genes*, 8(6), p.150. <https://doi.org/10.3390/genes8060150>
- Basu, S.K., Pradhan, S., du Plessis, A.J., Ben-Ari, Y., Limperopoulos, C. 2021. GABA and glutamate in the preterm neonatal brain: In-vivo measurement by magnetic resonance spectroscopy. *Neuroimage*, 238:1–29. <https://doi.org/10.1016/j.neuroimage.2021.118215>
- Batalle, D., Hughes, E.J., Zhang, H., Tournier, J.D., Tusor, N., Aljabar, P., Wali, L., Alexander, D.C., Hajnal, J.V., Nosarti, C., Edwards, A.D., Counsell, S.J. 2017. Early development of structural networks and the impact of prematurity on brain connectivity. *NeuroImage*, 149: 379–392. <https://doi.org/10.1016/j.neuroimage.2017.01.065>
- Bélanger, S.A., Caron, J. 2018. Evaluation of the child with global developmental delay and intellectual disability. *Paediatr. Child Heal.*, 23(6):403–410. <https://doi.org/10.1093/pch/pxy093>
- Blencowe, H., Cousens, S., Oestergaard, M.Z., Chou, D., Moller, A.B., Narwal, R., Adler, A., Vera Garcia, C., Rohde, S., Say, L., Lawn, J.E. 2012. National, regional, and worldwide estimates of preterm birth rates in the year 2010 with time trends since 1990 for selected countries: A systematic analysis and implications. *Lancet*, 379(9832):2162–2172. [https://doi.org/10.1016/S0140-6736\(12\)60820-4](https://doi.org/10.1016/S0140-6736(12)60820-4)

- Bolisetty, S., Dhawan, A., Abdel-Latif, M., Bajuk, B., Stack, J. & Lui, K. 2014. Intraventricular hemorrhage and neurodevelopmental outcomes in extreme preterm infants. *Pediatrics*, 133(1):55–62. <https://doi.org/10.1542/peds.2013-0372>
- Bunoza, B., Nina, B., Grđan Stevanović, P., Bogdanić, A., Benjak, V., Grizelj, R., Turudić, D., Milošević, D., Radoš, M. 2021. *The visibility of the periventricular crossroads of pathways in preterm infants as a predictor of neurological outcome and occurrence of neonatal epileptic seizures*. *Croat. Med. J.*, 62(2):165–172. <https://doi.org/10.3325/cmj.2021.62.165>
- Casey, B.M., McIntire, D.D. & Leveno, K.J., 2001. *The continuing value of the Apgar score for the assessment of newborn infants*. *New England Journal of Medicine*, 344(7), pp.467–471. <https://doi.org/10.1056/NEJM200102153440701>
- Chalak, L.F., Rollins, N., Morriss, M.C., Brion, L.P., Heyne, R., Sánchez, P.J. 2012. Perinatal acidosis and hypoxic-ischemic encephalopathy in preterm infants of 33 to 35 weeks' gestation. *J. Pediatr.*, 160(3):388–394. <https://doi.org/10.1016/j.earlhumdev.2018.08.003>
- Chan, K.Y.Y., Miller, S.L., Schmölzer, G.M., Stojanovska, V. & Polglase, G.R., 2020. *Respiratory support of the preterm neonate: Lessons about ventilation-induced brain injury from large animal models*. *Frontiers in Neurology*, 11, p.862. doi:10.3389/fneur.2020.00862.
- Farin, S., Roshanak, V., Sahel, H. & Reza, S.R., 2009. Perinatal and neonatal risk factors for neurodevelopmental outcome in infants in Karaj. *Iranian Journal of Child Neurology*, 3(1):29–33. [online] Available at: <https://pubmed.ncbi.nlm.nih.gov/19249882/> [Accessed 5 May 2025].
- Fritz, J., Lamadrid-Figueroa, H., Muñoz-Rocha, T.V., Huerta-García, Y., Martínez-Silva, G., Trejo-Valdivia, B., Martínez-Medina, S., Hernandez-Chavez, C., Osorio-Valencia, E., Burris, H.H., Peterson, K.E., Wright, R.O. & Téllez-Rojo, M.M. 2024. Cesarean birth is associated with lower motor and language development scores during early childhood: a longitudinal analysis of two cohorts. *Scientific Reports*, 14:20755. <https://doi.org/10.1038/s41598-024-73914-7>
- Garfinkle, J., Shevell, M.I. 2011. Cerebral palsy, developmental delay, and epilepsy after neonatal seizures. *Pediatr. Neurol.*, 44(2):88–96. <https://doi.org/10.1016/j.pediatrneurol.2010.09.001>
- Glass, H.C., Grinspan, Z.M., Shellhaas, R.A. 2018. Outcomes after acute symptomatic seizures in neonates. *Semin. Fetal Neonatal Med.*, 23(3):218–222. <https://doi.org/10.1016/j.siny.2018.02.001>
- Glascoe, FP, Byrne, KE, Ashford, LG, Johnson, KL, Chang, B & Strickland, B 1992, 'Accuracy of the Denver-II in developmental screening', *Pediatrics*, vol. 89, no. 6, pp. 1221–1225, PMID: 1375732.
- Handryastuti, S. 2016. Kejang pada Neonatus, Permasalahan dalam Diagnosis dan Tata laksana. *Sari Pediatr.*, 9(2):112. <https://dx.doi.org/10.14238/sp9.2.2007.112-20>
- Hassen, T.A., Chojenta, C., Egan, N., Loxton, D. 2021. The association between the five-minute apgar score and neurodevelopmental outcomes among

- children aged 8–66 months in Australia, 18(12).
<https://doi.org/10.3390/ijerph18126450>
- Hintz, S.R., Kendrick, D.E., Vohr, B.R., Poole, W.K., Higgins, R.D. & Nichd Neonatal Research Network. 2006. Gender differences in neurodevelopmental outcomes among extremely preterm, extremely-low-birthweight infants. *Acta Paediatrica*, 95(10):1239–1248.
<https://doi.org/10.1080/08035250600599727>
- Hwang-Bo, S., Seo, Y.M., Oh, M.Y., Im, S.A., Youn, Y.A. 2022. The prognosis of refractory hypotension and severe intraventricular hemorrhage in very low birth weight infants. *Med. (United States)*, 101(30):E29598.
<https://doi.org/10.1016/B978-0-323-42876-7.00024->
- Iliodromiti, S., Mackay, D.F., Smith, G.C.S., Pell, J.P. & Nelson, S.M. 2014, *Apgar score and the risk of cause-specific infant mortality: a population-based cohort study*, *BMJ Open*, vol. 4, no. 7, e005551.
<https://doi.org/10.1136/bmjopen-2014-005551>
- Ikonomidou, C. 2010. Prenatal Effects of Antiepileptic Drugs. *Epilepsy Curr.*, 10(2):42–46.
- Inder, T.E., Perlman, J.M., Volpe, J.J. 2018. *Preterm Intraventricular Hemorrhage/Posthemorrhagic Hydrocephalus*. Sixth Edition. *Volpe's Neurol. Newborn*. Sixth Edition. Elsevier Inc. <https://doi.org/10.1016/B978-0-323-42876-7.00024-7>
- Kang, S.K. & Kadam, S.D. 2015. *Neonatal seizures: impact on neurodevelopmental outcomes*. *Frontiers in Pediatrics*, 3:101.
<https://doi.org/10.3389/fped.2015.00101>
- Kharoshankaya, L., Stevenson, N.J., Livingstone, V., Murray, D.M., Murphy, B.P., Ahearne, C.E. & Boylan, G.B. 2016. *Seizure burden and neurodevelopmental outcome in neonates with hypoxic-ischemic encephalopathy*. *Developmental Medicine & Child Neurology*, 59(1): 38–44. <https://doi.org/10.1111/dmcn.13215>
- Khurana, S., Kane, A.E., Brown, S.E., Tarver, T. & Dusing, S.C. 2020, 'Effect of neonatal therapy on the motor, cognitive, and behavioral development of infants born preterm: a systematic review', *Developmental Medicine & Child Neurology*, vol. 62, no. 7, pp. 816–824. doi: 10.1111/dmcn.14485.
- Kim, E.H., Shin, J., Lee, B.K. 2022. Neonatal seizures: diagnostic updates based on new definition and classification. *Clin. Exp. Pediatr.*, 65(8):387–397.
<https://doi.org/10.3345/cep.2021.01361>
- Kumar, R.H., Chandran, J. 2024. Evaluation of Developmental Delay in Term Babies on Ventilator Support: A Cross-sectional Study. *J. Clin. Diagnostic Res.*, 18(1):2022–2025. <https://doi.org/10.7860/JCDR/2024/67536.18963>
- Lai, Y.H., Ho, C.S., Chiu, N.C., Tseng, C.F., Huang, Y.L. 2013. Prognostic factors of developmental outcome in neonatal seizures in term infants. *Pediatr. Neonatol.*, 54(3):166–172.
<https://doi.org/10.1016/j.pedneo.2013.01.001>
- Lemmon, M.E., Bonifacio, S.L., Shellhaas, R.A., Wusthoff, C.J., Greenberg, R.G., Soul, J.S., Chang, T., Chu, C.J., Bates, S., Massey, S.L., Abend, N.S., Cilio, M.R., Glass, H.C. 2020. Characterization of Death in Infants With

- Neonatal Seizures. *Pediatr. Neurol.*, 113:21–25.
<https://doi.org/10.1016/j.pediatrneurol.2020.08.002>
- Martinez-Biarge, M., Bregant, T., Wusthoff, C.J., Chew, A.T.M., Diez-Sebastian, J., Rutherford, M.A., Cowan, F.M. 2012. White matter and cortical injury in hypoxic-ischemic encephalopathy: Antecedent factors and 2-year outcome. *J. Pediatr.*, 161(5):799–807. <https://doi.org/10.3345/cep.2021.01361>
- Namazzi, G., Tumwine, J.K., Hildenwall, H., Ndeezi, G., Mubiri, P., Hanson, C., Kakooza-Mwesige, A. & Waiswa, P. 2020. Neurodevelopmental outcomes of preterm babies during infancy in Eastern Uganda: a prospective cohort study. *Global Health Action*, 13(1):1820714. <https://doi.org/10.1080/16549716.2020.1820714>
- Nasiri, J., Kachuei, M., Kermani, R. & Samaninobandegani, Z. 2019. *Neurodevelopmental outcomes of the West syndrome in pediatric patients: The first report from the Middle-East*. *Res. Dev. Disabil.*, 89:114–119. <https://doi.org/10.1016/j.ridd.2019.03.010>
- Odabasi, I.O. & Bulbul, A. 2020. Neonatal sepsis. *Sisli Etfal Hastanesi Tip Bulletin*, 54(2), pp.142–158. <https://doi.org/10.14744/SEMB.2020.00236>
- Ong, W.J., Seng, J.J.B., Yap, B., He, G., Moochhala, N.A., Ng, C.L., Ganguly, R., Lee, J.H. & Chong, S-L. 2024. Impact of neonatal sepsis on neurocognitive outcomes: a systematic review and meta-analysis. *BMC Pediatrics*, [online] 24, 4977. Available at: <https://doi.org/10.1186/s12887-024-04977-8> [Accessed 30 Sep. 2025].
- Piešová, M. & Mach, M. 2020. Impact of perinatal hypoxia on the developing brain. *Physiological Research*, 69(2), pp.199–213. <https://doi.org/10.33549/physiolres.934198>
- Pisani, F., Facini, C., Pavlidis, E., Spagnoli, C. & Boylan, G. 2015. Epilepsy after neonatal seizures: literature review. *European Journal of Paediatric Neurology*, 19(1): 6–14. <https://doi.org/10.1016/j.ejpn.2014.10.001>
- Pisani, F., Facini, C., Pelosi, A., Mazzotta, S., Spagnoli, C., Pavlidis, E. 2016. Neonatal seizures in preterm newborns: A predictive model for outcome. *Eur. J. Paediatr. Neurol.*, 20(2):243–251. https://doi.org/10.4103/jcn.jcn_8_24
- Pisani, F., Spagnoli, C., Falsaperla, R., Nagarajan, L., & Ramantani, G. 2021. *Seizures in the neonate: A review of etiologies and outcomes*. *Seizure: European Journal of Epilepsy*, 85:48–56. <https://doi.org/10.1016/j.seizure.2020.12.023>
- Procianoy, R.S., Silveira, R.C. 2012. Association between high cytokine levels with white matter injury in preterm infants with sepsis. *Pediatr. Crit. Care Med.*, 13(2):183–187. <https://doi.org/10.1097/PCC.0b013e3182231074>
- Resch, B., Mühlanger, A., Maurer-Fellbaum, U., Pichler-Stachl, E., Resch, E. & Urlesberger, B. 2016. *Quality of Life of Children with Cystic Periventricular Leukomalacia – A Prospective Analysis with the Child Health Questionnaire-Parent Form 50*. *Front. Pediatr.*, 4:50. <https://doi.org/10.3389/fped.2016.00050>
- Saigal, S. & Doyle, L.W. 2008. An overview of mortality and sequelae of preterm birth from infancy to adulthood. *Lancet*, 371(9608):261–269.

- [https://doi.org/10.1016/S0140-6736\(08\)60136-1](https://doi.org/10.1016/S0140-6736(08)60136-1)
- Şanlıdağ, B., Dirik, M.A. & Dirik, E. 2023. Epilepsy after neonatal seizures: etiologies, clinical and developmental outcomes. *Cyprus Journal of Medical Sciences*, [online] Available at: <https://doi.org/10.4274/cjms.2023.2022-41> [Accessed 10 Aug. 2025].
- Sastroasmoro S, I.S. 2014. *Dasar-dasar Metodologi Penelitian Klinis*. 5th edn. Jakarta: Sagung Seto.
- Savioli, K., Rouse, C., Susi, A., Gorman, G., Hisle-Gorman, E. 2018. Suspected or known neonatal sepsis and neurodevelopmental delay by 5 years. *J. Perinatol.*, 38(11):1573–1580. . <https://doi.org/10.1038/s41372-018-0217-5>
- Shankaran, S., Lupton, A.R., Guimaraes, C, 2025. NICHD magnetic resonance brain imaging score in term infants with hypoxic-ischemic encephalopathy: a secondary analysis of a randomized clinical trial. *JAMA Pediatrics*, 179(4):383–395. <https://doi.org/10.1001/jamapediatrics.2024.6209>
- Sharma, A.R., Siddiqui, M.S., Magar, S., Kale, A., Nelanuthala, M., Singh, S.P. 2023. The Etiological Profile of Global Developmental Delay at a Tertiary Care Hospital in India: An Observational Study. *Cureus*, 15(6). <https://doi.org/10.7759/cureus.41066>
- Spagnoli, C., Pisani, F. 2024. Acute symptomatic seizures in newborns: a narrative review. *Acta Epileptol.*, 6(1). <https://doi.org/10.1186/s42494-024-00151-w>
- Spenard, S., Ivan Salazar Cerda, C., Cizmeci, M.N. 2024. Neonatal Seizures in Low- and Middle-Income Countries: A Review of the Literature and Recommendations for the Management. *Turkish Arch. Pediatr.*, 59(1):13–22. <https://doi.org/10.5152/TurkArchPediatr.2024.23250>
- Spoto, G., Saia, M.C., Amore, G., Gitto, E., Loddo, G., Mainieri, G., Nicotera, A.G., Di Rosa, G. 2021. Neonatal seizures: An overview of genetic causes and treatment options. *Brain Sci.*, 11(10). <https://doi.org/10.3390/brainsci11101295>
- Suwarba, I.G.N., Widodo, D.P., Handryastuti, R.S. 2016. Profil Klinis dan Etiologi Pasien Keterlambatan Perkembangan Global di Rumah Sakit Cipto Mangunkusumo Jakarta. *Sari Pediatr.*, 10(4):255. <http://dx.doi.org/10.14238/sp10.4.2008.255-61>
- Tanous, O., Watad, M., Felszer-Fisch, C., Peniakov, M., Miron, D., Salim, R. 2021. Risk Factors for Mortality among Newborns with Neonatal Seizures. *Neuropediatrics*, 52(2):84–91. <https://doi.org/10.1055/s-0040-1712487>
- Thomaidis, L., Zantopoulos, G.Z., Fouzas, S., Mantagou, L., Bakoula, C., Konstantopoulos, A. 2014. Predictors of severity and outcome of global developmental delay without definitive etiologic yield: A prospective observational study. *BMC Pediatr.*, 14(1). <https://doi.org/10.1186/1471-2431-14-40>
- Vliegenthart, R.J.S., Van Kaam, A.H., Aarnoudse-Moens, C.S.H., Van Wassenaer, A.G., Onland, W. 2019. Duration of mechanical ventilation and neurodevelopment in preterm infants. *Arch. Dis. Child. Fetal Neonatal Ed.*, 104(6):F631–F635. <https://doi.org/10.1136/archdischild-2018-315993>
- World Health Organization. 2018. *Born too soon: The global action report on*

preterm birth. Geneva: WHO. Available at:
<https://www.who.int/publications/i/item/9789241503433> [Accessed 10 May 2025].

Yang, L., Chen, X., Liu, X., Dong, X., Ye, C., Deng, D., Lu, Y., Lin, Y., Zhou, W. 2020. *Clinical features and underlying genetic causes in neonatal encephalopathy: A large cohort study*. *Clin. Genet.*, 98(4):365–373.
<https://doi.org/10.1111/cge.13818>

Yldz, E.P., Tatlı, B., Ekici, B., Eraslan, E., Aydın, N., Çalşkan, M., Özmen, M. 2012. Evaluation of etiologic and prognostic factors in neonatal convulsions. *Pediatr. Neurol.*, 47(3):186–192.
<https://doi.org/10.1016/j.pediatrneurol.2012.05.015>