

- Dark, P. and Singer, M., 2004. The validity of trans-esophageal Doppler ultrasonography as a measure of cardiac output in critically ill adults. *Intensive Care Medicine*, 30(11), pp.2060-2066
- Delicce, A.V. and Makaryus, A.N., 2018. Physiology, Frank Starling Law. *StatPearls*, pp.1–6. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/29262149>.
- Delmas, A., Leone, M., Rousseau, S., Albanèse, J., & Martin, C. 2005. Clinical review: Vasopressin and terlipressin in septic shock patients. *Critical Care*, 9(2), 212–222. DOI: <https://doi.org/10.1186/cc2945>
- DeMers, D. and Wachs, D., 2023. Physiology, mean arterial pressure. *StatPearls*, Available at: <https://www.ncbi.nlm.nih.gov/books/NBK538226/>.
- Fernández-Sarmiento, J., Sierra-Zuñiga, M.F., Salazar González, M.P., Lucena, N., Soares Lanziotti, V. and Agudelo, S., 2023. Association between fluid overload and mortality in children with sepsis: A systematic review and meta-analysis. *BMJ Paediatrics Open*, 7(1), pp.1–8. DOI: <https://doi.org/10.1136/bmjpo-2023-002094>.
- Hadinegoro, S.R.S., Chairulfatah, A., Latief, A., Pudjiadi, A.H., Malisie, R.F. and Alam, A., 2016. KONSENSUS: Diagnosis dan Tata Laksana Sepsis pada Anak. *Ikatan Dokter Anak Indonesia*, 2016(1), pp.347–354.
- Johnson, A. and Ahrens, T. (2015) ‘Stroke volume optimization: The new hemodynamic algorithm’, *Critical Care Nurse*, 35(1), pp. 11–27. doi:10.4037/ccn2015427
- Kadafi, K.T., Latief, A. and Pudjiadi, A.H., 2020. Determining pediatric fluid responsiveness by stroke volume variation analysis using ICON® electrical cardiometry and ultrasonic cardiac output monitor: A cross-sectional study. *International Journal of Critical Illness and Injury Science*, 10(3), pp.123–128. DOI: https://doi.org/10.4103/IJCIIS.IJCIIS_87_18.
- Kementerian Kesehatan Republik Indonesia (2021) Keputusan Menteri Kesehatan Republik Indonesia Nomor HK.01.07/MENKES/4722/2021 tentang Pedoman Nasional Pelayanan Kedokteran Tata Laksana Sepsis pada Anak. Jakarta: Kementerian Kesehatan RI.
- Laguvaram, S., Pranam, G. M., Hirevenkanagoudar, U., & Chetty, S. (2025). Evaluating shock index as a prognostic tool in septic shock patients, 12(2), 200–203.
- Lichter, Y., Oz, A.G., Adi, N., Nini, A., Angel, Y., Nevo, A., Aviram, D., Moshkovits, I., Wald, R., Stavi, D. and Goder, N., 2024. Linear correlation between mean arterial pressure and urine output in critically ill patients. *Critical Care Explorations*, 6(8), e1141. DOI: <https://doi.org/10.1097/cce.0000000000001141>.
- Guyton, A.C. & Hall, J.E., 2020. *Textbook of Medical Physiology*. 14th ed. Philadelphia: Elsevier.
- Goldstein, B., Giroir, B. and Randolph, A., 2005. International pediatric sepsis consensus conference: Definitions for sepsis and organ dysfunction in pediatrics. *Pediatric Critical Care Medicine*, 6(1), pp.2–8.
- Marik, P., Monnet, X. and Teboul, J., 2011. Hemodynamic parameters to guide fluid therapy. *Annals of Intensive Care*, 1(1).
- Nichols, D.G., Ackerman, A., Argent, A., Biagas, K., Carcillo, J., Dalton, H., Harris, Z.,

- Kissoon, N., Kochanek, P., Kocis, K., Lacroix, J., Macrae, D., Nadkarni, V., Pollock, M., Shaffner, D., Schleien, C., Singhi, S., Tasker, R., Truog, R., Volk, H., van der Voort, E., Wetzel, R., Wong, H., Yaster, M., 2022. *Roger's Textbook of Pediatric Intensive Care*. Lipincott Williams & Wilkins.
- Rousseaux, J., Grandbastien, B., Dorkenoo, A., Lampin, M.E., Leteurtre, S. and Leclerc, F., 2013. Prognostic value of shock index in children with septic shock. *Pediatric Emergency Care*, 29(10), pp.1055–1059. DOI: <https://doi.org/10.1097/PEC.0b013e3182a5c99c>.
- Rusmawatingtyas, D., Wiguna, P.A., Kumara, I.F., Nurnaningsih, I., Yulianto, S., Arguni, E. and Sutaryo, A., 2019. Initial Hemodynamic Profiles of Children with Dengue Shock Syndrome in Referral Settings. *American Journal of Pediatrics*, 5(4), pp.260. DOI: <https://doi.org/10.11648/j.ajp.20190504.26>.
- Rusmawatingtyas, D. and Nurnaningsih, N., 2017. Mortality rates in pediatric septic shock. *Paediatrica Indonesiana*, 56(5), p.304.
- Russell, A., Rivers, E.P., Giri, P.C., Jaehne, A.K. and Nguyen, H.B., 2020. A physiologic approach to hemodynamic monitoring and optimizing oxygen delivery in shock resuscitation. *Journal of Clinical Medicine*, 9(7), pp.1–18. DOI: <https://doi.org/10.3390/jcm9072052>.
- Schlapbach, L.J., Watson, R.S., Sorce, L.R., Argent, A.C., Menon, K., Hall, M.W. and Bennett, T.D., 2024. International Consensus Criteria for Pediatric Septic and Septic Shock. *JAMA*, 331(8), pp.665–674. DOI: <https://doi.org/10.1001/jama.2024.0179>.
- Shujaat, A., & Bajwa, A. A. 2012. Optimization of preload in severe sepsis and septic shock. *Critical Care Research and Practice*, <https://doi.org/10.1155/2012/761051>.
- Shujaat, A. and Bajwa, A.A., 2012. Optimization of preload in severe sepsis and septic shock. *Critical Care Research and Practice*. Available at: <https://doi.org/10.1155/2012/761051>.
- Smith, B., 2013. *The USCOM and Haemodynamics: A Guide for Junior Medical and Nursing Staff*, 5.
- Stewart, G.M., Nguyen, H.B., Kim, T.Y. and Corbett, S., 2008. Inter-rater reliability for noninvasive measurement of cardiac function in children. *Pediatric Emergency Care*, 24(4), pp.433–437.
- Thaiyanon, N., 2024. Shock Index Predicts Mortality in Children with Severe Sepsis and Septic Shock. *Journal Name*, 39(2), pp.137–146.
- Wati, D.K., Putu Ayunda Trisnia, S., Suryawan, I.W.B., Windiani, I.G.A.T., Suwarba, I.G.N. and Gustawan, I.W., 2023. Correlation of delta shock index and lactate clearance in shock patients treated in pediatric intensive care unit at Prof Dr. I.G.N.G Ngoerah Hospital. *Intisari Sains Medis*, 14(2), pp.450–455. DOI: <https://doi.org/10.15562/ism.v14i2.164>.
- Wulandari, H., Murni, I.K. & Rusmawatingtyas, D. (2020) Pemeriksaan ultrasound cardiac output monitoring sebagai prediktor kondisi fluid responsiveness pada pasien anak dengan syok septik. Yogyakarta: Universitas Gadjah Mada. Available at: <http://etd.repository.ugm.ac.id/>
- Weiss, S.L., Peters, M.J., Alhazzani, W., Agus, M.S.D., Flori, H.R., Inwald, D.P., Nadel, S., Schlapbach, L.J., Tasker, R.C., Argent, A.C., Brierley, J., Carcillo, J., Carrol, E.D., Carroll, C.L., Cheifetz, I.M., Choong, K., Cies, J.J., Cruz, A.T., De Luca, D., Deep, A., Faust, S.N., De Oliveira, C.F., Hall, M.W., Ishimine, P., Javouhey, E., Joosten, K.F.M., Joshi, P., Karam, O., Kneyber, M.C.J., Lemson, J., MacLaren, G., Mehta, N.M., Møller,

- M.H., Newth, C.J.L., Nguyen, T.C., Nishisaki, A., Nunnally, M.E., Parker, M.M., Paul, R.M., Randolph, A.G., Ranjit, S., Romer, L.H., Scott, H.F., Tume, L.N., Verger, J.T., Williams, E.A., Wolf, J., Wong, H.R., Zimmerman, J.J., Kissoon, N. and Tissieres, P., 2020. Surviving septic campaign: International guidelines for the management of septic shock and associated organ dysfunction in children. *Intensive Care Medicine*, 46(S1), pp.10–67. DOI: <https://doi.org/10.1007/s00134-019-05878-6>.
- Yasaka, Y., Khemani, R.G., dan Markovits, B.P., 2013. Is shock index associated with outcome in children with sepsis/septic shock? *Pediatric Critical Care Medicine*, 14(4), pp. e372–e379.
- Yuda, I.M.D., Wati, D.K., Hartawan, I.N.B. dan Suparyatha, I.B., 2016. The association of delta shock index and mortality in children with shock. *Critical Care and Shock*, 19(4), pp.71–77.
- Yulianto, S., Pudjiadi, A.H. and Latief, A., 2022. Characteristics of hemodynamic parameters after fluid resuscitation and vasoactive drugs administration in pediatric shock: A prospective observational study. *Annals of Medicine and Surgery*, 76, pp.103521.
- Yoon, S.H., Shin, S.J., Kim, H. and Roh, Y.H., 2024. Shock index and pediatric age-adjusted shock index as predictors of mortality in pediatric trauma: A systematic review and meta-analysis. *PLOS ONE*, 19(7), pp.1–15. DOI: <https://doi.org/10.1371/journal.pone.0307367>.
- Zarbock, A., Gomez, H. and Kellum, J.A., 2014. Sepsis-induced acute kidney injury revisited. *Current Opinion in Critical Care*, 20(6), pp.588–595. DOI: [10.1097/mcc.000000000000153](https://doi.org/10.1097/mcc.000000000000153).