

- Ashish, K., Bhardwaj, N.K., Singh, S.P., 2019. Cationic starch and polyacrylamides for alkenyl succinic anhydride (ASA) emulsification for sizing of cellulosic fibers. *Cellulose* 26, 9901–9915. <https://doi.org/10.1007/s10570-019-02758-6>
- Ashish, S., Shaveta, K., n.d. Efficacy of ASA Sizing with Agro-Residue and Recycled Pulps Using Different Fillers.
- Ataeefard, M., 2014. Investigating the effect of paper properties on color reproduction of digital printing. *Progress in Organic Coatings* 77, 1376–1381. <https://doi.org/10.1016/j.porgcoat.2014.04.024>
- Aydemir, C., 2016. A study on the printability properties of alkali-sized recycled papers 565–571.
- Aydemir, C., Kašikovic, N., Horvath, C., Durdevic, S., 2021. Effect of Paper Surface Properties on Ink Color Change, Print Gloss and Light Fastness Resistance. *Cellulose Chem. Technol.* 55, 133–139. <https://doi.org/10.35812/CelluloseChemTechnol.2021.55.14>
- Bajpai, P., 2018a. Stock Preparation, in: *Biermann's Handbook of Pulp and Paper*. Elsevier, pp. 65–76. <https://doi.org/10.1016/B978-0-12-814238-7.00003-9>
- Bajpai, P., 2018b. Paper Manufacture—Wet End Operation, in: *Biermann's Handbook of Pulp and Paper*. Elsevier, pp. 95–135. <https://doi.org/10.1016/B978-0-12-814238-7.00005-2>
- Bajpai, P.K., Sharma, A.K., Das, S., Varadhan, R., 2008. Optimization of ASA Emulsion and Impact of Filler on ASA Sizing, in: *IPPTA*, 3. Presented at the IPPTA, India, pp. 99–104.
- Bhardwaj, S., Bhardwaj, N.K., Negi, Y.S., 2021. Surface coating of chitosan of different degree of acetylation on non surface sized writing and printing grade paper. *Carbohydrate Polymers* 269, 117674. <https://doi.org/10.1016/j.carbpol.2021.117674>
- Bildik Dal, A.E., Biricik, Y., Sönmez, S., 2022. Printability of paper and paperboard surface treatment with gum rosin and derivatives. *PRT* 51, 433–440. <https://doi.org/10.1108/PRT-03-2021-0033>
- Chryssou, K., 2024. A Study of the Measurements of the Air Permeance Bendtsen and Air Permeance Gurley of a 100gsm A4 Photocopy Paper. *ACSR* 4. <https://doi.org/10.31031/ACSR.2024.04.000596>
- Çiçekler, M., Tutuş, A., 2023. Challenges in Paper Industry: Addressing Environmental, Economic, and Social Concerns, in: *All Science Proceedings*. Presented at the International Conference on Engineering, Natural and Social Sciences, All Science Proceedings, Turkey, pp. 24–29.
- Duan, Q., Bao, X., Yu, L., Cui, F., Zahid, N., Liu, F., Zhu, J., Liu, H., 2023. Study on hydroxypropyl corn starch/alkyl ketene dimer composite film with enhanced water resistance and mechanical properties. *International Journal of Biological Macromolecules* 253, 126613. <https://doi.org/10.1016/j.ijbiomac.2023.126613>
- Ek, M., Gellerstedt, G., Henriksson, G., 2009a. Paper chemistry and technology, *Pulp and paper chemistry and technology* / ed. by Monica Ek. De Gruyter, Berlin.
- Ek, M., Gellerstedt, Henriksson, G. (Eds.), 2009b. Paper products physics and technology, *Pulp and paper chemistry and technology* / ed. by Monica Ek. De Gruyter, Berlin.
- Enomae, T., Onabe, F., 1997. Spectral Analysis of Paper Surface Profile. (Part 3). Characteristics of Parker Print-Surf Roughness as Compared with Bekk Smoothness. *Sen-i Gakkaishi* 53, 86–95. <https://doi.org/10.2115/fiber.53.86>



- Gess, J.M., Rende, D.S., 2005. Alkenyl Succinic Anhydride (ASA). TAPPI Journal, Sizing 4, 25–30.
- Gigac, J., Stankovská, M., Letko, M., Opálená, E., 2014. The Effect of Base Paper Properties On Inkjet Print Quality. Wood Research 59, 717–730.
- Gigac, J., Stankovská, M., Opálená, E., Pažitný, A., 2016. The Effect of Pigments And Binders On Inkjet Print Quality. Wood Research 61.
- Guan, M., An, X., Zhang, H., Yang, G., Tian, Z., Nie, S., Liu, L., Cheng, Z., Cao, H., Liu, H., 2022. Lignin emulsifying rosin for improved sizing kinerjance and mechanical properties of liquid packaging board. Industrial Crops and Products 187, 115276. <https://doi.org/10.1016/j.indcrop.2022.115276>
- Hill, J., Johansson, L., Mörseburg, K., 2017. ATMP pulping of Norway spruce – pulp property development and energy efficiency. Nordic Pulp & Paper Research Journal 32, 70–86. <https://doi.org/10.3183/npprj-2017-32-01-p070-086>
- Holik, H. (Ed.), 2006. Handbook of paper and board. Wiley-VCH, Weinheim.
- Hubbe, M.A., 2014. Puzzling Aspects of the Hydrophobic Sizing of Paper and its Inter-Fiber Bonding Ability. BioResources 9, 5782–5783. <https://doi.org/10.15376/biores.9.4.5782-5783>
- Hubbe, M.A., 2007. Paper's resistance to wetting - A review of internal sizing chemicals and their effects. BioRes 2, 106–145. <https://doi.org/10.15376/biores.2.1.106-145>
- Hubbe, M.A., 2004. Acidic and Alkaline Sizings for Printing, Writing, and Drawing Papers.
- Hubbe, M.A., Gardner, D.J., Shen, W., 2015. Contact Angles and Wettability of Cellulosic Surfaces: A Review of Proposed Mechanisms and Test Strategies. BioResources 10, 8657–8749. https://doi.org/10.15376/biores.10.4.Hubbe_Gardner_Shen
- Hubbe, M.A., Maitland, C., Nanjiba, M., Horst, T., Ahn, K., Potthast, A., 2023. Archival kinerjance of paper as affected by chemical components: A Review. BioRes 18. <https://doi.org/10.15376/biores.18.3.Hubbe>
- Iselau, F., Restorp, P., Andersson, M., Bordes, R., 2015. Role of the aggregation behavior of hydrophobic particles in paper surface hydrophobation. Colloids and Surfaces A: Physicochemical and Engineering Aspects 483, 264–270. <https://doi.org/10.1016/j.colsurfa.2015.04.013>
- John, S., 2007. Alkaline and Neutral Sizing: Latest Trends and Selection of Specialty Chemicals to Make Fine Quality Paper Cost Effectively. IPPTA 19, 129–131.
- Johnson, D., 2009. Sizing in Acid, Neutral and Alkaline Conditions, in: Thorn, I., Au, C.O. (Eds.), Applications of Wet-End Paper Chemistry. Springer Netherlands, Dordrecht, pp. 73–112. https://doi.org/10.1007/978-1-4020-6038-0_5
- Johnson, J., 2008. Aspects of flexographic print quality and relationship to some printing parameters. Faculty of Technology and Science, Chemical Engineering, Karlstads universitet, Karlstad.
- Kemertian Perindustrian Republik Indonesia, 2021. Mungkinkah Peran Industri Bersandar pada Industri Pulp dan Paper?, Buku Analisis Pembangunan Industri.
- Khantayanuwong, S., Boonpitaksakul, W., Chitbanyong, K., Pisutpiched, S., Puangsin, B., 2021. Physical properties of handsheets derived from Coi (Streblus asper Lour.) pulp fiber as papermaking material traced from ancient times. BioRes 16, 6201–6211. <https://doi.org/10.15376/biores.16.3.6201-6211>
- Korpela, A., Jaiswal, A.K., Asikainen, J., 2021. Effects of hydrophobic sizing on paper dry and wet-strength properties: A comparative study between AKD sizing of NBSK handsheets and rosin sizing of CTMP handsheets. BioRes 16, 5350–5360. <https://doi.org/10.15376/biores.16.3.5350-5360>
- Kumar, A., Bhardwaj, N.K., Singh, S.P., 2020. Studies on ASA emulsion stabilized with anionic polyvinylamine and its evaluation for sizing of different types of paper

- furnishes. *Colloid and Interface Science Communications* 34, 100229. <https://doi.org/10.1016/j.colcom.2019.100229>
- Kumar, S., Chauhan, V.S., Chakrabarti, S.K., 2016. Separation and analysis techniques for bound and unbound alkyl ketene dimer (AKD) in paper: A review. *Arabian Journal of Chemistry* 9, S1636–S1642. <https://doi.org/10.1016/j.arabjc.2012.04.019>
- Kunam, P.K., Anushikha, Gaikwad, K.K., 2023. Water resistant paper based on natural rubber latex from *Hevea brasiliensis* and butyl stearate hydrophobic coating for packaging applications. *Industrial Crops and Products* 205, 117480. <https://doi.org/10.1016/j.indcrop.2023.117480>
- Lackinger, E., Hettegger, H., Schwaiger, L., Zweckmair, T., Sartori, J., Potthast, A., Rosenau, T., 2016. Novel paper sizing agents based on renewables. Part 8: on the binding behavior of reactive sizing agents—the question of covalent versus adsorptive binding. *Cellulose* 23, 823–836. <https://doi.org/10.1007/s10570-015-0794-9>
- Lee, H.L., Kim, J.S., Youn, H.J., 2004. Improvement of ASA sizing efficiency using hydrophobically modified and acid-hydrolyzed starches. *TAPPI Journal*.
- Li, R., Zhang, Y., Cao, Y., Liu, Z., 2015. Ink Penetration of Uncoated Inkjet Paper and Impact on Printing Quality. *BioResources* 10, 8135–8147. <https://doi.org/10.15376/biores.10.4.8135-8147>
- Martorana, E., Belle, J., Kleemann, S., 2008. ASA Optimisation - Control of Particle Size, Stability and Hydrolysis.
- Modaressi, H., Garnier, G., 2002. Mechanism of Wetting and Absorption of Water Droplets on Sized Paper: Effects of Chemical and Physical Heterogeneity. *Langmuir* 18, 642–649. <https://doi.org/10.1021/la0104931>
- Ntifafa, Y., Hart, P.W., Ji, Y., 2023a. Understanding alkenyl succinic anhydride (ASA) size reversion due to autooxidation. *TJ* 22, 373–381. <https://doi.org/10.32964/TJ22.6.373>
- Ntifafa, Y., Xu, L., Bollinger, S., Ji, Y., Hart, P.W., 2023b. Alkenyl Succinic Anhydride: The Question of Covalent Bonding and Chemistry Considerations for Better Sizing—Review.
- Odabas, N., Henniges, U., Potthast, A., Rosenau, T., 2016. Cellulosic fines: Properties and effects. *Progress in Materials Science* 83, 574–594. <https://doi.org/10.1016/j.pmatsci.2016.07.006>
- Olejnik, K., Pełczyński, P., Troszczyńska, K., Khadzhynova, S., 2023. Characterization of liquid permeation through fibrous structure by texture analysis. *Computers & Structures* 279, 106983. <https://doi.org/10.1016/j.compstruc.2023.106983>
- Park, J.Y., Melani, L., Lee, H., Kim, H.J., 2020. Effect of pulp fibers on the surface softness component of hygiene paper. *Holzforschung* 74, 497–504. <https://doi.org/10.1515/hf-2019-0080>
- Pego, M.F.F., Bianchi, M.L., 2021. Blended paper: physical, optical, structural, and interfiber bonding analysis. *CERNE* 27, e-102944. <https://doi.org/10.1590/01047760202127012944>
- Popil, R.E., 2017. Physical testing of paper. *Smithers Rapra Technology*, Place of publication not identified.
- Porkert, S., 2016. Physico-Chemical Processes during Reactive Paper Sizing with Alkenyl Succinic Anhydride (ASA). <https://doi.org/10.13140/RG.2.2.18268.39045>
- Pydimalla, M., Reddy, K., 2020. Effect of Pulping, Bleaching and Refining Process on Fibers for Paper Making - A Review. *International Journal of Engineering Research* 9.
- Rahmaninia, M., Javid, E., Varshoei, A., 2016. Process Variables and the Kinerjance of Cationic Rosin as an Internal Sizing Agent in Recycled Corrugated Container Pulp. *BioResources* 11, 5333–5342. <https://doi.org/10.15376/biores.11.2.5333-5342>
- Shallhorn, P., Gurnagul, N., 2009. A Simple Model of The Air Permeability of Paper.



- Sousa, S., Gamelas, J.A., De Oliveira Mendes, A., Fiadeiro, P.T., Ramos, A., 2013. Interactions of ink colourants with chemically modified paper surfaces concerning inkjet print improvement. *Materials Chemistry and Physics* 139, 877–884. <https://doi.org/10.1016/j.matchemphys.2013.02.048>
- Sun, B., Hou, Q., Liu, Z., He, Z., Ni, Y., 2014. Stability and efficiency improvement of ASA in internal sizing of cellulosic paper by using cationically modified cellulose nanocrystals. *Cellulose* 21, 2879–2887. <https://doi.org/10.1007/s10570-014-0283-6>
- Waldner, C., Hirn, U., 2023. Modeling liquid penetration into porous materials based on substrate and liquid surface energies. *Journal of Colloid and Interface Science* 640, 445–455. <https://doi.org/10.1016/j.jcis.2023.02.116>
- Wurzberg, O.B., 1973. Process of Sizing Paper with A Reaction Product of Maleic Anhydride and An Internal Olefin. 3,821,069.
- Yu, X., Bian, P., Xue, Y., Qian, X., Yu, H., Chen, W., Hu, X., Wang, P., Wu, D., Duan, Q., Li, L., Shen, J., Ni, Y., 2017. Combination of microsized mineral particles and rosin as a basis for converting cellulosic fibers into “sticky” superhydrophobic paper. *Carbohydrate Polymers* 174, 95–102. <https://doi.org/10.1016/j.carbpol.2017.06.038>