



## REFERENCES

- [1] P. E. Wicaksono, "Pln derita kerugian rp 10 triliun akibat pencurian listrik." [Online]. Available: <https://www.liputan6.com/bisnis/read/3485366/pln-derita-kerugian-rp-10-triliun-akibat-pencurian-listrik>
- [2] R. U. Madhure, R. Raman, and S. K. Singh, "CNN-LSTM based electricity theft detector in advanced metering infrastructure," in *2020 11th International Conference on Computing, Communication and Networking Technologies (ICCCNT)*. IEEE, pp. 1–6. [Online]. Available: <https://ieeexplore.ieee.org/document/9225572/>
- [3] B. Kocaman and V. Tümen, "Detection of electricity theft using data processing and LSTM method in distribution systems," vol. 45, no. 1, p. 286. [Online]. Available: <http://link.springer.com/10.1007/s12046-020-01512-0>
- [4] Y. Bai, H. Sun, L. Zhang, and H. Wu, "Hybrid CNN-transformer network for electricity theft detection in smart grids," vol. 23, no. 20, p. 8405. [Online]. Available: <https://www.mdpi.com/1424-8220/23/20/8405>
- [5] B. Cui and J. H. Yao, "Cbl-isl: A cnn and bi-lstm-based incremental few-shot learning approach for real-time intrusion detection in industrial internet of things (iiot) systems," in *Proceedings of the International Conference on Computer Supported Cooperative Work in Design, CSCWD*. Institute of Electrical and Electronics Engineers Inc., 2025, pp. 1770–1775.
- [6] J. Nagi, K. S. Yap, S. K. Tiong, S. K. Ahmed, and F. Nagi, "Improving svm-based nontechnical loss detection in power utility using the fuzzy inference system," *IEEE Transactions on Power Delivery*, vol. 26, pp. 1284–1285, 4 2011.
- [7] P. Glauner, J. A. Meira, P. Valtchev, R. State, and F. Bettinger, "The challenge of non-technical loss detection using artificial intelligence: A survey," 2017.
- [8] S. Li, Y. Han, X. Yao, S. Yingchen, J. Wang, and Q. Zhao, "Electricity theft detection in power grids with deep learning and random forests," *Journal of Electrical and Computer Engineering*, vol. 2019, 2019.
- [9] S. Munawar, N. Javaid, Z. A. Khan, N. I. Chaudhary, M. A. Z. Raja, A. H. Milyani, and A. A. Azhari, "Electricity theft detection in smart grids using a hybrid bigru-bilstm model with feature engineering-based preprocessing," *Sensors*, vol. 22, 10 2022.
- [10] C. F. Mbey, J. Bikai, F. G. Y. Souhe, V. J. F. Kakeu, and A. T. Boum, "Electricity theft detection in a smart grid using hybrid deep learning-based data analysis technique," *Journal of Electrical and Computer Engineering*, vol. 2024, 2024.
- [11] L. Zhu, W. Wen, J. Li, C. Zhang, B. Zhou, and Z. Shuai, "Deep active learning-enabled cost-effective electricity theft detection in smart grids," vol. 20, no. 1, pp. 256–268. [Online]. Available: <https://ieeexplore.ieee.org/document/10080868/>
- [12] Y. Gao, N. Wang, and Y. Ma, "L2-ssa-lstm prediction model of steering drilling wellbore trajectory," *IEEE Access*, vol. 12, pp. 450–461, 2024.



- [13] K. M. U. Ghorl, M. Imran, A. Nawaz, R. A. Abbasi, A. Ullah, and L. Szathmary, "Performance analysis of machine learning classifiers for non-technical loss detection," *Journal of Ambient Intelligence and Humanized Computing*, vol. 14, pp. 15 327–15 342, 11 2023.
- [14] G. Figueroa, Y.-S. Chen, N. Avila, and C.-C. Chu, "Improved practices in machine learning algorithms for ntl detection with imbalanced data," 2017.
- [15] J. J. Hopfield, "Neural networks and physical systems with emergent collective computational abilities," *Proceedings of the National Academy of Sciences*, vol. 79, no. 8, pp. 2554–2558, 1982. [Online]. Available: <https://www.pnas.org/content/79/8/2554>
- [16] S. Hochreiter and J. Schmidhuber, "Long short-term memory," *Neural Computation*, vol. 9, no. 8, pp. 1735–1780, 1997.
- [17] A. E. Hoerl and R. W. Kennard, "Ridge regression: Applications to nonorthogonal problems," pp. 69–82, 1970.
- [18] D. Carr and M. Thomson, "Non-technical electricity losses," 3 2022.
- [19] R. Razavi, A. Gharipour, M. Fleury, and I. J. Akpan, "A practical feature-engineering framework for electricity theft detection in smart grids," *Applied Energy*, vol. 238, pp. 481–494, 3 2019.
- [20] G. Micheli, E. Soda, M. T. Vespucci, M. Gobbi, and A. Bertani, "Big data analytics: an aid to detection of non-technical losses in power utilities," *Computational Management Science*, vol. 16, pp. 329–343, 2 2019.
- [21] J. I. Guerrero, I. Monedero, F. Biscarri, J. Biscarri, R. Millan, and C. Leon, "Non-technical losses reduction by improving the inspections accuracy in a power utility," *IEEE Transactions on Power Systems*, vol. 33, pp. 1209–1218, 3 2018.
- [22] K. Fei, Q. Li, and C. Zhu, "Non-technical losses detection using missing values' pattern and neural architecture search," vol. 134, p. 107410. [Online]. Available: <https://www.sciencedirect.com/science/article/pii/S0142061521006499>
- [23] P. E. Wicaksono, "Pln derita kerugian rp 10 triliun akibat pencurian listrik," 2018. [Online]. Available: <https://www.liputan6.com/bisnis/read/3485366/pln-derita-kerugian-rp-10-triliun-akibat-pencurian-listrik>
- [24] V. B. Krishna, K. Lee, G. A. Weaver, R. K. Iyer, and W. H. Sanders, "F-deta: A framework for detecting electricity theft attacks in smart grids," 2019.
- [25] J. L. Viegas, P. R. Esteves, and S. M. Vieira, "Clustering-based novelty detection for identification of non-technical losses," *International Journal of Electrical Power and Energy Systems*, vol. 101, pp. 301–310, 10 2018.
- [26] N. F. Avila, G. Figueroa, and C.-C. Chu, "Ntl detection in electric distribution systems using the maximal overlap discrete wavelet-packet transform and random undersampling boosting," *IEEE Transactions on Power Systems*, vol. 33, no. 6, pp. 7171–7180, Nov 2018.



- [27] P. P. (Persero), “Peraturan direksi pt pln (persero) nomor 0028.p/dir/2023 tentang penertiban pemakaian tenaga listrik (p2tl),” Regulation Document, Jakarta, Indonesia, 2023.
- [28] J. R. Quinlan, “Improved use of continuous attributes in c4.5,” pp. 77–90, 1996.
- [29] L. Breiman, “Random forests,” pp. 5–32, 2001.
- [30] C. Cortes, V. Vapnik, and L. Saitta, “Support-vector networks editor,” pp. 273–297, 1995.
- [31] T. Chen and C. Guestrin, “Xgboost: A scalable tree boosting system,” *arXiv.org*, 3 2016. [Online]. Available: <http://arxiv.org/abs/1603.02754><http://dx.doi.org/10.1145/2939672.2939785>
- [32] A. Graves and J. Schmidhuber, “Framewise phoneme classification with bidirectional lstm and other neural network architectures,” in *Neural Networks*, vol. 18, 7 2005, pp. 602–610.
- [33] Y. Lecun, E. Bottou, Y. Bengio, and P. Haffner, “Gradient-based learning applied to document recognition,” 1998.
- [34] B. BAKIRARAR and A. H. ELHAN, “Class weighting technique to deal with imbalanced class problem in machine learning: Methodological research,” *Turkiye Klinikleri Journal of Biostatistics*, vol. 15, pp. 19–29, 2023.
- [35] C. Verdier, S. Perriot, and A. Pachot, “Weighted cross-entropy to tackle overlapping in fraud detection,” in *Proceedings of the 2023 15th International Conference on Machine Learning and Computing (ICMLC)*. ACM, 2023, p. 6.
- [36] C. Guo, X. Chen, Y. Chen, and C. Yu, “Multi-stage attentive network for motion deblurring via binary cross-entropy loss,” *Entropy*, vol. 24, 10 2022.
- [37] Z. Lyu, Y. Yu, B. Samali, M. Rashidi, M. Mohammadi, T. N. Nguyen, and A. Nguyen, “Back-propagation neural network optimized by k-fold cross-validation for prediction of torsional strength of reinforced concrete beam,” *Materials*, vol. 15, no. 4, p. 1477, 2022.