

DAFTAR PUSTAKA

- Acera, A., Vecino, E., Duran, J.A. (2013). Tear MMP-9 levels as a marker of ocular surface inflammation in conjunctivochalasis. *Invest Ophthalmol Vis Sci*, 54:8285–8291. DOI: 10.1167/iovs.13-12235
- Alghamdi, W., Markoulli, M., Papas, E., (2020). The relationship between tear film MMP-9 and meibomian gland changes during soft contact lens wear. *Contact Lens Anterior Eye*, 43, 154–158.
- Ammer, R. (2017) ‘Effect of Contact Lens Wear on Tear Film Break up Time (TBUT) among Contact Lens Users’, *Pakistan Journal of Ophthalmology*, 33(3), pp. 183-188. doi:10.36351/pjo.v33i3.57
- Baraskar, R. & Gupta, R. (2021). Rigid Gas Permeable Contact Lenses for Irregular Corneas and High Astigmatism. *International Journal of Research and Analytical Reviews*, 8(3), 445-453.
- Braun, R. J. (2012). Dynamics of the tear film. *The Annual Review of Fluid Mechanics*, 44, pp 267-297. DOI: 10.1146/annurev-fluid-120710-101042
- Best, N., Drury, L. & Wolffsohn, J.S. (2013) ‘Predicting success with silicone-hydrogel contact lenses in new wearers’, *Contact Lens & Anterior Eye*, 36(5), pp. 232-237. doi: 10.1016/j.clae.2013.02.013.
- Carracedo, G. et al (2015). Symptoms and signs in rigid gas permeable lens wearers during adaptation period. *Eye and Contact Lens*, 0(0), 1-7. DOI: 10.1097/ICL.0000000000000153
- Chalmers, R.L. *et al.* (2012). Contact lens dry eye questionnaire-8 (CLDEQ-8) and opinion of contact lens performance. *Optometry and Vision Science*, 89(10), pp. 1435–1442. doi:10.1097/OPX.0b013e318269c90d.
- Chao, C. *et al.* (2017). Non-invasive objective and contemporary methods for measuring ocular surface inflammation in soft contact lens wearers – A Review. *Contact Lens and Anterior Eye*, 40(5), pp. 273–282. doi:10.1016/j.clae.2017.05.008.
- DelMonte, D. W., & Kim, T. (2011). Anatomy and physiology of the cornea. *J. Cataract and Refractive Surgery*, 37(3), 588–598. <https://doi.org/10.1016/j.jcrs.2010.12.037>
- Dogru, M., Ward, S.K., Wakamatsu, T., Ibrahim, O., Schnider, C., Kojima, T., Matsumoto, Y., Ogawa, J., Shimazaki, J. & Tsubota, K. (2011) ‘The effects of 2 week senofilcon-A silicone hydrogel contact lens daily wear on tear

functions and ocular surface health status', *Contact Lens and Anterior Eye*, 34(2), pp. 77-82. doi:10.1016/j.clae.2010.12.001.

Efron, N. et al. (2013). International survey of rigid contact lens fitting. *Optom Vis Sci*, 90, 113-118.

Efron, N. et al. (2010). *Contact lens practice*, 2nd edn, Butterworth Heinemann Elsevier, Melbourne.

Fu, R., Klinngam, W., Heur, M., Edman, M.C., Hamm-Alvarez, S.F. (2020). Tear proteases and protease inhibitors: potential biomarkers and disease drivers in ocular surface disease. *Eye Contact Lens*, 46 (Suppl. 2), S70–s83. doi: 10.1097/ICL.0000000000000641

Glasson, M.J., Stapleton, F., Keay, L. & Willcox, M.D.P. (2006) 'The effect of short-term contact lens wear on the tear film and ocular surface characteristics of tolerant and intolerant wearers', *Contact Lens and Anterior Eye*, 29(1), pp. 41-47. doi: 10.1016/j.clae.2005.12.006.

Fodor, M. *et al.* (2013). Effect of contact lens wear on the release of tear mediators in keratoconus. *Eye & Contact Lens: Science & Clinical Practice*, 39(2), pp. 147–152. doi:10.1097/icl.0b013e318273b35f.

Insua Pereira, E., Sampaio, A.P. & Lira, M. (2022). Effects of contact lens wear on tear inflammatory biomarkers', *Contact Lens and Anterior Eye*, 45(5), p. 101600. doi:10.1016/j.clae.2022.101600.

Jamerson, E.C. et al. (2020). Role of matrix metalloproteinase 9 in ocular surface disorders. *Eye and Contact lens*. 46, s57-s63. doi: 10.1097/ICL.0000000000000668

İskeleli, G., Arıcı, C., Bilgeç, M.D., Demirkesen, C. & Arslan, H.S. (2015) 'Impression Cytology in Different Types of Contact Lens Users', *Medical Hypothesis, Discovery & Innovation in Ophthalmology*, 4(3), pp. 109-113.

Lanza, N.L., Valenzuela, F., Perez, V.L. & Galor, A. (2016) 'The Matrix Metalloproteinase 9 Point-of-Care Test in Dry Eye', *The Ocular Surface*, 14(2), pp. 189-195. doi: 10.1016/j.jtos.2015.10.004.

Lema, I. *et al.* (2008). Inflammatory response to contact lenses in patients with keratoconus compared with myopic subjects. *Cornea*, 27(7), pp. 758–763. doi:10.1097/ico.0b013e31816a3591.

Li, De-Quan & Pflugfelder, S.C. (2005). Matrix metalloproteinases in corneal inflammation. *The Ocular Surface*, 3(4):S198-S202. doi: 10.1016/S1542-0124(12)70255-0

- Li, De-Quan, Lokeshwar, B.L., Solomon, A., Monroy, D., Ji, Z. & Pflugfelder, S.C., 2001. *Regulation of MMP-9 production by human corneal epithelial cells*. *Experimental Eye Research*, 73(4), pp.449–459. doi:10.1006/exer.2001.1054.
- Ljubimov, A.V. & Saghizadeh, M. (2015) ‘Progress in corneal wound healing’, *Progress in Retinal and Eye Research*, 49, pp. 1–41. doi: 10.1016/j.preteyeres.2015.07.002.
- Markoulli, M., Papas, E., Cole, N. & Holden, B. (2013) ‘Effect of contact lens wear on the diurnal profile of matrix metalloproteinase-9 in tears’, *Optometry and Vision Science*, 90(5), pp. 419–429. doi: 10.1097/OPX.0b013e31828d7d3b
- Markoulli, M. *et al.* (2012). The diurnal variation of matrix metalloproteinase-9 and its associated factors in human tears. *Investigative Ophthalmology & Visual Science*, 53(3), p. 1479. doi:10.1167/iovs.11-8365.
- Markoulli, M. (2011). Matrix metalloproteinase-9 in contact lens-related corneal erosions. *UNSWork*. pp. 1-262 <https://doi.org/10.26190/unsworks/15295>
- Masoudi, S. (2022). Biochemistry of human tear film: A Review. *Experimental Eye Research*, 220, p. 109101. doi:10.1016/j.exer.2022.109101.
- Moreddu, R., Vigolo, D. and Yetisen, A.K. (2019). Contact lens technology: From fundamentals to applications. *Advanced Healthcare Materials*, 8(15). doi:10.1002/adhm.201900368.
- O’Toole, E. A. *et al.* (2007). Hypoxia induces epidermal keratinocyte matrix metalloproteinase-9 secretion via the protein kinase c pathway. *Journal of Cellular Physiology*, 214(1), pp 47-55. doi: 10.1002/jcp.21160.
- Pflugfelder, S. C., & Stern, M. E. (2020). Biological functions of tear film. *Experimental Eye Research*, 197, 1–16. <https://doi.org/10.1016/j.exer.2020.108115>
- Şimşek, C., Kaya, C. & Karalezli, A. (2022) ‘Evaluation of Corneal Alterations After Short-Term Silicone Hydrogel Contact Lens Use by Confocal Microscopy’, *Turkish Journal of Ophthalmology*, 52(6), pp. 386-393. doi: 10.4274/tjo.galenos.2021.27163.
- Stapleton, F. *et al.* (2021). ‘BCLA clear - contact lens complications’. *Contact Lens and Anterior Eye*, 44(2), pp. 330–367. doi:10.1016/j.clae.2021.02.010.
- Sridhar, M. S. (2018). Anatomy of cornea and ocular surface. *Indian Journal of Ophthalmology*, 66, pp. 190–194. <https://doi.org/10.4103/ijo.IJO>

- Sulley, A., Young, G. & Hunt, C., 2017. *Factors in the success of new contact lens wearers*. *Contact Lens & Anterior Eye*, 40(1), pp.15-24. doi:10.1016/j.clae.2016.10.002.
- Tiffany, J.M. (2008). The normal tear film. *Dev Ophthalmol Karger*, 41, pp. 1-20.
- Vandooren, J., Van den Steen, P.E. and Opdenakker, G. (2013). Biochemistry and molecular biology of gelatinase B or matrix metalloproteinase-9 (MMP-9): The Next Decade. *Critical Reviews in Biochemistry and Molecular Biology*, 48(3), pp. 222–272. doi:10.3109/10409238.2013.770819.
- Wilson, S.E., Mohan, R.R., Ambrosio, R., Hong, J. & Lee, J. (2001) ‘Epithelial–stromal interactions in corneal wound healing’, *Experimental Eye Research*, 73(5), pp. 691–703. doi: 10.1006/exer.2001.1068.
- Xu, Y., Xu, Z., Shu, X., Liu, Q., Wang, Y., Xia, J., Li, Y., Qu, J. & Hu, L. (2022) ‘Dynamic Changes of Ocular Surface in First-Time Contact Lens Wearers and the Effective Factors of Contact Lens Discomfort’, *Frontiers in Medicine*, 9, [online] 833962. doi: 10.3389/fmed.2022.833962.
- Zhao, X., Jiang, C., Ma, J., Wang, Y., Yang, M., & Zhang, Y. (2020) ‘Correlation between MMP-2, MMP-9, and TIMP-1 levels in aqueous humor and axial length in myopia’, *Journal of Ophthalmology*, 2020, Article ID 2961742. <https://doi.org/10.1155/2020/2961742>