



DAFTAR PUSTAKA

- [1] S. Joung, W. Ji, E. Lee, Y. Y. Ji, and Y. Choi, 'Comparison of Environmental Radiation Survey Analysis Results in a High Dose Rate Environment Using CZT, NaI(Tl), and LaBr₃(Ce) Detectors', *Journal of Nuclear Fuel Cycle and Waste Technology*, vol. 21, no. 4, pp. 543–558, Dec. 2023, doi: 10.7733/jnfcwt.2023.041.
- [2] D. Ko, S. Cheon, J. Kim, S. Lee, and S. M. Woo, 'Conceptual *safeguards* method proposal for milling facilities based on nuclear isotopic ratios in uranium mill tailings', 2024, *Korean Nuclear Society*. doi: 10.1016/j.net.2024.08.025.
- [3] F. Salvador *et al.*, 'Low and high-resolution gamma-ray spectroscopy for the characterization of uranium contamination', *Nucl Instrum Methods Phys Res A*, vol. 1065, Aug. 2024, doi: 10.1016/j.nima.2024.169549.
- [4] T. Marchais *et al.*, 'Low-Resolution Gamma Spectrometry of Uranium Ores to Determine U Concentration and U/Rn Imbalance', *IEEE Trans Nucl Sci*, vol. 69, no. 4, pp. 761–767, Apr. 2022, doi: 10.1109/TNS.2021.3129343.
- [5] G. ALMisned *et al.*, 'A closer look at the efficiency calibration of LaBr₃(Ce) and NaI(Tl) scintillation detectors using MCNPX for various types of nuclear investigations', *Heliyon*, vol. 8, no. 10, Oct. 2022, doi: 10.1016/j.heliyon.2022.e10839.
- [6] S. Y. Han, S. Maeng, H. Y. Lee, and S. H. Lee, 'Preliminary study on the detection efficiency and estimation of minimum detectable activity for a NaI(Tl)-based seawater monitoring system', *J Environ Radioact*, vol. 218, Jul. 2020, doi: 10.1016/j.jenvrad.2020.106222.
- [7] M. J. Neuer and C. Henke, 'Gamma *Enrichment* Analysis Algorithm Based on Physics-Informed Neural Networks', 2023. [Online]. Available: <http://www.innoriid.eu><http://www.rwth.de>
- [8] A. J. Parker *et al.*, '*Enrichment* measurement by passive γ -ray spectrometry of uranium dioxide fuel *pellets* using a europium-doped, strontium iodide scintillator', *Nucl Instrum Methods Phys Res A*, vol. 1062, May 2024, doi: 10.1016/j.nima.2024.169191.
- [9] Y. Kim, S. Joung, M. Kim, H. Chung, and S. Park, 'Determination of Uranium *Enrichment* Using a Plastic Scintillator', *IEEE Trans Nucl Sci*, vol. 67, no. 4, pp. 592–598, Apr. 2020, doi: 10.1109/TNS.2019.2953317.
- [10] D. Mulyana and S. S. Chirayath, 'A gamma spectroscopy-based non-destructive approach for *pebble* bed reactor *safeguards*', *Ann Nucl Energy*, vol. 195, Jan. 2024, doi: 10.1016/j.anucene.2023.110186.
- [11] A. F. Elsayed, M. T. Hussein, S. A. El-Mongy, H. F. Ibrahim, A. Shazly, and M. A. E. Abdel-Rahman, 'Signature Verification of ²³⁵U/²³⁸U Activity Ratio for Ores and Natural Samples Using γ -Ray Spectrometry and a Derived Equation', *Radiochemistry*, vol. 63, no. 5, pp. 627–634, Oct. 2021, doi: 10.1134/S1066362221050118.



- [12] I. Meleshenkovskii, N. Pauly, and P. E. Labeau, 'Determination of the uranium enrichment without calibration standards using a 500 mm 3 CdZnTe room temperature detector with a hybrid methodology based on peak ratios method and Monte Carlo counting efficiency simulations', *Applied Radiation and Isotopes*, vol. 148, pp. 277–289, Jun. 2019, doi: 10.1016/j.apradiso.2018.12.025.
- [13] T. Torowati and B. S. Galuh, 'Penentuan Nilai Limit Deteksi Dan Kuantisasi Alat Titrasi Potensiometer Untuk Analisis Uranium', *Pengelolaan Instalasi Nuklir*, no. 13, Oct. 2014.
- [14] T. Torowati, N. Ngatijo, M. L. Windaryati, and B. S. Galuh, 'Analisis Kadar Uranium Dalam Yellow Cake Dengan Titrasi Secara Potensimetri', *Pengelolaan Instalasi Nuklir*, vol. 2, no. 03, p. 520628, 2017.
- [15] P. Ngatijo and W. M. Y. Torowati, 'Analisis Kadar Uranium dan Keasaman Untuk Menentukan Kebutuhan Sodium Hidroksida Pada Penetralan Limbah Uranium Cair di Laboratorium Kimia Instalasi Elemen Bakar Eksperimental', *PIN Pengelolaan Instal Nukl*, vol. 30, 2017.
- [16] B. Yanlinastuti, B. G. Aslina, and A. Dian, 'Pengaruh Parameter Proses Elektrodeposisi Terhadap Penentuan Berat Isotop ^{235}U Dalam PEB U $3\text{Si}_2/\text{Al}$ Pasca Iradiasi', *URANIA-Jurnal Ilmiah Daur Bahan Bakar Nuklir*, vol. 22, no. 2, pp. 65–132, 2016.
- [17] Y. Yanlinastuti, S. Indaryati, B. Boybul, S. Supardjo, and A. Br. Ginting, 'PENENTUAN BERAT ISOTOP CESIUM DAN URANIUM DALAM PELAT ELEMEN BAKAR U $3\text{Si}_2/\text{Al}$ DENSITAS 4,8 gU/cm 3 ', *Urania Jurnal Ilmiah Daur Bahan Bakar Nuklir*, vol. 26, no. 2, Jun. 2020, doi: 10.17146/urania.2020,26.2.5874.
- [18] N. Noviarthy and I. Haryati, 'Penentuan Kadar Uranium Dalam Sampel Yellow Cake Menggunakan Spektrometer Gamma', *Pengelolaan Instalasi Nuklir*, vol. 9, no. 16, Oct. 2016.
- [19] T. Surbakti, S. Pinem, W. Luthfi, and D. Hartanto, 'CORE BURN-UP ANALYSIS OF THE RSG-GAS RESEARCH REACTOR USING DETERMINISTIC AND STOCHASTIC METHODSS', *J Teknol*, vol. 84, no. 5, pp. 191–199, Jul. 2022, doi: 10.11113/jurnalteknologi.v84.18425.
- [20] T. Surbakti and M. Imron, 'FUEL BURN-UP CALCULATION FOR WORKING CORE OF THE RSG-GAS RESEARCH REACTOR AT BATAN SERPONG', *Jurnal Penelitian Fisika dan Aplikasinya (JPFA)*, vol. 7, no. 2, p. 89, Dec. 2017, doi: 10.26740/jpfa.v7n2.p89-101.
- [21] X. Yu, X. Su, Z. Wang, Z. Hou, and B. Li, 'A review of uranium (U) elemental detection methods', *Analytical Methods*, vol. 17, no. 8, pp. 1683–1697, 2025, doi: 10.1039/D4AY02115K.
- [22] O. Zeiri, N. Fruchter, E. Elish, H. Gizbar, D. Shamir, and I. Sedgi, 'Determination of Uranium Isotopic Ratio by ICP-OES Using Optimal Sensitivity Position



- Analysis', *Anal Chem*, vol. 93, no. 12, pp. 5123–5128, Mar. 2021, doi: 10.1021/acs.analchem.0c04842.
- [23] W. Wang *et al.*, 'Precise and accurate isotopic analysis of uranium and thorium in uranium ore concentrates using ICP-MS and their age dating for nuclear forensic analysis', *J Anal At Spectrom*, vol. 39, no. 1, pp. 178–189, 2024, doi: 10.1039/D3JA00196B.
- [24] K. Pastoor, 'Nuclear Forensics of Uranium Conversion: Investigations of Environmentally Altered Uranium Compounds', Colorado School of Mines, Colorado, 2921.
- [25] Y. Guo *et al.*, 'Complexation of uranyl with benzoic acid in aqueous solution at variable temperatures: potentiometry, spectrophotometry and DFT calculations', *Dalton Transactions*, vol. 52, no. 32, pp. 11265–11271, 2023, doi: 10.1039/D3DT01896B.
- [26] V. V. Yakshin and M. N. Krokhin, 'Determination of small amounts of uranium by redox potentiometric titration', *Radiochemistry*, vol. 53, no. 3, pp. 327–331, Jun. 2011, doi: 10.1134/S1066362211030179.
- [27] S. Chen *et al.*, 'Accurate determination of tetravalent uranium reduced by microorganisms via a potentiometric titration procedure', *Radiochim Acta*, vol. 110, no. 11, pp. 903–912, Nov. 2022, doi: 10.1515/ract-2022-0037.
- [28] S. A. Abdualhadi, B. Mauz, S. D. T. Joss, and P. J. Nolan, 'Detecting and quantifying uranium-series disequilibrium in natural samples for dosimetric dating applications', *Radiat Meas*, vol. 114, pp. 25–31, Jul. 2018, doi: 10.1016/j.radmeas.2018.04.011.
- [29] A. Vengosh, R. M. Coyte, J. Podgorski, and T. M. Johnson, 'A critical review on the occurrence and distribution of the uranium- and thorium-decay nuclides and their effect on the quality of groundwater', *Science of The Total Environment*, vol. 808, p. 151914, Feb. 2022, doi: 10.1016/j.scitotenv.2021.151914.
- [30] T. Marchais *et al.*, 'Characterization of Uranium Ore Samples by HPGe Gamma-Ray Spectroscopy', *IEEE Trans Nucl Sci*, vol. 67, no. 4, pp. 654–661, Apr. 2020, doi: 10.1109/TNS.2020.2966824.
- [31] R. S. Ramadan, Y. H. Dawood, M. M. Yehia, and A. Gad, 'Environmental and health impact of current uranium mining activities in southwestern Sinai, Egypt', *Environ Earth Sci*, vol. 81, no. 7, p. 213, Apr. 2022, doi: 10.1007/s12665-022-10341-9.
- [32] K. Heon Park and H. Gyu Park, 'The Quantitative Analysis of Uranium and Thorium in Soil Using HPGe Gamma-Ray Spectrometry', 2018.
- [33] S. Maeng, H. Y. Lee, S. J. Park, and S. H. Lee, 'A comparison of determination methods for uranium radioactivity in environmental soil samples using a gamma spectrometer', *J Radioanal Nucl Chem*, vol. 331, no. 7, pp. 2929–2938, Jul. 2022, doi: 10.1007/s10967-022-08379-x.



- [34] J. Ryu, C. Park, J. Park, N. Cho, J. Park, and G. Cho, ‘Development of Neural Network Model with Explainable AI for Measuring Uranium *Enrichment*’, *IEEE Trans Nucl Sci*, vol. 68, no. 11, pp. 2670–2681, Nov. 2021, doi: 10.1109/TNS.2021.3116090,
- [35] O. Kalthoff, C. Wirz, F. Groß-Alltag, F. Stetter, and T. Bücherl, ‘Determination of uranium-*enrichment* from gamma-spectra by *linear* least-squares’, *Nucl Instrum Methods Phys Res A*, vol. 1057, Dec. 2023, doi: 10.1016/j.nima.2023.168750,
- [36] H. Yücel, S. S. Tüzüner, and C. Massey, ‘Application of peak based-Bayesian statistical method for isotope identification and categorization of depleted, natural and low enriched uranium measured by LaBr₃:Ce scintillation detector’, *Nuclear Engineering and Technology*, vol. 55, no. 10, pp. 3913–3923, Oct. 2023, doi: 10.1016/j.net.2023.07.006.
- [37] D. Bednár, A. Pažitný, M. Lištjak, and V. Nečas, ‘Efficiency calibration of LaBr₃(Ce) and NaI(Tl) scintillation detectors with MCNP6 for various *in-situ* measurements for NPP decommissioning purposes’, *Ann Nucl Energy*, vol. 159, Sep. 2021, doi: 10.1016/j.anucene.2021.108335.
- [38] S. S. Win, N. Nyein, and N. N. Tun, ‘Determination of Resolution and Detection Efficiency of NaI (Tl) Scintillation Gamma-Ray Spectrometer’.
- [39] P. E. Biere, J. O. Aina, M. O. Olaoye, and A. O. Mustapha, ‘Calibration of a 5x5 NaI(Tl) for Prompt *In-situ* Gamma-ray Spectrometry System’, *Materials and Geoenvironment*, vol. 68, no. 1, pp. 1–5, Mar. 2021, doi: 10.2478/rmzmag-2021-0001.
- [40] S. W. Kwak, J. Choi, S. S. Park, S. H. Ahn, J. S. Park, and H. Chung, ‘Comparison of experimental results of a Quad-CZT array detector, a NaI(Tl), a LaBr₃(Ce), and a HPGe for *safeguards* applications’, in *Journal of Instrumentation*, Institute of Physics Publishing, Nov. 2017. doi: 10.1088/1748-0221/12/11/C11011.
- [41] M. Croce, K. Koehler, M. Boher, and E. Stark, ‘Improving Uncertainty in Nondestructive Uranium *Enrichment* Analysis with Microcalorimeter Gamma Spectroscopy’, in *Proceedings of the 2024 INMM Annual meeting*, Institute for Nuclear Material Management, 2024.
- [42] S. Friedrich, G.-B. Kim, D. Lee, and R. Cantor, ‘Ultra-High Resolution Magnetic Microcalorimeter Gamma-Ray Detectors for Non-Destructive Assay of Uranium and Plutonium’, *Journal of Nuclear Material Management*, vol. XLIX, no. 3, pp. 114–122, 2021.
- [43] ‘merriman-and-co.tistory.com/’, merriman-and-co.tistory.com/.
- [44] ‘euronuclear.org’, euronuclear.org.
- [45] A. Serban, A. Apostol, L. Ganea, A. Pantelica, D. Mirea, and O. Sima, ‘NON-DESTRUCTIVE CHARACTERIZATION OF INDUSTRIAL DEPLETED URANIUM *SHIELDING* MATERIALS FOR NUCLEAR FORENSICS PURPOSES’, *Rom Rep Phys*, vol. 73, no. 1, 2021.



- [46] K. J. Pastoor, R. S. Kemp, M. P. Jensen, and J. C. Shafer, 'Progress in Uranium Chemistry: Driving Advances in Front-End Nuclear Fuel Cycle Forensics', *Inorg Chem*, vol. 60, no. 12, pp. 8347–8367, Jun. 2021, doi: 10.1021/acs.inorgchem.0c03390,
- [47] S. V. Jovanovic *et al.*, 'Uncovering uranium isotopic heterogeneity of fuel *pellets* from the fifth collaborative materials exercise of The Nuclear Forensics International Technical Working Group', *J Radioanal Nucl Chem*, vol. 326, no. 3, pp. 1853–1866, Dec. 2020, doi: 10.1007/s10967-020-07470-5.
- [48] T. D. Yıldız and T. D. Tombal-Kara, 'Challenges and recovery opportunities in waste management during the mining and *enrichment* processes of ores containing uranium and thorium – a review', *Gospodarka Surowcami Mineralnymi - Mineral Resources Management*, pp. 25–62, Mar. 2024, doi: 10.24425/gsm.2024.149305.
- [49] 'THEUPA.org', THEUPA.org.
- [50] International Atomic Energy Agency, 'Advanced Fuel *Pellet* Materials and Fuel Rod Design for Water Cooled Reactors', Vienna, 2017.
- [51] A. B. Robinson, W. J. Williams, W. A. Hanson, B. H. Rabin, N. J. Lybeck, and M. K. Meyer, 'Swelling of U-Mo Monolithic Fuel: Developing a Predictive Swelling Correlation under Research Reactor Conditions', *Journal of Nuclear Materials*, vol. 544, Feb. 2021, doi: 10.1016/j.jnucmat.2020.152703.
- [52] G. R. Eppich, 'Nuclear forensics: How science helps stop the trafficking of nuclear materials', *Bulletin of the Atomic Scientists*, vol. 76, no. 5, pp. 263–270, Sep. 2020,
- [53] S. Mishra, S. Anilkumar, and A. Vinod Kumar, 'Nuclear Forensics: Role of Radiation Metrology', in *Handbook of Metrology and Applications*, Singapore: Springer Nature Singapore, 2023, pp. 2293–2319. doi: 10.1007/978-981-19-1550-5_134-1.
- [54] E. O. Akinduro, 'Determination of Naturally Occurring Radionuclides Concentration in Environmental Samples in West Kirby Area Using Gamma-Ray Spectroscopy', *Mod Appl Sci*, vol. 16, no. 4, p. 40, Oct. 2022, doi: 10.5539/mas.v16n4p40,
- [55] S. Boukhalfa and M. Sidoumou, 'DEVELOPMENT OF A GAMMA SPECTROMETRY DETECTION SYSTEM FOR RADIOACTIVITY EVALUATION IN DIFFERENT TYPES OF SAMPLES', University of BLIDA, 2021.
- [56] C.-K. Qiao, J.-W. Wei, and L. Chen, 'An Overview of the Compton Scattering Calculation', *Crystals (Basel)*, vol. 11, no. 5, p. 525, May 2021, doi: 10.3390/cryst11050525.
- [57] K. Buchtela, 'RADIOCHEMICAL METHODS | Gamma-Ray Spectrometry', in *Encyclopedia of Analytical Science*, Elsevier, 2005, pp. 72–79. doi: 10.1016/B0-12-369397-7/00525-2.



- [58] G. F. Knoll, *Radiation Detection and Measurement*, 3rd ed., vol. 1. Michigan: John Wiley & Sons, Inc., 2010,
- [59] Soo Hyun Byun, ‘Gamma Spectrometry’, in *Med Phys 4R06/6R03 Radioisotopes and Radiation Methodology*, vol. I, 2016.
- [60] I. M. Nabil, K. M. El-Kourghly, Y. Mohamed, W. El-Gammal, and Y. Y. Ebaid, ‘Enhancing accuracy in gamma-ray spectrometry: mathematical methodology for self-attenuation correction in radioactive samples analysis’, *Radiation Detection Technology and Methods*, Dec. 2024, doi: 10,1007/s41605-024-00488-3.
- [61] T. W. Kerlin and B. R. Upadhyaya, ‘Nuclear plant instrumentation’, in *Dynamics and Control of Nuclear Reactors*, Elsevier, 2019, pp. 213–²³⁵. doi: 10,1016/B978-0-12-815261-4.00016-0,
- [62] K. Amgarou and M. Herranz, ‘State-of-the-art and challenges of non-destructive techniques for *in-situ* radiological characterization of nuclear facilities to be dismantled’, Nov. 01, 2021, *Korean Nuclear Society*. doi: 10,1016/j.net.2021.05.031.
- [63] S. S. Win, N. Nyein, and N. N. Tun, ‘Determination of Resolution and Detection Efficiency of NaI (Tl) Scintillation Gamma-Ray Spectrometer’, *University of Mandalay Research Journal*, vol. 11, no., pp. 163–169, 2020,
- [64] A. Salman, Z. Ahmed, K. Allam, and S. El-Sharkawy, ‘A comparative study for ²³⁵U radioactivity concentration calculation methods in phosphate samples’, *Radiation Protection and Environment*, vol. 42, no. 1, p. 5, 2019, doi: 10,4103/rpe.rpe_77_18.
- [65] P. G. Alinei *et al.*, ‘Estimation of uranium concentration in ore samples with machine learning methods on HPGe gamma-ray spectra’, *Nucl Instrum Methods Phys Res A*, vol. 1032, Jun. 2022, doi: 10,1016/j.nima.2022.166597.
- [66] H. El-Gamal, H. Negm, and M. Hasabelnaby, ‘Detection efficiency of NaI(Tl) detector based on the fabricated calibration of HPGe detector’, *J Radiat Res Appl Sci*, vol. 12, no. 1, pp. 360–366, Jan. 2019, doi: 10,1080/16878507.2019.1672313.
- [67] M. Barrera, M. Casas-Ruiz, J. J. Alonso, and J. Vidal, ‘Precise determination of HPGe detector efficiency for gamma spectrometry measurements of environmental samples with variable geometry and density’, *Nukleonika*, vol. 62, no. 1, pp. 47–59, 2017, doi: 10,1515/nuka-2017-0007.
- [68] ‘www.nist.gov/pml/x-ray-mass-attenuation-coefficients’, www.nist.gov/pml/x-ray-mass-attenuation-coefficients.
- [69] Z. Li *et al.*, ‘Complexation structure and thermodynamic analysis of uranium (VI)/neodymium (III) adsorption by ethylenediamine triacetic acid chelating resin: based on potentiometric titration’, *J Radioanal Nucl Chem*, Jul. 2025, doi: 10,1007/s10967-025-10288-8.
- [70] P. Sahoo, C. Mallika, R. Ananthanarayanan, F. Lawrence, N. Murali, and U. Kamachi Mudali, ‘Potentiometric titration in a low volume of solution for rapid



- assay of uranium: application to quantitative electro-reduction of uranium(VI)', *J Radioanal Nucl Chem*, vol. 292, no. 3, pp. 1401–1409, Jun. 2012, doi: 10.1007/s10967-012-1622-4.
- [71] Z. Varga *et al.*, 'Identification of uranium signatures relevant for nuclear *safeguards* and forensics', *J Radioanal Nucl Chem*, vol. 312, no. 3, pp. 639–654, Jun. 2017, doi: 10.1007/s10967-017-5247-5.
- [72] I. Meleshenkovskii, N. Pauly, and P. E. Labeau, 'Determination of the uranium *enrichment* without calibration standards using a 500 mm 3 CdZnTe room temperature detector with a hybrid methodology based on peak ratios method and Monte Carlo counting efficiency simulations', *Applied Radiation and Isotopes*, vol. 148, pp. 277–289, Jun. 2019, doi: 10.1016/j.apradiso.2018.12.025.
- [73] J. M. Schwantes, O. Marsden, and K. L. Pellegrini, 'State of practice and emerging application of analytical techniques of nuclear forensic analysis: highlights from the 4th Collaborative Materials Exercise of the Nuclear Forensics International Technical Working Group (ITWG)', *J Radioanal Nucl Chem*, vol. 311, no. 2, pp. 1441–1452, Feb. 2017, doi: 10.1007/s10967-016-5037-5.
- [74] International Atomic Energy Agency, 'International Target Values for Measurement Uncertainties in Safeguarding Nuclear Materials', Vienna, 2022.