

REFERENCES

- Abdelkader, E.H. and Otting, G., 2021, NT*-HRV3CP: An optimized construct of human rhinovirus 14 3C protease for high-yield expression and fast affinity-tag cleavage, *J Biotechnol*, 325, 145–151.
- Abraham, M.J., Murtola, T., Schulz, R., Páll, S., Smith, J.C., Hess, B., and Lindahl, E., 2015, ScienceDirect GROMACS: High performance molecular simulations through multi-level parallelism from laptops to supercomputers, *SoftwareX*, 1, 19–25.
- Akbarian, M., Khani, A., Eghbalpour, S., and Uversky, V.N., 2022, Bioactive peptides: synthesis, sources, applications, and proposed mechanisms of action, *Int J Mol Sci*, 23, 1445.
- Albert, J.S. and Hamilton, A.D., 1995, Stabilization of helical domains in short peptides using hydrophobic interactions, *Biochem*, 34, 984-990.
- Alghamdi, B.A., Al-Johani, I., Al-Shamrani, J.M., Alshamrani, H.M., Al-Otaibi, B.G., Almazmomi Master, K., and Yusof, N.Y., 2023, Antimicrobial resistance in methicillin-resistant *staphylococcus aureus*, *Saudi J Biol Sci*, 30, 103604.
- Allain, F., Mareuil, F., Ménager, H., Nilges, M., and Bardiaux, B., 2020, ARIAweb: A server for automated NMR structure calculation, *Nucleic Acids Res*, 48, W41–W47.
- Allen, J. and Pellois, J.P., 2022, Hydrophobicity is a key determinant in the activity of arginine-rich cell penetrating peptides, *Sci Rep*, 12(1), 15981.
- Amorim-Carmo, B., Parente, A.M.S., Souza, E.S., Silva-Junior, A.A., Araújo, R.M., and Fernandes-Pedrosa, M.F., 2022, Antimicrobial Peptide Analogs From Scorpions: Modifications and Structure-Activity, *Front Mol Biosci*, 9, 887763.
- Armen, R., Alonso, D.O.V., and Daggett, V., 2003, The role of α -, $3\ 10$ -, and π -helix in helix \rightarrow coil transitions, *Protein Science*, 12, 1145–1157.
- Asif, F., Zaman, S.U., Arnab, Md.K.H., Hasan, M., and Islam, Md.M., 2024, Antimicrobial peptides as therapeutics: Confronting delivery challenges to optimize efficacy, *The Microbe*, 2, 100051.
- Balouiri, M., Sadiki, M., and Koraichi Ibsouda, S., 2016, Methods for in vitro evaluating antimicrobial activity: A review, *J Pharm Anal*, 6, 71-79.
- Bang, C., Schilhabel, A., Weidenbach, K., Kopp, A., Goldmann, T., Gutschmann, T., and Schmitz, R.A., 2012, Effects of antimicrobial peptides on methanogenic archaea, *Antimicrob Agents Chemother*, 56, 4123–4130.
- Barashkova, A.S. and Rogozhin, E.A., 2020, Isolation of antimicrobial peptides from different plant sources: Does a general extraction method exist?, *Plant Methods*, 16, 143.

- Barreto-Santamaría, A., Arévalo-Pinzón, G., Patarroyo, M.A., and Patarroyo, M.E., 2021, How to combat gram-negative bacteria using antimicrobial peptides: A challenge or an unattainable goal?, *Antibiotics*, 10, 1499.
- Batoni, G., de la Fuente-Nunez, C., Gomes, P., Kong, Q., Huan, Y., Mou, H., and Yi, H., 2020, Antimicrobial Peptides: Classification, Design, Application and Research Progress in Multiple Fields, *Front. Microbiol*, 11, 582779.
- Bellmaine, S., Schnellbaecher, A., and Zimmer, A., 2020, Reactivity and degradation products of tryptophan in solution and proteins, *Free Radic Biol Med*, 160, 696–718.
- Bhatwa, A., Wang, W., Hassan, Y.I., Abraham, N., Li, X.Z., and Zhou, T., 2021, Challenges Associated With the Formation of Recombinant Protein Inclusion Bodies in Escherichia coli and Strategies to Address Them for Industrial Applications, *Front Bioeng Biotechnol*, 9, 630551.
- Bowie, J.U., 1991, A method to identify protein sequences that fold into a known three-dimensional structure, *Science (1979)*, 253, 164–170.
- Branco-Vanegas, J., Leite, M.L., Macedo, M.L.R., Cardoso, M.H., and Franco, O.L., 2024, Capping motifs in antimicrobial peptides and their relevance for improved biological activities, *Front Chem*, 12, 1382954.
- Brooks, B.R., Brooks Iii, C.L., Mackerell, A.D., Nilsson, L., Petrella, R.J., Roux, B., Won, Y., Archontis, G., Bartels, C., Boresch, S., Caflisch, A., Caves, L., Cui, Q., Dinner, A.R., Feig, M., Fischer, S., Gao, J., Hodoseck, M., Im, W., et al., 2009, CHARMM: The Biomolecular Simulation Program NIH Public Access, *J Comput Chem*, 30, 1545–1614.
- Bussi, G., Donadio, D., and Parrinello, M., 2007, Canonical sampling through velocity rescaling, *Journal of Chemical Physics*, 126, 014101.
- Chen, Y., Guarnieri, M.T., Vasil, A.I., Vasil, M.L., Mant, C.T., and Hodges, R.S., 2007, Role of peptide hydrophobicity in the mechanism of action of α -helical antimicrobial peptides, *Antimicrob Agents Chemother*, 51, 1398–1406.
- Chen, Y., Mant, C.T., Farmer, S.W., Hancock, R.E.W., Vasil, M.L., and Hodges, R.S., 2005, Rational Design of α -Helical Antimicrobial Peptides with Enhanced Activities and Specificity/Therapeutic Index*, *Journal of Biological Chemistry*, 280, 12316–12329.
- Cheng, X., Zhang, Yonghuang, Zhang, Yan, Chen, Y., Chen, J., Wang, W., and Zhu, G., 2024, Multiple strategies of HSP antimicrobial peptide optimization to enhance antimicrobial activity, *Amino Acids*, 56, 66.
- Cherry, M.A., Higgins, S.K., Melroy, H., Lee, H.S., and Pokorny, A., 2014, Peptides with the same composition, hydrophobicity, and hydrophobic moment bind to phospholipid bilayers with different affinities, *Journal of Physical Chemistry B*, 118, 12462–12470.

- Chun Li, Hans-Matti Blencke, Victoria Paulsen, Tor Haug, and Klara Stensvåg, 2010, Powerful workhorses for antimicrobial peptide expression and characterization, *Bioeng Bugs*, 1, 217–220.
- D’Accolti, M., Bellotti, D., Dzień, E., Leonetti, C., Leveraro, S., Albanese, V., Marzola, E., Guerrini, R., Caselli, E., Rowińska-Żyrek, M., and Remelli, M., 2023, Impact of C- and N-terminal protection on the stability, metal chelation and antimicrobial properties of calcitermin, *Sci Rep*, 13, 18228.
- Darden, T., Perera, L., Li, L., and Pedersen, L., 1999, New tricks for modelers from the crystallography toolkit: the particle mesh Ewald algorithm and its use in nucleic acid simulations, *Structure*, 7, 55–60.
- Dathe, M. and Wieprecht, T., 1999, Structural features of helical antimicrobial peptides: their potential to modulate activity on model membranes and biological cells, *Biochim Biophys Acta*, 1462, 71–87.
- Dennison, S.R., Mura, M., Harris, F., Morton, L.H.G., Zvelindovsky, A., and Phoenix, D.A., 2015, The role of C-terminal amidation in the membrane interactions of the anionic antimicrobial peptide, maximin H5, *Biochim Biophys Acta Biomembr*, 1848, 1111–1118.
- Dijksteel, G.S., Ulrich, M.M.W., Middelkoop, E., and Boekema, B.K.H.L., 2021, Review: Lessons Learned From Clinical Trials Using Antimicrobial Peptides (AMPs), *Front Microbiol*, 12, 616979.
- Dikiy, I. and Eliezer, D., 2014, N-terminal Acetylation stabilizes N-terminal Helicity in Lipid- and Micelle-bound α -Synuclein and increases its affinity for Physiological Membranes, *Journal of Biological Chemistry*, 289, 3652–3665.
- Dominguez, L., Foster, L., Straub, J.E., and Thirumalai, D., 2016, Impact of membrane lipid composition on the structure and stability of the transmembrane domain of amyloid precursor protein, *Proc Natl Acad Sci USA*, 113(36), E5281-E5287.
- Duarte-Mata, D.I. and Salinas-Carmona, M.C., 2023, Antimicrobial peptides’ immune modulation role in intracellular bacterial infection, *Front Immunol*, 14, 1119574.
- Duviau, M.P., Chen, F., Emile, A., Coccagn-Bousquet, M., Girbal, L., and Nouaille, S., 2023, When translation elongation is impaired, the mRNA is uniformly destabilized by the RNA degradosome, while the concentration of mRNA is altered along the molecule, *Nucleic Acids Res*, 51, 2877–2890.
- Van Eeckhaut, A. and Mangelings, D., 2015, Toward greener analytical techniques for the absolute quantification of peptides in pharmaceutical and biological samples, *J Pharm Biomed Anal*, 113, 181–188.
- Eband, R.M., Walker, C., Eband, R.F., and Magarvey, N.A., 2016, Molecular mechanisms of membrane targeting antibiotics, *Biochim Biophys Acta Biomembr*, 1858, 980–987.

- Fine, J., Wijewardhane, P.R., Mohideen, S.D.B., Smith, K., Bothe, J.R., Krishnamachari, Y., Andrews, A., Liu, Y., and Chopra, G., 2023, Learning Relationships Between Chemical and Physical Stability for Peptide Drug Development, *Pharm Res*, 40, 701–710.
- Fosgerau, K. and Hoffmann, T., 2015, Peptide therapeutics: current status and future directions, *Drug Discov Today*, 20(1), 122-128.
- Fu, Z., Sun, H., Wu, Y., Li, C., Wang, Yinglei, Liu, Y., Li, Y., Nie, J., Sun, D., Zhang, Y., Liu, N., Guo, K., Yin, S., Jia, Q., Yang, Y., He, L., Wang, Ying, and Yang, X., 2022, A cyclic heptapeptide-based hydrogel boosts the healing of chronic skin wounds in diabetic mice and patients, *NPG Asia Mater*, 14, 99.
- Gagat, P., Ostrówka, M., Duda-Madej, A., and Mackiewicz, P., 2024, Enhancing Antimicrobial Peptide Activity through Modifications of Charge, Hydrophobicity, and Structure, *Int J Mol Sci*, 25, 10821.
- Gautier, R., Douguet, D., Antonny, B., and Drin, G., 2008, HELIQUEST: A web server to screen sequences with specific α -helical properties, *Bioinformatics*, 24, 2101–2102.
- Giuliani, A. and Rinaldi, A.C., 2010, Springer Protocols Antimicrobial Peptides Methods and Protocols, 618, 421.
- Gong, Y., Xue, Q., Li, J., and Zhang, S., 2024, Antifungal peptides from living organisms, *Front Microbiol*, 15, 1511461.
- Grage, S.L., Afonin, S., Kara, S., Buth, G., and Ulrich, A.S., 2016, Membrane thinning and thickening induced by membrane-active amphipathic peptides, *Front Cell Dev Biol*, 4, 65.
- Hamamoto, K., Kida, Y., Zhang, Y., Shimizu, T., and Kuwano, K., 2002, Antimicrobial activity and stability to proteolysis of small linear cationic peptides with D-amino acid substitutions, *Microbiol Immunol*, 46, 741–749.
- Harper, S. and Speicher, D.W., 2011, Purification of Proteins Fused to Glutathione S-Transferase., In, *Methods in Molecular Biology*. Humana Press Inc., pp. 259–280.
- Herman, C., Thé, D., Bouloc, P., Walker, G.C., and Ari, R.D.', 1998, Degradation of carboxy-terminal-tagged cytoplasmic proteins by the Escherichia coli protease HflB (FtsH), *Genes Dev*, 12(9), 1348-55.
- Hess, B., 2008, P-LINCS: A parallel linear constraint solver for molecular simulation, *J Chem Theory Comput*, 4, 116–122.
- Hinlo, R., Gleeson, D., Lintermans, M., and Furlan, E., 2017, Methods to maximise recovery of environmental DNA from water samples, *PLoS One*, 12(6), e0179251.
- Hoffmann, A., Müller, M.Q., Gloser, M., Sinz, A., Rudolph, R., and Pfeifer, S., 2010, Recombinant production of bioactive human TNF- α by SUMO-fusion

- system - High yields from shake-flask culture, *Protein Expr Purif*, 72, 238–243.
- Hollingsworth, S.A. and Dror, R.O., 2018, Molecular Dynamics Simulation for All, *Neuron*, 99, 1129–1143.
- Honda, S., Kobayashi, N., Munekata, E., and Uedaira, H., 1999, Fragment reconstitution of a small protein: Folding energetics of the reconstituted immunoglobulin binding domain B1 of streptococcal protein G, *Biochemistry*, 38, 1203–1213.
- Huang, J., Rauscher, S., Nawrocki, G., Ran, T., Feig, M., De Groot, B.L., Grubmüller, H., and MacKerell, A.D., 2016, CHARMM36m: An improved force field for folded and intrinsically disordered proteins, *Nat Methods*, 14, 71–73.
- Ikuta, K.S., Swetschinski, L.R., Robles Aguilar, G., Sharara, F., Mestrovic, T., Gray, A.P., Davis Weaver, N., Wool, E.E., Han, C., Gershberg Hayoon, A., Aali, A., Abate, S.M., Abbasi-Kangevari, M., Abbasi-Kangevari, Z., Abd-El salam, S., Abebe, G., Abedi, A., Abhari, A.P., Abidi, H., et al., 2022, Global mortality associated with 33 bacterial pathogens in 2019: a systematic analysis for the Global Burden of Disease Study 2019, *The Lancet*, 400, 2221–2248.
- Imai, K. and Mitaku, S., 2005, Mechanisms of secondary structure breakers in soluble proteins, *Biophysics (Oxf)*, 1, 55–65.
- Isidro-Llobet, A., Kenworthy, M.N., Mukherjee, S., Kopach, M.E., Wegner, K., Gallou, F., Smith, A.G., and Roschangar, F., 2019, Sustainability Challenges in Peptide Synthesis and Purification: From R&D to Production, *Journal of Organic Chemistry*, 84, 4615–4628.
- Javadpour, M.M., Eilers, M., Groesbeek, M., and Smith, S.O., 1999, Helix packing in polytopic membrane proteins: Role of glycine in transmembrane helix association, *Biophys J*, 77, 1609–1618.
- Jiang, Z., Vasil, A.I., Hale, J.D., Hancock, R.E.W., Vasil, M.L., and Hodges, R.S., 2008, Effects of net charge and the number of positively charged residues on the biological activity of amphipathic α -helical cationic antimicrobial peptides, *Biopolymers - Peptide Science Section*, 90, 369–383.
- Jo, B.H., 2022, An Intrinsically Disordered Peptide Tag that Confers an Unusual Solubility to Aggregation-Prone Proteins, *Appl Environ Microbiol*, 88 (7), e0009722.
- Jorgensen, W.L., Chandrasekhar, J., Madura, J.D., Impey, R.W., and Klein, M.L., 1983, Comparison of simple potential functions for simulating liquid water, *J Chem Phys*, 79, 926–935.
- Ke, Q., Gong, X., Liao, S., Duan, C., and Li, L., 2022, Effects of thermostats/barostats on physical properties of liquids by molecular dynamics simulations, *J Mol Liq*, 365, 120116.

- Koulenti, D., Song, A., Ellingboe, A., Abdul-Aziz, M.H., Harris, P., Gavey, E., and Lipman, J., 2019, Infections by multidrug-resistant Gram-negative Bacteria: What's new in our arsenal and what's in the pipeline?, *Int J Antimicrob Agents*, 53, 211–224.
- Kumar, P. and Aradhyam, G.K., 2014, Easy and efficient protocol for purification of recombinant peptides, *Protein Expr Purif*, 95, 129–135.
- De la Salud Bea, R., Petraglia, A.F., Ascuitto, M.R., and Buck, Q.M., 2017, Antibacterial activity and toxicity of analogs of scorpion venom IsCT peptides, *Antibiotics*, 6, 13.
- Lakshmaiah Narayana, J., Mishra, B., Lushnikova, T., Wu, Q., Chhonker, Y.S., Zhang, Y., Zarena, D., Salnikov C, E.S., Dang, X., Wang, F., Murphy, C., Foster, K.W., Gorantla, S., Bechinger, B., Murry, D.J., and Wang, G. Two distinct amphipathic peptide antibiotics with systemic efficacy, *Proc Natl Acad Sci USA*, 117(32), 19446-19454.
- Lamiable, A., Thévenet, P., Thévenet, T., Rey, J., Vavrusa, M., Derreumaux, P., Tufféry, P., and Tufféry, T., 2016, PEP-FOLD3: faster denovo structure prediction for linear peptides in solution and in complex, *Nucleic Acids Res*, 44, 449–454.
- Larentis, A.L., Almeida, M.S., S Cabral, K.M., Medeiros, L.N., Kurtenbach, E., and Z Coelho, M.A., 2004, EXPRESSION OF Pisum sativum DEFENSIN 1 (Psd1) IN SHAKING FLASKS AND BIOREACTOR CULTIVATIONS OF RECOMBINANT *Pichia pastoris* AT DIFFERENT pHs, *Brazilian Journal of Chemical Engineering*, 21, 155–164.
- Laskowski, R.A., Rullmann, J.A., MacArthur, M.W., Kaptein, R., and Thornton, J.M., 1996, AQUA and PROCHECK-NMR: Programs for checking the quality of protein structures solved by NMR*, *J Biomol NMR*, 8, 477–486.
- Lee, Y.C.J., Shirkey, J.D., Park, J., Bisht, K., and Cowan, A.J., 2022, An Overview of Antiviral Peptides and Rational Biodesign Considerations, *BioDes Res*, 2022, 9898241.
- Leveritt, J.M., Pino-Angeles, A., and Lazaridis, T., 2015, The structure of a melittin-stabilized pore, *Biophys J*, 108, 2424–2426.
- Li, J., Koh, J.J., Liu, S., Lakshminarayanan, R., Verma, C.S., and Beurman, R.W., 2017, Membrane active antimicrobial peptides: Translating mechanistic insights to design, *Front Neurosci*, 11, 244777.
- Li, L., Vorobyov, I., and Allen, T.W., 2013, The different interactions of lysine and arginine side chains with lipid membranes, *Journal of Physical Chemistry B*, 117, 11906–11920.
- Li, S., Wang, Y., Xue, Z., Jia, Y., Li, R., He, C., and Chen, H., 2021, The structure-mechanism relationship and mode of actions of antimicrobial peptides: A review, *Trends Food Sci Technol*, 109, 103–115.

- Li, Y., 2009, Carrier proteins for fusion expression of antimicrobial peptides in *Escherichia coli*, *Biotechnol Appl Biochem*, 54, 1–9.
- Li, Y., 2011, Recombinant production of antimicrobial peptides in *Escherichia coli*: A review, *Protein Expr Purif*, 80, 260–267.
- Li, Y., Wang, J., Yang, J., Wan, C., Wang, X., and Sun, H., 2014, Recombinant expression, purification and characterization of antimicrobial peptide ORBK in *Escherichia coli*, *Protein Expr Purif*, 95, 182–187.
- Lin, L., Chi, J., Yan, Y., Luo, R., Feng, X., Zheng, Y., Xian, D., Li, X., Quan, G., Liu, D., Wu, C., Lu, C., and Pan, X., 2021, Membrane-disruptive peptides/peptidomimetics-based therapeutics: Promising systems to combat bacteria and cancer in the drug-resistant era, *Acta Pharm Sin B*, 11, 2609–2644.
- Liscano, Y., Salamanca, C.H., Vargas, L., Cantor, S., Laverde-Rojas, V., and Oñate-Garzón, J., 2019, Increases in hydrophilicity and charge on the polar face of alyteserin 1c helix change its selectivity towards gram-positive bacteria, *Antibiotics*, 8 (4), 238.
- Lischer, K., Mustika, I.P., Sahlan, M., and Guslianto, B.W., 2022, Isolation and Antibacterial Activity of Honey Bee Venom Bioactive from *Apis cerana*, *International Journal of Technology*, 13, 1778–1786.
- Lorenzón, E.N., Riske, K.A., Troiano, G.F., Da Hora, G.C.A., Soares, T.A., and Cilli, E.M., 2016, Effect of dimerization on the mechanism of action of aurein 1.2, *Biochim Biophys Acta Biomembr*, 1858, 1129–1138.
- Luo, Y. and Song, Y., 2021, Mechanism of antimicrobial peptides: Antimicrobial, anti-inflammatory and antibiofilm activities, *Int J Mol Sci*, 22(21), 11401.
- Luong, H.X., Thanh, T.T., and Tran, T.H., 2020, Antimicrobial peptides - Advances in development of therapeutic applications, *Life Sci*, 260, 118407.
- Lyu, Z., Yang, P., Lei, J., and Zhao, J., 2023, Biological Function of Antimicrobial Peptides on Suppressing Pathogens and Improving Host Immunity, *Antibiotics*, 12(6), 1037.
- Ma, X., Wang, Q., Ren, K., Xu, T., Zhang, Z., Xu, M., Rao, Z., and Zhang, X., 2024, A Review of Antimicrobial Peptides: Structure, Mechanism of Action, and Molecular Optimization Strategies, *Fermentation*, 10(11), 540.
- Ma, Y.-S., Xin, R., Yang, X.-L., Shi, Y., Zhang, D.-D., Wang, H.-M., Wang, P.-Y., Liu, J.-B., Chu, K.-J., and Fu, D., 2021, Paving the way for small-molecule drug discovery, *Am J Transl Res*, 13(3), 853-870.
- Ma, Z., Yang, J., Han, J., Gao, L., Liu, H., Lu, Z., Zhao, H., and Bie, X., 2016, Insights into the Antimicrobial Activity and Cytotoxicity of Engineered α -Helical Peptide Amphiphiles, *J Med Chem*, 59, 10946–10962.

- Maget-Dana, R., 1999, The monolayer technique: a potent tool for studying the interfacial properties of antimicrobial and membrane-lytic peptides and their interactions with lipid membranes, *Biochim Biophys Acta*, 1462, 109-140.
- Malanovic, N., Lohner, K., and Wang, G., 2016, Antimicrobial Peptides Targeting Gram-Positive Bacteria, *Pharmaceuticals*, 9, 59.
- Maleš, M. and Zoranić, L., 2022, Simulation Study of the Effect of Antimicrobial Peptide Associations on the Mechanism of Action with Bacterial and Eukaryotic Membranes, *Membranes*, 12, 891.
- Marino, G., Eckhard, U., and Overall, C.M., 2015, Protein Termini and Their Modifications Revealed by Positional Proteomics, *ACS Chem Biol*, 10, 1754–1764.
- Marqusee, S. and Baldwin, R.L., 1987, Helix stabilization by Glu⁻---Lys⁺ salt bridges in short peptides of de novo design (model α -helix/protein folding/protein electrostatics), *Proc Natl Acad Sci USA*, 84, 8898-8902.
- Mercer, D.K., Torres, M.D.T., Duay, S.S., Lovie, E., Simpson, L., von Köckritz-Blickwede, M., de la Fuente-Nunez, C., O’Neil, D.A., and Angeles-Boza, A.M., 2020, Antimicrobial Susceptibility Testing of Antimicrobial Peptides to Better Predict Efficacy, *Front Cell Infect Microbiol*, 10, 326.
- Min, K.H., Kim, K.H., Ki, M.R., and Pack, S.P., 2024, Antimicrobial Peptides and Their Biomedical Applications: A Review, *Antibiotics*, 13, 794.
- Mira, P., Yeh, P., and Hall, B.G., 2022, Estimating microbial population data from optical density, *PLoS One*, 17, e0276040.
- Mitra, S., Chen, M.T., Stedman, F., Hernandez, J., Kumble, G., Kang, X., Zhang, C., Tang, G., Reed, I., Daugherty, I.Q., Liu, W., Klucznik, K.R., Ocloo, J.L., Li, A.A., Klousnitzer, J., Heinrich, F., Deslouches, B., and Tristram-Nagle, S., 2025, Cyclization of Two Antimicrobial Peptides Improves Their Activity, *ACS Omega*, 10, 9728–9740.
- Moghadam, A., Niazi, A., Afsharifar, A., and Taghavi, S.M., 2016, Expression of a recombinant anti-HIV and anti-tumor protein, MAP30, in nicotiana tobacum hairy roots: A pH-stable and thermophilic antimicrobial protein, *PLoS One*, 11(7), e0159653.
- Mojsoska, B., Zuckermann, R.N., and Jensen, H., 2015, Structure-activity relationship study of novel peptoids that mimic the structure of antimicrobial peptides, *Antimicrob Agents Chemother*, 59, 4112–4120.
- Mondal, A., Chang, L., and Perez, A., 2022, Modelling peptide–protein complexes: docking, simulations and machine learning, *QRB Discov*, 3, e17.
- Montfort-Gardeazabal, J.M., Balderas-Renteria, I., Casillas-Vega, N.G., and Zarate, X., 2021, Expression and purification of the antimicrobial peptide Bin1b in *Escherichia coli* tagged with the fusion proteins CusF3H⁺ and SmbP, *Protein Expr Purif*, 178, 105784.

- Moriceau, L., Jomat, L., Bressanelli, S., Alcaide-Loridan, C., and Jupin, I., 2017, Identification and molecular characterization of the chloroplast targeting domain of turnip yellow mosaic virus replication proteins, *Front Plant Sci*, 8, 2138.
- Mukherjee, S., Kar, R.K., Prakash, R., Nanga, R., Mroue, K.H., Ramamoorthy, A., and Bhunia, A., 2017, Accelerated Molecular Dynamics Simulation Analysis of MSI-594 in a Lipid Bilayer HHS Public Access, *Phys Chem Chem Phys*, 19, 19289–19299.
- Mura, M., Wang, J., Zhou, Y., Pinna, M., Zvelindovsky, A. V., Dennison, S.R., and Phoenix, D.A., 2016, The effect of amidation on the behaviour of antimicrobial peptides, *European Biophysics Journal*, 45, 195–207.
- Murray, C.J., Ikuta, K.S., Sharara, F., Swetschinski, L., Robles Aguilar, G., Gray, A., Han, C., Bisignano, C., Rao, P., Wool, E., Johnson, S.C., Browne, A.J., Chipeta, M.G., Fell, F., Hackett, S., Haines-Woodhouse, G., Kashef Hamadani, B.H., Kumaran, E.A.P., McManigal, B., et al., 2022, Global burden of bacterial antimicrobial resistance in 2019: a systematic analysis, *The Lancet*, 399, 629–655.
- Murzyn, K., Ró, T., and Pasenkiewicz-Gierula, M., 2005, Phosphatidylethanolamine-Phosphatidylglycerol Bilayer as a Model of the Inner Bacterial Membrane, *Biophys J*, 88, 1091–1103.
- Al Musaimi, O., Lombardi, L., Williams, D.R., and Albericio, F., 2022, Strategies for Improving Peptide Stability and Delivery, *Pharmaceuticals*, 15, 1283.
- Mwangi, J., Kamau, P.M., Thuku, R.C., and Lai, R., 2023, Design methods for antimicrobial peptides with improved performance, *Zool Res*, 44, 1095–1114.
- Nagy, G., Igaev, M., Jones, N.C., Hoffmann, S. V., and Grubmüller, H., 2019, SESCA: Predicting Circular Dichroism Spectra from Protein Molecular Structures, *J Chem Theory Comput*, 15, 5087–5102.
- Najjari, A., Rahimi, H., Nojoumi, S.A., and Omidinia, E., 2020, Computational approach for rational design of fusion uricase with PAS sequences, *Int J Mol Cell Med*, 9, 90–106.
- Neissi, A., Shapouri, M.S.A., Najafabadi, M.G., and Jaydary, A., 2013, Using rice flour for purification of maltose binding fusion proteins expressed in *Escherichia coli*, *Jundishapur J Microbiol*, 6, 227–229.
- Nguyen, L.T., Chau, J.K., Perry, N.A., de Boer, L., Zaat, S.A.J., and Vogel, H.J., 2010, Serum stabilities of short tryptophan- and arginine-rich antimicrobial peptide analogs, *PLoS One*, 5, 1–8.
- Niknam, M., Sadeghi, L., and Zarrini, G., 2025, Isolation and characterization of antimicrobial peptides from *Lactobacillus*: Exploring mechanisms of action, *Microb Pathog*, 204, 107537.

- Ning, N., Yan, H., Cao, B., Yu, W., Zhang, L., Li, D., Li, T., Zhang, X., and Wang, H., 2025, Recombinant Expression of a New Antimicrobial Peptide Composed of hBD-3 and hBD-4 in *Escherichia coli* and Investigation of Its Activity Against Multidrug-Resistant Bacteria, *Probiotics Antimicrob Proteins*, 17(6), 5066-5074.
- Nugrahadi, P.P., Hinrichs, W.L.J., Frijlink, H.W., Schöneich, C., and Avanti, C., 2023, Designing Formulation Strategies for Enhanced Stability of Therapeutic Peptides in Aqueous Solutions: A Review, *Pharmaceutics*, 15, 935.
- Oba, M., Nakajima, S., Misao, K., Yokoo, H., and Tanaka, M., 2023, Effect of helicity and hydrophobicity on cell-penetrating ability of arginine-rich peptides, *Bioorg. Med. Chem*, 91, 117409.
- Oñate-Garzón, J., Manrique-Moreno, M., Trier, S., Leidy, C., Torres, R., and Patiño, E., 2017, Antimicrobial activity and interactions of cationic peptides derived from *Galleria mellonella* cecropin D-like peptide with model membranes, *Journal of Antibiotics*, 70, 238–245.
- Orlowski, R., Clark, J.A., Derr, J.B., Espinoza, E.M., Mayther, M.F., Staszewska-Krajewska, O., Winkler, J.R., Jedrzejewska, H., Szumna, A., Gray, H.B., Vullev, V.I., and Gryko, D.T., 2021, Role of intramolecular hydrogen bonds in promoting electron flow through amino acid and oligopeptide conjugates, *Proc Natl Acad Sci U S A*, 118, e2026462118.
- Pacini, L., Muthyala, M., Aguiar, L., Zitterbart, R., Rovero, P., and Papini, A.M., 2024, Optimization of peptide synthesis time and sustainability using novel eco-friendly binary solvent systems with induction heating on an automated peptide synthesizer, *Journal of Peptide Science*, 30, e3605.
- Pandidan, S. and Mechler, A., 2021, Latest developments on the mechanism of action of membrane disrupting peptides, *Biophys Rep*, 7, 173–184.
- Personne, H., Paschoud, T., Fulgencio, S., Baeriswyl, S., Köhler, T., Van Delden, C., Stocker, A., Javor, S., and Reymond, J.L., 2023, To Fold or Not to Fold: Diastereomeric Optimization of an α -Helical Antimicrobial Peptide, *J Med Chem*, 66, 7570–7583.
- Perutka, Z. and Sebela, M., 2018, Pseudotrypsin: A little-known trypsin proteoform, *Molecules*, 23, 2637.
- Pinto, O.A. and Disalvo, E.A., 2019, A new model for lipid monolayer and bilayers based on thermodynamics of irreversible processes, *PLoS One*, 14 (4), e0212269.
- Putri, RA., Habibie, A., Dhar, P., Kuczera, K., Swasono, RT., Rohman, MS., Raharjo, TJ., and Siahaan, TJ. 2025. Design, structural stability, membrane binding, and antibacterial activity of novel antimicrobial peptides derived from Wuchuanin-A1. *Life*. 15. 1568.

- Putri, RA., Rohman, MS., Swasono, RT., and Raharjo, TJ. 2023. A novel synthetic peptide analog enhanced antibacterial activity of the frog-derived skin peptide Wuchuanin-A1. *J Biomol Struct Dyn.* 43(1):348-358.
- Qin, P., Tang, J., Sun, D., Yang, Y., Liu, N., Li, Y., Fu, Z., Wang, Yinglei, Li, C., Li, X., Zhang, Y., Liu, Y., Wang, S., Sun, J., Deng, Z., He, L., Wang, Ying, and Yang, X., 2022, Zn²⁺ Cross-Linked Alginate Carrying Hollow Silica Nanoparticles Loaded with RL-QN15 Peptides Provides Promising Treatment for Chronic Skin Wounds, *ACS Appl Mater Interfaces*, 14, 29491–29505.
- Raran-Kurussi, S., Keefe, K., and Waugh, D.S., 2015, Positional effects of fusion partners on the yield and solubility of MBP fusion proteins, *Protein Expr Purif*, 110, 159–164.
- Raran-Kurussi, S. and Waugh, D.S., 2012, The Ability to Enhance the Solubility of Its Fusion Partners Is an Intrinsic Property of Maltose-Binding Protein but Their Folding Is Either Spontaneous or Chaperone-Mediated, *PLoS One*, 7 (11), e49589.
- Ree, R., Varland, S., and Arnesen, T., 2018, Spotlight on protein N-terminal acetylation, *Exp Mol Med*, 50, 90.
- Reichelt, W.N., Waldschitz, D., Herwig, C., and Neutsch, L., 2016, Bioprocess monitoring: minimizing sample matrix effects for total protein quantification with bicinchoninic acid assay, *J Ind Microbiol Biotechnol*, 43, 1271–1280.
- Reinke, P.Y.A., Heiringhoff, R.S., Reindl, T., Baker, K., Taft, M.H., Meents, A., Mulvihill, D.P., Davies, O.R., Fedorov, R., Zahn, M., and Manstein, D.J., 2024, Crystal structures of cables formed by the acetylated and unacetylated forms of the *Schizosaccharomyces pombe* tropomyosin ortholog TpmCdc8, *Journal of Biological Chemistry*, 300(12), 107925.
- Rivera, A., Viñado, B., Benito, N., Docobo-Pérez, F., Fernández-Cuenca, F., Fernández-Domínguez, J., Guinea, J., López-Navas, A., Moreno, M.Á., Larrosa, M.N., Oliver, A., and Navarro, F., 2023, Recommendations of the Spanish Antibiogram Committee (COESANT) for in vitro susceptibility testing of antimicrobial agents by disk diffusion, *Enfermedades infecciosas y microbiología clinica (English ed.)*, 41, 571–576.
- Rizzetto, G., Gambini, D., Maurizi, A., Molinelli, E., De Simoni, E., Pallotta, F., Brescini, L., Cirioni, O., Offidani, A., Simonetti, O., and Giacometti, A., 2023, The sources of antimicrobial peptides against Gram-positives and Gram-negatives: our research experience, *Infezioni in Medicina*, 31, 306–322.
- Roca-Pinilla, R., Lisowski, L., Arís, A., and Garcia-Fruitós, E., 2022, The future of recombinant host defense peptides, *Microb Cell Fact*, 21, 267.
- Roccatano, D., Colombo, G., Fioroni, M., and Mark, A.E., 2002, Mechanism by which 2,2,2-trifluoroethanol/water mixtures stabilize secondary-structure

- formation in peptides: A molecular dynamics study, *Proc Natl Acad Sci USA*, 99(19), 12179–12184.
- Rodriguez, E.L., Poddar, S., Iftekhhar, S., Suh, K., Woolfork, A.G., Ovbude, S., Pekarek, A., Walters, M., Lott, S., and Hage, D.S., 2020, Affinity chromatography: A review of trends and developments over the past 50 years, *J Chromatogr B Analyt Technol Biomed Life Sci*, 1157, *J Chromatogr B Analyt Technol Biomed Life Sci*, 122332.
- Roesgaard, M.A., Lundsgaard, J.E., Newcombe, E.A., Jacobsen, N.L., Pesce, F., Tranchant, E.E., Lindemose, S., Prestel, A., Hartmann-Petersen, R., Lindorff-Larsen, K., and Kragelund, B.B., 2022, Deciphering the Alphabet of Disorder—Glu and Asp Act Differently on Local but Not Global Properties, *Biomolecules*, 12, 1426.
- Rosano, G.L., 2014, Recombinant protein expression in Escherichia coli: Advances and challenges, *Front Microbiol*, 5, 172.
- Sadelaji, S., Abtahi, H., Ghaznavi-Rad, E., Sadoogh Abbasian, S., and Fahimirad, S., 2022, Ib-AMP4 antimicrobial peptide as a treatment for skin and systematic infection of methicillin-resistant Staphylococcus aureus (MRSA), *Iran J Basic Med Sci*, 25, 232–238.
- Sakhel, B., Jayanthi, S., Muhoza, D., Okoto, P., Krishnaswamy Suresh Kumar, T., and Adams, P., 2021, Simplification of the purification of heat stable recombinant low molecular weight proteins and peptides from GST-fusion products, *J Chromatogr B Analyt Technol Biomed Life Sci*, 1172, 122627.
- Salo-Ahen, O.M.H., Alanko, I., Bhadane, R., Alexandre, A.M., Honorato, R.V., Hossain, S., Juffer, A.H., Kbedev, A., Lahtela-Kakkonen, M., Larsen, A.S., Lescrinier, E., Marimuthu, P., Mirza, M.U., Mustafa, G., Nunes-Alves, A., Pantsar, T., Saadabadi, A., Singaravelu, K., and Vanmeert, M., 2021, Molecular dynamics simulations in drug discovery and pharmaceutical development, *Processes*, 9, 1–63.
- Sandín, D., Valle, J., Chaves-Arquero, B., Prats-Ejarque, G., Larrosa, M.N., González-López, J.J., Jiménez, M.Á., Boix, E., Andreu, D., and Torrent, M., 2021, Rationally Modified Antimicrobial Peptides from the N-Terminal Domain of Human RNase 3 Show Exceptional Serum Stability, *J Med Chem*, 64, 11472–11482.
- Savar, N.S., Sardari, S., Jahanian-Najafabadi, A., and Bouzari, S., 2013, In silico and in vitro studies of truncated forms of flagellin (FliC) of enteroaggregative Escherichia coli (EAEC), *Mol Inform*, 32, 707–716.
- Schiffer, M. and Edmundson, A.B., 1967, Use of helical wheels to represent the structures of proteins and to identify segments with helical potential, *Biophys J*, 7, 121–135.
- Shafiee, F., Sharifi, S., and Amini, A., 2024, Intein Based Fusion Proteins: Great Tags for the Soluble Production and Convenient Purification of Recombinant Proteins, *Iran J Biotechnol*, 22(2), e3728.

- Simonovsky, E., Kozlowski, H., and Miller, Y., 2015, Termini capping of metal-poly-His peptide complexes induces the formation of α -helix, *RSC Adv*, 5, 104551–104555.
- Somehsaraie, M.H.A., Vavsari, V.F., Kamangar, M., and Balalaie, S., 2022, Chemical Wastes in the Peptide Synthesis Process and Ways to Reduce Them, *Iranian Journal of Pharmaceutical Research*, 21(1), e123879.
- Di Somma, A., Moretta, A., Cané, C., Scieuzo, C., Salvia, R., Falabella, P., and Duilio, A., 2022, Structural and functional characterization of a novel recombinant antimicrobial peptide from hermetia illucens, *Curr Issues Mol Biol*, 44, 1-13.
- Son, H., Park, S.C., Kim, Y.M., Lee, J.K., Park, S., Guk, T., Yoon, A.M., Lim, H.S., Jang, M.K., and Lee, J.R., 2022, Potent Anti-Inflammatory Effects of a Helix-to-Helix Peptide against Pseudomonas aeruginosa Endotoxin-Mediated Sepsis, *Antibiotics*, 11(11), 1675.
- Stephani, J.C., Gerhards, L., Khairalla, B., Solov'yov, I.A., and Brand, I., 2024, How do Antimicrobial Peptides Interact with the Outer Membrane of Gram-Negative Bacteria? Role of Lipopolysaccharides in Peptide Binding, Anchoring, and Penetration, *ACS Infect Dis*, 10, 763–778.
- Strömstedt, A.A., Pasupuleti, M., Schmidtchen, A., and Malmsten, M., 2009, Evaluation of strategies for improving proteolytic resistance of antimicrobial peptides by using variants of EFK17, an internal segment of LL-37, *Antimicrob Agents Chemother*, 53, 593–602.
- Tan, J., Huang, J., Huang, Y., and Chen, Y., 2014, Effects of single amino acid substitution on the biophysical properties and biological activities of an amphipathic α -helical antibacterial peptide against Gram-negative bacteria, *Molecules*, 19, 10803–10817.
- Tegel, H., Tourle, S., Ottosson, J., and Persson, A., 2010, Increased levels of recombinant human proteins with the Escherichia coli strain Rosetta(DE3), *Protein Expr Purif*, 69, 159–167.
- Todaro, B., Ottalagana, E., Luin, S., and Santi, M., 2023, Targeting Peptides: The New Generation of Targeted Drug Delivery Systems, *Pharmaceutics*, 15, 1648.
- Travkova, O.G. and Brezesinski, G., 2013, Adsorption of the antimicrobial peptide arenicin and its linear derivative to model membranes-A maximum insertion pressure study, *Chem Phys Lipids*, 167–168, 43–50.
- Uversky, V.N., 2013, The alphabet of intrinsic disorder, *Intrinsically Disord Proteins*, 1, e24684.
- De Vivo, M., Masetti, M., Bottegoni, G., and Cavalli, A., 2016, Role of Molecular Dynamics and Related Methods in Drug Discovery, *J Med Chem*, 59, 4035–4061.

- Wang, G., 2022, Unifying the classification of antimicrobial peptides in the antimicrobial peptide database, *Methods Enzymol*, 663, 1–18.
- Wang, L., Wang, N., Zhang, W., Cheng, X., Yan, Z., Shao, G., Wang, X., Wang, R., and Fu, C., 2022, Therapeutic peptides: current applications and future directions, *Signal Transduct Target Ther*, 7(1), 48.
- Wanmakok, M., Orrapin, S., Intorasoot, A., and Intorasoot, S., 2018, Expression in Escherichia coli of novel recombinant hybrid antimicrobial peptide AL32-P113 with enhanced antimicrobial activity in vitro, *Gene*, 671, 1–9.
- Weber, M. and Schneider, D., 2013, Six amino acids define a minimal dimerization sequence and stabilize a transmembrane helix dimer by close packing and hydrogen bonding, *FEBS Lett*, 587, 1592–1596.
- Wei, X., Zhou, D., Xu, C., Chen, P., Chen, S., Cheng, Z., Jin, Y., Jin, S., and Wu, W., 2024, Murepavadin Enhances the Killing Efficacy of Ciprofloxacin against Pseudomonas aeruginosa by Inhibiting Drug Efflux, *Antibiotics*, 13(9), 810.
- Wei, Y., Thyparambil, A.A., and Latour, R.A., 2014, Protein helical structure determination using CD spectroscopy for solutions with strong background absorbance from 190 to 230 nm, *Biochim Biophys Acta Proteins Proteom*, 1844, 2331–2337.
- Wu, Q. and Bazzini, A.A., 2025, Translation and mRNA Stability Control, *Annu Rev Biochem*, 92, 227-245.
- Xhindoli, D., Pacor, S., Benincasa, M., Scocchi, M., Gennaro, R., and Tossi, A., 2016, The human cathelicidin LL-37 - A pore-forming antibacterial peptide and host-cell modulator, *Biochim Biophys Acta Biomembr*, 1858, 546–566.
- Xu, J., Luo, X., Fang, G., Zhan, S., Wu, J., Wang, D., and Huang, Y., 2020, Transgenic expression of antimicrobial peptides from black soldier fly enhance resistance against entomopathogenic bacteria in the silkworm, Bombyx mori, *Insect Biochem Mol Biol*, 127, 103487.
- Xuan, J., Feng, W., Wang, J., Wang, R., Zhang, B., Bo, L., Chen, Z.S., Yang, H., and Sun, L., 2023, Antimicrobial peptides for combating drug-resistant bacterial infections, *Drug Resistance Updates*, 68, 100954.
- Yang, J., Spek, E.J., Gong, Y., Zhou, H., and Kallenbach, N.R., 1997, Printed in the USA Copyright 0, The Protein Society.
- Yang, R., Ma, X., Peng, F., Wen, J., Allahou, L.W., Williams, G.R., Knowles, J.C., and Poma, A., 2025, Advances in antimicrobial peptides: From mechanistic insights to chemical modifications, *Biotechnol Adv*, 81, 108570.
- Yang, X., Lee, W.-H., and Zhang, Y., 2011, Extremely Abundant Antimicrobial Peptides Existed in the Skins of Nine Kinds of Chinese Odorous Frogs, *J Proteome Res*, 11, 306–319.

- Yang, Y. and Dias, C.L., 2023, Peptide-Membrane Binding: Effects of the Amino Acid Sequence, *Journal of Physical Chemistry B*, 127, 912–920.
- Yokoo, H., Hirano, M., Ohoka, N., Misawa, T., and Demizu, Y., 2021, Structure–activity relationship study of amphipathic antimicrobial peptides using helix-destabilizing sarcosine, *Journal of Peptide Science*, 27(12), e3360.
- Yoshida, K., Kawaguchi, J., Lee, S., and Yamaguchi, T., 2008, On the solvent role in alcohol-induced α -helix formation of chymotrypsin inhibitor 2,. In, *Pure and Applied Chemistry*., pp. 1337–1347.
- Yu, L., Guo, L., Ding, J.L., Ho, B., Feng, S. shen, Popplewell, J., Swann, M., and Wohland, T., 2009, Interaction of an artificial antimicrobial peptide with lipid membranes, *Biochim Biophys Acta Biomembr*, 1788, 333–344.
- Yuan, H., Jiang, M., Fang, H., and Tian, H., 2024, Recent advances in poly(amino acids), polypeptides, and their derivatives in drug delivery, *Nanoscale*, 17, 3549–3584.
- Zakaryan, H., Chilingaryan, G., Arabyan, E., Serobian, A., and Wang, G., 2021, Natural antimicrobial peptides as a source of new antiviral agents, *Journal of General Virology*, 102(9), 001661.
- Zapadka, K.L., Becher, F.J., Gomes dos Santos, A.L., and Jackson, S.E., 2017, Factors affecting the physical stability (aggregation) of peptide therapeutics, *Interface Focus*, 7(6), 20170030.
- Zavrtanik, U., Medved, T., Purič, S., Vranken, W., Lah, J., and Hadži, S., 2024, Leucine Motifs Stabilize Residual Helical Structure in Disordered Proteins, *J Mol Biol*, 436(4), 168444.
- Zhang, Q.Y., Yan, Z. Bin, Meng, Y.M., Hong, X.Y., Shao, G., Ma, J.J., Cheng, X.R., Liu, J., Kang, J., and Fu, C.Y., 2021, Antimicrobial peptides: mechanism of action, activity and clinical potential, *Mil Med Res*, 8(1), 48.
- Zhong, C., Zou, J., Mao, W., Yang, P., Zhang, J., Gou, S., Zhang, Y., Liu, H., and Ni, J., 2024, Structure modification of anoplin for fighting resistant bacteria, *Eur J Med Chem*, 268, 116276.