UNIVERSITAS
GADJAH MADA
Analisis Senyawa Aktif Ampas Sisa Hasil Proses Ekstraksi Protein Kacang Kedelai (Glycine max)
Zahratun Setya Rosanti, Dr. rer. nat. apt. Siti Nurul Hidayah, M.Sc.; Dr. apt. Andayana Puspitasari Gani, M.Si.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abubakar, A. R., & Haque, M. (2020). Preparation of medicinal plants: Basic extraction and fractionation procedures for experimental purposes. In Journal of Pharmacy and Bioallied Sciences (Vol. 12, Issue 1, pp. 1–10). Wolters Kluwer Medknow Publications. https://doi.org/10.4103/jpbs.JPBS_175_19

Achouri, A., Boye, J. I., & Belanger, D. (2005). Soybean isoflavones: Efficacy of extraction conditions and effect of food type on extractability. Food Research International, 38(10), 1199-1204.

Agidew, M. G. (2022). Phytochemical analysis of some selected traditional medicinal plants in Ethiopia. Bulletin of the National Research Centre, 46(1). https://doi.org/10.1186/s42269-022-00770-8

Akimaya, T., & Ogawara, H. (1991). Genistein, a Spescific Inhibitor of Tyrosine-specific Protein Kinases. The Journal of Biological Chemistry. 1986;262(12):5592-5595

Alghamdi, S. S., Khan, M. A., El-Harty, E. H., Ammar, M. H., Farooq, M., & Migdadi, H. M. (2018). Comparative phytochemical profiling of different soybean (Glycine max (L.) Merr) genotypes using GC–MS. Saudi Journal of Biological Sciences, 25(1), 15–21. https://doi.org/10.1016/j.sjbs.2017.10.014

Amalia, A., Kusumawinahyu, R., & Rohenti, I. R. (2021). Studi potensi sifat anti-aging ekstrak kedelai hitam (Glycine max (L.) Merrill) varietas Detam 1 melalui uji antioksidan. Warta Akab, 45(2).

Amorta, Diksi Z., & Nurhidajah. (2020). Chemical Properties and Sonsori Black Rice Powder with Variation of Cooking Method and Addition of Soy Powder. Pangan dan Gizi, 10, 60-73.

Asghar, A., Afzaal, M., Saeed, F., Ahmed, A., Ateeq, H., Shah, Y. A., Islam, F., Hussain, M., Akram, N., & Shah, M. A. (2023). Valorization and food

UNIVERSITAS
GADJAH MADA
Analisis Senyawa Aktif Ampas Sisa Hasil Proses Ekstraksi Protein Kacang Kedelai (Glycine max)
Zahratun Setya Rosanti, Dr. rer. nat. apt. Siti Nurul Hidayah, M.Sc.; Dr. apt. Andayana Puspitasari Gani, M.Si.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

applications of okara (soybean residue): A concurrent review. Food science & nutrition, 11(7), 3631–3640. https://doi.org/10.1002/fsn3.3363

Barthwal, R., & Mahar, R. (2024). Exploring the Significance, Extraction, and Characterization of Plant-Derived Secondary Metabolites in Complex Mixtures. Metabolites, 14(2). https://doi.org/10.3390/metabo14020119.

Bello, I., Adeniyi, A., Mukaila, T., dan Hammed, A., 2023, Optimization of Soybean Protein Extraction with Ammonium Hydroxide (NH4OH) Using Response Surface Methodology, Foods, 12 (7), 1515. DOI: 10.3390/foods12071515.

Bitwell, C., Indra, S. Sen, Luke, C., & Kakoma, M. K. (2023). A review of modern and conventional extraction techniques and their applications for extracting phytochemicals from plants. In Scientific African (Vol. 19). Elsevier B.V. https://doi.org/10.1016/j.sciaf.2023.e01585

Boye, J., Wijesinha-Bettoni, R., Burlingame, B., Kumar, A., & Marinova, D. (2022). Perspective: Soybeans Can Help Address the Caloric and Protein Needs of a Growing Global Population. Frontiers in Nutrition, 9, 909464.

Burnett, C. L., Bergfeld, W. F., Belsito, D. V., Hill, R. A., Klaassen, C. D., Liebler, D. C., Marks, J. G., Shank, R. C., Slaga, T. J., Snyder, P. W., Fiume, M., & Heldreth, B. (2023). Safety Assessment of Soy Proteins and Peptides as Used in Cosmetics. International Journal of Toxicology, 42(2_suppl), 102S-113S. https://doi.org/10.1177/10915818231174434

Cabezudo, I., Meini, M. R., Di Ponte, C. C., Melnichuk, N., Boschetti, C. E., & Romanini, D. (2021). Soybean (Glycine max) hull valorization through the extraction of polyphenols by green alternative methods. Food chemistry, 338, 128131. https://doi.org/10.1016/j.foodchem.2020.128131

Chemat, F., Vian, M. A., Ravi, H. K., Khadhraoui, B., Hilali, S., Perino, S., & Tixier, A. S. F. (2019). Review of alternative solvents for green extraction of

UNIVERSITAS
GADJAH MADA
Analisis Senyawa Aktif Ampas Sisa Hasil Proses Ekstraksi Protein Kacang Kedelai (Glycine max)
Zahratun Setya Rosanti, Dr. rer. nat. apt. Siti Nurul Hidayah, M.Sc.; Dr. apt. Andayana Puspitasari Gani, M.Si.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

food and natural products: Panorama, principles, applications and prospects. In Molecules (Vol. 24, Issue 16). MDPI AG. https://doi.org/10.3390/molecules24163007

Colletti, A., Attrovio, A., Boffa, L., Mantegna, S., & Cravotto, G. (2020). Valorisation of by-products from soybean (Glycine max (L.) Merr.) processing. Molecules, 25(9), 2129.

Cravotto, C., Fabiano-Tixier, A. S., Claux, O., Abert-Vian, M., Tabasso, S., Cravotto, G., & Chemat, F. (2022). Towards Substitution of Hexane as Extraction Solvent of Food Products and Ingredients with No Regrets. Foods (Basel, Switzerland), 11(21), 3412. https://doi.org/10.3390/foods11213412

Daud, A. (2019). Metode Analisis Isoflavon pada Kedelai (Glycine Max (Linn.) Merrill) Tahan Naungan Dena 1 Menggunakan Kromatografi Cair Kinerja Tinggi (KCKT) (Doctoral dissertation, Universitas Brawijaya).

Devi, P., Singh, S., Sangwan, S., Dalal, P., & Moond, M. (2020). Effect of pH on antioxidant and phytochemical activities of Mulhatti roots (Glycyrrhiza glabra L.). Journal of Agricultural Science and Technology A, 11, 276-282.

Djide, M. N., & Permana, A. D. (2014). Ekstraksi Isoflavon Kedelai dan Penentuan Kadarnya Secara Ultra Fast Liquid Chromatography (UFLC). Sainsmat: Jurnal Ilmiah Ilmu Pengetahuan Alam, 3(2), 130-134.

Duan Z., Li Q., Wang H., He X., dan Zhang M. (2023). Genetic regulatory networks of soybean seed size, oil and protein contents, Front. Plant Sci, 14:1160418. https://doi.org/10.3389/fpls.2023.1160418.

Ebrahimi, P., Bayram, I., Lante, A., & Decker, E. A. (2024). Acid-hydrolyzed phenolic extract of parsley (Petroselinum crispum L.) leaves inhibits lipid oxidation in soybean oil-in-water emulsions. Food Research International, 187, 114452.

UNIVERSITAS
GADJAH MADA
Analisis Senyawa Aktif Ampas Sisa Hasil Proses Ekstraksi Protein Kacang Kedelai (Glycine max)
Zahratun Setya Rosanti, Dr. rer. nat. apt. Siti Nurul Hidayah, M.Sc.; Dr. apt. Andayana Puspitasari Gani, M.Si.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Eddine, L. S., Djamila, B., and Redha, O. M. (2016). Solvent pH Extraction Effect on Phytochemical Composition and Antioxidant Properties of Algerian Matricaria pubescens. Journal of Pharmacy Research 10 (2): 106-12.

Eisen, B., Ungar, Y., & Shimoni, E. (2003). Stability of isoflavones in soy milk stored at elevated and ambient temperatures. Journal of agricultural and food chemistry, 51(8), 2212–2215. https://doi.org/10.1021/jf025783h

Fahmi, R., Khodaiyan, F., Pourahmad, R., & Emam-Djomeh, Z. (2014). Effect of ultrasound assisted extraction upon the Genistin and Daidzin contents of resultant soymilk. Journal of food science and technology, 51(10), 2857–2861. https://doi.org/10.1007/s13197-012-0744-6

Fakhruzy, F. (2020). Optimalisasi Metode Maserasi Untuk Ekstraksi Tanin Rendemen Tinggi. Menara Ilmu: Jurnal Penelitian dan Kajian Ilmiah, 14(2).

Feby Purnamasari. (2021). Identifikasi Senyawa Aktif dari Ekstrak Daun Sirsak (Annona muricata L.) dengan Perbandingan Beberapa Pelarut pada Metode Maserasi. Window of Health: Jurnal Kesehatan, Vol. 04 No. 03, 231–237.

Gandjar, I. G., dan Rohman, A.. (2014). Kimia Farmasi Analisis. Pustaka Pelajar. Yogyakarta.

Garg, N., Abdel-Aziz, S.M., & Aeron, A., 2016, Microbes in Food and Health, Springer, Switzerland 42-45.

Gao, Z., Shen, P., Lan, Y., Cui, L., Ohm, J. B., Chen, B., dan Rao, J., 2020, Effect of alkaline extraction pH on structure properties, solubility, and beany flavor of yellow pea protein isolate, Food Research International, 131. DOI: 10.1016/j.foodres.2020.109045.

Gerde, J. A. dan White, P. J. (2008). Soybeans. AOCS Press. https://doi.org/10.1016/C2015-0-02416-9.

UNIVERSITAS
GADJAH MADA
Analisis Senyawa Aktif Ampas Sisa Hasil Proses Ekstraksi Protein Kacang Kedelai (Glycine max)
Zahratun Setya Rosanti, Dr. rer. nat. apt. Siti Nurul Hidayah, M.Sc.; Dr. apt. Andayana Puspitasari Gani, M.Si.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Goh, Y. X., Jalil, J., Lam, K. W., Husain, K., & Premakumar, C. M. (2022). Genistein: A review on its anti-inflammatory properties. Frontiers in pharmacology, 13, 820969.

Golbitz, P. (1995). Traditional soyfoods: processing and products. The Journal of nutrition, 125, 570S-572S.

Herwana, E. (2020). Fenotip equol-producer dan hubungannya dengan asupan isoflavon dan kesehatan. Jurnal Biomedika Dan Kesehatan, 3(3). https://doi.org/10.18051/JBiomedKes.2020

Hewage, A., Olatunde, O. O., Nimalaratne, C., Malalgoda, M., Aluko, R. E., & Bandara, N. (2022). Novel Extraction technologies for developing plant protein ingredients with improved functionality. In Trends in Food Science and Technology (Vol. 129, pp. 492–511). Elsevier Ltd. https://doi.org/10.1016/j.tifs.2022.10.016

Huang, D., Boxin, O. U., & Prior, R. L. (2005). The chemistry behind antioxidant capacity assays. In Journal of Agricultural and Food Chemistry (Vol. 53, Issue 6, pp. 1841–1856). https://doi.org/10.1021/jf030723c

Husna F., dan Mita S. R., 2020, Identifikasi Bahan Kimia Obat dalam Obat Tradisional Stamina Pria dengan Metode Kromatografi Lapis Tipis, Jurnal Farmaka, Vol.18, No.2.

Hu, Y., Zhou, J., Zou, X., Zhang, R., Cao, Y., Shen, Y., & Zhao, J. (2025). Efficient preparation process and fine structural analysis of polysaccharides from black soybean (Glycine max (L.) Merr.) hull. Journal of Food Composition and Analysis, 139, 106976.

Indriyah, S. N., Permatasari, D. A. I., & Pratama, K. J. (2023). Penetapan Kadar Fenolik Serta Uji Aktivitas Antioksidan Ekstrak Dan Fraksi Batang Bajakah Kalalawit (Uncaria Gambir Roxb) Dengan Metode Frap. Usada Nusantara: Jurnal Kesehatan Tradisional, 1(2), 147-158.

UNIVERSITAS
GADJAH MADA
Analisis Senyawa Aktif Ampas Sisa Hasil Proses Ekstraksi Protein Kacang Kedelai (Glycine max)
Zahratun Setya Rosanti, Dr. rer. nat. apt. Siti Nurul Hidayah, M.Sc.; Dr. apt. Andayana Puspitasari Gani, M.Si.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Kao, T. H., Lu, Y. F., Hsieh, H. C., & Chen, B. H. (2004). Stability of isoflavone glucosides during processing of soymilk and tofu. *Food Research International*, *37*(9), 891-900.

Kristina, C. M., Yusasrini, N. A., & Yusa, N. M. (2022). Pengaruh Waktu Ekstraksi Dengan Menggunakan Metode Ultrasonic Assisted Extraction (UAE) Terhadap Aktivitas Antioksidan Ekstrak Daun Duwet (Syzygium cumini). J. Ilmu dan Teknol. Pangan, 11(1), 13.

Křížová, L., Dadáková, K., Kašparovská, J., & Kašparovský, T. (2019). Isoflavones. Molecules (Basel, Switzerland), 24(6), 1076. https://doi.org/10.3390/molecules24061076

Kuligowski, M., Pawłowska, K., Jasińska-Kuligowska, I., & Nowak, J. (2017). Composición de isoflavonas, contenido de polifenoles y actividad antioxidante de las semillas de soja durante fermentación de tempeh. CYTA - Journal of Food, 15(1), 27–33. https://doi.org/10.1080/19476337.2016.1197316

Kumar, M., Tomar, M., Potkule, J., Verma, R., Punia, S., Mahapatra, A., Belwal, T., Dahuja, A., Joshi, S., Berwal, M. K., Satankar, V., Bhoite, A. G., Amarowicz, R., Kaur, C., & Kennedy, J. F. (2021). Advances in the plant protein extraction: Mechanism and recommendations. In Food Hydrocolloids (Vol. 115). Elsevier B.V. https://doi.org/10.1016/j.foodhyd.2021.106595

Kusmardiyani, S., Dwijayanti, A., & Ruslan Wirasutisna, K. (2012). Penetapan Kadar Genistein Biji Kedelai (Soya max Piper) Lokal dan Impor Secara Densitometri Lapis Tipis dan KCKT. In Acta Pharmaceutica Indonesia: Vol. XXXVII (Issue 1).

Le, X. T., Vi, V. L. L., Toan, T. Q., Bach, L. G., Truc, T. T., & Ha, P. T. H. (2019). Extraction process of polyphenols from soybean (Glycine max L.) sprouts: Optimization and evaluation of antioxidant. https://doi.org/10.3390/PR7080489

UNIVERSITAS
GADJAH MADA
Analisis Senyawa Aktif Ampas Sisa Hasil Proses Ekstraksi Protein Kacang Kedelai (Glycine max)
Zahratun Setya Rosanti, Dr. rer. nat. apt. Siti Nurul Hidayah, M.Sc.; Dr. apt. Andayana Puspitasari Gani, M.Si.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Li, B., Qiao, M., & Lu, F. (2012). Composition, Nutrition, and Utilization of Okara (Soybean Residue). Food Reviews International, 28(3), 231–252. https://doi.org/10.1080/87559129.2011.595023

Lin, F., & Giusti, M. M. (2005). Effects of solvent polarity and acidity on the extraction efficiency of isoflavones from soybeans (Glycine max). Journal of Agricultural and Food Chemistry, 53(10), 3795–3800.

Lu, W., Su, X., Klein, M. S., Lewis, I. A., Fiehn, O., & Rabinowitz, J. D. (2017). Metabolite Measurement: Pitfalls to Avoid and Practices to Follow. Annual review of biochemistry, 86, 277–304. https://doi.org/10.1146/annurev-biochem-061516-044952

Ma, C.-M., & Zhao, X.-H. (2019). Depicting the Non-Covalent Interaction of Whey Proteins with Galangin or Genistein Using the Multi-Spectroscopic Techniques and Molecular Docking. Foods, 8(9), 360. https://doi.org/10.3390/foods8090360

Mathias, K., Ismail, B., Corvalan, C. M., & Hayes, K. D. (2006). Heat and pH effects on the conjugated forms of genistin and daidzin isoflavones. Journal of agricultural and food chemistry, 54(20), 7495–7502. https://doi.org/10.1021/jf061322a

Newman, D. J., & Cragg, G. M. (2020). Natural products as sources of new drugs over the nearly four decades from 01/1981 to 09/2019. Journal of natural products, 83(3), 770-803.

Niño-Zarazúa, M. (2012). Quantitative analysis in social sciences: An brief introduction for non-economists. SSRN 2066058.

Paganotti, R. S., & Barbeira, P. J. (2024). Accuracy Enhancement of the Folin-Ciocalteu Method for Propolis. American Journal of Analytical Chemistry, 15(8), 253-267. DOI: 10.4236/ajac.2024.158017

UNIVERSITAS
GADJAH MADA
Analisis Senyawa Aktif Ampas Sisa Hasil Proses Ekstraksi Protein Kacang Kedelai (Glycine max)
Zahratun Setya Rosanti, Dr. rer. nat. apt. Siti Nurul Hidayah, M.Sc.; Dr. apt. Andayana Puspitasari Gani, M.Si.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Pérez, M., Dominguez-López, I., & Lamuela-Raventós, R. M. (2023). The Chemistry Behind the Folin-Ciocalteu Method for the Estimation of (Poly)phenol Content in Food: Total Phenolic Intake in a Mediterranean Dietary Pattern. In Journal of Agricultural and Food Chemistry (Vol. 71, Issue 46, pp. 17543–17553). American Chemical Society. https://doi.org/10.1021/acs.jafc.3c04022

Pojić, M., Mišan, A., & Tiwari, B. (2018). Eco-innovative technologies for extraction of proteins for human consumption from renewable protein sources of plant origin. In Trends in Food Science and Technology (Vol. 75, pp. 93–104). Elsevier Ltd. https://doi.org/10.1016/j.tifs.2018.03.010

Qin, P., Wang, T., & Luo, Y. (2022). A review on plant-based proteins from soybean: Health benefits and soy product development. Journal of Agriculture and Food Research, 7. https://doi.org/10.1016/j.jafr.2021.100265

Rachmawati1, W., Pratiwi1, E. R., & Yuliantini1, A. (2023). TLC Video Densitometry Method for Determination Thiamphenicol in Dry Syrup. In Indonesian Journal of Pharmaceutical Science and Technology Journal Homepage (Vol. 5, Issue 2). http://jurnal.unpad.ac.id/ijpst/

Rahmah, N. L., Dewanti, B. S., & Azizah, F. (2019). Combination of kinetic maceration-digestion in the extraction of areca seeds (Areca catechu L.). Advances in Food Science, Sustainable Agriculture and Agroindustrial Engineering (AFSSAAE), 1(2), 27-33.

Ramadhani, F. A., Kusumawati, I., Primaharinastiti, R., Rullyansyah, S., Sandhori, F. J., & Prasetyawan, H. R. (2023). Comparative Study of Densitometry and Videodensitometry for Quantitating the Active Pharmaceutical Ingredients Using Thin Layer Chromatography – Systematic Review. JURNAL FARMASI DAN ILMU KEFARMASIAN INDONESIA, 10(2), 141–150. https://doi.org/10.20473/jfiki.v10i22023.141-150

UNIVERSITAS
GADJAH MADA
Analisis Senyawa Aktif Ampas Sisa Hasil Proses Ekstraksi Protein Kacang Kedelai (Glycine max)
Zahratun Setya Rosanti, Dr. rer. nat. apt. Siti Nurul Hidayah, M.Sc.; Dr. apt. Andayana Puspitasari Gani, M.Si.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Raposo, F., Borja, R., & Gutiérrez-González, J. (2024). A Comprehensive and Critical Review of Unstandardized Folin-Ciocalteu Assay to Determine The Total Content of Polyphenols: The Conundrum of Experimental Factors And Method Validation. Talanta, 272, 1–10. https://doi.org/10.1016/j.talanta.2024.125771

Riaz, M.N., 2016, Soy Beans: Processing, Encyclopedia of Food and Health, 48-53. https://doi.org/10.1016/B978-0-12-384947-2.00641-3.

Rostagno, M. A., Villares, A., Guillamón, E., García-Lafuente, A., & Martínez, J. A. (2009). Sample preparation for the analysis of isoflavones from soybeans and soy foods. Journal of Chromatography A, 1216(1), 2–29. https://doi.org/10.1016/j.chroma.2008.11.035

Samara, M., Nasser, A., & Mingelgrin, U. (2022). Critical Examination of the Suitability of the Folin-Ciocalteu Reagent Assay for Quantitative Analysis of Polyphenols—The Case of Olive-Mill Wastewater. American Journal of Analytical Chemistry, 13(11), 476–493. https://doi.org/10.4236/ajac.2022.1311032

San Miguel-Chávez, R. (2017). Phenolic Antioxidant Capacity: A Review of the State. phenolic compounds: biological activity, 59.

SARI, J. F. (2016). PENERAPAN METODE KROMATOGRAFI LAPISAN TIPIS (klt) UNTUK MEMBEDAKAN CURCUMA DOMESTICA VAL. CURCUMA XANTORHIZA ROXB. CURCUMA ZEDOARIA ROSC., CURCUMA MANGGA VAL. DAN VAN ZIJP CURCUMA AEROGINOSA ROXB DALAM CAMPURAN (Doctoral dissertation, UNIVERSITAS AIRLANGGA).

Setiawati, A., Yuliani, S. H., Raharja Gani, M., Veronica, E. F., Ayuning Putri, D. C., Eka Putra, R., handra Putra, D., Mutiara Kurniawan, A., & Istyastono, E. P. (2014). ANALISIS KUANTITATIF ISOFLAVON TEMPE SECARA

UNIVERSITAS
GADJAH MADA
Analisis Senyawa Aktif Ampas Sisa Hasil Proses Ekstraksi Protein Kacang Kedelai (Glycine max)
Zahratun Setya Rosanti, Dr. rer. nat. apt. Siti Nurul Hidayah, M.Sc.; Dr. apt. Andayana Puspitasari Gani, M.Si.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

CEPAT DAN SEDERHANA MENGGUNAKAN METODE KROMATOGRAFI LAPIS TIPIS- DENSITOMETRI. Jurnal Farmasi Sains Dan Komunitas, 11(1), 13–17.

Şeyhahmet, A., Şahin, Z., Sönmez, F., & Küçükislamoğlu, M. (2023). The effect of pH and extraction time on total phenolic content and antioxidant properties of coloured water extracts from Brassica Oleracea. International Journal of Agriculture Environment and Food Sciences, 8(1), 20-24.

Sharifi-Rad, J., Quispe, C., Imran, M., Rauf, A., Nadeem, M., Gondal, T. A., Ahmad, B., Atif, M., Mubarak, M. S., Sytar, O., Zhilina, O. M., Garsiya, E. R., Smeriglio, A., Trombetta, D., Pons, D. G., Martorell, M., Cardoso, S. M., Razis, A. F. A., Sunusi, U., Kamal, R. M., Calina, D. (2021). Genistein: An Integrative Overview of Its Mode of Action, Pharmacological Properties, and Health Benefits. Oxidative medicine and cellular longevity, 2021, 3268136. https://doi.org/10.1155/2021/3268136

Shen, L., Pang, S., Zhong, M., Sun, Y., Qayum, A., Liu, Y., ... & Ren, X. (2023). A comprehensive review of ultrasonic assisted extraction (UAE) for bioactive components: Principles, advantages, equipment, and combined technologies. Ultrasonics Sonochemistry, 101, 106646.

Spréa, R. M., Finimundy, T. C., Calhelha, R. C., Pires, T. C., Prieto, M. A., Amaral, J. S., & Barros, L. (2024). Comprehensive analysis of soybean (Glycine max L.) by-products: Nutritional value, phenolic composition, and bioactive properties. Food Bioscience, 62, 105382.

Syafarina, M., Irham, T., Edyson. (2017). Perbedaan Total Flavonoid antara Tahapan Pengeringan Alami dan Buatan pada Ekstrak Daun Binjai (Mangifera caesia). Skripsi. Fakultas Kedokteran Gigi Univ. Lambung Mangkurat, Banjarmasin.

UNIVERSITAS
GADJAH MADA
Analisis Senyawa Aktif Ampas Sisa Hasil Proses Ekstraksi Protein Kacang Kedelai (Glycine max)
Zahratun Setya Rosanti, Dr. rer. nat. apt. Siti Nurul Hidayah, M.Sc.; Dr. apt. Andayana Puspitasari Gani, M.Si.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Tipkanon, S., Chompreeda, P., Haruthaithanasan, V., Suwonsichon, T., Prinyawiwatkul, W., & Xu, Z. (2010). Optimizing time and temperature of enzymatic conversion of isoflavone glucosides to aglycones in soy germ flour. Journal of agricultural and food chemistry, 58(21), 11340–11345. https://doi.org/10.1021/jf103090p

Topanni, I. S., Najma Rosyada, S., Tsamara, C. B., Saputri, A. B., & Tabitha, K. H. (2024). Review Artikel : Analisis Obat Dalam Berbagai Bentuk Sediaan Dengan Metode Klt-Densitometri. Jurnal Ilmiah Wahana Pendidikan, 10(14), 644–651. https://doi.org/10.5281/zenodo.13733705

Tran, T. N. T., Chew, K. W., Bui, X. V., Nguyen, T. D. P., Le, T. T. A., Truong, T. M. H., & Show, P. L. (2019). Optimization of isoflavones extraction from soybeans using full factorial design. Journal of Food Processing and Preservation, 43(9), e14078.

Ungar, Y., Osundahunsi, O. F., & Shimoni, E. (2003). Thermal stability of genistein and daidzein and its effect on their antioxidant activity. Journal of agricultural and food chemistry, 51(15), 4394–4399. https://doi.org/10.1021/jf034021z

Vataya Tullah, T., Fitri Yanti, E., & Tinggi Ilmu Kesehatan Harapan Bangsa Jember, S. (2023). Penetapan Kadar Fenolik Total dan Uji Aktivitas Antioksidan Ekstrak Kacang kedelai Kuning (Glycine max L.) Dengan Metode DPPH. Jurnal Ilmiah Farmasi Akademi Farmasi, 6(2), 2615–2756.

Vu, H. T., Scarlett, C. J., & Vuong, Q. V. (2019). Maximising Recovery of Phenolic Compounds and Antioxidant Properties from Banana Peel Using Microwave Assisted Extraction and Water. Journal of Food Science and Technology, 56(3), 1360–1370. https://doi.org/10.1007/s13197-019-03610-2

Wang, M., Guo, J., Qi, W., Su, R., & He, Z. (2013). An effective and green method for the extraction and purification of aglycone isoflavones from soybean. Food

UNIVERSITAS
GADJAH MADA
Analisis Senyawa Aktif Ampas Sisa Hasil Proses Ekstraksi Protein Kacang Kedelai (Glycine max)
Zahratun Setya Rosanti, Dr. rer. nat. apt. Siti Nurul Hidayah, M.Sc.; Dr. apt. Andayana Puspitasari Gani, M.Si.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Science and Biotechnology, 22(3), 705–712. https://doi.org/10.1007/s10068-013-0135-4

Waqas, M. K., Akhtar, N., Mustafa, R., Jamshaid, M., Khan, H. M. S., dan Murtaza, G., (2015), DERMATOLOGICAL AND COSMECEUTICAL BENEFITS OF GLYCINE MAX (SOYBEAN) AND ITS ACTIVE COMPONENTS, Acta Poloniae Pharmaceutica, vol. 72, no. 1, pp. 3-11

Willett, W. C., Rockström, J., Loken, B., Springmann, M., Lang, T., Vermeulen, S., & Murray, C. J. L. (2019). Food in the Anthropocene: the EAT–Lancet Commission on healthy diets from sustainable food systems. The Lancet, 393(10170), 447-492

Winarsi, H., Purwanto, A., & Dwiyanti, H. (2010). Kandungan protein dan isoflavon pada kedelai dan kecambah kedelai. Biota: Jurnal Ilmiah Ilmu-Ilmu Hayati, 181-187.

Xiang, Z., Ma, B., Pei, X., Wang, W., & Gong, W. (2025). Mechanism of action of genistein on breast cancer and differential effects of different age stages. Pharmaceutical Biology, 63(1), 141–155. https://doi.org/10.1080/13880209.2025.2469607

Xiao, J. (2022). Recent advances on the stability of dietary polyphenols. Efood, 3(3), e21.

Yang, G.-D., Huang, Y.-R., Nan, G.-J., Chen, H.-J., Zeng, A.-G., & Bian, X.-L. (2013). Solubility of daidzein in the binary system of ethanol and water. Journal of Molecular Liquids, 180, 160–163. https://doi.org/10.1016/j.molliq.2012.12.035

Yue, X., Abdallah, A. M., & Xu, Z. (2010). Thermal dynamic properties of isoflavones during dry heating. International Journal of Food Science and Technology, 45(9), 1878-1882. https://doi.org/10.1111/j.1365-2621.2010.02346.x

UNIVERSITAS
GADJAH MADA
Analisis Senyawa Aktif Ampas Sisa Hasil Proses Ekstraksi Protein Kacang Kedelai (Glycine max)
Zahratun Setya Rosanti, Dr. rer. nat. apt. Siti Nurul Hidayah, M.Sc.; Dr. apt. Andayana Puspitasari Gani, M.Si.
Universitas Gadjah Mada, 2025 | Diunduh dari http://etd.repository.ugm.ac.id/

Yusnawan, E. (2018). Effects of different extraction methods on total phenolic content and antioxidant activity in soybean cultivars. *IOP Conference Series: Earth and Environmental Science*, *102*(1). https://doi.org/10.1088/1755-1315/102/1/012039

Zhang, Q., Zhang, J., Shen, J., Silva, A., Dennis, D. A., & Barrow, C. J. (2006). A Simple 96-well Microplate Method for Estimation of Total Polyphenol Content in Seaweeds. Journal of Applied Phycology, 18, 445–450. https://doi.org/10.1007/s10811-006-9048-4

Zhang, Q. A., Shen, H., Fan, X. H., Shen, Y., Wang, X., & Song, Y. (2015). Changes of gallic acid mediated by ultrasound in a model extraction solution. Ultrasonics Sonochemistry, 22, 149-154.