

## DAFTAR PUSTAKA

- Agarap, A. F. (2019), 'Deep learning using rectified linear units (relu)'.  
**URL:** <https://arxiv.org/abs/1803.08375>
- Amrutha, J. and Remya Ajai, A. S. (2018), 'Performance analysis of backpropagation algorithm of artificial neural networks in verilog', *2018 3rd IEEE International Conference on Recent Trends in Electronics, Information & Communication Technology (RTEICT)* p. 1547–1550.
- Bai, S., Kolter, J. Z. and Koltun, V. (2018), 'An empirical evaluation of generic convolutional and recurrent networks for sequence modeling'.  
**URL:** <https://arxiv.org/abs/1803.01271>
- Bertoline, L. M., Lima, A. N., Krieger, J. E. and Teixeira, S. K. (2023), 'Before and after alphafold2: An overview of protein structure prediction', *Frontiers in Bioinformatics* **3**.
- Brandes, N., Ofer, D., Peleg, Y., Rappoport, N. and Linial, M. (2022), 'Proteinbert: A universal deep-learning model of protein sequence and function', *Bioinformatics* **38**(8), 2102–2110.
- Das, S., Ghosh, S. and Jana, N. D. (2025), 'Transconv: Convolution-infused transformer for protein secondary structure prediction', *Journal of Molecular Modeling* **31**(2).
- Dong, B., Su, H., Xu, D., Hou, C., Liu, Z., Niu, N. and Wang, G. (2024), 'Ilmcnet: A deep neural network model that uses plm to process features and employs crf to predict protein secondary structure', *Genes* **15**(10), 1350.
- Elnaggar, A., Essam, H., Salah-Eldin, W., Moustafa, W., Elkerdawy, M., Rochereau, C. and Rost, B. (2023), 'Ankh: Optimized protein language model unlocks general-purpose modelling'.
- Elnaggar, A., Heinzinger, M., Dallago, C., Rehawi, G., Wang, Y., Jones, L., Gibbs, T., Feher, T., Angerer, C., Steinegger, M. and et al. (2022), 'Prottrans: Toward understanding the language of life through self-supervised learning', *IEEE Transactions on Pattern Analysis and Machine Intelligence* **44**(10), 7112–7127.
- Fang, X., Wang, F., Liu, L., He, J., Lin, D., Xiang, Y., Zhu, K., Zhang, X., Wu, H., Li, H. and et al. (2023), 'A method for multiple-sequence-alignment-free protein structure prediction using a protein language model', *Nature Machine Intelligence* **5**(10), 1087–1096.
- Ferruz, N., Schmidt, S. and Höcker, B. (2022), 'Protgpt2 is a deep unsupervised language model for protein design', *Nature Communications* **13**(1).

- Görmez, Y., Sabzekar, M. and Aydın, Z. (2021), 'igpred: Combination of convolutional neural and graph convolutional networks for protein secondary structure prediction', *Proteins: Structure, Function, and Bioinformatics* **89**(10), 1277–1288.
- He, K., Zhang, X., Ren, S. and Sun, J. (2015), 'Deep residual learning for image recognition'.  
**URL:** <https://arxiv.org/abs/1512.03385>
- Heinzinger, M., Weissenow, K., Sanchez, J., Henkel, A., Mirdita, M., Steinegger, M. and Rost, B. (2024), 'Bilingual language model for protein sequence and structure', *NAR Genomics and Bioinformatics* **6**(4).
- Ho, C.-T., Huang, Y.-W., Chen, T.-R., Lo, C.-H. and Lo, W.-C. (2021), 'Discovering the ultimate limits of protein secondary structure prediction', *Biomolecules* **11**(11).  
**URL:** <https://www.mdpi.com/2218-273X/11/11/1627>
- Høie, M. H., Kiehl, E. N., Petersen, B., Nielsen, M., Winther, O., Nielsen, H., Hallgren, J. and Marcatili, P. (2022), 'Netsurfp-3.0: Accurate and fast prediction of protein structural features by protein language models and deep learning', *Nucleic Acids Research* **50**(W1).
- Ismi, D. P., Pulungan, R. and Afiahayati (2022), 'Deep learning for protein secondary structure prediction: Pre and post-alphaFold', *Computational and Structural Biotechnology Journal* **20**, 6271–6286.
- Ismi, D. P., Pulungan, R. and Afiahayati (2024), 'Self-attention and asymmetric multi-layer perceptron-gated recurrent unit blocks for protein secondary structure prediction', *Applied Soft Computing* **159**, 111604.
- Jisna, V. A. and Jayaraj, P. B. (2021), 'Protein structure prediction: Conventional and deep learning perspectives', *The Protein Journal* **40**(4), 522–544.
- Kazm, A., Ali, A. and Hashim, H. (2024), 'Transformer encoder with protein language model for protein secondary structure prediction', *Engineering, Technology & Applied Science Research* **14**(2), 13124–13132.
- Klausen, M. S., Jespersen, M. C., Nielsen, H., Jensen, K. K., Jurtz, V. I., Sønderby, C. K., Sommer, M. O., Winther, O., Nielsen, M., Petersen, B. and et al. (2019), 'Netsurfp-2.0: Improved prediction of protein structural features by integrated deep learning', *Proteins: Structure, Function, and Bioinformatics* **87**(6), 520–527.
- Lyu, Z., Wang, Z., Luo, F., Shuai, J. and Huang, Y. (2021), 'Protein secondary structure prediction with a reductive deep learning method', *Frontiers in Bioengineering and Biotechnology* **9**.

- Maminov, A. D. (2022), 'Short-length peptides contact map prediction using convolution neural networks', *Proceedings of The 6th International Workshop on Deep Learning in Computational Physics — PoS(DLCP2022)* p. 016.
- Nijkamp, E., Ruffolo, J. A., Weinstein, E. N., Naik, N. and Madani, A. (2023), 'Progen2: Exploring the boundaries of protein language models', *Cell Systems* **14**(11).
- Pearce, R. and Zhang, Y. (2021), 'Toward the solution of the protein structure prediction problem', *Journal of Biological Chemistry* **297**(1).
- Rives, A., Meier, J., Sercu, T., Goyal, S., Lin, Z., Liu, J., Guo, D., Ott, M., Zitnick, C. L., Ma, J. and et al. (2021), 'Biological structure and function emerge from scaling unsupervised learning to 250 million protein sequences', *Proceedings of the National Academy of Sciences* **118**(15).
- Salehin, I. and Kang, D.-K. (2023), 'A review on dropout regularization approaches for deep neural networks within the scholarly domain', *Electronics* **12**(14), 3106.
- Salimans, T. and Kingma, D. P. (2016), 'Weight normalization: A simple reparameterization to accelerate training of deep neural networks'.  
**URL:** <https://arxiv.org/abs/1602.07868>
- Shapovalov, M., Dunbrack, R. L. and Vucetic, S. (2020), 'Multifaceted analysis of training and testing convolutional neural networks for protein secondary structure prediction', *PLOS ONE* **15**(5).
- Sutanto, V. M. (2021), 'Prediksi struktur sekunder protein menggunakan convolutional neural network dan support vector machine'. *Skripsi*, Fakultas MIPA, Universitas Gadjah Mada, Yogyakarta.
- Sutanto, V., Sukma, Z. and Afiahayati, A. (2021), 'Predicting secondary structure of protein using hybrid of convolutional neural network and support vector machine', *International Journal of Intelligent Engineering and Systems* **14**(1), 232–243.
- Vaswani, A., Shazeer, N., Parmar, N., Uszkoreit, J., Jones, L., Gomez, A. N., Kaiser, L. and Polosukhin, I. (2023), 'Attention is all you need'.  
**URL:** <https://arxiv.org/abs/1706.03762>
- Wang, L., Li, X., Zhang, H., Wang, J., Jiang, D., Xue, Z. and Wang, Y. (2025), 'A comprehensive review of protein language models'.  
**URL:** <https://arxiv.org/abs/2502.06881>
- Yang, S. and Chen, X. (2024), 'Protein secondary structure prediction based on multi-scale convolution and transformer', *International Journal of Biology and Life Sciences* **6**(3), 14–19.



- Yuan, L., Ma, Y. and Liu, Y. (2023), 'Ensemble deep learning models for protein secondary structure prediction using bidirectional temporal convolution and bidirectional long short-term memory', *Frontiers in Bioengineering and Biotechnology* **11**.
- Zhang, Z. and Sabuncu, M. R. (2018), 'Generalized cross entropy loss for training deep neural networks with noisy labels'.  
**URL:** <https://arxiv.org/abs/1805.07836>
- Zhao, L., Li, J., Zhan, W., Jiang, X. and Zhang, B. (2024), 'Prediction of protein secondary structure by the improved tcn-bilstm-mha model with knowledge distillation', *Scientific Reports* **14**(1).
- Zhao, Y. and Liu, Y. (2021), 'Oclstm: Optimized convolutional and long short-term memory neural network model for protein secondary structure prediction', *PLOS ONE* **16**(2).