

DAFTAR PUSTAKA

- Abduh, M., Alawiyah, T., Apriansyah, G., Sirodj, R. A., & Afgani, M. W. (2022). Survey Design: Cross Sectional dalam Penelitian Kualitatif. *Jurnal Pendidikan Sains Dan Komputer*, 3(01), 31–39.
- Al-Dajani, M., Abouonq, A. O., Almohammadi, T. A., Alruwaili, M. K., Alswilem, R. O., & Alzoubi, I. A. (2017). A Cohort Study of the Patterns of Third Molar Impaction in Panoramic Radiographs in Saudi Population. *The Open Dentistry Journal*, 11(1).
- Akbar, P.A., Indra Sukmana, B., Diana, S. (2021). Gambaran Radiografi Panoramik Paska Odontektomi Kondisi Abnormal. In *Jurnal Kedokteran Gigi* (Issue 2).
- Al-Gunaid, T. H., Bukhari, A. K., El Khateeb, S. M., & Yamaki, M. (2019). Relationship of Mandibular Ramus Dimensions to Lower Third Molar Impaction. *European Journal of Dentistry*, 13(2), 213–221.
- Ali, M. A., Fujita, D., Kishimoto, H., Makihara, Y., Noguchi, K., & Kobashi, S. (2025). Automated Impaction Angulation Measurement of Mandibular Third Molars for Winter's Classification Using Deep Learning. *Journal of Advanced Computational Intelligence and Intelligent Informatics*, 29(2), 325–336.
- Alsharif, S. B., & Alsharif, M. B. (2025). Patterns of Mandibular Third Molar Impactions and Its Association with Carious Lesions and Periodontal Defects: A Retrospective Cross-Sectional Study. *Clinical, Cosmetic and Investigational Dentistry, Volume 17*, 481–490.
- Al-Sharani, M.H., Bin, Z., Ahmed Mashrah, M., Galvão, E. L., Ahmed Al-Moraissi, E., Ali Al-Aroomi, M., Ahmed Sakran, K., & Gabriel Moreira Falci, S. (2021). The influence of wisdom tooth impaction and occlusal support on mandibular angle and condyle fractures. *Scientific Reports*, 11(1).
- AlSheikh, H. Al, AlZain, S., Warsy, A., AlMukaynizi, F., & AlThomali, A. (2019). Mandibular residual ridge height in relation to age, gender and duration of edentulism in a Saudi population: A clinical and radiographic study. *Saudi Dental Journal*, 31(2), 258–264.
- Amara, R., Sam, B., & Lita, Y. A. (2023). Asimetri ketinggian kondilus dan gejala temporomandibular disorder pada pasien edentulous: studi observasional. *Padjadjaran Journal of Dental Researchers and Students*, 7(3), 254.
- Assiri, H., Devesa, E.A., Moreno, E.S., LLabres, R.X., Hameed, M. S., Alqarni, A., & Lopez, J. L. (2024). Prevalence of mandibular third molar impaction, associated pathologies, and correlation with Temporomandibular joint morphology in Spanish Population: A panoramic radiography study.
- Auerkari, E. I., Sofyanti, E., Boel, T., & Soegiharto, B. (2018). TMD symptoms and vertical mandibular symmetry in young adult orthodontic patients in North Sumatra, Indonesia: A cross-sectional study. *F1000Research*, 7.

- Balla, S. B., Nambi, N. K., Nambi, S., Chinnala, B., Bojji, M., Mula, A. P., Kondakamalli, S., Vankdoth, D., & Tadakamadla, S. K. (2022). Legal age determined by a new threshold value of third molar maturity index in subjects with impacted mandibular third molars: An orthopantomographic study in south Indian adolescents. *International Journal of Legal Medicine*, 136(1), 251–259.
- Baloch, P. R., Punjabi, S. K., Hamid, S., & Priya. (2019). Relationship between operative time and complications for impacted mandibular third molar removal. *Journal of the Liaquat University of Medical and Health Sciences*, 18(3), 219–224.
- Bhardwaj, A., Gupta, S., & Narula, J. (2022). Mischievous mandibular third molars camouflaging temporomandibular joint disorders. *Journal of the Korean Association of Oral and Maxillofacial Surgeons*, 48(3), 155–158.
- Bonardo, B., Saskianti, T., & Moeharyono Puteri, M. (2023). Mandibular Condyle Shape and Symmetry in 4- to 19-Year-Old Children and Early Adolescents. *Indonesian Journal of Dental Medicine*, 6(2), 60–65.
- Braimah, R. O., Ali-Alsuliman, D., Agbaje, H. O., Alsalah, Y., Sharma, H. K., & Alsawas, N. M. (2021). Prevalence, sociodemographics, and indications for extraction of impacted mandibular third molar in Najran, a Southern Saudi Arabian city. *Saudi Journal of Oral Sciences*, 8(2), 75–80.
- Carli, D.E., Lagou, A., Kiliaridis, S., & Denes, B. J. (2023). Mandibular condyle changes in rats with unilateral masticatory function. *Orthodontics and Craniofacial Research*, 26(1), 37–45.
- Chotimah, C., Amiruddin, M., Dharma Utama, M., Hasanuddin, N. R., & Anggriany, N. (2023). Pengaruh Kehilangan Gigi Posterior terhadap Gangguan Temporomandibular Joint (TMJ) pada Pasien di RSIGM FKG UMI, *Sinnun Maxillofacial Journal*, 5(1): 16-23.
- Cocoş, D. I., Vlasa, A., Bucur, S. M., Păcurar, M., & Earar, K. (2025). Association Between Impacted Mandibular Third Molars and Temporomandibular Dysfunction: An Analysis Based on the Modified Helkimo Index. *Medicina (Lithuania)*, 61(5).
- Dahlan, M. S., (2010) Besar Sampel dan Cara Pengambilan Sampel dalam Penelitian Kedokteran dan Kesehatan. 3rd ed. Jakarta: *Salemba Medika*. hal. 19-22.
- D'Abreu, M. P., & Pertuz, A. I. O. (2022). Utility of radiomorphometrics indexes of the mandible for age estimation in adults. *The Journal of forensic odontology*, 40, 1–20.
- Derin, A. F., & Alan, H. (2025). Finite element analysis of stress distribution in sagittal split Ramus osteotomy: the influence of impacted third molars. *Oral and Maxillofacial Surgery*, 29(1).

- Eckersley, T., Faulkner, J., & Al-Dadah, O. (2021). Inter- and intra-observer reliability of radiological grading systems for knee osteoarthritis. *Skeletal Radiology*.
- Eraydin, F., Cakan, D. G., Tozlu, M., & Ozdemir, F. (2018). Evaluation of buccolingual molar inclinations among different vertical facial types. *Korean Journal of Orthodontics*, 48(5), 333–338.
- Enabulele, J. E., & Obuekwe, O. N. (2017). Prevalence of caries and cervical resorption on adjacent second molar associated with impacted third molar. *Journal of Oral and Maxillofacial Surgery, Medicine, and Pathology*, 29(4), 301–305.
- Faadiya, A. N., Widyaningrum, R., Arindra, P. K., & Diba, S. F. (2024). The diagnostic performance of impacted third molars in the mandible: A review of deep learning on panoramic radiographs. In *Saudi Dental Journal* (Vol. 36, Issue 3, pp. 404–412). Elsevier B.V.
- Fuentes, R., Arias, A., Borie-Echevarría, E., & Radiografía, E. (2021). Radiografía Panorámica: Una Herramienta Invaluable para el Estudio del Componente Óseo y Dental del Territorio Maxilofacial Panoramic Radiographs: An Invaluable Tool for the Study of Bone and Teeth Components in the Maxillofacial Region. In *International Journal Morphol* (Vol. 39, Issue 1).
- Gunawan, H., Ifwandi, dan Rahmayani, L., 2017, Gambaran Kasus DeviasiMandibula Pada Mahasiswa Fakultas Kedokteran Gigi Unsyiah Angkatan 2011-2015 Yang Memiliki Aktivitas Parafungsi (Bruxism), *Journal Caninus Dentistry*, 2(2): 97-103.
- Guo, S.-X., Li, B.-Y., Qi, K., Zhang, Y., Zhou, L.-J., Liu, L., & Wang, M.-Q. (2018). Association Between Contact from an Overerupted Third Molar and Bilaterally Redistributed Electromyographic Activity of the Jaw Closing Muscles. *Journal of Oral & Facial Pain and Headache*, 32(4), 358–366.
- Habets, L. L., Bezuur, J. N., Naeiji, M., & Hansson, T. L. (1998). The Orthopantomogram, an aid in diagnosis of temporomandibular joint problems. II. The vertical symmetry. *Journal of oral rehabilitation*, 15(5), 465–471.
- Hadikrishna, I., Sylvyana, M., Pattamatta, M., Mulyawati, F., & Maulina, T. (2024). Demographic and Radiographic Characteristics Associated with the Occurrence of Impacted Third Molars in Indonesian Patients: A Retrospective Study. *Dentistry Journal*, 12(7).
- Halicioglu, K., Celikoglu, M., Buyuk, S. K., Sekerci, A. E., & Candirli, C. (2014). Effects of early unilateral mandibular first molar extraction on condylar and ramal vertical asymmetry. *European Journal of Dentistry*, 8(2), 178–183.
- Han, L., Long, T., Tang, W., Liu, L., Jing, W., Tian, W. D., & Long, J. (2017). Correlation between condylar fracture pattern after parasymphiseal impact and condyle morphological features: A retrospective analysis of 107 Chinese patients. *Chinese Medical Journal*, 130(4), 420–427.

- Herrera, H.R. S., Esparza-Villalpando, V., Bermeo-Escalona, J. R., Martínez-Rider, R., & Pozos-Guillén, A. (2020). Agreement analysis of three mandibular third molar retention classifications. *Gaceta Medica de Mexico*, 156(1), 21–25.
- Iswani, R., Kornialia, dan Arnelisa, K., 2022, Variasi Posisi Kondilus Mandibula Pada Pasien Maloklusi Kelas I Angle Dilihat Dari Radiografi Panoramik, B-Dent: *Jurnal Kedokteran Gigi Universitas Baiturrahmah*, 9(1): 115-125.
- Jaroń, A., & Trybek, G. (2021). The pattern of mandibular third molar impaction and assessment of surgery difficulty: A retrospective study of radiographs in east baltic population. *International Journal of Environmental Research and Public Health*, 18(11).
- Jasim, H. H. (2019). Effect of the impacted third molars on the development of temporomandibular joint (TMJ) clicking. *Journal of International Oral Health*, 11(6), 393–397.
- Jayaram, B., & Shenoy, K. K. (2017). Analysis of Mandibular Ridge Resorption in Completely Edentulous Patients Using Digital Panoramic Radiography. *IOSR Journal of Dental and Medical Sciences (IOSR-JDMS) e-ISSN*, 16(8), 66–73.
- Joseph, B. K., Kullman, L., & Sharma, P. N. (2016). The oral-systemic disease connection: a retrospective study. *Clinical Oral Investigations*, 20(8), 2267–2273.
- Jung, Y. H., & Cho, B. H. (2013). Prevalence of missing and impacted third molars in adults aged 25 years and above. *Imaging Science in Dentistry*, 43(4), 219–225.
- Kalavathy, N., Anantharaj, N., Sharma, A., & Chauhan, T. (2022). *Effect of serum vitamin D, calcium, and phosphorus on mandibular residual ridge resorption in completely edentulous participants: A clinical study.*
- Kim, J. Y. (2021). Third molar extraction in middle-aged and elderly patient. In *Journal of the Korean Association of Oral and Maxillofacial Surgeons* (Vol. 47, Issue 5, pp. 407–408). Korean Association of Oral and Maxillofacial Surgeons.
- Kim, K. M., Lim, J. S., Kim, K. J., Choi, H. S., Rhee, Y., Oh, H. J., Choi, H., Choi, W. H., Kim, J. G., & Lim, S. K. (2013). Dissimilarity of femur aging in men and women from a Nationwide Survey in Korea (KNHANES IV). *Journal of Bone and Mineral Metabolism*, 31(2), 144–152.
- Kindler, S., Ittermann, T., Bülow, R., Holtfreter, B., Klausenitz, C., Metelmann, P., Mksoud, M., Pink, C., Seebauer, C., Kocher, T., Koppe, T., Krey, K. F., Metelmann, H. R., Völzke, H., & Daboul, A. (2019). Does craniofacial morphology affect third molars impaction? Results from a population-based study in northeastern Germany. *Public Library of Science One*, 14(11).
- Klenke, D., Quast, A., Prelog, M., Holl-Wieden, A., Riekert, M., Stellzig-Eisenhauer, A., dan Meyer-Marcotty, P., (2018) TMJ pathomorphology in

- patients with JIA-radiographic parameters for early diagnosis. *Head Face Med.* 14, 1–9.
- Koo, T. K., & Li, M. Y. (2016). A Guideline of Selecting and Reporting Intraclass Correlation Coefficients for Reliability Research. *Journal of Chiropractic Medicine*, 15(2), 155–163.
- Kumar, R. S., Sinha, R., Uppada, U. K., Ramakrishna Reddy, B. V., & Paul, D. (2015). Mandibular Third Molar Position Influencing the Condylar and Angular Fracture Patterns. *Journal of Maxillofacial and Oral Surgery*, 14(4), 956–961.
- Lamichhane, N. S., Sigdel, B., Lamichhane, S., Tripathi, R., Koirala, U., & Bajgai, D. P. (2023). Mandibular Third Molar Impaction among Patients Visiting Outpatient Dental Department of a Tertiary Care Centre. *Journal of the Nepal Medical Association*, 61(266), 769–774. <https://doi.org/10.31729/jnma.8295>
- Li, D., Zhao, Y., Zhang, L., You, Q., Jiang, Q., Yin, X., & Cao, S. (2023). Association between neck circumference and diabetes mellitus: a systematic review and meta-analysis. In *Diabetology and Metabolic Syndrome* (Vol. 15, Issue 1). BioMed Central Ltd.
- Liu, J., Xu, H., Dai, Q., & Jiang, L. (2024). Progress in the regulatory mechanisms of mandibular condylar development and deformity. In *Journal of Shanghai Jiaotong University (Medical Science)* (Vol. 44, Issue 8, pp. 951–958). Editorial Department of Journal of Shanghai Second Medical University.
- Liu, Z., Hou, Y., Zhang, P., Lu, H., Wang, W., & Ma, W. (2022). Changes of the condylar cartilage and subchondral bone in the temporomandibular joints of rats under unilateral mastication and expression of Insulin-like Growth Factor-1. *Journal of Stomatology, Oral and Maxillofacial Surgery*, 123(4), 405–416.
- Mulyani, S.W.M., Astuti, E.R., Wahyuni, O.R., Savitri, Y., Nurrachman, A.S., Ramadhani, N.F., Putri, K.G., dan Jihan, 2023, Age-Related Mandibular Condyle Morphological Variations: A Panoramic Radiography Study at RSGMP Universitas Airlangga, *JRDI*, 7(3): 89-94.
- Murati, B., Mucaj. A., Murati. V., Dhima. A., Mucaj. E. Halilaj. G. (2022). Clinical and Radiological Correlation with Surgery of Third Mandibular Impacted Molars. *Advances in Life Science and Technology*.
- Nagaraj, T., Balraj, L., Irugu, K., Rajashekarmurthy, S., & Sreelakshmi. (2016). Radiographic assessment of distribution of mandibular third molar impaction: A retrospective study. *Journal of Indian Academy of Oral Medicine and Radiology*, 28(2), 145–149.
- Narváez, J. T. A., Ochoa, K. A. A., Cajilima, S. M. M., & Calderón, M. E. B. (2023). Vertical asymmetry of the condyle and mandibular ramus measured by cone beam computed tomography (CBCT). *World Journal of Advanced Research and Reviews*, 17(1), 1146–1152.

- Nasutianto, H., Martini, K. A. A., Everest, C., Simanjuntak, R. (2024). Penilaian Jarak antara Kanalis Mandibula dan Impaksi Gigi Molar Ketiga Rahang Bawah Ditinjau Dari Radiografi Panoramik. *Bali Dental Science Exhibition*.
- Nelke, K., Łuczak, K., Pawlak, W., Janeczek, M., Pasicka, E., Morawska-Kochman, M., Błaszczuk, B., Błaszczuk, T., & Dobrzyński, M. (2023). Unilateral Condylar Hyperplasia in Surgeons' Perspective—A Narrative Review. In *Applied Sciences (Switzerland)* (Vol. 13, Issue 3). MDPI.
- Netter, F. H., (2014). Atlas of Human Anatomy. 6th ed. Philadelphia: Elsevier, pp. 34.
- Nogueira, C. B. P., Costa, F. W. G., Carvalho, F. S. R., Bezerra, T. P., Neto, I. C. P., Júnior, F. I. da S., & Soares, E. C. S. (2025). The interaction between third molars and surrounding periapical tissues in mandibular stress distribution during high-impact trauma: a finite element study. *Medicina Oral Patologia Oral y Cirugia Bucal*, 30(3), 394–400.
- Oenning, A. C., Freire, A. R., Rossi, A. C., Prado, F. B., Caria, P. H. F., Correr-Sobrinho, L., & Haiter-Neto, F. (2018). Resorptive potential of impacted mandibular third molars: 3D simulation by finite element analysis. *Clinical Oral Investigations*, 22(9), 3195–3203.
- Oetomo, K. C., Ardani, I. G. A. W., Hamid, T., & Irianto, K. A. (2021). The severity and direction prevalence rate of patients with a mandible deviation compared to Cobb's angle. *Dental Journal*, 54(2), 74–77.
- Oo, T. L., Miyamoto, J. J., Takada, J. I., Cheng, S. W. E., Yoshizawa, H., & Moriyama, K. (2022). Three-dimensional characteristics of temporomandibular joint morphology and condylar movement in patients with mandibular asymmetry. *Progress in Orthodontics*, 23(1).
- Pamukçu, U., Altunkaynak, B., & Peker, İ. (2021). In terms of temporomandibular joint dysfunction, according to Helkimo dysfunction index, comparison of bone changes determined in cone-beam computed tomography in symptomatic and asymptomatic patients and the relationship of this clinical index with bone changes on radiography. *Pamukkale Medical Journal*, 14(1), 155–165.
- Patel, H., Pandya, H., Dewan, H., Bhavsar, B., Shah, U., Patel, H., Dholakia, K., & Patel, N. (2024). Prevalence and Pattern of Impacted Mandibular Third Molar: An Institution-Based Retrospective Study. *Journal of Maxillofacial and Oral Surgery*.
- Piancino, M. G., Rotolo, R., Cannavale, R., Cuomo, G., Masini, F., Dalmaso, P., D'Apuzzo, F., Perillo, L., & Nucci, L. (2023). Cranial structure and condylar asymmetry of adult patients with rheumatoid arthritis. *BMC Oral Health*, 23(1).
- Pinto, A. C., Francisco, H., Marques, D., Martins, J. N. R., & Caramês, J. (2024). Worldwide Prevalence and Demographic Predictors of Impacted Third Molars—Systematic Review with Meta-Analysis. In *Journal of Clinical Medicine* (Vol. 13, Issue 24). Multidisciplinary Digital Publishing Institute (MDPI).

- Prawati, D., & Nasirul Haqi, D., (2019). under CC BY-NC-SA License Faktor yang mempengaruhi Kejadian Diare di Tambak Sari, Kota Surabaya Influencing Factors Toward Diarrhea Cases in Tambaksari, Surabaya City. *Jurnal Promosi Kesehatan*,
- Putri, S. K. D., Sam, B., & Damayanti, M. A. (2023). Ketinggian kondilus, kebiasaan mengunyah dan gejala temporomandibular disorder pada pasien bergigi lengkap pada berbagai kelompok usia: studi observasional. *Padjadjaran Journal of Dental Researchers and Students*, 7(3), 246.
- Qaq, R., Mânica, S., & Revie, G. (2019). Sex estimation using lateral cephalograms: A statistical analysis. *Forensic Science International: Reports*, 1, 100034.
- Raadts, D. A., Warrens, M. J., Bosker, R. J., & Kiers, H. A. L. (2021). A Comparison of Reliability Coefficients for Ordinal Rating Scales. *Journal of Classification*, 38(3), 519–543.
- Rizqiawan, A., Lesmaya, Y. D., Rasyida, A. Z., Amir, M. S., Ono, S., & Kamadjaja, D. B. (2022). Postoperative Complications of Impacted Mandibular Third Molar Extraction Related to Patient's Age and Surgical Difficulty Level: A Cross-Sectional Retrospective Study. *International Journal of Dentistry*, 2022.
- Saleh, E., Prihartiningsih, dan Rahardjo. (2015). Studi Kasus Odontektomi Gigi Molar Ketiga Mandibula Impaksi Ektopik dengan Kista Dentigerous secara Ekstraoral. *Majalah Kedokteran Gigi Klinik*. 1(2): 85-91.
- Saravanakumar, B., Julius, A., Raghavendra Jayesh, S., Sarumathi, T., & Prasanth, B. K. (2019). Prevalence and pattern of mandibular third molar impaction among patients attending private dental clinics in chennai city- A cross sectional survey. *Indian Journal of Forensic Medicine and Toxicology*, 13(2), 244–247.
- Seyrek, N. K., & Kahraman, O. E. (2022). The effect of different positions of unerupted lower third molar teeth on the fragility of mandibular angle: Finite element analysis. *Nigerian Journal of Clinical Practice*, 25(10), 1629–1634.
- Sfondrini, M. F., Bolognesi, L., Bosco, M., Gandini, P., & Scribante, A. (2021). Skeletal Divergence and Condylar Asymmetry in Patients with Temporomandibular Disorders (TMD): A Retrospective Study. *Biomedical Research International*, 2021.
- Soman, C., Aldakheel, N., Aldughishem, L., Alogaily, R., Aljuhani, M., & Aljumaiah, S. (2021). Validation of Diagnostic Efficiency of Digital Panoramic Radiographs in Predicting Osteoporosis by Female Undergraduate Students. *Annals of Dental Specialty*, 9(2), 39–41.
- Suomalainen, A., Pakbaznejad Esmaili, E., & Robinson, S. (2015). Dentomaxillofacial imaging with panoramic views and cone beam CT. In *Insights into Imaging* (Vol. 6, Issue 1). Springer Verlag.
- Tanjung, R. (2021). Peran Radiografi Dalam Identifikasi Kasus Forensik Odontologi. *Jurnal Kedokteran Gigi Terpadu*.

- Tassoker, M., Kok, H., & Sener, S. (2019). Is There a Possible Association between Skeletal Face Types and Third Molar Impaction? A Retrospective Radiographic Study. *Medical Principles and Practice*, 28(1), 70–74.
- Tiwari, S., Nambiar, S., & Unnikrishnan, B. (2017). Chewing side preference - Impact on facial symmetry, dentition and temporomandibular joint and its correlation with handedness. *Journal of Orofacial Sciences*, 9(1), 22–27.
- Venkatachalam, V., & Pandiarajan, R. (2022). Does the impacted mandibular third molar increase the risk of angle fracture to prevent the incidence of condylar fracture? - A retrospective analysis. *Annals of Maxillofacial Surgery*, 12(2), 185–189.
- Windriyatna, Sugianto, E., dan Tjahjanti, M.T.E., 2015, Pengaruh Kehilangan Gigi Posterior Rahang Atas Dan Rahang Bawah Terhadap Gangguan Sendi Temporomandibula (Tinjauan Klinis Radiografi Sudut Inklinsi Eminensia Artikularis), *Jurnal Kedokteran Gigi*, 6(3): 315-320.
- Wong, P.S., & Guillén, A.L. E. (2024). Prevalence of mandibular, condylar and ramus asymmetry in panoramic radiographs of adult individuals. A cross-sectional study. *Journal of Clinical and Experimental Dentistry*, 16(11), e1332–e1338.