

DAFTAR PUSTAKA

- Abdelshafy, A. M., Neetoo, H., & Al-Asmari, F. (2024). Antimicrobial activity of hydrogen peroxide for application in food safety and COVID-19 mitigation: An updated review. *Journal of Food Protection*, 87(100306), 1–14.
- Abdelwahd, R., Hakam, N., Labhilili, M., & Udupa, S. M. (2008). Use of an adsorbent and antioxidants to reduce the effects of leached phenolics in in vitro plantlet regeneration of faba bean. *African Journal of Biotechnology*, 7(8), 997–1002.
- Aman, M., & Worku, H. (2021). Common breeding techniques in rice (*Oryza sativa* L.): Review. *International Journal of Research Studies in Agricultural Sciences*, 7(9), 2454–6224.
- Ardra, K. S., Sindhumole, P., Joseph, J., Augustine, R., Antony, P. D., & Manju, A. (2025). Somatic embryogenesis in N22 variety of rice (*Oryza sativa* L.) with drought and heat tolerance. *Vegetos*.
- Asmono, S. L., Rahmawati, & Sjamsijah, N. (2021). The effect of murashige and skoog (MS) modified medium and several types of auxins on the growth of stevia (*Stevia rebaudiana* bertonii) in vitro. *IOP Conference Series: Earth and Environmental Science*, 672(1), 012001.
- Bakhsh, A., Anayol, E., Sancak, C., & Özcan, S. (2016). An efficient and cost effective sterilizing method with least microbial contamination and maximum germination ratio for in vitro cotton (*Gossypium hirsutum* L. J. *Anim. Plant Sci.*, 26(3), 868–873.
- Basto, S., Serrano, C., & Hodson De Jaramillo, E. (2012). Effects of donor plant age and explants on in vitro culture of *Cedrela montana* Moritz ex Turcz. *Universitas Scientiarum*, 17(3), 263.
- Biswas, P. S., Santelices, R., Mendoza, R., Lopena, V., Arbelaez, J. D., Manigbas, N. L., Cobb, J. N., Collard, B., & Islam, M. R. (2024). Assessment of efficiency of breeding methods in accelerating genetic gain in rice. *Agronomy*, 14(3), 566.
- Breseghello, F., De Moraes, O. P., Pinheiro, P. V., Silva, A. C. S., Da Maia De Castro, E., Guimarães, É. P., De Castro, A. P., Pereira, J. A., De Matos Lopes, A., Utumi, M. M., & De Oliveira, J. P. (2011). Results of 25 Years of Upland Rice Breeding in Brazil. *Crop Science*, 51(3), 914–923.
- Cárdenas-Aquino, M. D. R., Camas-Reyes, A., Valencia-Lozano, E., López-Sánchez, L., Martínez-Antonio, A., & Cabrera-Ponce, J. L. (2023). The cytokinins BAP and 2-ip modulate different molecular mechanisms on shoot proliferation and root development in lemongrass (*Cymbopogon citratus*). *Plants*, 12(20), 3637.
- Chanh, T. T., Huy, N. T., Ha, N. T., Le, K., & Hoang, N. H. (2023). Effects of plant preservative mixtureTM on in vitro germination of *Dendrobium thyrsiflorum* Rchb.f. and its application in orchid conservation. *Journal of Plant Biotechnology*, 50, 14.

- Chen, L.-R., Hsiung, T.-C., Lin, K.-H., Huang, T.-B., Huang, M.-Y., & Wakana, A. (2017). Supplementary effect of hydrogen peroxide as a pre-disinfectant for sterilizing rhizome bud explants of *Zantedeschia aethiopica* L. with chlorine dioxide. *Journal of the Faculty of Agriculture, Kyushu University*, 62(1), 81–86.
- Chhun, T., Taketa, S., Tsurumi, S., & Ichii, M. (2004). Different behaviour of indole-3-acetic acid and indole-3-butyric acid in stimulating lateral root development in rice (*Oryza sativa* L.). *Plant Growth Regulation*, 43(2), 135–143.
- Chimdessa, E. (2020). Composition and preparation of plant tissue culture medium. *Journal of Tissue Culture and Bioengineering*, 3(1), 1–10.
- Chimdessa, E., & Amante, G. (2021). Control of browning in Plant Tissue Culture: A Review. *Journal of Scientific and Innovative Research*, 10(4), 89–93.
- Collard, B. C. Y., Beredo, J. C., Lenaerts, B., Mendoza, R., Santelices, R., Lopena, V., Verdeprado, H., Raghavan, C., Gregorio, G. B., Vial, L., Demont, M., Biswas, P. S., Iftekharuddaula, K. M., Rahman, M. A., Cobb, J. N., & Islam, M. R. (2017). Revisiting rice breeding methods – evaluating the use of rapid generation advance (RGA) for routine rice breeding. *Plant Production Science*, 20(4), 337–352.
- Copes, W. E., & Ojiambo, P. S. (2021). Efficacy of hypochlorite as a disinfectant against fungal pathogens in agricultural and horticultural plant production: a systematic review and meta-analysis. *Phytopathology*®, 111(8), 1369–1379.
- Curvetto, N., Marinangeli, P., & Mockel, G. (2006). Brief Note: Hydrogen peroxide in micropropagation of *Lilium*. A comparison with a traditional methodology. *BIOCELL*, 30(3), 497–500.
- Dagallier, B., N. Komoto, A. Kagoshima, & Peter William Edward Kearns. (2021). Revised consensus document on the biology of rice (*Oryza sativa* L.). OECD Series on the Harmonisation of Regulatory Oversight in Biotechnology, Paris.
- Deepa P. (2022). New Aspect in Rice Tissue Culture. In Sanjeeb Kumar Das (Ed.), *An Introduction to Plant Biology* (pp. 61–78). AkiNik Publication.
- Din, A. R. J. M., Iliyas Ahmad, F., Wagiran, A., Abd Samad, A., Rahmat, Z., & Sarmidi, M. R. (2016). Improvement of efficient in vitro regeneration potential of mature callus induced from Malaysian upland rice seed (*Oryza sativa* cv. Panderas). *Saudi Journal of Biological Sciences*, 23(1), S69–S77.
- Eed, A. M., Solipuram Amarender Reddy, & Kankanala Malla Reddy. (2010). Effect of antibiotics and fungicides on the in vitro production of *Citrus limonia* Osbeck nodal segment and shoot tip explants. *The Asian and Australian Journal of Plant Science and Biotechnology*, 4(1), 66–70.
- Eliwa, G. I., El-Dengawy, E.-R. F., Gawish, M. S., & Yamany, M. M. (2024). Comprehensive study on in vitro propagation of some imported peach rootstocks: In vitro explant surface sterilization and bud proliferation. *Scientific Reports*, 14(1), 5586.

- El-Namaky, R., Seedek, S., Elbadawy, O., Sultan, S., Awadallah, M., Tahoon, A., & Taha, A. (2023). Shorten rice breeding cycle and developing new promising lines. *Egyptian Journal of Agricultural Research*, 101(2), 685–699.
- Estrela, C., Estrela, C. R. A., Barbin, E. L., Spanó, J. C. E., Marchesan, M. A., & Pécora, J. D. (2002). Mechanism of action of sodium hypochlorite. *Brazilian Dental Journal*, 13(2), 113–117.
- Fadel, D., Kintzios, S., Economou, A. S., Moschopoulou, G., & Constantinidou, H.-I. A. (2010). Effect of different strength of medium on organogenesis, phenolic accumulation and antioxidant activity of spearmint (*Mentha spicata* L.). *The Open Horticulture Journal*, 3(1), 31–35.
- Faizy, H. S., AL-Zubaydi, S. R., & Nair, M. (2017). Effect of plant preservative mixture ppm on the shoot regeneration of watercress (*Nasturtium Officinale*). *Science Journal of University of Zakho*, 5(2), 187–192.
- Fauziah, A., & Widoretno, W. (2017). The effect of explant types and kinetin concentration on in vitro callus induction in *Vetiveria zizanioides* (L.) Nash. *The Journal of Experimental Life Sciences*, 7(2), 84–87.
- Gallino, J. P., Castillo, A., Ceretta, S., & Bonnacarrere, V. (2022). A simple and inexpensive procedure to more. *Crop Breeding and Applied Biotechnology*, 22(1), 1–7.
- Ghannoum, M. A., & Rice, L. B. (1999). Antifungal agents: Mode of action, mechanisms of resistance, and correlation of these mechanisms with bacterial resistance. *Clinical Microbiology Reviews*, 12(4), 501–517.
- Greco, B., Lomonaco, A., Boggini, B., Tomassini, C., & Tanzarella, O. A. (1990). Clonal propagation of rice through proliferation of axillary shoots. *Euphytica*, 48(2), 123–127.
- Grüneberg, W. J., Mwanga, R., Andrade, M., & Espinoza, J. (2009). Selection methods part 5: Breeding clonally propagated crops. In *Plant Breeding and Farmer Participation* (275-322). FAO.
- Güler, G., Gübbük, H., & Arslan, M. A. (2021). The effect of antioxidants on micropropagation of avocado by nodal segments. *Horticultural Studies*, 38(1), 50–55.
- Haddad, M. F., Abdullah, B. A., AlObeidi, H. A., Saadi, A. M., & Haddad, M. F. (2024). Antibiotic classification, mechanisms, and indications: A review. *International Journal of Medical and All Body Health Research*, 5(3), 39–46.
- Handayani, E., Irsyadi, M. B., Alawiyah, R. L. M. N., & Aris, I. (2022). Effect of explants sterilization and plant growth regulators on embryo culture of kepel (*Stelechocarpus burahol*). *IOP Conference Series: Earth and Environmental Science*, 985(1), 012016.

- Handayani, E., & Samudin, S. (2013). Pertumbuhan eksplan buah naga (*Hylocereus undatus*) pada posisi tanam dan komposisi media berbeda secara *in vitro*. *Agrotekbis*, 1(1), 1–7.
- Hasan, Md. N., H. Bhuiyan, F., Hoque, H., Jewel, N. A., Ashrafuzzaman, Md., & Prodhan, S. H. (2021). The effect of plant growth regulators (PGRs) on efficient regeneration of 12 recalcitrant indica rice (*Oryza sativa* L.) genotypes. *American Journal of Biochemistry and Biotechnology*, 17(2), 148–159.
- Hermanasari, R., Ardie, S. W., & Ghulamahdi, M. (2017). Efektivitas Metode Modifikasi Bulk untuk Pemuliaan Padi Adaptif pada Kondisi Fosfor Tanah Suboptimum. 1(1).
- Hore, P., Biswas, P., Amin, A., Raziuddin, -, Mahmud, M., & Mohsin, S. (2016). Yield of Inbred and Hybrid Rice as Affected by Clonal Tillers of Successive Generation. *Bangladesh Agronomy Journal*, 19(1), 59–66.
- Hu, X., Yu, Y., Xia, Y., Xie, F., & Xiao, M. (2023). Analysis of the Dynamics and Characteristics of Rice Stem Tillers via Water Level Management. *Water*, 15(6), 1034.
- Huang, M., Zhang, R., Chen, J., Cao, F., Jiang, L., & Zou, Y. (2017). Morphological and physiological traits of seeds and seedlings in two rice cultivars with contrasting early vigor. *Plant Production Science*, 20(1), 95–101.
- Huang, X., Kurata, N., Wei, X., Wang, Z.-X., Wang, A., Zhao, Q., Zhao, Y., Liu, K., Lu, H., Li, W., Guo, Y., Lu, Y., Zhou, C., Fan, D., Weng, Q., Zhu, C., Huang, T., Zhang, L., Wang, Y., ... Han, B. (2012). A map of rice genome variation reveals the origin of cultivated rice. *Nature*, 490(7421), 497–501.
- Hunkova, J., Libiakova, G., & Gajdo'ov', A. (2016). Shoot proliferation ability of selected cultivars of *Rubus* spp. As influenced by genotype and cytokinin concentration. *Journal of Central European Agriculture*, 17(2), 379–390.
- Huo, J., Shi, Y., Zhang, H., Hu, R., Huang, L., Zhao, Y., & Zhang, Z. (2021). More sensitive to drought of young tissues with weak water potential adjustment capacity in two desert shrubs. *Science of The Total Environment*, 790, 148103.
- Hussien, A., Tavakol, E., Horner, D. S., Muñoz-Amatriaín, M., Muehlbauer, G. J., & Rossini, L. (2014). Genetics of tillering in rice and barley. *The Plant Genome*, 7(1).
- Jamaludin, R., Mat, N., Suryati Mohd, K., Afiza Badaluddin, N., Mahmud, K., Hailmi Sajili, M., & Khandaker, M. M. (2020). Influence of exogenous hydrogen peroxide on plant physiology, leaf anatomy and rubisco gene expression of the *ficus deltoidea* Jack var. *Deltoidea*. *Agronomy*, 10(497), 1–20.
- Judy, E., Pagariya, D., & Kishore, N. (2018). Drug partitioning in micellar media and its implications in rational drug design: insights with streptomycin. *Langmuir*, 34(11), 3467–3484.

- Kabir, A. H., Mahfuz, I., Razvy, M. A., Ahmed, B., & Alam, M. F. (2008). Indirect organogenesis and somaclonal variation in four rice cultivars of Bangladesh. *Journal of Applied Science Research*, 4(4), 451–458.
- Kang, Z., Huang, L., Krieg, U., Mauler-Machnik, A., & Buchenauer, H. (2001). Effects of tebuconazole on morphology, structure, cell wall components and trichothecene production of *Fusarium culmorum* in vitro. *Pest Management Science*, 57(6), 491–500.
- Kanke, Y., Yano, H., Koda, T., Techakanon, C., Lekjing, S., Noonim, P., & Nishioka, A. (2021). Comparison of properties of *indica* and *japonica* amorphous rice flours produced by shear and heat milling machine. *Food Science and Technology Research*, 27(4), 551–557.
- Keerthana, S. G., Gunnaiah, R., Patil, S. N., Pattepur, S., Prakasha, D. P., Nanjappanavar, A., & Mesta, R. K. (2024). Studies on in vitro surface sterilisation and antioxidants on pomegranate (*Punica granatum* L.) cv. Bhagwa. *Plant Cell Biotechnology and Molecular Biology*, 25(3–4), 72–80.
- Kern, K. A., Pergo, E. M., Kagami, F. L., Arraes, L. S., Sert, M. A., & Ishii-Iwamoto, E. L. (2009). The phytotoxic effect of exogenous ethanol on *Euphorbia heterophylla* L. *Plant Physiology and Biochemistry*, 47(11–12), 1095–1101.
- Khan, M. H., Dar, Z. A., & Dar, S. A. (2015). Breeding strategies for improving rice yield—A Review. *Agricultural Sciences*, 06(05), 467–478.
- Krishnamurthy, K. (1988). Rice Ratooning As an Alternative to Double Cropping in Tropical Asia. In W. H. Smith (Ed.), *Rice ratooning. Workshop on Rice Ratooning*, Los Baños. IRRI.
- Lone, S. M., Hussain, K., Malik, A., Magray, M., Hussain, S. M., Rashid, M., & Farwah, S. (2020). Plant propagation through tissue culture – a biotechnological intervention. *International Journal of Current Microbiology and Applied Sciences*, 9(7), 2176–2190.
- Long, Y., Yang, Y., Pan, G., & Shen, Y. (2022). New insights into tissue culture plant-regeneration mechanisms. *Frontiers in Plant Science*, 13(926752), 1–15.
- Mahadevappa, M. (1988). Rice Ratooning Practices in India. In W. H. Smith (Ed.), *Rice ratooning* (pp. 69–78). *Workshop on Rice Ratooning*, Los Baños. IRRI.
- Maneea, A. S. B., Alqahtani, A. D., Alhazzaa, A. K., Albalawi, A. O., Alotaibi, A. K., & Alanazi, T. F. (2023). Microbiological effect of various concentrations of sodium hypochlorite (NaOCl) during endodontic treatment: A systematic review. *Annals of Dental Specialty*, 11(1), 95–101.
- Mansouri, M., Khayam, N., Jamshidifar, E., Pourseif, T., Kianian, S., Mirzaie, A., Akbarzadeh, I., & Ren, Q. (2021). Streptomycin sulfate-loaded niosomes enables increased antimicrobial and anti-biofilm activities. *Frontiers in Bioengineering and Biotechnology*, 9(745099), 1–11.

- Mariani, T. S., Miyake, H., & Takeoka, Y. (2002). Direct Somatic Embryogenesis in Rice (*Oryza sativa* L. *Jurnal Matematika Dan Sains*, 7(2), 53–56.
- Martins, J. P. R., Wawrzyniak, M. K., Kalemba, E. M., Ley-López, J. M., Mendes, M. M., Naskręć-Barciszewska, M. Z., Barciszewski, J., & Chmielarz, P. (2024). Differential morphophysiological and epigenetic responses during in vitro multiplication of *Quercus robur* depending on donor age and plant growth regulators. *Plant Cell, Tissue and Organ Culture (PCTOC)*, 159(3), 62.
- Meriaty, M., Sihaloho, A. N., Purba, T., & Simarmata, M. (2021). Evaluasi metode seleksi populasi F3 tanaman kedelai berdasarkan heritabilitas dan kemajuan seleksi. *Agro Bali : Agricultural Journal*, 4(3), 370–378.
- Mihovilović, B. A., Kereša, S., Lazarević, B., Topolovec Pintarić, S., Martinko, K., Marković, Z., Turkalj, K., & Habuš Jerčić, I. (2024). The use of sodium hypochlorite and plant preservative mixture significantly reduces seed-borne pathogen contamination when establishing in vitro cultures of wheat (*Triticum aestivum* L.) Seeds. *Agriculture*, 14(4), 556.
- Miyazaki, J., Tan, B. H., & Errington, S. G. (2010). Eradication of endophytic bacteria via treatment for axillary buds of *Petunia hybrida* using *Plant Preservative Mixture* (PPM™). *Plant Cell, Tissue and Organ Culture (PCTOC)*, 102(3), 365–372.
- Mohapatra, P. K. (2022). Botany of Rice Plant. In *Panicle Architecture of Rice and its Relationship with Grain Filling* (pp. 27–48). Springer International Publishing.
- Mohsin, S., Hasanuzzaman, M., Bhuyan, M., Parvin, K., & Fujita, M. (2019). Exogenous tebuconazole and trifloxystrobin regulates reactive oxygen species metabolism toward mitigating salt-induced damages in cucumber seedling. *Plants*, 8(10), 428.
- Mostafiz, S. B., Wagiran, A., Johan, N. S., Abdullah Zulkifli, N. S., & Ng, J. M. (2018). The Effects of Temperature on Callus Induction and Regeneration in Selected Malaysian Rice Cultivar Indica. *Sains Malaysiana*, 47(11), 2647–2655.
- Ngomuo, M., Mneney, E., & Ndakidemi, P. (2013). The Effects of Auxins and Cytokinin on Growth and Development of (*Musa paradisiaca* sp.) Var. “Yangambi” Explants in Tissue Culture. *American Journal of Plant Sciences*, 04(11), 2174–2180.
- Nishimura, A., Ashikari, M., Lin, S., Takashi, T., Angeles, E. R., Yamamoto, T., & Matsuoka, M. (2005). Isolation of a rice regeneration quantitative trait loci gene and its application to transformation systems. *Proceedings of the National Academy of Sciences*, 102(33), 11940–11944.
- Nuryanto, B. (2018). Penyakit hawar pelepah (*Rhizoctonia solani*) pada padi dan taktik pengelolaannya. *Jurnal Perlindungan Tanaman Indonesia*, 21(2), 63.
- Ozyigit, I. I. (2008). Phenolic changes during in vitro organogenesis of cotton (*Gossypium hirsutum* L.) shoot tips. *African Journal of Biotechnology*, 7(8), 1145–1150.

- Palanog, A. D., Mondejar, C. L. C., Bello, G. E., Calayugan, M. I. C., Palanog, M. O., Caguiat, X. G. I., Ferrer, M. C., & Sta. Ines, L. T. (2020). Rice breeding strategies in the philippines. *Journal of Scientific Agriculture*, 21–27.
- Pandey, V., Kumar, A., Kumar, V., Prakash, S., Gangwar, L., Sengar, R., Kumar, M., Pal, A., Pal, D., & Kumar, A. (2023). Standardize the aseptic environment protocol for strawberry in vitro cloning (*Fragaria x ananassa* Duch.). *The Pharma Innovation Journal*, 12(8), 1443–1449.
- Pathi, K. M., & Sprink, T. (2023). From Petri Dish to Field: Plant Tissue Culture and Genetic Engineering of Oats for Improved Agricultural Outcomes. *Plants*, 12(3782), 1–20.
- Pawar, S. Y., Radhakrishnan, V. V., & Mohanan, K. V. (2016). The Importance of Optimum Tillering in Rice-An overview. *South Indian Journal of Biological Sciences*, 2(1), 125–127.
- Peng, L., Yang, S., Li, Q., Jiang, Y., & Joyce, D. C. (2008). Hydrogen peroxide treatments inhibit the browning of fresh-cut Chinese water chestnut. *Postharvest Biology and Technology*, 47(2), 260–266.
- Plant Cell Technology. 2025. Plant Preservative Mixture. <<https://plantcelltechnology.com/products/plant-preservative-mixture-ppm>> diakses pada 2 Desember 2025
- Pratiwi, D. R., Wening, S., Nazri, E., & Yenni, Y. (2021). Penggunaan alkohol dan sodium hipoklorit sebagai sterilan tunggal untuk sterilisasi eksplan kelapa sawit. *Jurnal Penelitian Kelapa Sawit*, 29(1), 1–10.
- Raghavendra, G., Kumaraswamy, G. K., Ramya, B., Sandesh, H. S., Yogendra, K. N., Deepak, N., & Gowda, P. H. R. (2010). Direct multiple shoot regeneration of *indica* Rice (*Oryza sativa*) Var. ‘Rasi.’ *The Asian and Australian Journal of Plant Science and Biotechnology*, 4(1), 71–73.
- Rahmanet, M. A. (2019). Field Rapid Generation Advance: An effective technique for industrial scale rice breeding program. *The Experiment*, 47(2), 2659–2670.
- Ramadhan, S., Afifah, L., Adhi, S. R., & Irfan, B. (2023). Intensitas penyakit tanaman padi (*Oryza sativa* L.) Varietas Ciherang pada aplikasi beberapa teknik pengendalian. *Jurnal Agrotech*, 13(2), 127–134.
- Reddy, M. D., & Ghosh, B. C. (1987). Comparative efficiency of different planting methods in intermediate deepwater (15–50 cm) rice. *The Journal of Agricultural Science*, 108(3), 573–577.
- Rembang, J. H. W., Rauf, A. W., & Sondakh, J. O. M. (2018). Morphological Character of Local Irrigated Rice on Farmer Field in North Sulawesi. *Buletin Plasma Nutfah*, 24(1), 1–8.

- Rogo, U., Fambrini, M., & Pugliesi, C. (2023). Embryo Rescue in Plant Breeding. *Plants*, 12(3106).
- Rout, G. R., Samantaray, S., & Das, P. (2000). In vitro manipulation and propagation of medicinal plants. *Biotechnology Advances*, 18(2), 91–120.
- Rutkoski, J. E., Krause, M. R., & Sorrells, M. E. (2022). *Methods: Line Development. In Wheat Improvement*. Springer International Publishing.
- Sahu, P. K., Tilgam, J., Mishra, S., Hamid, S., Gupta, A., K., J., Verma, S. K., & Kharwar, R. N. (2022). Surface sterilization for isolation of endophytes: Ensuring what (not) to grow. *Journal of Basic Microbiology*, 62(6), 647–668.
- Setyawati, U., Wijayani, A., & Wahyurini, E. (2019). Pertumbuhan planlet pisang Raja Bulu pada berbagai pencahayaan di ruang inkubasi dan penggunaan macam zat pencegah pencoklatan secara in vitro. *Agrivet*, 25(2), 8–15.
- Shekhawat, N. S., P.N. Gordon, & A.W. Galston. (1984). Highly regenerative tissue cultures from axillary tiller buds of sexually mature oat plants (*Avena sativa* L.). *Tissue Culture Association, Inc*, 20(9), 707–711.
- Tanaka, W., Ohmori, Y., Ushijima, T., Matsusaka, H., Matsushita, T., Kumamaru, T., Kawano, S., & Hirano, H.-Y. (2015). Axillary meristem formation in rice requires the WUSCHEL Ortholog TILLERS ABSENT1. *The Plant Cell*, 27(4), 1173–1184.
- Teh, C. Y., Mahmood, M., Shaharuddin, N. A., & Ho, C. L. (2015). In vitro rice shoot apices as simple model to study the effect of NaCl and the potential of exogenous proline and glutathione in mitigating salinity stress. *Plant Growth Regulation*, 75(3), 771–781.
- Teh, C. Y., Maziah, M., Shaharuddin, N. A., & Ho, C. (2018). Efficient in vitro multiple shoots regeneration system from rice shoot apex in recalcitrant Malaysian *Indica* rice cultivars (*Oryza sativa* L.). *Indian Journal of Biotechnology*, 17, 504–513.
- Tewelde, S., Patharajan, S., Teka, Z., & Sbhatu, D. B. (2020). Assessing the efficacy of broad-spectrum antibiotics in controlling bacterial contamination in the in vitro micropropagation of ginger (*Zingiber officinale* Rosc). *The Scientific World Journal*, 2020(6431301), 1–8.
- Thomas, P., Agrawal, M., & Bharathkumar, C. B. (2017). Use of Plant Preservative Mixture™ for establishing in vitro cultures from field plants: Experience with papaya reveals several PPM™ tolerant endophytic bacteria. *Plant Cell Reports*, 36(11), 1717–1730.
- Toriba, T., Tokunaga, H., Shiga, T., Nie, F., Naramoto, S., Honda, E., Tanaka, K., Taji, T., Itoh, J.-I., & Kyojuka, J. (2019). BLADE-ON-PETIOLE genes temporally and developmentally regulate the sheath to blade ratio of rice leaves. *Nature Communications*, 10(1).

- Tripathi. (2011). Biology of *Oryza sativa* L. (Rice). Ministry of Environment and Forests.
- Wang, Y., Dong, W., Saha, M. C., Udvardi, M. K., & Kang, Y. (2021). Improved node culture methods for rapid vegetative propagation of switchgrass (*Panicum virgatum* L.). *BMC Plant Biology*, 21(1).
- Widoretno, W., Fauziah, A., Indriyani, S., & Utomo, E. P. (2017). Clonal Propagation of *Vetiveria zizanioides* L. through Tissue Culture Technique. *Indonesian Journal of Essential Oil*, 2(1), 38–44.
- Widyastuti, Y., Prabowo, R. N., Wibowo, B. P., Kartina, N., Rumanti, I. A., Agustiani, N., & Mulsanti, I. W. (2022). Produksi benih padi hibrida: kemajuan, tantangan, dan peluang pengembangan di indonesia. *Jurnal Penelitian dan Pengembangan Pertanian*, 41(1), 12–20.
- Wu, J., Chang, X., Li, C., Zhang, Z., Zhang, J., Yin, C., Ma, W., Chen, H., Zhou, F., & Lin, Y. (2022). QTLs Related to Rice Callus Regeneration Ability: Localization and Effect Verification of qPRR3. *Cells*, 11(24), 4125.
- Yancheva, S., & Kondakova, V. (2016). Plant tissue culture technology: present and future development. In *bioprocessing of plant in vitro system* (pp. 1–26). Springer International Publishing.
- Yang, X.-C., & Hwa, C.-M. (2008). Genetic modification of plant architecture and variety improvement in rice. *Heredity*, 101(5), 396–404.
- Yildiz, M., Fatih Ozcan, S., T. Kahramanogullari, C., & Tuna, E. (2012). The effect of sodium hypochlorite solutions on the viability and *in vitro* regeneration capacity of the tissue. *The Natural Products Journale*, 2(4), 328–331.
- Yookongkaew, N., Srivatanakul, M., & Narangajavana, J. (2007). Development of genotype-independent regeneration system for transformation of rice (*Oryza sativa* ssp. *Indica*). *Journal of Plant Research*, 120(2), 237–245.
- Zhao, S., Jang, S., Lee, Y. K., Kim, D.-G., Jin, Z., & Koh, H.-J. (2020). Genetic basis of tiller dynamics of rice revealed by genome-wide association studies. *Plants*, 9(12), 1695.
- Zulkarnain, Z., & Neliyati, N. (2017). Pengaruh NAA dan BAP terhadap Kultur Jaringan Nenas Tangkit (*Ananas comosus* (L.) Merr. Cv. Tangkit). *Biospecies*, 10(1), 1–10.