

DAFTAR PUSTAKA

- [1] F. Xu, W. Shi, and E. Choi, “Recomp: Improving retrieval-augmented lms with compression and selective augmentation,” *arXiv preprint arXiv:2310.04408*, 2023.
- [2] Y. Shen, L. Heacock, J. Elias, K. D. Hentel, B. Reig, G. Shih, and L. Moy, “Chatgpt and other large language models are double-edged swords,” p. e230163, 2023.
- [3] Y. Zhang, Y. Li, L. Cui, D. Cai, L. Liu, T. Fu, X. Huang, E. Zhao, Y. Zhang, Y. Chen *et al.*, “Siren’s song in the ai ocean: a survey on hallucination in large language models,” *arXiv preprint arXiv:2309.01219*, 2023.
- [4] L. Huang, W. Yu, W. Ma, W. Zhong, Z. Feng, H. Wang, Q. Chen, W. Peng, X. Feng, B. Qin *et al.*, “A survey on hallucination in large language models: Principles, taxonomy, challenges, and open questions,” *ACM Transactions on Information Systems*, vol. 43, no. 2, pp. 1–55, 2025.
- [5] P. Lewis, E. Perez, A. Piktus, F. Petroni, V. Karpukhin, N. Goyal, H. Küttler, M. Lewis, W.-t. Yih, T. Rocktäschel *et al.*, “Retrieval-augmented generation for knowledge-intensive nlp tasks,” *Advances in neural information processing systems*, vol. 33, pp. 9459–9474, 2020.
- [6] A. Mallen, A. Asai, V. Zhong, R. Das, D. Khashabi, and H. Hajishirzi, “When not to trust language models: Investigating effectiveness of parametric and non-parametric memories,” *arXiv preprint arXiv:2212.10511*, 2022.
- [7] F. Shi, X. Chen, K. Misra, N. Scales, D. Dohan, E. H. Chi, N. Schärli, and D. Zhou, “Large language models can be easily distracted by irrelevant context,” in *International Conference on Machine Learning*. PMLR, 2023, pp. 31 210–31 227.
- [8] N. F. Liu, K. Lin, J. Hewitt, A. Paranjape, M. Bevilacqua, F. Petroni, and P. Liang, “Lost in the middle: How language models use long contexts,” *arXiv preprint arXiv:2307.03172*, 2023.
- [9] X. Cheng, X. Wang, X. Zhang, T. Ge, S.-Q. Chen, F. Wei, H. Zhang, and D. Zhao, “xrag: Extreme context compression for retrieval-augmented generation with one token,” *arXiv preprint arXiv:2405.13792*, 2024.
- [10] S.-Q. Yan, J.-C. Gu, Y. Zhu, and Z.-H. Ling, “Corrective retrieval augmented generation,” 2024. [Online]. Available: <https://openreview.net/forum?id=JnWJbrnaUE>
- [11] Badan Pusat Statistik Indonesia, “Statistik indonesia 2025,” Feb. 2025, diakses pada 4 Juni 2025. [Online]. Available: <https://www.bps.go.id/id/publication/2025/02/28/8cfe1a589ad3693396d3db9f/statistik-indonesia-2025.html>
- [12] Y. Bang, S. Cahyawijaya, N. Lee, W. Dai, D. Su, B. Wilie, H. Lovenia, Z. Ji, T. Yu, W. Chung *et al.*, “A multitask, multilingual, multimodal evaluation of chatgpt on reasoning, hallucination, and interactivity,” *arXiv preprint arXiv:2302.04023*, 2023.
- [13] S. Lin, J. Hilton, and O. Evans, “Truthfulqa: Measuring how models mimic human falsehoods,” *arXiv preprint arXiv:2109.07958*, 2021.

- [14] S. Min, K. Krishna, X. Lyu, M. Lewis, W.-t. Yih, P. W. Koh, M. Iyyer, L. Zettlemoyer, and H. Hajishirzi, “Factscore: Fine-grained atomic evaluation of factual precision in long form text generation,” *arXiv preprint arXiv:2305.14251*, 2023.
- [15] L. Ouyang, J. Wu, X. Jiang, D. Almeida, C. Wainwright, P. Mishkin, C. Zhang, S. Agarwal, K. Slama, A. Ray *et al.*, “Training language models to follow instructions with human feedback,” *Advances in neural information processing systems*, vol. 35, pp. 27 730–27 744, 2022.
- [16] G. Izacard, M. Caron, L. Hosseini, S. Riedel, P. Bojanowski, A. Joulin, and E. Grave, “Unsupervised dense information retrieval with contrastive learning,” 2022. [Online]. Available: <https://arxiv.org/abs/2112.09118>
- [17] M. N. Team. (2023) Introducing mpt-30b: Raising the bar for open-source foundation models. Accessed: 2023-06-22. [Online]. Available: www.mosaicml.com/blog/mpt-30b
- [18] D. Li, R. Shao, A. Xie, Y. Sheng, L. Zheng, J. Gonzalez, I. Stoica, X. Ma, and H. Zhang, “How long can context length of open-source llms truly promise?” in *NeurIPS 2023 Workshop on Instruction Tuning and Instruction Following*, 2023.
- [19] T. Kwiatkowski, J. Palomaki, O. Redfield, M. Collins, A. Parikh, C. Alberti, D. Epstein, I. Polosukhin, J. Devlin, K. Lee *et al.*, “Natural questions: a benchmark for question answering research,” *Transactions of the Association for Computational Linguistics*, vol. 7, pp. 453–466, 2019.
- [20] M. Joshi, E. Choi, D. S. Weld, and L. Zettlemoyer, “Triviaqa: A large scale distantly supervised challenge dataset for reading comprehension,” *arXiv preprint arXiv:1705.03551*, 2017.
- [21] Z. Yang, P. Qi, S. Zhang, Y. Bengio, W. W. Cohen, R. Salakhutdinov, and C. D. Manning, “Hotpotqa: A dataset for diverse, explainable multi-hop question answering,” *arXiv preprint arXiv:1809.09600*, 2018.
- [22] H. Jiang, Q. Wu, C.-Y. Lin, Y. Yang, and L. Qiu, “Llmlingua: Compressing prompts for accelerated inference of large language models,” *arXiv preprint arXiv:2310.05736*, 2023.
- [23] A. Q. Jiang, A. Sablayrolles, A. Mensch, C. Bamford, D. S. Chaplot, D. de las Casas, F. Bressand, G. Lengyel, G. Lample, L. Saulnier, L. R. Lavaud, M.-A. Lachaux, P. Stock, T. L. Scao, T. Lavril, T. Wang, T. Lacroix, and W. E. Sayed, “Mistral 7b,” 2023. [Online]. Available: <https://arxiv.org/abs/2310.06825>
- [24] A. Q. Jiang, A. Sablayrolles, A. Roux, A. Mensch, B. Savary, C. Bamford, D. S. Chaplot, D. de las Casas, E. B. Hanna, F. Bressand, G. Lengyel, G. Bour, G. Lample, L. R. Lavaud, L. Saulnier, M.-A. Lachaux, P. Stock, S. Subramanian, S. Yang, S. Antoniak, T. L. Scao, T. Gervet, T. Lavril, T. Wang, T. Lacroix, and W. E. Sayed, “Mixtral of experts,” 2024. [Online]. Available: <https://arxiv.org/abs/2401.04088>

- [25] A. Asai, Z. Wu, Y. Wang, A. Sil, and H. Hajishirzi, “Self-rag: Learning to retrieve, generate, and critique through self-reflection,” in *Proceedings of the 12th International Conference on Learning Representations (ICLR 2024)*, 2024, available at OpenReview. [Online]. Available: <https://openreview.net/forum?id=jbNjgmE0OP>
- [26] T. Zhang, H. Luo, Y.-S. Chuang, W. Fang, L. Gaitskell, T. Hartvigsen, X. Wu, D. Fox, H. Meng, and J. Glass, “Interpretable unified language checking,” *arXiv preprint arXiv:2304.03728*, 2023.
- [27] S. Bhakthavatsalam, D. Khashabi, T. Khot, B. D. Mishra, K. Richardson, A. Sabharwal, C. Schoenick, O. Tafjord, and P. Clark, “Think you have solved direct-answer question answering? try arc-da, the direct-answer ai2 reasoning challenge,” 2021. [Online]. Available: <https://arxiv.org/abs/2102.03315>
- [28] F. I. Haekal, R. S. Perdana, and P. P. Adikara, “Sistem tanya jawab closed-domain terhadap dokumen fatwa menggunakan retrieval augmented generation dan large language model,” *Jurnal Pengembangan Teknologi Informasi dan Ilmu Komputer*, vol. 9, no. 5, May 2025. [Online]. Available: <https://j-ptiik.ub.ac.id/index.php/j-ptiik/article/view/14854>
- [29] T. Zhang, V. Kishore, F. Wu, K. Q. Weinberger, and Y. Artzi, “Bertscore: Evaluating text generation with bert,” *arXiv preprint arXiv:1904.09675*, 2019.
- [30] C. D. Yullinda, “Questions answering system untuk layanan informasi stunting berbasis open source language model,” Master’s thesis, Universitas Gadjah Mada, 2024, skripsi Sarjana, tidak dipublikasikan.
- [31] P. He, J. Gao, and W. Chen, “Debertav3: Improving deberta using electra-style pre-training with gradient-disentangled embedding sharing,” 2023. [Online]. Available: <https://arxiv.org/abs/2111.09543>
- [32] Suharyadi and I. Saputra, “Hybrid ensemble retrieval-augmented generation for indonesian legal consultation with keyword boosting,” *Journal of Novel Engineering Science and Technology*, vol. 4, no. 02, p. 71–85, Jul. 2025. [Online]. Available: <https://journal.iistr.org/index.php/JNEST/article/view/1042>
- [33] N. Thakur, N. Reimers, A. Rücklé, A. Srivastava, and I. Gurevych, “Beir: A heterogenous benchmark for zero-shot evaluation of information retrieval models,” *arXiv preprint arXiv:2104.08663*, 2021.
- [34] P. Rajpurkar, J. Zhang, K. Lopyrev, and P. Liang, “Squad: 100,000+ questions for machine comprehension of text,” 2016. [Online]. Available: <https://arxiv.org/abs/1606.05250>
- [35] J. H. Clark, E. Choi, M. Collins, D. Garrette, T. Kwiatkowski, V. Nikolaev, and J. Palomaki, “Tydi qa: A benchmark for information-seeking question answering in ty pologically di verse languages,” *Transactions of the Association for Computational Linguistics*, vol. 8, pp. 454–470, 2020.
- [36] M. Artetxe, S. Ruder, and D. Yogatama, “On the cross-lingual transferability of monolingual representations,” *CoRR*, vol. abs/1910.11856, 2019.

- [37] P. Lewis, B. Oguz, R. Rinott, S. Riedel, and H. Schwenk, “Mlqa: Evaluating cross-lingual extractive question answering,” in *Proceedings of the 58th annual meeting of the association for computational linguistics*, 2020, pp. 7315–7330.
- [38] A. Reshamwala, D. Mishra, and P. Pawar, “Review on natural language processing,” *IRACST Engineering Science and Technology: An International Journal (ESTIJ)*, vol. 3, no. 1, pp. 113–116, 2013.
- [39] D. Khurana, A. Koli, K. Khatter, and S. Singh, “Natural language processing: state of the art, current trends and challenges,” *Multimedia tools and applications*, vol. 82, no. 3, pp. 3713–3744, 2023.
- [40] W. X. Zhao, K. Zhou, J. Li, T. Tang, X. Wang, Y. Hou, Y. Min, B. Zhang, J. Zhang, Z. Dong *et al.*, “A survey of large language models,” *arXiv preprint arXiv:2303.18223*, vol. 1, no. 2, 2023.
- [41] A. Vaswani, N. Shazeer, N. Parmar, J. Uszkoreit, L. Jones, A. N. Gomez, Ł. Kaiser, and I. Polosukhin, “Attention is all you need,” *Advances in neural information processing systems*, vol. 30, 2017.
- [42] Y. Gao, Y. Xiong, X. Gao, K. Jia, J. Pan, Y. Bi, Y. Dai, J. Sun, H. Wang, and H. Wang, “Retrieval-augmented generation for large language models: A survey,” *arXiv preprint arXiv:2312.10997*, vol. 2, p. 1, 2023.
- [43] C. Raffel, N. Shazeer, A. Roberts, K. Lee, S. Narang, M. Matena, Y. Zhou, W. Li, and P. J. Liu, “Exploring the limits of transfer learning with a unified text-to-text transformer,” *Journal of machine learning research*, vol. 21, no. 140, pp. 1–67, 2020.
- [44] J. Howard and S. Ruder, “Universal language model fine-tuning for text classification,” *arXiv preprint arXiv:1801.06146*, 2018.
- [45] J. Devlin, M.-W. Chang, K. Lee, and K. Toutanova, “Bert: Pre-training of deep bidirectional transformers for language understanding,” in *Proceedings of the 2019 conference of the North American chapter of the association for computational linguistics: human language technologies, volume 1 (long and short papers)*, 2019, pp. 4171–4186.
- [46] A. Kolesnikov, L. Beyer, X. Zhai, J. Puigcerver, J. Yung, S. Gelly, and N. Houlsby, “Big transfer (bit): General visual representation learning,” in *European conference on computer vision*. Springer, 2020, pp. 491–507.
- [47] A. Baeovski, Y. Zhou, A. Mohamed, and M. Auli, “wav2vec 2.0: A framework for self-supervised learning of speech representations,” *Advances in neural information processing systems*, vol. 33, pp. 12 449–12 460, 2020.
- [48] T. Schick, J. Dwivedi-Yu, R. Dessì, R. Raileanu, M. Lomeli, E. Hambro, L. Zettlemoyer, N. Cancedda, and T. Scialom, “Toolformer: Language models can teach themselves to use tools,” *Advances in Neural Information Processing Systems*, vol. 36, pp. 68 539–68 551, 2023.
- [49] L. Wang, N. Yang, X. Huang, L. Yang, R. Majumder, and F. Wei, “Multilingual e5 text embeddings: A technical report,” *arXiv preprint arXiv:2402.05672*, 2024.

- [50] A. Yang, A. Li, B. Yang, B. Zhang, B. Hui, B. Zheng, B. Yu, C. Gao, C. Huang, C. Lv *et al.*, “Qwen3 technical report,” *arXiv preprint arXiv:2505.09388*, 2025.
- [51] X. Zhang, X. Ma, P. Shi, and J. Lin, “Mr. tydi: A multi-lingual benchmark for dense retrieval,” *arXiv preprint arXiv:2108.08787*, 2021.
- [52] Jakarta Artificial Intelligence Research.
- [53] M. T. Ayu Purwarianti and S. Nakagawa, “A machine learning approach for indonesian question answering system,” in *Proceedings of Artificial Intelligence and Applications*, 2007, pp. 573–578.
- [54] X. Zhang, N. Thakur, O. Ogundepo, E. Kamaloo, D. Alfonso-Hermelo, X. Li, Q. Liu, M. Rezagholizadeh, and J. Lin, “Miracl: A multilingual retrieval dataset covering 18 diverse languages,” *Transactions of the Association for Computational Linguistics*, vol. 11, pp. 1114–1131, 2023.
- [55] D. Hendrycks, C. Burns, S. Basart, A. Zou, M. Mazeika, D. Song, and J. Steinhardt, “Measuring massive multitask language understanding,” *arXiv preprint arXiv:2009.03300*, 2020.
- [56] H. Touvron, L. Martin, K. Stone, P. Albert, A. Almahairi, Y. Babaei, N. Bashlykov, S. Batra, P. Bhargava, S. Bhosale *et al.*, “Llama 2: Open foundation and fine-tuned chat models,” *arXiv preprint arXiv:2307.09288*, 2023.
- [57] M. Suzgun, N. Scales, N. Schärli, S. Gehrmann, Y. Tay, H. W. Chung, A. Chowdhery, Q. V. Le, E. H. Chi, D. Zhou *et al.*, “Challenging big-bench tasks and whether chain-of-thought can solve them,” *arXiv preprint arXiv:2210.09261*, 2022.
- [58] J. Chen, S. Xiao, P. Zhang, K. Luo, D. Lian, and Z. Liu, “Bge m3-embedding: Multi-lingual, multi-functionality, multi-granularity text embeddings through self-knowledge distillation,” *arXiv preprint arXiv:2402.03216*, 2024.
- [59] Y. Zhang, M. Li, D. Long, X. Zhang, H. Lin, B. Yang, P. Xie, A. Yang, D. Liu, J. Lin *et al.*, “Qwen3 embedding: Advancing text embedding and reranking through foundation models,” *arXiv preprint arXiv:2506.05176*, 2025.
- [60] K. Enevoldsen, I. Chung, I. Kerboua, M. Kardos, A. Mathur, D. Stap, J. Gala, W. Sibliński, D. Krzemiński, G. I. Winata, S. Sturua, S. Utpala, M. Ciancone, M. Schaeffer, G. Sequeira, D. Misra, S. Dhakal, J. Rystrøm, R. Solomatin, Ömer Çağatan, A. Kundu, M. Bernstorff, S. Xiao, A. Sukhlecha, B. Pahwa, R. Poświata, K. K. GV, S. Ashraf, D. Auras, B. Plüster, J. P. Harries, L. Magne, I. Mohr, M. Hendriksen, D. Zhu, H. Gisserot-Boukhlef, T. Aarsen, J. Kostkan, K. Wojtasik, T. Lee, M. Šuppa, C. Zhang, R. Rocca, M. Hamdy, A. Michail, J. Yang, M. Faysse, A. Vatolin, N. Thakur, M. Dey, D. Vasani, P. Chitale, S. Tedeschi, N. Tai, A. Snegirev, M. Günther, M. Xia, W. Shi, X. H. Lù, J. Clive, G. Krishnakumar, A. Maksimova, S. Wehrli, M. Tikhonova, H. Panchal, A. Abramov, M. Ostendorff, Z. Liu, S. Clematide, L. J. Miranda, A. Fenogenova, G. Song, R. B. Safi, W.-D. Li, A. Borghini, F. Cassano, H. Su, J. Lin, H. Yen, L. Hansen, S. Hooker, C. Xiao, V. Adlakha, O. Weller, S. Reddy, and N. Muennighoff, “Mmteb: Massive

- [61] K. D. B. J. Adam *et al.*, “A method for stochastic optimization,” *arXiv preprint arXiv:1412.6980*, vol. 1412, no. 6, 2014.
- [62] H. Yu, A. Gan, K. Zhang, S. Tong, Q. Liu, and Z. Liu, “Evaluation of retrieval-augmented generation: A survey,” in *CCF Conference on Big Data*. Springer, 2024, pp. 102–120.
- [63] M. Guo, J. Ainslie, D. C. Uthus, S. Ontanon, J. Ni, Y.-H. Sung, and Y. Yang, “Longt5: Efficient text-to-text transformer for long sequences,” in *Findings of the Association for Computational Linguistics: NAACL 2022*, 2022, pp. 724–736.