

- Alm M., Tauson R., Holm L., Wichman A., Kalliokoski O., Wall H. “Welfare indicators in laying hens in relation to nest exclusion”, *Poult. Sci.* 2016;95:1238–1247.
- Bansiddhi P., Brown J.L., Khonmee J., Norkaew T., Nganvongpanit K., Punyapornwithaya V., Angkawanish T., Somgird C., Thitaram C. “Management Factors Affecting Adrenal Glucocorticoid Activity of Tourist Camp Elephants in Thailand and Implications for Elephant Welfare”, *PLoS ONE*. 2019;14:e0221537.
- Barrett, L. P. and Benson-Amram, S. 2020. “Can Asian Elephants Use Water as a Tool in the Floating Object Task? Can Asian Elephants Use Water as a Tool in the Floating Object Task?”. *Animal Behavior and Cognition*, 7(3), pp. 310–326. doi: 10.26451/abc.07.03.04.2020.
- Baugh A.T., Oers K., van Dingemans N.J., Hau M. Baseline and stress-induced glucocorticoid concentrations are not repeatable but covary within individual great tits (*Parus major*) *Gen. Comp. Endocrinol.* 2014;208:154–163.
- Buckingham J.C. Glucocorticoids: Exemplars of Multi-Tasking.” *Br. J. Pharmacol.* 2006;147:S258–S268. doi: 10.1038/sj.bjp.0706456.
- Burdick N.C., Carroll J.A., Hulbert L.E., Dailey J.W., Willard S.T., Vann R.C., Welsh T.H., Randel R.D. “Relationships between temperament and transportation with rectal temperature and serum concentrations of cortisol and epinephrine in bulls”. *Livest. Sci.* 2010;129:166–172.
- Charmandari E., Tsigos C., Chrousos G. “Endocrinology of the stress response”. *Annu. Rev. Physiol.* 2005;67:259–284.
- Dale R., Plotnik J.M. “Elephants know when their bodies are obstacles to success in a novel transfer task”. *Sci. Rep.* 2017;7:46309.
- Dallman M.F. “Chronic (Repeated) Stress: Consequences, Adaptations”, *Encycl. Neurosci.* 2009;1:879–885.
- Davis A.K., Maney D.L., Maerz J.C. “The use of leukocyte profiles to measure stress in vertebrates: A review for ecologists”, *Funct. Ecol.* 2008;22:760–772.
- Doherty T.J., Kattesh H.G., Adcock R.J., Welborn M.G., Saxton A.M., Morrow J.L., Dailey J.W. “Effects of a concentrated lidocaine solution on the acute phase stress response to dehorning in dairy calves”, *J. Dairy Sci.* 2007;90:4232–4239. doi: 10.3168/jds.2007-0080.
- Essential Tool for Assisting Captive Management’, *Zoo Biology*, 19, pp. 347– 367.



UNIVERSITAS  
GADJAH MADA

**PENGARUH PERTUNJUKAN BERENANG PADA GAJAH ASIA (*Elephas maximus*) TERHADAP KADAR HORMON KORTISOL DAN KORELASI HORMON PROGESTERON, FREKUENSI RESPIRASI, DAN RASIO HETEROFIL/LIMFOSIT (H/L) DI AREA FAMOSA SAFARI WONDERLAND MELAKA MALAYSIA**

Lohanthira Kummar Parumal, Prof. Drh. Agung Budiyanto, MR., Ph.D.; Dr. drh. Claude Mona Airin, MP. Fanson K.V. Lynch, M. Vogelstein L. Miller G. Keeley T. Response to long-distance relocation in Asian elephants (*Elephas maximus*): monitoring adrenocortical activity via serum, urine, and feces”, *European Journal of Wildlife Research* 2013 1–10.

Fernandez-Novo A., Pérez-Garnelo S.S., Villagrà A., Pérez-Villalobos N., Astiz S. “The Effect of Stress on Reproduction and Reproductive Technologies in Beef Cattle-A Review”, *Animals*. 2020;10:2096.

Glaeser, S. S. dkk.,. 2020. “Effects of physiological changes and social life events on adrenal glucocorticoid activity in female zoo-housed Asian elephants (*Elephas maximus*)”, *PLoS ONE*, 15(11), p. e0241910. doi: 10.1371/journal.pone.0241910.

Grandin T., Shivley C. “How farm animals react and perceive stressful situations such as handling, restraint, and transport”, *Animals*. 2015;5:1233–1251.

Hernandez C.E., Thierfelder T., Svennersten-Sjaunja K., Berg C., Orihuela A., Lidfors L. “Time lag between peak concentrations of plasma and salivary cortisol following a stressful procedure in dairy cattle”, *Acta. Vet. Scand*. 2014;56:61

Hildebrandt TB, Göritz F, Hermes R, Reid C, Dehnhard M, Brown JL. “Aspects of the reproductive biology and breeding management of Asian and African elephants *Elephas maximus* and *Loxodonta africana*”, *International Zoology Yearbook* 2006 40 20–40. kerry

Hudson R., Maqueda B., Velázquez Moctezuma J., Morales Miranda A., Rödel H.G. “Individual differences in testosterone and corticosterone levels in relation to early postnatal development in the rabbit *Oryctolagus cuniculus*”, *Physiol. Behav*. 2011;103:336–341.

Husak J.F., Moore I.T. “Stress hormones and mate choice”, *Trends Ecol. Evol*. 2008;23:532–534. *International Zoo Yearbook*, 40(1), pp. 63–79.

IUCN. 2022. “Stand-alone report. IUCN SSC Asian Elephant Specialist Group”.

Kerry V.F. 2014. “Cyclic changes in cortisol across the estrous cycle in parous and nulliparous Asian elephants”, *Endocrine connections*. Volume 3: Issue 2, Page Range: 57-66.

Kim C.-Y., Han J.S., Suzuki T., Han S.-S. “Indirect indicator of transport stress in hematological values in newly acquired cynomolgus monkeys”, *J. Med. Primatol*. 2005;34:188–192.

Lueders I, Taya K, Watanabe G, Yamamoto Y, Yamamoto T, Kaewmanee S, Niemuller CA, Gray C, Streich W Jr, Hildebrandt TB. “Role of the double luteinizing hormone peak, luteinizing follicles, and the secretion of inhibin for dominant follicle selection in Asian elephants (*Elephas maximus*)”, *Biology of Reproduction* 2011 85 714–720.



UNIVERSITAS  
GADJAH MADA

**PENGARUH PERTUNJUKAN BERENANG PADA GAJAH ASIA (*Elephas maximus*) TERHADAP KADAR HORMON KORTISOL DAN KORELASI HORMON PROGESTERON, FREKUENSI RESPIRASI, DAN RASIO HETEROFIL/LIMFOSIT (H/L) DI AREA SAFARI WONDERLAND MELAKA MALAYSIA**

Lohanthira Kumar Parumal, Prof. Drh. Agung Budiyanto, MP, Ph.D., Dr. drh. Claude Mona Airin, MP, Maxwell M.H. Avian blood leucocyte responses to stress, *World's Poult. Sci. J.* 1993;49:34–43.  
Universitas Gadjah Mada, 2026 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Mbiydzennyuy NE, Qulu LA. 2024. “Stress, hypothalamic-pituitary-adrenal axis, hypothalamic-pituitary-gonadal axis, and aggression”, *Metab Brain Dis.* Dec;39(8):1613-1636.
- Menargues A., Urios V., Limiñana R. “Seasonal Rhythms of Salivary Cortisol Secretion in Captive Asian Elephants (*Elephas maximus*)”, *Gen. Comp. Endocrinol.* 2012;176:259–264.
- Menargues A., Urios V., Limiñana R., Mauri M. “Circadian Rhythm of Salivary Cortisol in Asian Elephants (*Elephas maximus*) A Factor to Consider during Welfare Assessment”, *J. Appl. Anim. Welf. Sci.* 2012;15:383–390.
- Morgan, K. N. and Tromborg, C. T. 2007. “Sources of stress in captivity”, *Applied Animal Behaviour Science*, 102, pp. 262–302. doi:10.1016/j.applanim.2006.05.032.
- Müller C., Jenni-Eiermann S., Jenni L. “Heterophils/Lymphocytes-ratio and circulating corticosterone do not indicate the same stress imposed on Eurasian kestrel nestlings”, *Funct. Ecol.* 2011;25:566–576.
- Nicol C.J., Caplen G., Edgar J., Richards G., Browne W.J. “Relationships between multiple welfare indicators measured in individual chickens across different time periods and environments”, *Anim. Welf.* 2011;20:133–143.
- Noda K., Akiyoshi H., Aoki M., Shimada T., Ohashi F. “Relationship between transportation stress and polymorphonuclear cell functions of bottlenose dolphins, *Tursiops truncatus*”, *J. Vet. Med. Sci.* 2007;69:379–383.
- Obernier J.A., Baldwin R.L. “Establishing an appropriate period of acclimatization following transportation of laboratory animals”, *ILAR J.* 2006;47:364–369.
- Oliveira C.A., Felipe E.C.G., Chelini M.O.M. “Serum Cortisol and Progesterin Concentrations in Pregnant and Non-Pregnant Asian Elephants (*Elephas maximus*)”, *Res. Vet. Sci.* 2008;84:361–363. kerry
- Otovic P. 2015. “Limits to using aksis HPA activity as an indication of animal welfare”, *ALTEX*, hal. 41–50.
- Pajor F., Kovács A., Tózsér J., Póti P. “The influence of temperament on cortisol concentration and metabolic profile in Tsigai lambs”, *Arch. Anim. Breed.* 2013;56:573–580.
- Plotnik J.M., de Waal F.B.M., Moore D., Reiss D. “Self-Recognition in the Asian elephant and future directions for cognitive research with elephants in zoological settings”, *Zoo Biol.* 2010;29:179–191.
- Romero L.M., Reed J.M. “Collecting baseline corticosterone samples in the field: Is under 3 min good enough?”, *Comp. Biochem. Physiol. A Mol. Integr. Physiol.* 2005;140:73–79. romero



UNIVERSITAS  
GADJAH MADA

Romero

**PENGARUH PERTUNJUKAN BERENANG PADA GAJAH ASIA (*Elephas maximus*) TERHADAP KADAR HORMON KORTISOL DAN KORELASI HORMON PROGESTERON, FREKUENSI RESPIRASI, DAN RASIO HETEROFIL/LIMFOSIT (H/L) DI AREA FAMOSA**

**SAFARI WONDERLAND MELAKA MALAYSIA**

Lohanthira, Kumar Parumal, Prof. Drh. Agung Budiyanto, MP, Ph.D.; Dr. drh. Claude Mona Airin, MP.  
Universitas Gadjah Mada, 2026 | Diunduh dari <http://etd.repository.ugm.ac.id>

*L.M. Wingfield J.C. 2016. Tempests, Foxes, Predators, and People: Stress in Wild Animals and How They Cope.* Oxford: Oxford University Press.

- Rudenko, O. and Shchebentovska, O. 2022. "Pathomorphological diagnostics of panleukopenia in cats (case description)", *Scientific Messenger of LNU of Veterinary Medicine and Biotechnologies*, 24(105), pp. 59–66. doi: 10.32718/nvlvet10509.
- Salakij J., Salakij C., Narkkong N.-A., Apibal S., Suthunmapinuntra P., Rattanakukuprakarn J., Nunklang G., Yindee M. "Hematology, cytochemistry and ultrastructure of blood cells from Asian Elephant (*Elephas maximus*)", *Kasetsart J. (Nat. Sci.)* 2005;39:482–493.
- Sukumar, R. 2006. "A brief review of the status, distribution, and biology of wild Asian elephants", *Int. Zoo. Yb.* 40:1-8 jeroen
- Supanta J, Brown JL, Bansiddhi P, Thitaram C, Punyapornwithaya V, Punturee K, Towiboon P, Somboon N, Khonmee J. "Physiological changes in captive elephants in northern Thailand as a result of the COVID-19 tourism ban-stress biomarkers", *Front Vet Sci.* 2024 Feb 9;11:1351361.
- Tetsuka M. "Actions of glucocorticoid and their regulatory mechanisms in the ovary", *Animal Science Journal* 2007 78 112–120. kerry
- Tilley, H. B. dkk.,. 2024. "Physical activity and temperature changes of Asian elephants (*Elephas maximus*) participating in eco-tourism activities and elephant polo", *PLoS ONE*, 19(5), p. e0300373. doi:10.1371/journal.pone.0300373.
- Towiboon P, Saenphet K, Tayapiwattana C, Tangyuenyong S, Watanabe G, Mahasawangkul S, Brown JL, Thitaram C. "Relationship among Serum Progestagens, Cortisol, and Prolactin in Pregnant and Cycling Asian Elephants in Thailand", *Vet Sci.* 2022 May 22;9(5):244.
- Veasey, J. 2006. "Concepts in the care and welfare of captive elephants", *International Zoo Yearbook*, 40(1), hal. 63–79.
- Veeraselvam, M., Selvaraj., P., Kumar, S. S., Kumar, S. S., Senthilkumar, T. M. A., Priya, R. J., Jayalakshmi, K., Yogeshpriya, S. 2023. "Serum Biochemical Profile of Captive Asian Elephants (*Elephas maximus*) in Tamil Nadu, India", *International Journal of Bio-resource and Stress Management* hal. 684-685.
- Warwick, C. dkk.,. 2023. "Elephant tourism: An analysis and recommendations for public health , safety , and animal welfare", *International Journal of One Health*, 9(2), hal. 49–66.
- West, J.B. 2001. "Snorkel breathing in the elephant explains the unique anatomy of its pleura", *Respir Physiol* 126:1-8
- Williams, C. dkk. 2020. "*Elephas maximus*, Asian Elephant", *The IUCN Red List of Threatened Species*, p. e.T7140A45818198.



UNIVERSITAS  
GADJAH MADA

**PENGARUH PERTUNJUKAN BERENANG PADA GAJAH ASIA (*Elephas maximus*) TERHADAP KADAR HORMON KORTISOL DAN KORELASI HORMON PROGESTERON, FREKUENSI RESPIRASI, DAN RASIO HETEROFIL/LIMFOSIT (H/L) DI AREA FAMOSA**

**SAFARI WONDERLAND MELAKA MALAYSIA**

Zavy M. Juniewicz, P. Phillips, W. Von Pungen, D. Lohanthira, Kumari Pasumal, Prof. Drh. Agung Budiyantri, MR., Ph.D.; Dr. drh. Claude Mona Airin, MP. Universitas Gadjah Mada, 2026 | Diunduh dari <http://etd.repository.ugm.ac.id/>

weaning, and transport stress on baseline and ACTH-stimulated cortisol responses in beef calves of different genotypes”, *Am. J. Vet. Res.* 1992;53:551–557. kosaruk