

## DAFTAR PUSTAKA

- [1] R. Rahma, R. Febriani, and Y. Saputra, “Penentuan Konsentrasi Radionuklida  $^{137}\text{Cs}$  dalam Susu Sapi di Nagari Sungai Kamuyang Sumatera Barat,” *Jurnal Fisika Unand*, vol. 11, no. 2, pp. 76–83, 2022.
- [2] ANTARA News, “Bapeten: Cesium 137 ilegal ditemukan di rumah warga Batan Indah,” *ANTARA News*, 24 Februari 2020. Available: <https://www.antaranews.com/berita/1316310/bapeten-cesium-137-ilegal-ditemukan-di-rumah-warga-batan-indah>. [Accessed: Oct. 7, 2025].
- [3] ANTARA News, “Indonesia begins cleanup of radioactive Cs-137 in Cikande,” *ANTARA News*, 6 Oktober 2025. Available: <https://en.antaranews.com/news/384457/indonesia-begins-cleanup-of-radioactive-cs-137-in-cikande>. [Accessed: Oct. 7, 2025].
- [4] ANTARA News, “Pemerintah proses dekontaminasi 10 titik radiasi Cesium-137 di Cikande,” *ANTARA News*, 1 Oktober 2025. Available: <https://www.antaranews.com/berita/5146029/pemerintah-proses-dekontaminasi-10-titik-radiasi-cesium-137-di-cikande>. [Accessed: Oct. 7, 2025].
- [5] ANTARA News, “Indonesia treats Cesium-137 exposure cases, no symptoms reported,” *ANTARA News*, 3 Oktober 2025. Available: <https://en.antaranews.com/news/383929/indonesia-treats-cesium-137-exposure-cases-no-symptoms-reported>. [Accessed: Oct. 7, 2025].
- [6] FDA, “FDA Advises Public Not to Eat, Sell, or Serve Certain Imported Frozen Shrimp from an Indonesian Firm,” *FDA Alerts, Advisories & Safety Information*, 23 Sep. 2025. [Online]. Available: <https://www.fda.gov/food/alerts-advisories-safety-information/fda-advises-public-not-eat-sell-or-serve-certain-imported-frozen-shrimp-indonesian-firm>



- [7] K. S. Mann and S. S. Mann, "Investigation of gamma-ray's transmission geometries for the measurement of attenuation coefficients," *Zeitschrift für Naturforschung A*, vol. 73, no. 12, pp. 1083–1090, 2018.
- [8] G. Hu, H. Hu, Q. Yang, B. Yu, and W. Sun, "Study on the design and experimental verification of multilayer radiation shield against mixed neutrons and  $\gamma$ -rays," *Nuclear Engineering and Technology*, vol. 52, no. 1, pp. 178–184, 2020.
- [9] U. Abubakar, N. M. Nor, A. Shehu, S. Abubakar, and M. Umar, "Determination of Appropriate Source-to-Detector Distance Dependence of Gamma Spectrometry System to Achieve Higher Resolution," *Caliphate Journal of Science and Technology (CaJoST)*, vol. 2, pp. 165–171, Apr. 2022.
- [10] P. J. Karpus and T. D. Reilly, "Gamma-Ray Interactions with Matter," in *Nondestructive Assay of Nuclear Materials for Safeguards and Security*, pp. 27–41, 2024.
- [11] N. Tsoufanidis and S. Landsberger, *Measurement and Detection of Radiation*, 4th ed. Boca Raton, FL, USA: CRC Press, Taylor & Francis Group, 2015.
- [12] G. Gilmore, *Practical Gamma-Ray Spectroscopy*, 2nd ed. Chichester, U.K.: John Wiley & Sons, 2008.
- [13] U.S. Environmental Protection Agency, "Radiation Basics," *EPA*, updated Sep. 10, 2025. [Online]. Available: <https://www.epa.gov/radiation/radiation-basics>
- [14] S. Sukara and S. Rimjeam, "Simulation of gamma rays attenuation through matters using the Monte Carlo program," *J. Phys.: Conf. Ser.*, vol. 901, no. 1, p. 012141, 2017.



- [15] S. Gundacker and A. Heering, “The silicon photomultiplier: fundamentals and applications of a modern solid-state photon detector,” *Phys. Med. Biol.*, vol. 65, no. 17, p. 17TR01, 2020
- [16] FLIR Detection, *identiFINDER® R400 User Manual: Digital Handheld Gamma Spectrometer with Radionuclide Identification*, Version 2.7 (13482), Mar. 2014.
- [16] N. Voudoukis and S. Oikonomidis, “Inverse Square Law for Light and Radiation: A Unifying Educational Approach,” *European Journal of Engineering Research and Science (EJERS)*, vol. 2, no. 11, pp. 23–27, Nov. 2017.
- [17] N. M. Osman, S. M. Tajudin, A. H. A. Sabri, A. F. M. Noor, and M. Z. A. Aziz, “Evaluation of scattering effects for radiation shielding or filter materials by using Monte Carlo simulation,” *IOP Conf. Ser.: Mater. Sci. Eng.*, vol. 1231, no. 1, p. 012007, 2022

