UNIVERSITAS
GADJAH MADA
Klasifikasi Aktivitas Manusia Berdasarkan Amplitudo Channel State Information (CSI) Berbasis Wi-Fi Sensing dengan Recurrent Spiking Neural Network (RSNN)
Radhin Arsyad Ibrahim, Dr. Eng. Ir. Dwi Joko Suroso, S.T., M.Eng., IPP.; Ir. Agus Arif, M.T.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

[1] A. Bulling, U. Blanke, dan B. Schiele, "A tutorial on human activity recognition using body-worn inertial sensors," *ACM Comput. Surv.*, vol. 46, no. 3, hlm. 1–33, Jan 2014, doi: 10.1145/2499621.

[2] S. Aarthi, "A Comprehensive Study on Human Activity Recognition," 2021.

[3] B. Fu, N. Damer, F. Kirchbuchner, dan A. Kuijper, "Sensing Technology for Human Activity Recognition: A Comprehensive Survey," *IEEE Access*, vol. 8, hlm. 83791–83820, 2020, doi: 10.1109/ACCESS.2020.2991891.

[4] Y. Ma, G. Zhou, dan S. Wang, "WiFi Sensing with Channel State Information: A Survey," *ACM Comput. Surv.*, vol. 1, no. 1.

[5] F. Adib dan D. Katabi, "See Through Walls with Wi-Fi!".

[6] S. R. Saunders dan A. Aragón-Zavala, *Antennas and propagation for wireless communication systems*, 2. ed. Hoboken, NJ: Wiley, 2007.

[7] A. Goldsmith, *Wireless Communications*. Cambridge University Press, 2005. [Daring]. Tersedia pada: https://books.google.co.id/books?id=b9GeSQAACAAJ

[8] J. Hu, J. Yang, J.-B. Ong, D. Wang, dan L. Xie, "ResFi: WiFi-Enabled Device-Free Respiration Detection Based on Deep Learning," dalam *2022 IEEE 17th International Conference on Control & Automation (ICCA)*, Naples, Italy: IEEE, Jun 2022, hlm. 510–515. doi: 10.1109/ICCA54724.2022.9831898.

[9] Y. Ge *dkk.*, "A Doppler-based Human Activity Recognition System using WiFi Signals," dalam *2021 IEEE Sensors*, Sydney, Australia: IEEE, Okt 2021, hlm. 1–4. doi: 10.1109/SENSORS47087.2021.9639680.

[10] W. Jiao dan C. Zhang, "An Efficient Human Activity Recognition System Using WiFi Channel State Information," *IEEE Systems Journal*, vol. 17, no. 4, hlm. 6687–6690, Des 2023, doi: 10.1109/JSYST.2023.3293482.

[11] X. Wang, L. Gao, S. Mao, dan S. Pandey, "CSI-based Fingerprinting for Indoor Localization: A Deep Learning Approach," *IEEE Trans. Veh. Technol.*, hlm. 1–1, 2016, doi: 10.1109/TVT.2016.2545523.

[12] J. Yang *dkk.*, "SenseFi: A Library and Benchmark on Deep-Learning-Empowered WiFi Human Sensing," 17 Februari 2023, *arXiv*: arXiv:2207.07859. doi: 10.48550/arXiv.2207.07859.

[13] Z. Jiang *dkk.*, "Eliminating the Barriers: Demystifying Wi-Fi Baseband Design and Introducing the PicoScenes Wi-Fi Sensing Platform," *IEEE*

UNIVERSITAS
GADJAH MADA
Klasifikasi Aktivitas Manusia Berdasarkan Amplitudo Channel State Information (CSI) Berbasis Wi-Fi Sensing dengan Recurrent Spiking Neural Network (RSNN)
Radhin Arsyad Ibrahim, Dr. Eng. Ir. Dwi Joko Suroso, S.T., M.Eng., IPP.; Ir. Agus Arif, M.T.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

Internet Things J., vol. 9, no. 6, hlm. 4476–4496, Mar 2022, doi: 10.1109/JIOT.2021.3104666.

[14] S. M. Hernandez dan E. Bulut, "WiFi Sensing on the Edge: Signal Processing Techniques and Challenges for Real-World Systems," *IEEE Commun. Surv. Tutorials*, vol. 25, no. 1, hlm. 46–76, 2023, doi: 10.1109/COMST.2022.3209144.

[15] A. T. Nugraha, "Studi Konfigurasi AX210 pada Wi-Fi Sensing untuk Pemantauan Pernapasan Menggunakan PicoScenes," 2025.

[16] Raden Nadia Juwita, "Klasifikasi Aktivitas Manusia Dengan Metode Consensus-Based Ensemble Learning Berdasarkan Channel State Information (CSI)," 2025.

[17] J. Wang, Y. Chen, S. Hao, X. Peng, dan L. Hu, "Deep Learning for Sensor-based Activity Recognition: A Survey," *Pattern Recognition Letters*, vol. 119, hlm. 3–11, Mar 2019, doi: 10.1016/j.patrec.2018.02.010.

[18] K. Chen, D. Zhang, L. Yao, B. Guo, Z. Yu, dan Y. Liu, "Deep Learning for Sensor-based Human Activity Recognition: Overview, Challenges and Opportunities," 22 Januari 2021, *arXiv*: arXiv:2001.07416. doi: 10.48550/arXiv.2001.07416.

[19] Y. Ma, G. Zhou, dan S. Wang, "WiFi Sensing with Channel State Information: A Survey," *ACM Comput. Surv.*, vol. 1, no. 1.

[20] M. H. Khan, M. Shabbir, J. Li, S. Naseem, T. Mahmood, dan F. Ahmad, "Advancing Human Activity Recognition: Locality Constrained Linear Coding and Machine Learning Approaches," 27 Juni 2023, *In Review*. doi: 10.21203/rs.3.rs-3100158/v1.

[21] S.-Y. Chen dan C.-L. Lin, "Wi-Fi-Based Human Activity Recognition for Continuous, Whole-Room Monitoring of Motor Functions in Parkinson's Disease," *IEEE Open J. Antennas Propag.*, vol. 5, no. 3, hlm. 788–799, Jun 2024, doi: 10.1109/OJAP.2024.3393117.

[22] V. Raghava Shashank Viswanathuni, R. Reddy Yakkati, S. Reddy Yeduri, dan L. R. Cenkeramaddi, "WiCNNAct: Wi-Fi-Based Human Activity Recognition Utilizing Deep Learning on the Edge Computing Devices," *IEEE Access*, vol. 13, hlm. 104173–104183, 2025, doi: 10.1109/ACCESS.2025.3579649.

[23] V. Sharma, M. Gupta, A. K. Pandey, D. Mishra, dan A. Kumar, "A Review of Deep Learning-based Human Activity Recognition on Benchmark Video Datasets," *Applied Artificial Intelligence*, vol. 36, no. 1, hlm. 2093705, Des 2022, doi: 10.1080/08839514.2022.2093705.

[24] D. Anguita, A. Ghio, L. Oneto, X. Parra, dan J. L. Reyes-Ortiz, "A Public Domain Dataset for Human Activity Recognition Using Smartphones," *Computational Intelligence*, 2013.

UNIVERSITAS
GADJAH MADA
Klasifikasi Aktivitas Manusia Berdasarkan Amplitudo Channel State Information (CSI) Berbasis Wi-Fi Sensing dengan Recurrent Spiking Neural Network (RSNN)
Radhin Arsyad Ibrahim, Dr. Eng. Ir. Dwi Joko Suroso, S.T., M.Eng., IPP.; Ir. Agus Arif, M.T.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

[25] J. Xiao, H. Li, M. Wu, H. Jin, M. J. Deen, dan J. Cao, "A Survey on Wireless Device-free Human Sensing: Application Scenarios, Current Solutions, and Open Issues," *ACM Comput. Surv.*, vol. 55, no. 5, hlm. 1–35, Mei 2023, doi: 10.1145/3530682.

[26] W. Wang, A. X. Liu, M. Shahzad, K. Ling, dan S. Lu, "Device-Free Human Activity Recognition Using Commercial WiFi Devices," *IEEE J. Select. Areas Commun.*, vol. 35, no. 5, hlm. 1118–1131, Mei 2017, doi: 10.1109/JSAC.2017.2679658.

[27] M. Gast, *802.11 Wireless Networks: the definitive guide; [creating and administering Wireless Networks]*, 1. ed. dalam Creating and administering wireless networks. Beijing Köln: O'Reilly, 2002.

[28] "IEEE Std 802.11™-2020, IEEE Standard for Information Technology—Telecommunications and Information Exchange between Systems—Local and Metropolitan Area Networks—Specific Requirements—Part 11: Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) Specifications," 2021.

[29] E. Khorov, A. Kiryanov, A. Lyakhov, dan G. Bianchi, "A Tutorial on IEEE 802.11ax High Efficiency WLANs," *IEEE Commun. Surv. Tutorials*, vol. 21, no. 1, hlm. 197–216, 2019, doi: 10.1109/COMST.2018.2871099.

[30] M. Revathikumar, "SIMULATION OF RADIO PROPAGATION PATH IN INDOOR ENVIRONMENT".

[31] A. F. Molisch, Ed., *Wireless communications*, 2nd ed. dalam IEEE Xplore Digital Library. Chichester, West Sussex, U.K: Wiley, 2011.

[32] Y. S. Cho, Ed., *MIMO-OFDM wireless communications with MATLAB*. Singapore Hoboken, NJ: IEEE Press, 2010. doi: 10.1002/9780470825631.

[33] G. Zhang, M. De Leenheer, A. Morea, dan B. Mukherjee, "A Survey on OFDM-Based Elastic Core Optical Networking," *IEEE Commun. Surv. Tutorials*, vol. 15, no. 1, hlm. 65–87, 2013, doi: 10.1109/SURV.2012.010912.00123.

[34] E. Mozaffariahrar, F. Theoleyre, dan M. Menth, "A Survey of Wi-Fi 6: Technologies, Advances, and Challenges," *Future Internet*, vol. 14, no. 10, hlm. 293, Okt 2022, doi: 10.3390/fi14100293.

[35] N. M. dan M. Mohebbi, "ICI Reduction Methods in OFDM Systems," dalam *Recent Advances in Wireless Communications and Networks*, J.-C. Lin, Ed., InTech, 2011. doi: 10.5772/20057.

[36] A. Anbarasan dan K. Shankar, "Design and implementation of low power FFT/IFFT processor for wireless communication," dalam *International Conference on Pattern Recognition, Informatics and Medical Engineering (PRIME-2012)*, Salem, Tamilnadu, India: IEEE, Mar 2012, hlm. 152–155. doi: 10.1109/ICPRIME.2012.6208304.

UNIVERSITAS
GADJAH MADA
Klasifikasi Aktivitas Manusia Berdasarkan Amplitudo Channel State Information (CSI) Berbasis Wi-Fi Sensing dengan Recurrent Spiking Neural Network (RSNN)
Radhin Arsyad Ibrahim, Dr. Eng. Ir. Dwi Joko Suroso, S.T., M.Eng., IPP.; Ir. Agus Arif, M.T.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

[37] S. Ohno, E. Manasseh, dan M. Nakamoto, "Preamble and pilot symbol design for channel estimation in OFDM systems with null subcarriers," *J Wireless Com Network*, vol. 2011, no. 1, hlm. 2, Des 2011, doi: 10.1186/1687-1499-2011-2.

[38] T. S. Rappaport, *Wireless communications: principles and practice*, 2. ed., 18. printing. dalam Prentice Hall communications engineering and emerging technologies series. Upper Saddle River, NJ: Prentice Hall, 2009.

[39] D. Halperin, W. Hu, A. Sheth, dan D. Wetherall, "Tool release: gathering 802.11n traces with channel state information," *SIGCOMM Comput. Commun. Rev.*, vol. 41, no. 1, hlm. 53–53, Jan 2011, doi: 10.1145/1925861.1925870.

[40] Z. Wang, B. Guo, Z. Yu, dan X. Zhou, "Wi-Fi CSI-Based Behavior Recognition: From Signals and Actions to Activities," *IEEE Commun. Mag.*, vol. 56, no. 5, hlm. 109–115, Mei 2018, doi: 10.1109/MCOM.2018.1700144.

[41] F. Gu, M.-H. Chung, M. Chignell, S. Valaee, B. Zhou, dan X. Liu, "A Survey on Deep Learning for Human Activity Recognition," *ACM Comput. Surv.*, vol. 54, no. 8, hlm. 1–34, Nov 2022, doi: 10.1145/3472290.

[42] A. L. Samuel, "Some Studies in Machine Learning Using the Game of Checkers".

[43] O. D. Lara dan M. A. Labrador, "A Survey on Human Activity Recognition using Wearable Sensors," *IEEE Commun. Surv. Tutorials*, vol. 15, no. 3, hlm. 1192–1209, 2013, doi: 10.1109/SURV.2012.110112.00192.

[44] Y. Wang, J. Liu, Y. Chen, M. Gruteser, J. Yang, dan H. Liu, "E-eyes: device-free location-oriented activity identification using fine-grained WiFi signatures," dalam *Proceedings of the 20th annual international conference on Mobile computing and networking*, Maui Hawaii USA: ACM, Sep 2014, hlm. 617–628. doi: 10.1145/2639108.2639143.

[45] Z. Chen, L. Zhang, C. Jiang, Z. Cao, dan W. Cui, "WiFi CSI Based Passive Human Activity Recognition Using Attention Based BLSTM," *IEEE Trans. on Mobile Comput.*, vol. 18, no. 11, hlm. 2714–2724, Nov 2019, doi: 10.1109/TMC.2018.2878233.

[46] Y. LeCun, Y. Bengio, dan G. Hinton, "Deep learning," *Nature*, vol. 521, no. 7553, hlm. 436–444, Mei 2015, doi: 10.1038/nature14539.

[47] I. Goodfellow, Y. Bengio, dan A. Courville, *Deep learning*. dalam Adaptive computation and machine learning. Cambridge, Mass: The MIT press, 2016.

[48] C. Trabelsi *dkk.*, "Deep Complex Networks," 25 Februari 2018, *arXiv*: arXiv:1705.09792. doi: 10.48550/arXiv.1705.09792.

[49] A. Canziani, A. Paszke, dan E. Culurciello, "An Analysis of Deep Neural Network Models for Practical Applications," 14 April 2017, *arXiv*: arXiv:1605.07678. doi: 10.48550/arXiv.1605.07678.

UNIVERSITAS
GADJAH MADA
Klasifikasi Aktivitas Manusia Berdasarkan Amplitudo Channel State Information (CSI) Berbasis Wi-Fi Sensing dengan Recurrent Spiking Neural Network (RSNN)
Radhin Arsyad Ibrahim, Dr. Eng. Ir. Dwi Joko Suroso, S.T., M.Eng., IPP.; Ir. Agus Arif, M.T.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

[50] G. Bellec, D. Salaj, A. Subramoney, R. Legenstein, dan W. Maass, "Long short-term memory and learning-to-learn in networks of spiking neurons," 25 Desember 2018, *arXiv*: arXiv:1803.09574. doi: 10.48550/arXiv.1803.09574.

[51] K. Roy, A. Jaiswal, dan P. Panda, "Towards spike-based machine intelligence with neuromorphic computing," *Nature*, vol. 575, no. 7784, hlm. 607–617, Nov 2019, doi: 10.1038/s41586-019-1677-2.

[52] A. Graves, "Generating Sequences With Recurrent Neural Networks," 5 Juni 2014, *arXiv*: arXiv:1308.0850. doi: 10.48550/arXiv.1308.0850.

[53] J. L. Elman, "Finding Structure in Time," *Cognitive Science*, vol. 14, no. 2, hlm. 179–211, Mar 1990, doi: 10.1207/s15516709cog1402_1.

[54] N. A. Nasarudin *dkk.*, "A review of deep learning models and online healthcare databases for electronic health records and their use for health prediction," *Artif Intell Rev*, vol. 57, no. 9, hlm. 249, Agu 2024, doi: 10.1007/s10462-024-10876-2.

[55] W. Maass, "Networks of spiking neurons: The third generation of neural network models," *Neural Networks*, vol. 10, no. 9, hlm. 1659–1671, Des 1997, doi: 10.1016/S0893-6080(97)00011-7.

[56] F. Ponulak,2 dan A. Kasinski, "Introduction to spiking neural networks: Information processing, learning and applications," *Acta Neurobiol. Exp.*, vol. 71, no. 4, hlm. 409–433, Des 2011, doi: 10.55782/ane-2011-1862.

[57] S. C. A. Luteijn, "Spiking Neural Networks for gesture recognition in WiFi CSI sensing: a feasibility study," 2023.

[58] B. Yin, F. Corradi, dan S. M. Bohte, "Accurate and efficient time-domain classification with adaptive spiking recurrent neural networks," 2021.

[59] S. Jiang, X. Li, Q. Zheng, dan L. Wang, "Approximate Equal Frequency Discretization Method," dalam *2009 WRI Global Congress on Intelligent Systems*, Xiamen, China: IEEE, 2009, hlm. 514–518. doi: 10.1109/GCIS.2009.131.

[60] J. Han, M. Kamber, dan J. Pei, *Data mining: concepts and techniques*, 3rd ed. dalam Morgan Kaufmann series in data management systems. Amsterdam Boston: Elsevier/Morgan Kaufmann, 2012.

[61] W. Boulila, E. Alshanqiti, A. Alzahem, A. Koubaa, dan N. Mlaiki, "An Effective Weight Initialization Method for Deep Learning: Application to Satellite Image Classification," 1 Juni 2024, *arXiv*: arXiv:2406.00348. doi: 10.48550/arXiv.2406.00348.

[62] M. V. Narkhede, P. P. Bartakke, dan M. S. Sutaone, "A review on weight initialization strategies for neural networks," *Artif Intell Rev*, vol. 55, no. 1, hlm. 291–322, Jan 2022, doi: 10.1007/s10462-021-10033-z.

UNIVERSITAS
GADJAH MADA
Klasifikasi Aktivitas Manusia Berdasarkan Amplitudo Channel State Information (CSI) Berbasis Wi-Fi Sensing dengan Recurrent Spiking Neural Network (RSNN)
Radhin Arsyad Ibrahim, Dr. Eng. Ir. Dwi Joko Suroso, S.T., M.Eng., IPP.; Ir. Agus Arif, M.T.
Universitas Gadjah Mada, 2026 | Diunduh dari http://etd.repository.ugm.ac.id/

[63] X. Glorot dan Y. Bengio, "Understanding the difficulty of training deep feedforward neural networks".

[64] Md. S. Hossain, Md. A. Hossain, dan A. Y. Srizon, "Hyperparameter-Tuned Lightweight CNN-SVM Hybrid Model for Efficient Multi-Class Lung Cancer Classification," dalam *2025 International Conference on Quantum Photonics, Artificial Intelligence, and Networking (QPAIN)*, Rangpur, Bangladesh: IEEE, Jul 2025, hlm. 1–6. doi: 10.1109/QPAIN66474.2025.11172085.

[65] M. Ravanelli, P. Brakel, M. Omologo, dan Y. Bengio, "Light Gated Recurrent Units for Speech Recognition," *IEEE Trans. Emerg. Top. Comput. Intell.*, vol. 2, no. 2, hlm. 92–102, Apr 2018, doi: 10.1109/TETCI.2017.2762739.

[66] T. Fawcett, "An introduction to ROC analysis," *Pattern Recognition Letters*, vol. 27, no. 8, hlm. 861–874, Jun 2006, doi: 10.1016/j.patrec.2005.10.010.

[67] S. Bianco, R. Cadene, L. Celona, dan P. Napoletano, "Benchmark Analysis of Representative Deep Neural Network Architectures," *IEEE Access*, vol. 6, hlm. 64270–64277, 2018, doi: 10.1109/ACCESS.2018.2877890.

[68] R. Schwartz, J. Dodge, N. A. Smith, dan O. Etzioni, "Green AI," 13 Agustus 2019, *arXiv*: arXiv:1907.10597. doi: 10.48550/arXiv.1907.10597.

[69] A. G. Howard *dkk.*, "MobileNets: Efficient Convolutional Neural Networks for Mobile Vision Applications," 17 April 2017, *arXiv*: arXiv:1704.04861. doi: 10.48550/arXiv.1704.04861.